

# **STATUS REPORT ON MISSOURI'S SUBSTANCE ABUSE AND MENTAL HEALTH PROBLEMS**

---

**Twentieth Edition -- 2014**



**MISSOURI DEPARTMENT OF MENTAL HEALTH  
Division of Behavioral Health**

# **STATUS REPORT ON MISSOURI'S SUBSTANCE ABUSE AND MENTAL HEALTH PROBLEMS**

**TWENTIETH EDITION — 2014**

**Randall C. Smith, M.P.A., M.Ed.**

**Christie J. Lundy, Ph.D.**

**Renee M. Rothermich, M.A.**

## **MISSOURI DEPARTMENT OF MENTAL HEALTH**

### **Division of Behavioral Health**

**1706 East Elm Street; P.O. Box 687**

**Jefferson City, MO 65102**

**573-751-9499**

**Website: <http://dmh.mo.gov>**

<b>Keith Schafer, Ed.D.</b>	<b>Director, Missouri Department of Mental Health</b>
<b>Mark Stringer</b>	<b>Director, Division of Behavioral Health</b>
<b>Rick Gowdy, Ph.D.</b>	<b>Deputy Director, Division of Behavioral Health</b>
<b>Clive Woodward</b>	<b>Director of Research and Statistics, Division of Behavioral Health</b>



**JEREMIAH W. (JAY) NIXON**  
GOVERNOR



**KEITH SCHAFER, Ed.D.**  
DIRECTOR

**MARK STRINGER**  
DIRECTOR  
**DIVISION OF  
BEHAVIORAL HEALTH**  
(573) 751-9499  
(573) 751-7814 FAX

**STATE OF MISSOURI  
DEPARTMENT OF MENTAL HEALTH**

1706 EAST ELM STREET  
P.O. BOX 687  
JEFFERSON CITY, MISSOURI 65102  
(573) 751-4122  
(573) 751-8224 FAX  
[www.dmh.mo.gov](http://www.dmh.mo.gov)

**PREFACE**

I am pleased to present this 19<sup>th</sup> edition of the *Status Report on Missouri's Substance Abuse and Mental Health Problems*. The report provides annual updates to sets of behavioral health data that quantify the magnitude of alcohol and drug misuse and mental illness; the problems related to these disorders; and treatment supported by the Department of Mental Health's Division of Behavioral Health—formerly the Division of Alcohol and Drug Abuse and the Division of Comprehensive Psychiatric Services. The *Status Report* is intended to inform the general public, policy-makers, planners, and program administrators. Hopefully it will meet many of your data needs.

The *Status Report* includes survey data that compares Missouri rates of substance abuse and mental disorders with national rates. The report also collects information from Missouri's state agencies on undesirable events occurring each year as a result of these disorders and organizes the data into county profiles. The profiles include numbers of residents accessing mental health and substance abuse treatment services managed by the Division of Behavioral Health. Notable enhancements to this year's report include a trend format for the Missouri Student Survey county-level profiles and the addition of survey profiles corresponding to substance abuse service areas to facilitate prevention planning. Prior editions of the *Status Report* are accessible at this website: <http://www.dmh.missouri.gov/ada/rpts/status.htm>.

A *Status Report* data archive developed through the support of the Missouri Behavioral Health Epidemiology Workgroup is also available online. Query tools enable users to customize analysis by combining data, selecting multiple variables, and displaying data relationships in charts and tables. The archive and query tool is located at this website: <http://dmh.mo.gov/seow/default.aspx>.

Inquiries and comments regarding the *Status Report* should be directed to the Division of Behavioral Health, Research and Statistics office at: [dbhmail@dmh.mo.gov](mailto:dbhmail@dmh.mo.gov).

Sincerely,

A handwritten signature in black ink, appearing to read "Mark Stringer".

Mark Stringer

## ACKNOWLEDGMENTS

The Status Report contains information from many sources. Aside from data and assistance provided by Missouri Department of Mental Health (DMH) staff, the following individuals and non-DMH agencies provided specialized Missouri data for this 20th edition. The Department of Mental Health would like to recognize and thank them for their cooperation and generous provision of time, consultation, and data processing.

Bryan Angell, Missouri Department of Health and Senior Services  
Ron Beck, Missouri Department of Public Safety  
Carol Bontempo, Missouri Department of Health and Senior Services  
Karin Bosh, Missouri Department of Health and Senior Services  
Avera Daniels, Missouri Department of Corrections  
Susan Depue, Missouri Institute of Mental Health  
Venkata Garikapaty, Missouri Department of Health and Senior Services  
Andrew Gillen, University of Missouri—Columbia  
Art Hughes, SAMHSA, Center for Behavioral Health Statistics and Quality  
Andrew Hunter, Missouri Department of Health and Senior Services  
Brad Jones, Missouri Department of Public Safety  
Tracy Lehmen, Missouri Department of Public Safety  
David Litchfield, Missouri Department of Health and Senior Services  
Rick McElfresh, Missouri Office of State Courts Administrator  
Joan Masters, University of Missouri—Columbia  
Chad Mengwasser, Missouri Department of Public Safety  
Richard Morrissey, Missouri Office of State Courts Administrator  
Mary Mosley, Missouri Department of Health and Senior Services  
Angela Plunkett, Missouri Office of State Courts Administrator  
Dan Reilly, University of Missouri—Columbia  
Mark Ritchey, Missouri Department of Public Safety  
Liz Sale, Missouri Institute of Mental Health  
Dennis Schulte, Missouri Department of Public Safety  
Tina Senter, Missouri Office of State Courts Administrator  
Phillip Shackelford, Missouri Department of Public Safety  
Freddie Spraggs, Missouri Department of Social Services  
DeWayne Sprenger, Missouri Department of Public Safety  
Seth Veit, Missouri Department of Public Safety



# TABLE OF CONTENTS

## SECTION A: INTRODUCTION

<b>Overview</b>	<b>PAGE NUMBER</b>
Report Front Cover	A1
Title Page	A2
Preface	A3
Acknowledgments	A4
Table of Contents	A5-A8
 <b>Data Highlights</b>	
The Big Picture	A9-A14
Trends	A14-A18
Impacts	A19-A20
Looking Ahead	A21

## SECTION B: UNITED STATES AND MISSOURI PREVALENCE SURVEYS

<b>National Survey on Drug Use and Health (NSDUH) — Alcohol and Drug Tables and Charts</b>	
Alcohol, Tobacco, Illicit Drugs — Overview: U.S. Ages 12 & Older	B1
Alcohol, Tobacco, Illicit Drugs — Overview: U.S. Ages 12-17	B2
Alcohol, Tobacco, Illicit Drugs — Overview: U.S. Ages 18-25	B3
Alcohol, Tobacco, Illicit Drugs — Overview: U.S. Ages 26 & Older	B4
Alcohol — Past-Month Use: U.S. and Missouri Comparison	B5
Alcohol — Past-Month Binge Use: U.S. and Missouri Comparison	B6
Alcohol — Perceived Risk of Binge Use: U.S. and Missouri Comparison	B7
Alcohol — Past-Month, Binge, and Perceived Risk: Missouri Age Groups	B8
Alcohol — Past-Month, Binge, and Perceived Risk: Missouri Planning Regions	B9
Tobacco — Past-Month Cigarette Use: U.S. and Missouri Comparison	B10
Tobacco — Perceived Risk of Cigarette Use: U.S. and Missouri Comparison	B11
Tobacco — Past-Month Tobacco and Cigarette Use and Perceived Risk: Missouri Age Groups	B12
Tobacco — Past-Month Tobacco and Cigarette Use and Perceived Risk: Missouri Planning Regions	B13
Illicit Drugs — Past-Month Use of Any Illicit Drug: U.S. and Missouri Comparison	B14
Illicit Drugs — Past-Month Use of Any Illicit Drug Other Than Marijuana: U.S. and Missouri Comparison	B15
Illicit Drugs — Past-Month Use of Any Illicit Drug and Any Other Than Marijuana: Missouri Planning Regions	B16
Marijuana — Past-Month Use: U.S. and Missouri Comparison	B17
Marijuana — Past-Year Use: U.S. and Missouri Comparison	B18
Marijuana — Perceived Risk of Use: U.S. and Missouri Comparison	B19
Marijuana — Past-Month, First-Use in Past Year, Perceived Risk: Missouri Age Groups	B20
Marijuana — Past-Month, First-Use in Past Year, Perceived Risk: Missouri Planning Regions	B21
Marijuana, Cocaine, Pain Relievers — Past-Year Use: Missouri Planning Regions	B22
Cocaine — Past-Year Use: U.S. and Missouri Comparison	B23
Pain Relievers — Past-Year Use: U.S. and Missouri Comparison	B24
Alcohol, Illicit Drugs — Past-Year Dependence/Abuse: U.S. and Missouri Comparison	B25
Alcohol, Illicit Drugs — Past-Year Dependence/Abuse: Missouri Population Estimates	B26
Alcohol, Illicit Drugs — Past-Year Dependence/Abuse: Missouri Planning Regions	B27
Alcohol, Illicit Drugs — Past-Year Dependence/Abuse: Missouri Planning Regions and Age Groups	B28
Alcohol, Illicit Drugs — Past-Year Unmet Treatment Need: Missouri Population Estimates	B29
Alcohol, Illicit Drugs — Past-Year Unmet Treatment Need: Missouri Planning Regions	B30
Alcohol, Illicit Drugs — Past-Year Unmet Treatment Need: Missouri Planning Regions and Age Groups	B31
 <b>National Survey on Drug Use and Health (NSDUH) — Mental Health Charts</b>	
Mental Illness — Any Mental Illness in Past Year: U.S./Missouri Comparison	B32
Mental Illness — Serious Mental Illness in Past Year: U.S./Missouri Comparison	B33
Depression — Major Past-Year Episode: U.S./Missouri Comparison	B34
Depression — Major Past-Year Episode: Missouri Regions	B35
Suicide — Serious Thoughts of Suicide in Past Year: U.S./Missouri Comparison and Missouri Regions	B36

## SECTION B: UNITED STATES AND MISSOURI PREVALENCE SURVEYS (continued)

### ***Missouri Student Survey (MSS) — Tables and Charts***

Alcohol, Tobacco, Illicit Drugs — Overview of Lifetime Use: Missouri Students in Grades 6-12	B37
Alcohol, Tobacco, Illicit Drugs — Overview of Past 30-Day Use: Missouri Students in Grades 6-12	B38
Alcohol — Lifetime, Past 30-Day, and Binge Use: Missouri Students in Grades 6-12	B39
Tobacco — Lifetime and Past 30-Day Use: Missouri Students in Grades 6-12	B40
Marijuana — Lifetime and Past 30-Day Use: Missouri Students in Grades 6-12	B41
Cocaine, Methamphetamine, and Heroin — Lifetime and Past 30-Day Use: Missouri Students in Grades 6-12	B42
Hallucinogens Synthetics, and Club Drugs — Lifetime Use: Missouri Students in Grades 6-12	B43
Pharmaceutical Drugs — Lifetime and Past 30-Day Use: Missouri Students in Grades 6-12	B44
Inhalants and Over-the-Counter Drugs — Lifetime and Past 30-Day Non-Medical Use: Missouri Students in Grades 6-12	B45

### ***Youth Risk Behavior Survey (YRBS) — Tables and Charts***

Alcohol, Tobacco, Marijuana — Overview: U.S. and Missouri Students in Grades 9-12	B46
Alcohol — Past 30-Day Use: U.S. and Missouri Students in Grades 9-12	B47
Alcohol — Past 30-Day Binge Use: U.S. and Missouri Students in Grades 9-12	B48
Alcohol — Use Before Age 13: U.S. and Missouri Students in Grades 9-12	B49
Tobacco — Past 30-Day Cigarette Use: U.S. and Missouri Students in Grades 9-12	B50
Marijuana — Past 30-Day Use: U.S. and Missouri Students in Grades 9-12	B51

### ***Behavioral Risk Factor Survey — Tables***

Alcohol, Tobacco, and Mental Health — U.S. and Missouri Adults Ages 18 and Older	B52
--	-----

### ***Monitoring The Future Survey (MTF) — Tables***

Alcohol, Tobacco, Illicit Drugs: Lifetime, Past 30-Day, and Daily Use: U.S. Students in Grade 8	B53
Alcohol, Tobacco, Illicit Drugs: Lifetime, Past 30-Day, and Daily Use: U.S. Students in Grade 10	B54
Alcohol, Tobacco, Illicit Drugs: Lifetime, Past 30-Day, and Daily Use: U.S. Students in Grade 12	B55
Alcohol, Tobacco, Illicit Drugs: Lifetime, Past 30-Day, and Daily Use: U.S. College Students	B56
Alcohol, Tobacco, Illicit Drugs: Lifetime, Past 30-Day, and Daily Use: U.S. Adults Ages 19-28	B57

### ***Missouri College Health Behavior Survey (MCHBS) — Tables and Charts***

Alcohol, Tobacco, Illicit Drugs — Use and Related Problems: Missouri College Students	B58
Mental Health — Past-Year Problems: Missouri College Students	B59
Gambling — Past-Year Problems: Missouri College Students	B60
Alcohol — Past Year, Past 30-Day, and Binge Use: Missouri College Students	B61
Non-Prescription Drugs — Past Year Use: Missouri College Students	B62
Illicit Drugs — Past Year Use: Missouri College Students	B63

### ***Pregnancy Risk Assessment Monitoring System (PRAMS) — Tables***

Alcohol, Tobacco, and Mental Health Involvement with Pregnancy — Missouri	B64
---	-----

## SECTION C: SUBSTANCE ABUSE INDICATORS IN TABLES AND CHARTS

Economic Costs of Substance Abuse: U.S. and Missouri	C1
Births and Fetal Exposure to Alcohol, Tobacco, and Other Drugs: Missouri	C2
Alcohol and Drug Related Hospitalizations and Emergency Department Episodes: Missouri	C3
Diseases Associated with Substance Abuse: Missouri	C4
Alcohol, Drug, and Smoking Induced Deaths: Missouri	C5
Alcohol-Involved Traffic Crashes: Missouri	C6
Drug-Involved Traffic Crashes: Missouri	C7
Alcohol and Drug Arrests: Missouri	C8
Alcohol and Drug Related Out-of-Home Placements and Juvenile Court Referrals: Missouri	C9
Criminal Justice Services for Alcohol and Drug Offenses: Missouri	C10
Per Capita Consumption of Beverage Alcohol Based on Sales: U.S. and Missouri	C11
Liquor Licenses: Missouri	C12
Cigarette Sales Based on Tax Revenue: Missouri	C13
Unemployment Rate: U.S. and Missouri	C14

**SECTION D: DIVISION OF BEHAVIORAL HEALTH STATEWIDE SUBSTANCE ABUSE TREATMENT SERVICES**

Treatment Admissions Overview	D1
Male Treatment Admissions	D2
Female Treatment Admissions	D3
Alcohol Admissions	D4
Marijuana Admissions	D5
Cocaine Admissions	D6
Methamphetamine Admissions	D7
Heroin Admissions	D8
Other Drug Admissions	D9
Age Profiles of Substance Abuse Treatment and Intervention Program Admissions	D10

**SECTION E: INDICATORS AND TREATMENT SERVICES BY GEOGRAPHIC AREA*****Missouri***

Statewide Missouri	E1-E4
--------------------	-------

***Missouri Counties***

Adair	E5-E8	Andrew	E9-E12	Atchison	E13-E16
Audrain	E17-E20	Barry	E21-E24	Barton	E25-E28
Bates	E29-E32	Benton	E33-E36	Bollinger	E37-E40
Boone	E41-E44	Buchanan	E45-E48	Butler	E49-E52
Caldwell	E53-E56	Callaway	E57-E60	Camden	E61-E64
Cape Girardeau	E65-E68	Carroll	E69-E72	Carter	E73-E76
Cass	E77-E80	Cedar	E81-E84	Chariton	E85-E88
Christian	E89-E92	Clark	E93-E96	Clay	E97-E100
Clinton	E101-E104	Cole	E105-E108	Cooper	E109-E112
Crawford	E113-E116	Dade	E117-E120	Dallas	E121-E124
Daviess	E125-E128	DeKalb	E129-E132	Dent	E133-E136
Douglas	E137-E140	Dunklin	E141-E144	Franklin	E145-E148
Gasconade	E149-E152	Gentry	E153-E156	Greene	E157-E160
Grundy	E161-E164	Harrison	E165-E168	Henry	E169-E172
Hickory	E173-E176	Holt	E177-E180	Howard	E181-E184
Howell	E185-E188	Iron	E189-E192	Jackson	E193-E196
Jasper	E197-E200	Jefferson	E201-E204	Johnson	E205-E208
Knox	E209-E211	Laclede	E213-E216	Lafayette	E217-E220
Lawrence	E221-E224	Lewis	E225-E228	Lincoln	E229-E232
Linn	E233-E236	Livingston	E237-E240	McDonald	E241-E243
Macon	E245-E248	Madison	E249-E252	Maries	E253-E255
Marion	E257-E260	Mercer	E261-E264	Miller	E265-E268
Mississippi	E269-E272	Moniteau	E273-E276	Monroe	E276-E280
Montgomery	E281-E284	Morgan	E285-E288	New Madrid	E289-E292
Newton	E293-E296	Nodaway	E297-E300	Oregon	E301-E304
Osage	E305-E308	Ozark	E309-E312	Pemiscot	E313-E316
Perry	E317-E320	Pettis	E321-E324	Phelps	E325-E328
Pike	E329-E332	Platte	E333-E336	Polk	E337-E340
Pulaski	E341-E344	Putnam	E345-E348	Ralls	E349-E351
Randolph	E353-E356	Ray	E357-E360	Reynolds	E361-E364
Ripley	E365-E368	Saint Charles	E369-E372	Saint Clair	E373-E376
Sainte Genevieve	E377-E379	Saint Francois	E381-E384	Saint Louis County	E385-E388
Saline	E389-E392	Schuyler	E393-E395	Scotland	E397-E400
Scott	E401-E404	Shannon	E405-E408	Shelby	E409-E411
Stoddard	E413-E416	Stone	E417-E420	Sullivan	E421-E424
Taney	E425-E428	Texas	E429-E432	Vernon	E433-E436
Warren	E437-E440	Washington	E441-E444	Wayne	E445-E448
Webster	E449-E452	Worth	E453-E455	Wright	E457-E460
Saint Louis City	E461-E464				

**SECTION E: INDICATORS AND TREATMENT SERVICES BY GEOGRAPHIC AREA (continued)*****Division of Behavioral Health (DBH) Planning Regions***

DBH Western Region	E465-E468	DBH Central Region	E468-E472	DBH Eastern Region	E473-E476
DBH Southwest Region	E477-E480	DBH Southeast Region	E481-E484		

***DBH Substance Use Service Areas (SA)***

Substance Use SA 1	E485-E487	Substance Use SA JC	E488-E490	Substance Use SA 6	E490-E493
Substance Use SA 7	E494-E496	Substance Use SA 8	E497-E499	Substance Use SA 9	E500-E502
Substance Use SA 10	E503-E505	Substance Use SA 11	E506-E508	Substance Use SA 12	E509-E511
Substance Use SA 13	E512-E514	Substance Use SA 14	E515-E517	Substance Use SA 15	E518-E520
Substance Use SA 16	E521-E523	Substance Use SA 17	E524-E526	Substance Use SA 18	E527-E529
Substance Use SA 19	E530-E532	Substance Use SA 20	E533-E535	Substance Use SA 21	E536-E538
Substance Use SA 22	E539-E541	Substance Use SA SL	E542-E544		

***DBH Adult Mental Health Service Areas (SA)***

Mental Health SA 1	E545-E546	Mental Health SA 2-5	E547-E548	Mental Health SA 6	E549-E550
Mental Health SA 7	E551-E552	Mental Health SA 8A	E553-E554	Mental Health SA 8B	E555-E556
Mental Health SA 9	E557-E558	Mental Health SA 10	E559-E560	Mental Health SA 11	E561-E562
Mental Health SA 12	E563-E564	Mental Health SA 13	E565-E566	Mental Health SA 14	E567-E568
Mental Health SA 15	E569-E570	Mental Health SA 16	E571-E572	Mental Health SA 17A	E573-E574
Mental Health SA 17B	E575-E576	Mental Health SA 18	E577-E578	Mental Health SA 19	E579-E580
Mental Health SA 20	E581-E582	Mental Health SA 21	E583-E584	Mental Health SA 22	E585-E586
Mental Health SA 23	E587-E588	Mental Health SA 24-25	E589-E590		

**SECTION F: APPENDIX**

2013 Missouri Population Estimates by Age, Gender, Race, and Hispanic Origin	F1
Map of Division of Behavioral Health Regions Used for Estimates from National Survey on Drug Use and Health	F2
Map of Substance Abuse Service Areas Containing Status Report Data	F3
Map of Adult Psychiatric Service Areas Containing Status Report Data	F4
About the Surveys: An Overview	F5-F8

## HIGHLIGHTS


### THE BIG PICTURE

**Nearly one in five Missouri adults suffers from mental illness and one in 13 suffers from substance use disorders.** Missouri data for years 2011 and 2012 from the National Survey on Drug Use and Health (NSDUH) indicate that an estimated 19% of Missouri adults (ages 18 and older) numbering 855,000 have had any past-year mental illness and 8% of adults or 367,000 have had a past-year substance use disorder. Among adults with any mental illness, 203,000 have past-year *serious* mental illness. NSDUH 2012 national data indicate that nearly 20% of adults with any mental illness have a co-occurring substance disorder and over 40 percent of adults with a substance disorder have co-occurring mental illness. These findings suggest that a projected 150,000 to 160,000 Missouri adults might have co-occurring disorders. Components of mental illness include mood disorders such as depression and thoughts of suicide, anxiety disorders, psychotic disorders, impulse control disorders, and adjustment disorders. More than 7% of Missouri adults or 324,000 experienced a major depressive episode in the past year and 4% or 180,000 had serious thoughts of suicide. The adults with substance use disorders include approximately 254,000 with primarily alcohol dependence or abuse, 77,000 with primarily illicit drug dependence or abuse, and 36,000 with both alcohol and illicit drug dependence or abuse.

**Young Missouri adults have substantially higher rates of substance use disorders than older adults or adolescents.** Over 17% of adults 18-25 years of age have had a past-year substance use disorder, compared to less than 7% of adults over age 25 and 6% of adolescents under age 18. They also have higher rates of past-year major depression than older adults.

**Nearly 8% of Missouri adolescents 12-17 years of age have had at least one major depressive episode in the past year.** In addition to these 36,000 adolescents, an estimated 6% of Missouri adolescents numbering 30,000 have a past-year substance use disorder. They include approximately 12,000 primarily with alcohol dependence or abuse, 13,000 with illicit drug dependence or abuse, and 5,000 with both alcohol and illicit drug dependence or abuse.


**Figure 1: Age Group Estimates for Past-Year Mental Illness and Substance Use Disorders, Missouri 2011-2012**



Source: U.S. Dept. of Health and Human Services, Substance Abuse and Mental Health Services Administration (SAMHSA). National Survey on Drug Use and Health, 2011-2012. Estimates are 2-year averages. Some individuals are in more than one disorder category. Estimates are not available for ages 12-17 for Any Mental Illness, Serious Mental Illness, and Serious Thoughts of Suicide.

**Mental illness accounts for more emergency room visits than alcohol and drug abuse.** In 2012, mental disorders were the principal diagnosis among more than 82,000 Missouri emergency room episodes. Over 21,000 E.R. visits were attributed primarily to alcohol and 14,000 to drugs. Approximately 35% of the individuals treated in the emergency room primarily for mental disorders were admitted to the hospital for additional services. Among individuals treated primarily for alcohol or drug disorders, 25% were admitted to the hospital. Additionally, large numbers of individuals entered emergency departments with secondary diagnoses of mental, alcohol, and/or drug disorders.


**Figure 2: Emergency Room Visits for Mental Illness and Substance Use Disorders, Missouri 2012**



Source: Missouri Department of Health and Senior Services. Data are based on ICD-9 code categories developed by the Healthcare Cost and Utilization Project (HCUP). Some individuals may be in more than one secondary diagnosis category.

**Among individuals receiving Division of Behavioral Health (DBH) psychiatric services during the past year, 42% were treated for mood disorders.** Another 21% were diagnosed with anxiety disorders, 14% with psychotic disorders, and 11% with impulse control disorders. Smaller numbers were treated for personality, adjustment, developmental, sexual and other disorders and impairments including dementia.


**Figure 3: Mental Illness Disorders Treated in Missouri Division of Behavioral Health Programs, Fiscal Year 2013**



Source: Missouri Department of Mental Health, Customer Information Management, Outcomes & Reporting (CIMOR) System.

**Nearly 39% of individuals receiving DBH services for substance abuse were treated for alcohol use as their primary substance disorder.** Nearly 23% were treated for marijuana use, 14% for methamphetamine, 10% for heroin, 7% for non-heroin analgesics, and 4% for cocaine. Other drug mentions for primary drug problem included tranquilizers, hallucinogens, non-meth stimulants, sedatives, and inhalants. Many individuals were also treated for a secondary drug of abuse or for alcohol-in-combination with drugs.


**Figure 4: Substance Use Disorders Treated in Missouri Division of Behavioral Health Programs, Fiscal Year 2013**



Source: Missouri Department of Mental Health, Customer Information Management, Outcomes & Reporting (CIMOR) System.

**Adult mental illness rates tend to be higher in rural areas of Missouri, while adolescent and adult substance use disorder rates are higher in urban areas.** Prevalence estimates for mental illness, depression, and suicidal thoughts are highest in the Division of Behavioral Health Southwest and Southeast planning regions and lowest in the Kansas City (Jackson County) and Saint Louis areas. Conversely, substance dependence and abuse rates are highest in the two metro regions. The rates are based on three years of Missouri data from the National Survey on Drug Use and Health (NSDUH). Most of the apparent rate differences are not statistically significant due to small regional survey samples.

**Figure 5: Past-Year Mental Illness and Substance Use Disorder Estimates (%), DBH Planning Regions, 2010-2012**




Source: U.S. Dept. of Health and Human Services, Substance Abuse and Mental Health Services Administration (SAMHSA). National Survey on Drug Use and Health, 2010-2012. Some individuals are in more than one disorder category. Estimates are 3-year average rates for the Missouri population 18 years and older for Any Mental Illness, Serious Mental Illness, and Serious Thoughts of Suicide. Rates for Major Depressive Episode and Substance Dependence or Abuse are for ages 12 and older.



**One-third of the Missouri population, and one-third of individuals with mental health and substance use disorders, reside in Saint Louis County, Saint Louis City, and Jackson County.** Based on the 2010-2012 NSDUH rate estimates, the prevalence of mental illness and substance abuse in these largest urban areas is in proportion to their populations. Overall, the Saint Louis area and the remainder of the Division of Behavioral Health (DBH) Eastern planning region has approximately 287,000 adults with mental illness and 138,000 adolescents and adults with substance use disorders. Jackson County and the remainder of the Kansas City area and Western planning region have 197,000 with mental illness and 94,000 with substance disorders. Central region has 119,000 with mental illness and 52,000 with substance disorders; Southwest region has 147,000 with mental illness and 54,000 with substance disorders; and Southeast region has 112,000 with mental illness and 43,000 with substance disorders. Separate population estimates are provided for the urban and non-urban portions of Western and Eastern regions, and for alcohol and drug dependence or abuse.


**Figure 6: Population Estimates for Mental Illness and Substance Use Disorders, DBH Planning Regions, 2010-2012**



Source: U.S. Dept. of Health and Human Services, Substance Abuse and Mental Health Services Administration (SAMHSA). National Survey on Drug Use and Health, 2010-2012. Some individuals are in more than one disorder category. Estimates are 3-year averages for the Missouri population 18 years and older for Any Mental Illness, Serious Mental Illness, and Serious Thoughts of Suicide, and for the population 12 years and older for Major Depressive Episode, Alcohol Dependence or Abuse, and Illicit Drug Dependence or Abuse.



**Figure 7: Missouri Division of Behavioral Health Planning Regions and Sub-regions Containing NSDUH Estimates**




Source: Missouri Department of Mental Health, Division of Behavioral Health.

**One-half of Missouri’s population drinks alcohol, and one-fourth smokes cigarettes.** Based on three years of NSDUH data, an estimated 51% of the population ages 12 and older consumed alcohol at least once in the month prior to the survey, and 23% consumed five or more drinks on one occasion, generally referred to as “binge drinking”. Missouri’s drinking and binge drinking rates for the overall population are statistically identical to the national rates. Drinking rates are approximately 8 percentage points higher in the Eastern and Western regions than in the Southeast and Southwest regions, but these differences are not statistically significant. An estimated 14% of Missouri adolescents 12-17 years of age drink alcohol—about the same as adolescents nationwide. Among young adults 18-25 years of age, 60% are past-month drinkers—again the same as the U.S. rate for that age group. Missouri’s cigarette smoking rate of 26% remains four percentage points higher than the national rate of 22% for the population ages 12 and older. Smoking rates are highest in the Southeast region at 30% and lowest in the Eastern region at 23%. Among Missouri adolescents, 11% are current smokers compared to 7.5% nationwide. Missouri young adults have higher smoking rates than adolescents or older adults and, at 37%, a rate 4 percentage points higher than the U.S. rate for the 18-25 age group.

**Illicit drug use in Missouri is slightly lower than the national average.** An estimated 7.5% of the Missouri population ages 12 and older used an illicit drug in the past month. About 6% used marijuana in the past month and 10% used it in the past year. Nationwide, past-month marijuana use is 7% and past-year use is nearly 12%. Usage rates are highest in the Eastern region—particularly in the Saint Louis area at over 7%—and lowest in the Southeast region at 4%. Marijuana is used by approximately 14% of Missouri adolescents 12-17 years of age, 28% of young adults, and 7% of adults over age 25. Nationwide rates are also 14% for adolescents, but are 31% for young adults and 8% for older adults.

**Figure 8: Estimated Past-Month Alcohol, Tobacco, and Illicit Drug Use, U.S. and Missouri: 2011-2012**




Source: U.S. Dept. of Health and Human Services, Substance Abuse and Mental Health Services Administration (SAMHSA). National Survey on Drug Use and Health, 2011-2012. Estimates are 2-year average rates for the United States and Missouri populations ages 12 years and older.

## TRENDS


**Adolescent alcohol and tobacco use continues to decline.** Among Missouri's 12-17 year-olds, alcohol use reached its lowest level in 2011-2012 since the National Survey on Drug Use and Health (NSDUH) began measuring state rates in 1999. Binge drinking in this age group has also declined. Although adolescent tobacco use in Missouri is higher than the national rate, it has declined considerably from an estimated 21% in 2002-2003 to less than 13% in 2011-2012. Cigarette use has led that trend, decreasing from nearly 18% to less than 10% during that 9-year period. Adolescent marijuana use in Missouri has shown no change in the latest NSDUH estimates, while overall illicit drug use is trending upward. Slight year-to-year increases in estimates of past-month illicit drug use are not statistically significant, but suggest that drug use might be slowly increasing in the 12-17 age-group.

**Figure 9: Trend in Past-Month Use of Alcohol, Tobacco, and Illicit Drugs among Missouri Adolescents**



Data Source: Substance Abuse and Mental Health Services Administration (SAMHSA), National Survey on Drug Use and Health, 2011-2012. Estimates are 2-year averages.

**Figure 8: Estimated Past-Month Alcohol, Tobacco, and Illicit Drug Use, U.S. and Missouri: 2011-2012**




Source: U.S. Dept. of Health and Human Services, Substance Abuse and Mental Health Services Administration (SAMHSA). National Survey on Drug Use and Health, 2011-2012. Estimates are 2-year average rates for the United States and Missouri populations ages 12 years and older.

## TRENDS

**Adolescent alcohol and tobacco use continues to decline.** Among Missouri's 12-17 year-olds, alcohol use reached its lowest level in 2011-2012 since the National Survey on Drug Use and Health (NSDUH) began measuring state rates in 1999. Binge drinking in this age group has also declined. Although adolescent tobacco use in Missouri is higher than the national rate, it has declined considerably from an estimated 21% in 2002-2003 to less than 13% in 2011-2012. Cigarette use has led that trend, decreasing from nearly 18% to less than 10% during that 9-year period. Adolescent marijuana use in Missouri has shown no change in the latest NSDUH estimates, while overall illicit drug use is trending upward. Slight year-to-year increases in estimates of past-month illicit drug use are not statistically significant, but suggest that drug use might be slowly increasing in the 12-17 age-group.


**Figure 9: Trend in Past-Month Use of Alcohol, Tobacco, and Illicit Drugs among Missouri Adolescents**



Data Source: Substance Abuse and Mental Health Services Administration (SAMHSA), National Survey on Drug Use and Health, 2011-2012. Estimates are 2-year averages.

**Adolescent rates for past year major depressive episode and substance dependence are stable or trending downward.** Data from the 2011 and 2012 NSDUH indicate that, among Missouri adolescents 12-17 years of age, the estimated percentage with alcohol dependence or abuse has been reduced from about 7% to less than 4% since 2003-2004. Illicit drug dependence/abuse rates for that age group have hovered around 4% for the last several years.


**Figure 10: Past-Year Mental Illness, Substance Disorders, and Treatment Need among Missouri Adolescents**



Source: U.S. Dept. of Health and Human Services, Substance Abuse and Mental Health Services Administration (SAMHSA). National Survey on Drug Use and Health, 2011-2012. Estimates are 2-year averages. Some individuals are in more than one category.

Estimates of Unmet Need indicate most of these adolescents did not receive specialized treatment for substance disorders or received an inadequate amount of treatment. Among those who accessed addiction services supported by the Division of Behavioral Health (DBH) in recent years, the majority identified marijuana as their primary drug problem.


**Figure 11 Primary Drug of Abuse among Adolescents Admitted to DBH Treatment Programs, FY 1996-FY 2013**



Source: Missouri Department of Mental Health, Customer Information Management, Outcomes & Reporting (CIMOR) System.

**Young adults have the state's overall highest rates of behavioral health problems.** Over 18% of Missouri adults 18-25 years of age had some type of past-year mental illness and over 17% had an alcohol or drug disorder, according to estimates from the 2011 and 2012 National Survey on Drug Use and Health. Among approximately 121,000 young adults with mental illness, over 26,000 had serious mental illness, 42,000 had serious thoughts of suicide, and 56,000 had at least one past-year major depressive episode. An estimated 115,000 had a substance use disorder including 68,000 with alcohol dependence or abuse, 26,000 with illicit drug dependence or abuse, and 21,000 with both alcohol and drug dependence or abuse. Rates for the mental illness measures and drug dependence or abuse have fluctuated little in this age group in recent years. Alcohol dependence and abuse disorders have declined by several percentage points, accompanied by a corresponding reduction in treatment need.


**Figure 12: Past-Year Mental Illness, Substance Disorders, and Treatment Need among Missouri Young Adults**



Source: U.S. Dept. of Health and Human Services, Substance Abuse and Mental Health Services Administration (SAMHSA). National Survey on Drug Use and Health, 2011-2012. Estimates are 2-year averages. Some individuals are in more than one category.

**Tobacco use among young adults is steadily declining.** Cigarette use among Missouri adults 18-25 years of age has dropped by about 10 percentage points in the past 10 years. Past-month illicit drug use in this age group has remained at about 20%, with marijuana accounting for most of this use. Alcohol use and binge drinking rates have declined modestly during this period. An estimated 60% of Missouri's young adults currently drink, and 40% binge-drink.


**Figure 13: Trend in Past-Month Use of Alcohol, Tobacco, and Illicit Drugs among Missouri Young Adults**



Data Source: Substance Abuse and Mental Health Services Administration (SAMHSA), National Survey on Drug Use and Health, 2011-2012. Estimates are 2-year averages.

**Young adult treatment admissions for marijuana, alcohol, and cocaine are declining while admissions for heroin and methamphetamine are increasing.** Only one-fourth of young adults admitted to Missouri Division of Behavioral Health treatment programs identify alcohol as their primary drug of abuse. Marijuana now accounts for 36% of the admissions, somewhat lower than a decade ago. Young adults are developing disorders with a more diverse variety of substances. Consistent with prevalence estimates, almost equal numbers of young adults have sought treatment for serious mental illness and substance use disorders in recent years.


**Figure 14: Primary Drug of Abuse among Young Adults Served in DBH Treatment Programs, FY 1996-FY 2013**



Source: Missouri Department of Mental Health, Customer Information Management, Outcomes & Reporting (CIMOR) System.

**Older adults have higher rates of mental illness than substance use disorders.** An estimated 19% of Missouri adults over age 25—approximately 734,000—have a past-year mental illness, and nearly 5% or 175,000 have serious mental illness. Less than 7% or about 252,000 have a substance use disorder. Of these, about 202,000 have an alcohol dependence/abuse or co-occurring alcohol and illicit drug dependence/abuse disorder.


**Figure 15: Past-Year Mental Illness, Substance Disorders, and Treatment Need among Missouri Older Adults**



Source: U.S. Dept. of Health and Human Services, Substance Abuse and Mental Health Services Administration (SAMHSA). National Survey on Drug Use and Health, 2011-2012. Estimates are 2-year averages. Some individuals are in more than one category.

Consistent with these prevalence estimates, considerably more adults age 25 and older sought treatment for mental illness than substance abuse in Division of Behavioral Health programs in FY 2013. Among those admitted for substance use disorders, nearly one-half identified alcohol as their primary drug of abuse.

**Figure 16: Primary Drug of Abuse among Older Adults Served in DBH Treatment Programs, FY 1996-FY 2013**




Source: Missouri Department of Mental Health, Customer Information Management, Outcomes & Reporting (CIMOR) System.



## IMPACTS

**More deaths result from drug overdoses and chronic drug use than from suicide.** Although cigarette smoking is still one of the leading causes of death in Missouri with nearly 10,000 smoking deaths estimated each year, drug abuse now exceeds suicide as a cause of death. Suicide deaths have increased from 12.4 per 100,000 population in 2000 to 15.0 in 2012; drug induced deaths have more than doubled from 5.9 per 100,000 in 2000 to 15.8 in 2012. During that period, smoking deaths have remained at about 16 *per 10,000* (164 per 100,000 in 2012). Alcohol-induced deaths reached 449 for the first time—a rate of 7.5 per 100,000 population.

**Figure 17: Death Rate per 100,000 Population for Alcohol and Drug Related Events (and per 10,000 for Smoking) and Attributed Number of Deaths in 2012 (labeled at right)**




Sources: Missouri Department of Health and Senior Services; Missouri Department of Public Safety, State Highway Patrol.

**The portion of traffic crash deaths that are alcohol related is increasing.** In 2013, intoxicated driving was involved in 27% of Missouri's traffic deaths—the highest percentage of the past decade. Alcohol-involved crashes have greater injury severity than non-alcohol crashes. Although only 4% of traffic crashes in 2013 were alcohol-involved, over 25% of the fatal crashes and nearly 7% of the non-fatal injury crashes were attributed to alcohol. Only 0.5% of all traffic crashes in 2013 involved fatalities, yet over 3% of the alcohol-involved crashes were fatal.



**Figure 18: Alcohol Involvement in Missouri Traffic Deaths and in Fatal, Non-fatal Injury, and Non-injury Property Damage Crashes**




Source: Missouri Department of Public Safety, State Highway Patrol.

**Substance abuse accounts for over 40% of court-ordered out-of-home placements of children.**

In 2012, 2,780 Missouri children were removed from their homes by juvenile courts due to parental alcohol and/or drug abuse and 3,642 for all other reasons. The number and percentage of substance related removals exceeds those of all previous years.

**Figure 19: Missouri Out-of-Home Placements of Children Due to Parental Substance Abuse**



Source: Missouri Department of Social Services.

**Drug related crime accounts for 40% of prison and probation admissions.** In fiscal year 2013 6,906 individuals were incarcerated in Missouri prisons and 10,280 were placed on probation for substance related convictions including driving while intoxicated. During the past several years, 38% of prison admissions and 41% of probation case openings have consistently been substance related.

**NATIONAL SURVEY ON DRUG USE AND HEALTH  
U.S. AGES 12 AND OLDER, 2003-2013**

**Estimated Past-Month Substance Use (%)**

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003
Alcohol	52.2	52.1	51.8	51.8	51.9	51.6	51.2	51.0	51.8	50.3	50.1
Binge Alcohol Use *	22.9	23.0	22.6	23.1	23.7	23.4	23.3	23.0	22.7	22.8	22.6
Heavy Alcohol Use **	6.3	6.5	6.2	6.7	6.8	7.0	6.9	6.9	6.6	6.9	6.8
Any Tobacco	25.5	26.7	26.5	27.5	27.7	28.4	28.7	29.6	29.4	29.2	29.8
Cigarettes	21.3	22.1	22.1	23.0	23.3	24.0	24.3	25.0	24.9	24.9	25.4
Smokeless Tobacco	3.4	3.5	3.2	3.5	3.4	3.5	3.3	3.3	3.2	3.0	3.3
Any Illicit Drug	9.4	9.2	8.7	8.9	8.7	8.1	8.0	8.3	8.1	7.9	8.2
Marijuana	7.5	7.3	7.0	6.9	6.7	6.1	5.8	6.0	6.0	6.1	6.2
Inhalant	0.2	0.2	0.2	0.3	0.2	0.3	0.2	0.3	0.3	0.3	0.2
Hallucinogen	0.5	0.4	0.4	0.5	0.5	0.4	0.4	0.4	0.4	0.4	0.4
LSD	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.1
PCP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Ecstasy	0.3	0.2	0.2	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2
Cocaine (any form)	0.6	0.6	0.5	0.6	0.7	0.7	0.8	1.0	1.0	0.8	1.0
Crack Cocaine	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.3	0.3	0.2	0.3
Heroin	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Psychotherapeutics (Rx-type, non-medical use)	2.5	2.6	2.4	2.7	2.8	2.5	2.8	2.9	2.7	2.5	2.7
Pain Reliever	1.7	1.9	1.7	2.0	2.1	1.9	2.1	2.1	1.9	1.8	2.0
OxyContin®	0.2	0.1	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	
Stimulant	0.5	0.5	0.4	0.4	0.5	0.4	0.4	0.5	0.4	0.5	0.5
Methamphetamine	0.2	0.2	0.2	0.1	0.2	0.1	0.2	0.2	0.2	0.2	0.3
Sedative	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1
Tranquilizer	0.6	0.8	0.7	0.9	0.8	0.7	0.7	0.7	0.7	0.7	0.8

**Estimated Lifetime Substance Use (%)**

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003
Alcohol	81.5	82.3	82.2	82.5	82.8	82.2	82.3	82.7	82.9	82.4	83.1
Any Tobacco	66.8	66.8	67.5	68.7	69.1	69.6	69.5	70.7	70.8	71.4	72.7
Cigarettes	61.8	61.9	62.8	64.2	64.6	65.1	65.3	66.3	66.6	67.3	68.7
Smokeless Tobacco	17.6	17.7	18.0	17.7	17.8	18.4	18.2	18.6	18.4	18.6	19.4
Any Illicit Drug	48.6	48.0	47.0	47.3	47.4	47.2	46.2	45.4	46.1	45.8	46.4
Marijuana	43.7	42.8	41.9	42.0	41.7	41.2	40.6	39.7	40.1	40.2	40.6
Inhalant	8.0	8.1	8.0	8.6	9.0	9.0	9.1	9.3	9.4	9.5	9.7
Hallucinogen	15.1	14.6	14.1	14.8	14.9	14.4	13.8	14.3	13.9	14.3	14.5
LSD	9.4	9.1	8.9	9.2	9.4	9.4	9.2	9.5	9.2	9.7	10.3
PCP	2.5	2.5	2.4	2.5	2.5	2.7	2.5	2.7	2.7	2.8	3.0
Ecstasy	6.8	6.2	5.7	6.3	5.7	5.2	5.0	5.0	4.7	4.6	4.6
Cocaine (any form)	14.3	14.5	14.3	14.7	14.6	14.8	14.5	14.3	13.8	14.2	14.7
Crack Cocaine	3.4	3.5	3.2	3.6	3.3	3.4	3.5	3.5	3.3	3.3	3.3
Heroin	1.8	1.8	1.6	1.6	1.5	1.5	1.5	1.5	1.5	1.3	1.6
Psychotherapeutics (Rx-type, non-medical use)	20.3	20.9	19.9	20.4	20.6	20.9	20.4	20.7	20.4	20.4	20.6
Pain Reliever	13.5	14.2	13.3	13.8	14.0	14.0	13.4	13.6	13.4	13.2	13.1
OxyContin®	2.7	2.5	2.3	2.4	2.3	1.9	1.8	1.7	1.4	1.3	1.2
Stimulant	8.3	8.3	7.9	8.6	8.7	8.5	8.7	8.2	7.8	8.3	8.8
Methamphetamine	4.7	4.7	4.6	5.1	5.1	5.1	5.3	5.8	4.3	4.9	5.2
Sedative	2.9	3.1	2.9	3.0	3.4	3.6	3.4	3.6	3.7	4.1	4.0
Tranquilizer	9.0	9.1	8.4	8.7	8.7	8.6	8.2	8.7	8.7	8.3	8.5
Needle/Injection Drug Use	1.7	1.6	1.4	1.4	1.5	1.6	1.6	1.6	1.5	1.5	1.5

\* "Binge" alcohol use in the National Survey on Drug Use and Health is defined as consuming 5 or more drinks on the same occasion on at least one day in the past 30 days.

\*\* "Heavy" alcohol use is defined as consuming 5 or more drinks on the same occasion on each of 5 or more days in the past 30 days.

Some estimates from 2006-2010 differ slightly from those published in previous Status Reports due to recent SAMHSA updates.

*Data Source:*

U.S. Department of Health and Human Services, SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health.

<http://www.samhsa.gov/data/NSDUH/2012SummNatFindDetTables/DetTabs/NSDUH-DetTabsTOC2012.htm>

**NATIONAL SURVEY ON DRUG USE AND HEALTH  
U.S. AGES 12-17, 2003-2013**

**Estimated Past-Month Substance Use (%)**

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003
Alcohol	11.6	12.9	13.3	13.6	14.8	14.7	16.0	16.7	16.5	17.6	17.7
Binge Alcohol Use *	6.2	7.2	7.4	7.9	8.9	8.9	9.7	10.3	9.9	11.1	10.6
Heavy Alcohol Use **	1.2	1.3	1.5	1.7	2.1	2.0	2.3	2.4	2.4	2.7	2.6
Any Tobacco	7.8	8.6	10.0	10.7	11.8	11.5	12.4	12.9	13.1	14.4	14.4
Cigarettes	5.6	6.6	7.8	8.4	9.0	9.2	9.9	10.4	10.8	11.9	12.2
Smokeless Tobacco	2.0	2.1	2.1	2.3	2.4	2.2	2.5	2.4	2.1	2.3	2.0
Any Illicit Drug	8.8	9.5	10.1	10.1	10.1	9.3	9.5	9.8	9.9	10.6	11.2
Marijuana	7.1	7.2	7.9	7.4	7.4	6.7	6.7	6.7	6.8	7.6	7.9
Inhalant	0.5	0.8	0.9	1.1	1.0	1.1	1.2	1.3	1.2	1.2	1.3
Hallucinogen	0.6	0.6	0.9	0.9	0.9	1.0	0.7	0.7	0.8	0.8	1.0
LSD	0.2	0.1	0.1	0.2	0.1	0.2	0.1	0.1	0.1	0.2	0.2
PCP	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.1
Ecstasy	0.2	0.3	0.4	0.5	0.5	0.4	0.3	0.3	0.3	0.3	0.4
Cocaine (any form)	0.2	0.1	0.3	0.2	0.3	0.4	0.4	0.4	0.6	0.5	0.6
Crack Cocaine	0.0	***	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.1
Heroin	0.1	***	0.1	0.0	0.1	0.1	0.0	0.1	0.1	0.1	0.1
Psychotherapeutics (Rx-type, non-medical use)	2.2	2.8	2.8	3.0	3.1	2.9	3.3	3.3	3.3	3.6	4.0
Pain Reliever	1.7	2.2	2.3	2.5	2.7	2.3	2.7	2.7	2.7	3.0	3.2
OxyContin®	0.1	0.2	0.2	0.2	0.3	0.2	0.2	0.1	0.1	0.3	
Stimulant	0.3	0.5	0.4	0.4	0.5	0.5	0.5	0.7	0.7	0.7	0.9
Methamphetamine	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.2	0.3
Sedative	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.2
Tranquilizer	0.4	0.6	0.6	0.5	0.6	0.6	0.7	0.5	0.6	0.6	0.9

**Estimated Lifetime Substance Use (%)**

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003
Alcohol	30.8	32.4	34.5	35.2	38.1	38.3	39.4	40.4	40.6	42.0	42.9
Any Tobacco	19.8	21.5	23.2	24.9	26.9	27.2	27.8	29.7	30.7	32.7	34.5
Cigarettes	15.7	17.4	19.1	20.3	22.2	22.9	23.7	25.8	26.7	29.2	31.0
Smokeless Tobacco	6.0	6.4	6.8	7.2	7.6	7.2	7.7	7.1	7.1	7.1	7.6
Any Illicit Drug	23.3	24.2	25.5	25.8	26.9	26.4	26.3	27.6	27.7	30.0	30.5
Marijuana	16.4	17.0	17.5	17.1	17.1	16.6	16.2	17.3	17.4	19.0	19.6
Inhalant	5.3	6.5	7.5	8.3	9.3	9.3	9.6	10.1	10.5	11.0	10.7
Hallucinogen	2.8	3.3	3.7	4.1	4.1	3.9	3.6	3.9	3.9	4.6	5.0
LSD	0.9	1.0	0.9	0.9	1.0	1.1	0.8	0.9	1.1	1.2	1.6
PCP	0.2	0.4	0.3	0.3	0.4	0.4	0.4	0.5	0.7	0.7	0.8
Ecstasy	1.5	2.0	2.4	2.5	2.3	2.1	1.8	1.9	1.6	2.1	2.4
Cocaine (any form)	0.9	1.1	1.3	1.5	1.6	1.9	2.2	2.2	2.3	2.4	2.6
Crack Cocaine	0.1	0.1	0.3	0.2	0.2	0.3	0.4	0.5	0.4	0.5	0.6
Heroin	0.2	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.2	0.3	0.3
Psychotherapeutics (Rx-type, non-medical use)	8.8	10.0	10.1	10.6	11.4	11.2	11.7	12.5	11.9	13.5	13.5
Pain Reliever	7.3	8.3	8.6	9.2	9.7	9.5	9.7	10.4	9.9	11.4	11.2
OxyContin®	1.1	1.3	1.5	1.5	1.5	1.4	1.4	1.4	1.1	1.2	1.0
Stimulant	1.8	2.0	2.0	2.2	2.4	2.7	2.9	3.7	3.4	3.6	4.2
Methamphetamine	0.5	0.6	0.7	0.6	0.8	0.8	0.9	1.3	1.3	1.4	1.5
Sedative	0.5	0.7	0.6	0.7	0.9	0.8	0.8	0.9	0.9	1.0	1.0
Tranquilizer	2.3	2.8	2.8	3.0	2.8	2.9	3.0	2.9	3.0	3.2	3.5
Needle/Injection Drug Use	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.3	0.3

\* "Binge" alcohol use in the National Survey on Drug Use and Health is defined as consuming 5 or more drinks on the same occasion on at least one day in the past 30 days.

\*\* "Heavy" alcohol use is defined as consuming 5 or more drinks on the same occasion on each of 5 or more days in the past 30 days.

\*\*\* Low precision, no estimate available

Some estimates from 2006-2010 differ slightly from those published in previous Status Reports due to recent SAMHSA updates.

*Data Source:*

U.S. Department of Health and Human Services, SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health.

<http://www.samhsa.gov/data/NSDUH/2012SummNatFindDetTables/DetTabs/NSDUH-DetTabsTOC2012.htm>

**NATIONAL SURVEY ON DRUG USE AND HEALTH  
U.S. AGES 18-25, 2003-2013**

**Estimated Past-Month Substance Use (%)**

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003
Alcohol	59.6	60.2	60.7	61.4	61.8	61.1	61.3	62.0	60.9	60.5	61.4
Binge Alcohol Use *	37.9	39.5	39.8	40.5	41.8	41.2	41.9	42.3	41.9	41.2	41.6
Heavy Alcohol Use **	11.3	12.7	12.1	13.5	13.8	14.6	14.8	15.6	15.3	15.1	15.1
Any Tobacco	37.0	38.1	39.5	40.9	41.6	41.4	41.9	44.0	44.3	44.6	44.8
Cigarettes	30.6	31.8	33.5	34.3	35.8	35.7	36.2	38.5	39.0	39.5	40.2
Smokeless Tobacco	5.8	5.5	5.4	6.4	6.1	5.3	5.2	5.2	5.1	4.9	4.7
Any Illicit Drug	21.5	21.3	21.4	21.6	21.4	19.7	19.8	19.8	20.1	19.4	20.3
Marijuana	19.1	18.7	19.0	18.5	18.2	16.6	16.5	16.3	16.6	16.1	17.0
Inhalant	0.3	0.4	0.4	0.4	0.4	0.3	0.4	0.4	0.5	0.4	0.4
Hallucinogen	1.8	1.7	1.6	2.0	1.8	1.7	1.5	1.7	1.5	1.5	1.7
LSD	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.3	0.2
PCP	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1
Ecstasy	0.9	1.0	0.9	1.2	1.1	0.9	0.7	1.0	0.8	0.7	0.7
Cocaine (any form)	1.1	1.1	1.4	1.5	1.4	1.6	1.7	2.2	2.6	2.1	2.2
Crack Cocaine	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.2	0.3	0.3	0.2
Heroin	0.3	0.4	0.3	0.3	0.2	0.2	0.1	0.2	0.2	0.1	0.1
Psychotherapeutics (Rx-type, non-medical use)	4.8	5.3	5.0	5.9	6.4	5.9	5.9	6.5	6.3	6.1	6.1
Pain Reliever	3.3	3.8	3.6	4.4	4.8	4.5	4.6	5.0	4.7	4.7	4.7
OxyContin®	0.3	0.4	0.5	0.7	0.5	0.4	0.5	0.4	0.4	0.4	
Stimulant	1.3	1.2	1.0	1.2	1.3	1.1	1.1	1.4	1.4	1.5	1.3
Methamphetamine	0.3	0.3	0.2	0.2	0.2	0.2	0.4	0.6	0.7	0.7	0.6
Sedative	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Tranquilizer	1.2	1.6	1.6	1.7	1.9	1.7	1.7	2.0	1.9	1.8	1.7

**Estimated Lifetime Substance Use (%)**

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003
Alcohol	83.8	84.4	84.3	85.7	85.8	85.6	85.2	86.5	85.7	86.2	87.1
Any Tobacco	65.1	66.3	67.9	68.6	69.6	70.2	70.3	71.8	72.3	73.5	74.8
Cigarettes	57.9	59.5	61.0	62.1	63.7	64.2	64.7	66.6	67.3	68.7	70.2
Smokeless Tobacco	20.3	19.9	20.4	20.9	21.0	20.3	20.1	20.2	20.8	21.4	22.0
Any Illicit Drug	57.0	57.8	56.9	57.3	58.5	57.0	57.5	59.0	59.2	59.2	60.5
Marijuana	51.9	52.2	51.9	51.4	52.6	50.8	50.9	52.5	52.4	52.8	53.9
Inhalant	7.5	8.4	9.1	10.0	10.8	10.5	11.3	12.5	13.3	14.0	14.9
Hallucinogen	17.6	17.6	17.6	18.5	19.1	17.8	19.2	20.2	21.0	21.3	23.3
LSD	6.5	5.9	6.0	6.4	6.9	6.6	7.3	8.9	10.5	12.1	14.0
PCP	0.9	1.0	1.0	1.3	1.4	1.6	1.6	1.9	2.2	2.3	3.0
Ecstasy	12.8	12.9	12.3	12.4	12.5	12.2	12.8	13.4	13.7	13.8	14.8
Cocaine (any form)	11.6	12.3	12.4	13.4	14.9	14.5	15.0	15.7	15.1	15.2	15.0
Crack Cocaine	1.6	1.9	2.1	2.6	2.9	2.8	3.0	3.6	3.5	3.5	3.8
Heroin	1.8	1.9	1.7	1.8	1.7	1.4	1.5	1.6	1.5	1.6	1.6
Psychotherapeutics (Rx-type, non-medical use)	26.6	28.1	27.3	28.9	29.5	29.4	30.0	30.7	30.8	29.7	29.5
Pain Reliever	20.8	22.4	22.2	23.9	24.5	24.6	24.9	25.5	25.5	24.3	23.7
OxyContin®	5.4	5.8	6.1	6.2	6.2	5.3	5.2	5.1	5.0	4.3	3.6
Stimulant	9.4	9.8	9.2	10.4	10.7	10.6	10.9	12.0	12.3	12.1	12.2
Methamphetamine	3.0	3.1	3.4	4.0	4.5	4.7	5.6	6.4	6.7	7.0	6.9
Sedative	1.3	1.2	1.4	1.4	1.6	1.6	1.8	1.9	2.0	1.9	1.8
Tranquilizer	12.0	12.8	12.3	13.1	12.8	12.2	12.7	13.1	13.4	12.2	12.3
Needle/Injection Drug Use	1.4	1.3	1.2	1.1	1.3	0.9	1.3	1.2	1.4	1.3	1.3

\* "Binge" alcohol use in the National Survey on Drug Use and Health is defined as consuming 5 or more drinks on the same occasion on at least one day in the past 30 days.

\*\* "Heavy" alcohol use is defined as consuming 5 or more drinks on the same occasion on each of 5 or more days in the past 30 days.

Some estimates from 2006-2010 differ slightly from those published in previous Status Reports due to recent SAMHSA updates.

*Data Source:*

U.S. Department of Health and Human Services, SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health.

<http://www.samhsa.gov/data/NSDUH/2012SummNatFindDetTables/DetTabs/NSDUH-DetTabsTOC2012.htm>

**NATIONAL SURVEY ON DRUG USE AND HEALTH  
U.S. AGES 26 AND OLDER, 2003-2013**

**Estimated Past-Month Substance Use (%)**

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003
Alcohol	55.9	55.6	55.1	54.9	54.9	54.7	54.1	53.7	55.1	53.0	52.5
Binge Alcohol Use *	22.4	22.1	21.6	21.9	22.4	22.2	22.0	21.4	21.0	21.1	21.0
Heavy Alcohol Use **	6.1	6.1	5.7	6.1	6.2	6.3	6.1	6.0	5.6	6.1	5.9
Any Tobacco	25.7	27.0	26.3	27.2	27.3	28.4	28.6	29.4	29.0	28.5	29.3
Cigarettes	21.6	22.4	21.9	22.8	23.0	23.8	24.1	24.7	24.3	24.1	24.7
Smokeless Tobacco	3.1	3.3	3.0	3.1	3.1	3.3	3.0	3.1	3.0	2.7	3.2
Any Illicit Drug	7.3	7.0	6.3	6.6	6.3	5.9	5.8	6.1	5.8	5.5	5.6
Marijuana	5.6	5.3	4.8	4.8	4.6	4.2	3.9	4.2	4.1	4.1	4.0
Inhalant	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1
Hallucinogen	0.3	0.2	0.1	0.2	0.2	0.1	0.2	0.1	0.2	0.1	0.1
LSD	0.0	0.0	0.0	***	0.0	***	0.0	0.0	0.0	0.0	0.0
PCP	0.0	0.0	***	0.0	0.0	***	0.0	0.0	0.0	0.0	***
Ecstasy	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Cocaine (any form)	0.5	0.6	0.4	0.5	0.6	0.7	0.7	0.8	0.8	0.7	0.8
Crack Cocaine	0.2	0.2	0.1	0.2	0.2	0.2	0.3	0.3	0.3	0.2	0.3
Heroin	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.0
Psychotherapeutics (Rx-type, non-medical use)	2.1	2.1	1.9	2.2	2.1	1.9	2.2	2.2	1.9	1.8	2.0
Pain Reliever	1.5	1.5	1.4	1.5	1.6	1.4	1.6	1.5	1.3	1.2	1.3
OxyContin®	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
Stimulant	0.4	0.3	0.3	0.3	0.4	0.2	0.3	0.4	0.3	0.4	0.4
Methamphetamine	0.2	0.2	0.2	0.1	0.2	0.1	0.2	0.3	0.2	0.2	0.3
Sedative	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1
Tranquilizer	0.6	0.7	0.6	0.7	0.7	0.6	0.6	0.5	0.6	0.5	0.6

**Estimated Lifetime Substance Use (%)**

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003
Alcohol	87.3	88.1	87.9	87.9	88.0	87.3	87.5	87.7	88.2	87.3	88.0
Any Tobacco	72.9	72.5	73.0	74.2	74.4	75.0	75.0	76.0	76.0	76.4	77.6
Cigarettes	68.1	67.9	68.6	70.0	70.1	70.7	70.9	71.7	71.9	72.3	73.6
Smokeless Tobacco	18.5	18.7	18.9	18.5	18.5	19.5	19.3	19.9	19.5	19.6	20.6
Any Illicit Drug	50.2	49.3	48.0	48.2	48.0	48.2	46.9	45.5	46.3	45.6	46.1
Marijuana	45.7	44.4	43.2	43.5	42.9	42.7	42.1	40.6	41.1	41.0	41.2
Inhalant	8.4	8.3	7.8	8.3	8.6	8.6	8.6	8.6	8.5	8.5	8.6
Hallucinogen	16.2	15.4	14.8	15.5	15.4	15.2	14.2	14.7	14.0	14.4	14.2
LSD	11.0	10.7	10.4	10.7	10.9	11.0	10.6	10.8	10.1	10.5	10.8
PCP	3.0	3.0	2.9	2.9	2.9	3.1	2.9	3.1	3.1	3.2	3.3
Ecstasy	6.4	5.6	4.9	5.7	4.9	4.4	4.1	3.9	3.6	3.4	3.1
Cocaine (any form)	16.5	16.5	16.3	16.6	16.2	16.5	16.1	15.7	15.2	15.6	16.3
Crack Cocaine	4.1	4.2	3.7	4.2	3.8	3.9	4.0	3.9	3.6	3.6	3.6
Heroin	2.0	1.9	1.8	1.8	1.6	1.7	1.7	1.7	1.6	1.4	1.7
Psychotherapeutics (Rx-type, non-medical use)	20.6	21.0	19.8	20.2	20.3	20.7	19.9	20.1	19.7	19.8	20.0
Pain Reliever	13.0	13.6	12.4	12.6	12.7	12.8	11.9	12.0	11.8	11.5	11.5
OxyContin®	2.4	2.1	1.7	1.9	1.7	1.4	1.2	1.1	0.9	0.8	0.8
Stimulant	8.8	8.8	8.4	9.1	9.2	8.9	9.1	9.4	8.7	9.6	10.0
Methamphetamine	5.5	5.5	5.3	5.9	5.8	5.7	5.8	6.3	5.5	6.5	6.9
Sedative	3.4	3.7	3.5	3.6	4.1	4.3	4.0	4.3	4.4	4.9	4.8
Tranquilizer	9.2	9.2	8.4	8.7	8.7	8.7	8.1	8.7	8.6	8.3	8.5
Needle/Injection Drug Use	1.9	1.8	1.6	1.6	1.7	2.0	1.9	1.8	1.7	1.6	1.8

\* "Binge" alcohol use in the National Survey on Drug Use and Health is defined as consuming 5 or more drinks on the same occasion on at least one day in the past 30 days.

\*\* "Heavy" alcohol use is defined as consuming 5 or more drinks on the same occasion on each of 5 or more days in the past 30 days.

\*\*\* Low precision, no estimate available

Some estimates from 2006-2010 differ slightly from those published in previous Status Reports due to recent SAMHSA updates.


*Data Source:*

U.S. Department of Health and Human Services, SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health.

<http://www.samhsa.gov/data/NSDUH/2012SummNatFindDetTables/DetTabs/NSDUH-DetTabsTOC2012.htm>


## ALCOHOL — PAST-MONTH USE: U.S. AND MISSOURI COMPARISONS BY AGE GROUP

**Estimated Past-Month Alcohol Use (%): U.S. and Missouri Ages 12 and Older, 2003-2012**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Month Alcohol Use (%): U.S. and Missouri Ages 12-17, 2003-2012**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Month Alcohol Use (%): U.S. and Missouri Ages 18-25, 2003-2012**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


**Estimated Past-Month Alcohol Use (%): U.S. and Missouri Ages 26 & Older, 2003-2012**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


## ALCOHOL — PAST-MONTH BINGE USE: U.S. AND MISSOURI COMPARISONS BY AGE GROUP

**Estimated Past-Month Binge Drinking (%): U.S. and Missouri Ages 12 & Older, 2003-2012**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Month Binge Drinking (%): U.S. and Missouri Ages 12-17, 2003-2012**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Month Binge Drinking (%): U.S. and Missouri Ages 18-25, 2003-2012**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


**Estimated Past-Month Binge Drinking (%): U.S. and Missouri Ages 26 & Older, 2003-2012**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


## ALCOHOL — PERCEIVED RISK OF BINGE USE: U.S. AND MISSOURI COMPARISONS BY AGE GROUP

### Perceive Great Risk of Binge Drinking Once or Twice Weekly (%): U.S. and Missouri Ages 12 & Older, 2003-2012




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

### Perceive Great Risk of Binge Drinking Once or Twice Weekly (%): U.S. and Missouri Ages 12-17, 2003-2012




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

### Perceive Great Risk of Binge Drinking Once or Twice Weekly (%): U.S. and Missouri Ages 18-25, 2003-2012



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

### Perceive Great Risk of Binge Drinking Once or Twice Weekly (%): U.S. and Missouri Ages 26 & Older, 2003-2012




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.




## ALCOHOL USE, BINGE USE, AND PERCEIVED RISK: MISSOURI AGE GROUP COMPARISONS

**Estimated Past-Month Alcohol Use (%): Missouri Age Group Comparisons, 2003-2012**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Month Binge Drinking (%): Missouri Age Group Comparisons, 2003-2012**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


**Perception of Great Risk of Binge Drinking (%): Missouri Age Group Comparisons, 2003-2012**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


## ALCOHOL USE: DIVISION OF BEHAVIORAL HEALTH (DBH) REGIONS

### Past-Month Alcohol Use (%): Missouri and DBH Regions




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

### Past-Month Binge Drinking (%): Missouri and DBH Regions



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.


### Perceptions of Great Risk of Binge Drinking (%): Missouri and DBH Regions



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.


## TOBACCO — PAST-MONTH CIGARETTE USE: U.S. AND MISSOURI COMPARISONS BY AGE GROUP

**Estimated Past-Month Cigarette Use (%): U.S. and Missouri Ages 12 & Older, 2003-2012**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Month Cigarette Use (%): U.S. and Missouri Ages 12-17, 2003-2012**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Month Cigarette Use (%): U.S. and Missouri Ages 18-25, 2003-2012**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


**Estimated Past-Month Cigarette Use (%): U.S. and Missouri Ages 26 & Older, 2003-2012**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


## TOBACCO — PERCEIVED RISK OF CIGARETTE USE: U.S. AND MISSOURI COMPARISONS BY AGE GROUP

**Perceive Great Risk in Smoking 1+ Pack Cigarettes Daily (%): U.S. and Missouri Ages 12 & Older, 2003-2012**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Perceive Great Risk in Smoking 1+ Pack Cigarettes Daily (%): U.S. and Missouri Ages 12-17, 2003-2012**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Perceive Great Risk in Smoking 1+ Pack Cigarettes Daily (%): U.S. and Missouri Ages 18-25, 2003-2012**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


**Perceive Great Risk Smoking One or More Packs of Cigarettes Daily (%): U.S. and Missouri Ages 26 & Older, 2003-2012**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


## TOBACCO USE AND PERCEIVED RISK: MISSOURI AGE GROUP COMPARISONS

**Estimated Past-Month Tobacco Use (%): Missouri Age Group Comparisons, 2003-2012**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Month Cigarette Use (%): Missouri Age Group Comparisons, 2003-2012**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


**Perceive Great Risk Smoking One or More Packs of Cigarettes Daily (%): Missouri Age Group Comparisons, 2003-2012**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


## TOBACCO USE: DIVISION OF BEHAVIORAL HEALTH (DBH) REGIONS

**Estimated Past-Month Tobacco Use (%): Missouri and DBH Regions**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

**Estimated Past-Month Cigarette Use (%): Missouri and DBH Regions**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.


**Perceive Great Risk in Smoking One or More Packs of Cigarettes Per Day (%): Missouri and DBH Regions**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.


## PAST-MONTH ILLICIT DRUG USE: U.S. AND MISSOURI COMPARISON BY AGE GROUP

**Estimated Past-Month Use of Any Illicit Drug (%): U.S. and Missouri Ages 12 & Older, 2003-2012**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Month Use of Any Illicit Drug (%): U.S. and Missouri Ages 12-17, 2003-2012**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Month Use of Any Illicit Drug (%): U.S. and Missouri Ages 18-25, 2003-2012**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


**Estimated Past-Month Use of Any Illicit Drug (%): U.S. and Missouri Ages 26 & Older, 2003-2012**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


## PAST-MONTH ILLICIT DRUG USE EXCEPT MARIJUANA: U.S. AND MISSOURI COMPARISON BY AGE GROUP

**Estimated Past-Month Use of Illicit Drug Other Than Marijuana (%): U.S. and Missouri Ages 12 & Older, 2003-2012**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Month Use of Illicit Drug Other Than Marijuana (%): U.S. and Missouri Ages 12-17, 2003-2012**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Month Use of Illicit Drug Other Than Marijuana (%): U.S. and Missouri Ages 18-25, 2003-2012**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Month Use of Illicit Drug Other Than Marijuana (%): U.S. and Missouri Ages 26 & Older, 2003-2012**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.




## ILLICIT DRUG USE: DIVISION OF BEHAVIORAL HEALTH (DBH) REGIONS

### Estimated Past-Month Illicit Drug Use (%): Missouri and DBH Regions



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.


### Estimated Past-Month Use of Illicit Drugs Other Than Marijuana (%): Missouri and DBH Regions



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.


## MARIJUANA — PAST-MONTH USE: U.S. AND MISSOURI COMPARISONS BY AGE GROUP

**Estimated Past-Month Marijuana Use (%): U.S. and Missouri Ages 12 & Older, 2003-2012**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Month Marijuana Use (%): U.S. and Missouri Ages 12-17, 2003-2012**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Month Marijuana Use (%): U.S. and Missouri Ages 18-25, 2003-2012**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


**Estimated Past-Month Marijuana Use (%): U.S. and Missouri Ages 26 & Older, 2003-2012**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


## MARIJUANA — PAST-YEAR USE: U.S. AND MISSOURI COMPARISON BY AGE GROUP

**Estimated Past-Year Marijuana Use (%): U.S. and Missouri Ages 12 & Older, 2003-2012**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Year Marijuana Use (%): U.S. and Missouri Ages 12-17, 2003-2012**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Year Marijuana Use (%): U.S. and Missouri Ages 18-25, 2003-2012**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


**Estimated Past-Year Marijuana Use (%): U.S. and Missouri Ages 26 & Older, 2003-2012**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


## MARIJUANA — PERCEIVED RISK OF USE: U.S. AND MISSOURI COMPARISONS BY AGE GROUP

**Perceive Great Risk in Smoking Marijuana Once a Month (%): U.S. and Missouri Ages 12 & Older, 2003-2012**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Perceive Great Risk in Smoking Marijuana Once a Month (%): U.S. and Missouri Ages 12-17, 2003-2012**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Perceive Great Risk in Smoking Marijuana Once a Month (%): U.S. and Missouri Ages 18-25, 2003-2012**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


**Perceive Great Risk in Smoking Marijuana Once a Month (%): U.S. and Missouri Ages 26 & Older, 2003-2012**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


## PAST MONTH, FIRST USE, AND PERCEIVED RISK OF MARIJUANA USE: MISSOURI AGE GROUPS

**Estimated Past-Month Marijuana Use (%): Missouri Age Groups, 2003-2012**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated First Use of Marijuana in Past Year (%): Missouri Age Groups, 2003-2012**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


**Estimated Perception of Great Risk of Smoking Marijuana Once Per Month (%): Missouri Age Groups, 2003-2012**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


## MARIJUANA USE AND PERCEIVED RISK: DIVISION OF BEHAVIORAL HEALTH (DBH) REGIONS

### Estimated Past-Month Marijuana Use (%): Missouri and DBH Regions




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

### Estimated Perception of Great Risk of Smoking Marijuana Once a Month (%): Missouri and DBH Regions



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.


### Estimated Rate of First-time Use of Marijuana in Past Year (%): Missouri and DBH Regions



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.


# MARIJUANA, COCAINE, AND PAIN RELIEVER PAST-YEAR USE: DIVISION OF BEHAVIORAL HEALTH (DBH) REGIONS

## Estimated Past-Year Marijuana Use (%): Missouri and DBH Regions




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

## Estimated Past-Year Cocaine Use (%): Missouri and DBH Regions



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.


## Estimated Past-Year Nonmedical Use of Pain Relievers (%): Missouri and DBH Regions



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.


## COCAINE — PAST-YEAR USE: U.S. AND MISSOURI COMPARISON BY AGE GROUP

**Estimated Past-Year Cocaine Use (%): U.S. and Missouri Ages 12 & Older, 2003-2012**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Year Cocaine Use (%): U.S. and Missouri Ages 12-17, 2003-2012**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Year Cocaine Use (%): U.S. and Missouri Ages 18-25, 2003-2012**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Year Cocaine Use (%): U.S. and Missouri Ages 26 & Older, 2003-2012**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.




## PAIN RELIEVERS: PAST-YEAR NON-MEDICAL USE: U.S. AND MISSOURI COMPARISON BY AGE GROUP

**Estimated Past-Year Use of Pain Relievers (%): U.S. and Missouri Ages 12 & Older, 2003-2012**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Year Use of Pain Relievers (%): U.S. and Missouri Ages 12-17, 2003-2012**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Year Use of Pain Relievers (%): U.S. and Missouri Ages 18-25, 2003-2012**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


**Estimated Past-Year Use of Pain Relievers (%): U.S. and Missouri Ages 26 & Older, 2003-2012**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


## ALCOHOL AND ILLICIT DRUGS — PAST-YEAR DEPENDENCE OR ABUSE: U.S. AND MISSOURI AGE GROUPS

**Estimated Past-Year Alcohol or Illicit Drug Dependence or Abuse (%), U.S. and Missouri Ages 12 & Older, 2003-2012**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Year Alcohol or Illicit Drug Dependence or Abuse (%): U.S. and Missouri Ages 12-17, 2003-2012**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Year Alcohol or Illicit Drug Dependence or Abuse (%): U.S. and Missouri Ages 18-25, 2003-2012**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


**Estimated Past-Year Alcohol or Illicit Drug Dependence or Abuse (%): U.S. and Missouri Ages 26 & Older, 2003-2012**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


## PAST-YEAR ALCOHOL OR ILLICIT DRUG DEPENDENCE OR ABUSE: MISSOURI AGE GROUPS

**Estimated Past-Year Alcohol or Illicit Drug Dependence or Abuse: Missouri Ages 12 & Older, 2003-2012**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Year Alcohol or Illicit Drug Dependence or Abuse: Missouri Ages 12-17, 2003-2012**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Year Alcohol or Illicit Drug Dependence or Abuse: Missouri Ages 18-25, 2003-2012**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


**Estimated Past-Year Alcohol or Illicit Drug Dependence or Abuse: Missouri Ages 26 & Older, 2003-2012**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


# ALCOHOL AND ILLICIT DRUG DEPENDENCE OR ABUSE: DIVISION OF BEHAVIORAL HEALTH (DBH) REGIONS

## Estimated Past-Year Alcohol Dependence or Abuse (%): Missouri and DBH Regions




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

## Estimated Past-Year Illicit Drug Dependence or Abuse (%): Missouri and DBH Regions



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.


## Estimated Past-Year Alcohol or Illicit Drug Dependence or Abuse (%): Missouri and DBH Regions



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

## SUBSTANCE DEPENDENCE OR ABUSE BY AGE GROUP: DIVISION OF BEHAVIORAL HEALTH (DBH) REGIONS


**Estimated Past-Year Substance Dependence or Abuse (%): Missouri and DBH Regions Ages 12-17, 2010-2012**



Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health.

Estimates are average annual rates based on combined years 2010-2012.


**Estimated Past-Year Substance Dependence or Abuse (%): Missouri and DBH Regions Ages 18-25, 2010-2012**



Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health.

Estimates are average annual rates based on combined years 2010-2012.

**Estimated Past-Year Substance Dependence or Abuse (%): Missouri and DBH Regions Ages 26 and Older, 2010-2012**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health.

Estimates are average annual rates based on combined years 2010-2012.


## PAST-YEAR UNMET NEED FOR SUBSTANCE ABUSE TREATMENT: MISSOURI AGE GROUPS

### Estimated Number Needing but Not Receiving Treatment for Alcohol and Illicit Drugs: Missouri Ages 12 & Older, 2004-2012




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

### Estimated Number Needing but Not Receiving Treatment for Alcohol and Illicit Drugs: Missouri Ages 12-17, 2004-2012




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

### Estimated Number Needing but Not Receiving Treatment for Alcohol and Illicit Drugs: Missouri Ages 18-25, 2004-2012



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


### Estimated Number Needing but Not Receiving Treatment for Alcohol and Illicit Drugs: Missouri Ages 26 & Older, 2004-2012



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


# UNMET NEED FOR SUBSTANCE ABUSE TREATMENT: DIVISION OF BEHAVIORAL HEALTH (DBH) REGIONS

**Past-Year Percentage Needing but Not Receiving Treatment for Alcohol Use: Missouri and DBH Regions**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.


**Past-Year Percentage Needing but Not Receiving Treatment for Illicit Drug Use: Missouri and DBH Regions**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

## UNMET NEED FOR TREATMENT BY AGE GROUP: DIVISION OF BEHAVIORAL HEALTH (DBH) REGIONS


**Past-Year Unmet Need for Substance Abuse Treatment (%): Missouri and DBH Regions Ages 12-17, 2010-2012**



Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health.

Estimates are average annual rates based on combined years 2010-2012.


**Past-Year Unmet Need for Substance Abuse Treatment (%): Missouri and DBH Regions Ages 18-25, 2010-2012**



Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health.

Estimates are average annual rates based on combined years 2010-2012.

**Past-Year Unmet Need for Substance Abuse Treatment (%): Missouri and DBH Regions Ages 26 & Older, 2010-2012**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health.

Estimates are average annual rates based on combined years 2010-2012.




## ANY MENTAL ILLNESS IN PAST YEAR: U.S. AND MISSOURI COMPARISON BY AGE GROUP

**Estimated Past-Year Any Mental Illness (Revised): U.S. and Missouri Ages 18 & Older**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.  
 Note: In 2013, SAMHSA revised methodology for estimating Any Mental Illness and Serious Mental Illness and issued these revised estimates for 2008/2009, 2009/2010, and 2010/2011.

**Estimated Past-Year Any Mental Illness (Revised): U.S. and Missouri Ages 18-25**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.  
 Note: In 2013, SAMHSA revised methodology for estimating Any Mental Illness and Serious Mental Illness and issued these revised estimates for 2008/2009, 2009/2010, and 2010/2011.


**Estimated Past-Year Any Mental Illness (Revised): U.S. and Missouri Ages 26 and Older**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.  
 Note: In 2013, SAMHSA revised methodology for estimating Any Mental Illness and Serious Mental Illness and issued these revised estimates for 2008/2009, 2009/2010, and 2010/2011.


## SERIOUS MENTAL ILLNESS IN PAST YEAR: U.S. AND MISSOURI COMPARISON BY AGE GROUP

### Estimated Past-Year Serious Mental Illness (Revised): U.S. and Missouri Ages 18 & Older




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.  
 Note: In 2013, SAMHSA revised methodology for estimating Any Mental Illness and Serious Mental Illness and issued these revised estimates for 2008/2009, 2009/2010, and 2010/2011.

### Estimated Past-Year Serious Mental Illness (Revised): U.S. and Missouri Ages 18-25



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.  
 Note: In 2013, SAMHSA revised methodology for estimating Any Mental Illness and Serious Mental Illness and issued these revised estimates for 2008/2009, 2009/2010, and 2010/2011.


### Estimated Past-Year Serious Mental Illness (Revised): U.S. and Missouri Ages 26 and Older



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.  
 Note: In 2013, SAMHSA revised methodology for estimating Any Mental Illness and Serious Mental Illness and issued these revised estimates for 2008/2009, 2009/2010, and 2010/2011.


## DEPRESSION — MAJOR PAST-YEAR EPISODE: U.S. AND MISSOURI COMPARISON BY AGE GROUP

### Estimated Past-Year Major Depressive Episode (MDE): U.S. and Missouri Ages 12-17, 2006-2012



Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health.


### Estimated Past-Year Major Depressive Episode (MDE): U.S. and Missouri Ages 18 and Older, 2006-2012



Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH).

Note: Due to adult mental health questionnaire changes in 2008, MDE data beginning 2007/2008 are not comparable to prior years.


### Estimated Past-Year Major Depressive Episode (MDE): U.S. and Missouri Ages 18-25, 2006-2012



Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH).

Note: Due to adult mental health questionnaire changes in 2008, MDE data beginning 2007/2008 are not comparable to prior years.

### Estimated Past-Year Major Depressive Episode (MDE): U.S. and Missouri Ages 26 and Older, 2006-2012




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH).

Note: Due to adult mental health questionnaire changes in 2008, MDE data beginning 2007/2008 are not comparable to prior years.


## MAJOR DEPRESSIVE EPISODE IN PAST YEAR: DIVISION OF BEHAVIORAL HEALTH (DBH) REGIONS

**Estimated Past-Year Major Depressive Episode (MDE): Ages 12-17, Missouri and DBH Regions**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

**Estimated Past-Year Major Depressive Episode (MDE): Ages 18-25, Missouri and DBH Regions**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.


**Estimated Past-Year Major Depressive Episode (MDE): Ages 26 and Older, Missouri and DBH Regions**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.


# SERIOUS THOUGHTS OF SUICIDE IN PAST YEAR: U.S. AND MISSOURI COMPARISON BY AGE GROUP AND ESTIMATES FOR DIVISION OF BEHAVIORAL HEALTH (DBH) REGIONS

**Estimated Past-Year Serious Thoughts of Suicide (%): U.S. and Missouri Ages 18 and Older**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Year Serious Thoughts of Suicide (%): U.S. and Missouri Ages 18-25**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Year Serious Thoughts of Suicide (%): U.S. and Missouri Ages 26 and Older**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Year Serious Thoughts of Suicide (%): Missouri and DBH Regions Ages 18 and Older**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

# MISSOURI STUDENT SURVEY: LIFETIME USE OF ALCOHOL, TOBACCO, AND OTHER DRUGS

Students reporting "ever used" (%)

		Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Alcohol	2014	10.44	16.42	26.60	33.60	46.28	56.31	57.49
	2012	13.25	19.96	31.97	42.76	52.80	59.30	64.53
	2010	15.09	24.39	36.49	47.99	55.42	63.20	65.33
Cigarettes	2014	4.59	9.15	16.15	19.92	26.44	29.89	36.17
	2012	7.23	10.78	19.02	25.02	31.07	37.94	41.20
	2010	8.35	12.54	22.11	28.62	36.42	43.43	45.46
Chewing Tobacco	2014	3.02	4.25	7.35	11.00	12.48	15.03	19.75
	2012	3.72	4.12	9.03	11.79	14.24	17.78	18.04
	2010	3.79	4.89	9.98	12.73	15.11	17.70	17.60
Marijuana	2014	1.10	3.86	10.50	14.90	22.79	30.17	32.97
	2012	1.73	4.49	10.56	18.17	25.64	31.74	40.66
	2010	1.85	4.42	10.44	18.76	28.73	35.35	38.86
Inhalants	2014	2.24	3.17	3.28	2.70	3.12	3.25	2.93
	2012	5.02	4.69	5.78	5.69	5.11	5.13	4.28
	2010	5.67	6.57	6.92	6.79	6.50	6.23	6.09
Heroin	2014	0.27	0.31	0.24	0.28	0.38	0.42	0.42
	2012	0.56	0.56	1.04	0.84	1.09	1.25	1.83
	2010	0.26	0.50	0.50	0.64	0.85	0.90	1.08
Cocaine	2014	0.36	0.49	0.64	0.98	1.25	2.11	2.49
	2012	0.62	0.80	1.65	1.49	2.60	3.33	3.76
	2010	0.47	0.80	0.99	1.45	2.27	3.65	4.16
Methamphetamine	2014	0.15	0.33	0.48	0.58	0.64	0.69	0.90
	2012	0.93	0.73	1.23	1.18	1.39	1.95	2.00
	2010	0.42	0.78	0.71	0.84	1.11	1.35	1.22
Hallucinogen	2014	0.25	0.50	1.36	1.64	2.93	3.37	4.51
	2012	0.62	1.14	2.18	2.66	4.10	5.29	7.52
	2010	0.46	0.97	1.85	3.19	4.43	6.36	5.90
Club Drug	2014	0.24	0.72	0.78	1.41	1.99	2.92	3.98
	2012	0.76	0.70	1.68	2.03	3.22	3.99	5.23
	2010	0.42	0.66	1.37	2.28	3.05	4.79	5.25
Steroid: non-prescribed	2014	0.59	0.78	0.86	0.77	1.40	0.80	1.09
	2012	1.07	1.08	1.83	1.39	1.34	1.62	1.71
	2010	0.92	0.86	0.99	1.24	1.28	1.14	0.85
Pharmaceutical Drug: non-prescribed	2014	3.42	4.55	6.07	7.88	9.60	10.74	12.44
	2012	3.06	4.20	6.77	9.28	11.93	14.16	16.12
	2010	5.23	6.56	9.08	12.13	13.96	16.93	15.96
Over-the-Counter Drug: non-medical use	2014	1.73	2.31	2.78	2.84	3.43	3.60	4.65
	2012	2.23	3.30	5.53	6.51	8.39	8.73	9.35
	2010	3.36	4.63	6.65	8.91	9.88	10.89	9.32
Synthetic Drug	2014	0.62	1.04	2.36	3.16	4.20	6.06	7.17
	2012	2.37	2.68	4.55	6.77	9.17	11.31	12.97

Data Source: Missouri Institute of Mental Health. Missouri Student Survey.

Respondents participate voluntarily and do not comprise a scientifically selected sample.

Data are weighted in accordance with population characteristics.

**MISSOURI STUDENT SURVEY: PAST 30-DAY USE OF ALCOHOL, TOBACCO, AND OTHER DRUGS**  
**Students reporting use in past 30 days (%)**


		Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Alcohol	2014	2.36	4.76	8.89	12.94	21.88	24.66	30.69
	2012	3.64	6.38	12.18	18.56	25.63	29.51	35.54
	2010	4.43	8.3	14.44	22.13	28.29	33.35	36.72
Alcohol: binge use (5 or more drinks on one occasion in past two weeks)	2014	0.51	1.31	2.75	5.66	9.40	11.82	16.00
	2012	1.02	2.44	5.65	10.56	17.07	22.40	25.25
Cigarettes	2014	1.52	3.87	5.61	8.11	12.17	12.59	17.10
	2012	2.57	4.36	8.23	11.38	15.13	20.06	21.84
	2010	4.00	5.92	10.94	14.80	18.68	22.95	24.99
Chewing Tobacco	2014	1.07	1.90	3.10	5.58	7.27	7.40	11.08
	2012	1.63	2.18	4.45	6.48	7.63	9.75	10.01
	2010	2.01	2.54	5.03	7.30	7.79	9.28	8.89
Marijuana	2014	0.56	2.29	4.61	7.24	11.88	15.71	15.55
	2012	1.00	2.32	5.97	9.55	13.05	15.51	21.35
	2010	0.99	2.29	5.50	10.25	15.64	18.31	19.52
Inhalant	2014	1.19	1.61	1.40	1.05	1.00	0.59	1.02
	2012	2.49	2.57	2.90	2.38	1.64	1.43	1.28
	2010	3.71	3.87	3.51	3.06	2.54	1.80	1.55
Pharmaceutical Drug: non-prescribed	2014	1.89	2.10	3.54	4.40	4.34	4.92	5.56
	2012	1.63	2.57	3.77	5.27	6.59	7.04	7.61
	2010	3.33	3.97	5.55	7.50	8.38	9.82	8.28
Over-the-Counter Drug: non-medical use	2014	1.10	1.60	1.81	1.59	1.79	1.73	1.76
	2012	1.31	2.18	3.50	4.08	5.08	4.68	3.81
	2010	2.11	2.86	4.26	5.76	5.69	6.10	4.78
Synthetic Drug	2014	0.31	0.57	1.17	0.94	0.82	0.87	0.83
	2012	1.49	1.67	2.41	3.31	3.95	4.26	3.52

Data Source: Missouri Institute of Mental Health. Missouri Student Survey.

Respondents participate voluntarily and do not comprise a scientifically selected sample.  
 Data are weighted in accordance with population characteristics.


## ALCOHOL USE: MISSOURI STUDENTS IN GRADES 6-12

**Lifetime Use of Alcohol (%): Missouri Students in Grades 6-12, 2010-2014**




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

**Past 30-Day Use of Alcohol (%): Missouri Students in Grades 6-12, 2010-2014**



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

**Binge Alcohol: 5 or More Drinks on Same Occasion in Past 2 Weeks (%): Missouri Students in Grades 6-12, 2012-2014**




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.




## TOBACCO USE: MISSOURI STUDENTS IN GRADES 6-12

**Lifetime Use of Cigarettes (%): Missouri Students in Grades 6-12, 2010-2014**




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

**Past 30-Day Use of Cigarettes (%): Missouri Students in Grades 6-12, 2010-2014**




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

**Lifetime Use of Chewing Tobacco (%): Missouri Students in Grades 6-12, 2010-2014**



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.


**Past 30-Day Use of Chewing Tobacco (%): Missouri Students in Grades 6-12, 2010-2014**



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.


## MARIJUANA USE: MISSOURI STUDENTS IN GRADES 6-12

**Lifetime Use of Marijuana (%): Missouri Students in Grades 6-12, 2010-2014**



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.


**Past 30-Day Use of Marijuana (%): Missouri Students in Grades 6-12, 2010-2014**



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.


## COCAINE, METHAMPHETAMINE, AND HEROIN USE: MISSOURI STUDENTS IN GRADES 6-12

**Lifetime Use of Cocaine (%): Missouri Students in Grades 6-12, 2010-2014**




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

**Lifetime Use of Methamphetamine (%): Missouri Students in Grades 6-12, 2010-2014**



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.


**Lifetime Use of Heroin (%): Missouri Students in Grades 6-12, 2010-2014**



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.


## HALLUCINOGEN, SYNTHETIC, AND CLUB DRUG USE: MISSOURI STUDENTS IN GRADES 6-12

**Lifetime Use of Hallucinogens such as LSD, PCP, Mescaline, Peyote (%): Missouri Students in Grades 6-12, 2010-2014**




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

**Lifetime Use of Club Drugs such as MDMA (Ecstasy), GHB, Rohypnol (%): Missouri Students in Grades 6-12, 2010-2014**



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.


**Lifetime Use of Synthetic Drugs such as K2, Bath Salts, Spice (%): Missouri Students in Grades 6-12, 2012-2014**



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.


## PHARMACEUTICAL DRUG USE: MISSOURI STUDENTS IN GRADES 6-12

### Lifetime Use of Non-Prescribed Pharmaceutical Drugs (%): Missouri Students in Grades 6-12, 2010-2014




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

### Past 30-Day Use of Non-Prescribed Pharmaceutical Drugs (%): Missouri Students in Grades 6-12, 2010-2014



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.


### Lifetime Use of Non-Prescribed Steroids (%): Missouri Students in Grades 6-12, 2010-2014



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. 2004-2008 data are unweighted; 2010 and 2012 data are weighted.


## INHALANT AND OVER-THE-COUNTER MEDICATION USE: MISSOURI STUDENTS IN GRADES 6-12

### Lifetime Use of Inhalants (%): Missouri Students in Grades 6-12, 2010-2014




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

### Past 30-Day Use of Inhalants (%): Missouri Students in Grades 6-12, 2010-2014




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

### Lifetime Non-medical Use of Over-the-Counter Medicines (%): Missouri Students in Grades 6-12, 2010-2014



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

### Past 30-Day Non-medical Use of Over-the-Counter Medicines (%): Missouri Students in Grades 6-12, 2010-2014



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

**YOUTH RISK BEHAVIOR SURVEILLANCE SYSTEM (YRBSS)**  
**OVERVIEW OF AVAILABLE 2013 MISSOURI DATA FOR ALCOHOL, TOBACCO, AND DRUG USE**

	2013		2009		2007		2005		2003		2001		1999		1997	
	MO	U.S.	MO	U.S.	MO	U.S.	MO	U.S.	MO	U.S.	MO	U.S.	MO	U.S.	MO	U.S.
<b>Alcohol Use in Past 30 Days (%)</b>																
Overall Grades 9-12	35.6	34.9	39.3	41.8	44.4	44.7	40.8	43.3	49.2	44.9	47.6	47.1	49.9	50.0	51.4	50.8
Grade 9	25.9	24.4	28.6	31.5	38.5	35.7	30.4	36.2	44.4	36.2	43.2	41.1	45.4	40.6	42.6	44.2
Grade 10	37.4	30.9	37.7	40.6	44.7	41.8	41.5	42.0	46.1	43.5	47.7	45.2	43.3	49.7	50.9	47.2
Grade 11	39.5	39.2	48.4	45.7	46.7	49.0	44.3	46.0	50.9	47.0	48.4	49.3	55.5	50.9	52.3	53.2
Grade 12	39.6	46.8	45.8	51.7	48.6	54.9	48.8	50.8	57.3	55.9	52.2	55.2	57.2	61.7	62.2	57.3
<b>Binge Drinking in Past 30 Days (%)</b>																
Overall Grades 9-12	22.5	20.8	25.3	24.2	29.1	26.0	24.9	25.5	30.5	28.3	34.1	29.9	32.0	31.5	37.9	33.4
Grade 9	15.4	13.5	15.2	15.3	22.3	17.0	13.6	19.0	25.3	19.8	28.0	24.5	23.5	21.1	28.4	25.7
Grade 10	20.3	17.4	24.0	22.3	26.8	23.7	26.3	24.6	27.6	27.4	33.0	28.2	28.2	32.2	35.5	29.9
Grade 11	29.0	24.6	32.1	28.3	33.0	29.9	29.0	27.6	32.0	31.8	36.5	32.2	40.8	34.0	39.1	37.5
Grade 12	25.4	29.2	32.7	33.5	35.3	36.5	32.4	32.8	38.9	37.2	40.0	36.7	38.7	41.6	51.3	39.3
<b>Alcohol Use Before Age 13 (%)</b>																
Overall Grades 9-12	19.5	18.6	20.4	21.1	20.9	23.8	24.2	25.6	25.4	27.8	30.0	29.1	33.5	32.2	33.6	31.1
Grade 9	23.7	22.2	23.9	28.1	30.5	30.9	34.1	33.9	38.2	36.4	38.7	39.7	40.2	40.4	42.4	41.9
Grade 10	22.2	19.2	22.9	22.2	20.5	24.4	22.5	26.2	26.4	28.5	31.2	28.8	38.0	35.6	32.6	32.0
Grade 11	16.1	17.2	18.2	17.9	17.8	19.6	23.8	20.5	20.3	23.0	26.5	23.4	30.6	26.2	29.1	29.9
Grade 12	14.5	14.7	15.3	14.2	11.8	18.0	14.4	19.3	14.0	20.3	21.3	21.2	21.4	24.3	27.3	22.8
<b>Cigarette Use in Lifetime (%)</b>																
Overall Grades 9-12	39.2	41.1	46.5	46.3	50.9	50.3	49.6	54.3	63.3	58.4	68.5	63.9	69.8	70.4	74.0	70.2
Grade 9	31.2	31.7	34.0	37.7	47.2	42.7	40.7	48.7	60.8	52.0	62.5	58.4	67.7	61.8	72.3	67.7
Grade 10	35.0	39.0	44.1	44.0	45.9	48.8	51.2	52.5	59.7	58.3	68.9	62.6	70.8	73.9	73.7	70.0
Grade 11	41.2	47.0	52.9	50.0	57.4	53.4	53.4	57.5	66.6	60.0	68.4	65.9	69.5	69.9	73.0	68.8
Grade 12	50.2	48.1	57.9	55.5	53.7	59.3	54.3	60.3	66.9	65.4	75.9	71.1	72.1	78.0	77.4	73.7
<b>Cigarette Use in Past 30 Days (%)</b>																
Overall Grades 9-12	14.9	15.7	18.9	19.5	23.8	20.0	21.3	23.0	24.8	21.9	30.3	28.5	32.8	34.8	40.3	36.4
Grade 9	8.8	10.2	9.4	13.5	22.2	14.3	14.1	19.7	25.6	17.4	27.0	23.9	27.1	27.6	34.9	33.4
Grade 10	12.1	13.2	19.0	18.3	17.8	19.6	21.4	21.4	23.5	21.8	29.8	26.9	33.9	34.7	39.1	35.3
Grade 11	15.9	21.1	22.8	22.3	30.6	21.6	24.3	24.3	28.2	23.6	29.6	29.8	38.1	36.0	40.1	36.6
Grade 12	22.9	19.2	26.7	25.2	25.4	26.5	26.5	27.6	21.4	26.2	35.4	35.2	33.5	42.8	48.2	39.6
<b>Cigarette Use Before Age 13 (%)</b>																
Overall Grades 9-12	8.6	9.3	9.9	10.7	13.4	14.2	14.8	16.0	20.2	18.3	25.7	22.1	25.2	24.7	27.4	24.8
Grade 9	9.2	9.5	8.2	12.1	15.7	16.3	15.9	18.6	28.1	19.3	31.1	26.2	30.4	27.0	34.2	32.0
Grade 10	8.9	9.2	13.3	11.2	12.6	14.3	14.2	16.0	21.9	20.1	26.5	22.9	27.2	28.5	24.3	27.5
Grade 11	8.6	10.9	8.3	10.3	14.3	12.0	16.6	14.4	17.4	16.0	22.2	18.5	23.2	21.1	25.4	22.2
Grade 12	7.4	7.3	9.7	8.6	10.1	13.3	12.3	13.9	11.3	16.5	21.1	19.0	17.8	20.7	23.3	18.6
<b>Smokeless Tobacco Use in Past 30 Days (%)</b>																
Overall Grades 9-12	10.4	8.8	9.3	8.9	9.1	7.9	6.9	8.0	5.7	6.7	10.4	8.2	NA	NA	9.1	9.3
Grade 9	9.2	7.3	6.5	7.2	7.6	6.3	3.6	7.6	6.6	6.6	9.4	6.6	NA	NA	5.8	9.7
Grade 10	10.1	8.1	9.5	8.1	9.1	8.7	8.1	7.5	6.8	5.4	11.1	8.7	NA	NA	9.5	6.8
Grade 11	8.1	10.5	10.4	10.7	8.4	7.6	9.1	8.4	4.8	7.8	10.4	9.0	NA	NA	9.5	10.0
Grade 12	12.8	9.4	10.5	10.0	10.5	8.9	7.0	8.4	4.1	7.1	10.2	8.7	NA	NA	12.4	10.5
<b>Marijuana Use in Past 30 Days (%)</b>																
Overall Grades 9-12	20.5	23.4	20.6	20.8	19.0	19.7	18.1	20.2	21.8	22.4	24.4	23.9	25.6	26.7	28.2	26.2
Grade 9	14.2	17.7	13.7	15.5	12.5	14.7	11.7	17.4	20.7	18.5	25.8	19.4	22.3	21.7	23.4	23.6
Grade 10	19.7	23.5	17.6	21.1	16.7	19.3	22.2	20.2	18.0	22.0	21.9	24.8	24.5	27.8	26.2	25.0
Grade 11	21.9	25.5	27.6	23.2	26.6	21.4	23.2	21.0	23.0	24.1	24.8	25.8	31.8	26.7	29.9	29.3
Grade 12	26.4	27.7	25.0	24.6	21.2	25.1	15.5	22.8	25.4	25.8	24.6	26.9	24.5	31.5	34.9	26.6

Values shown are weighted estimates based on sampling. Apparent differences in values may not be statistically significant.


2011 U.S. and Missouri data are not displayed due to insufficient Missouri response rate.

NA: Data not available for specified year.

Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention.


## PAST 30-DAY ALCOHOL USE: U.S. AND MISSOURI STUDENTS IN GRADES 9-12

**Past 30-Day Alcohol Use (%): U.S. and Missouri Students in Grade 9, 1995-2013**




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

**Past 30-Day Alcohol Use (%): U.S. and Missouri Students in Grade 10, 1995-2013**




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

**Past 30-Day Alcohol Use (%): U.S. and Missouri Students in Grade 11, 1995-2013**



Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

**Past 30-Day Alcohol Use (%): U.S. and Missouri Students in Grade 12, 1995-2013**




Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey.

Data shown are weighted estimates. 2011 Missouri estimates are not available due to insufficient response rate.




## PAST 30-DAY BINGE ALCOHOL USE: U.S. AND MISSOURI STUDENTS IN GRADES 9-12

**Past 30-Day Binge Alcohol Use (%): U.S. and Missouri Students in Grade 9, 1995-2013**




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

**Past 30-Day Binge Alcohol Use (%): U.S. and Missouri Students in Grade 10, 1995-2013**




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

**Past 30-Day Binge Alcohol Use (%): U.S. and Missouri Students in Grade 11, 1995-2013**



Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

**Past 30-Day Binge Alcohol Use (%): U.S. and Missouri Students in Grade 12, 1995-2013**




Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey.

Data shown are weighted estimates. 2011 Missouri estimates are not available due to insufficient response rate.


## ALCOHOL USE BEFORE AGE 13: U.S. AND MISSOURI STUDENTS IN GRADES 9-12

**Estimated First Use of Alcohol Before Age 13 (%): U.S. and Missouri Students in Grade 9, 1995-2013**




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

**Estimated First Use of Alcohol Before Age 13 (%): U.S. and Missouri Students in Grade 10, 1995-2013**




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

**Estimated First Use of Alcohol Before Age 13 (%): U.S. and Missouri Students in Grade 11, 1995-2013**



Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

**Estimated First Use of Alcohol Before Age 13 (%): U.S. and Missouri Students in Grade 12, 1995-2013**




Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey.

Data shown are weighted estimates. 2011 Missouri estimates are not available due to insufficient response rate.


## PAST 30-DAY CIGARETTE USE: U.S. AND MISSOURI STUDENTS IN GRADES 9-12

**Past 30-Day Cigarette Use (%): U.S. and Missouri Students in Grade 9, 1995-2013**




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

**Past 30-Day Cigarette Use (%): U.S. and Missouri Students in Grade 10, 1995-2013**




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

**Past 30-Day Cigarette Use (%): U.S. and Missouri Students in Grade 11, 1995-2013**



Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

**Past 30-Day Cigarette Use (%): U.S. and Missouri Students in Grade 12, 1995-2013**




Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey.

Data shown are weighted estimates. 2011 Missouri estimates are not available due to insufficient response rate.


## PAST 30-DAY MARIJUANA USE: U.S. AND MISSOURI STUDENTS IN GRADES 9-12

**Estimated Past 30-Day Marijuana Use (%): U.S. and Missouri Students in Grade 9, 1995-2013**




Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey

**Estimated Past 30-Day Marijuana Use (%): U.S. and Missouri Students in Grade 10, 1995-2013**




Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey

**Estimated Past 30-Day Marijuana Use (%): U.S. and Missouri Students in Grade 11, 1995-2013**



Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey

**Estimated Past 30-Day Marijuana Use (%): U.S. and Missouri Students in Grade 12, 1995-2013**



Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey.

Data shown are weighted estimates. 2011 Missouri estimates are not available due to insufficient response rate.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM (BRFSS)  
TABLES FOR ALCOHOL, TOBACCO, AND MENTAL HEALTH: AGES 18 AND OLDER**

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003
<b>Alcohol Use in Past 30 Days (%)</b>											
Missouri	48.5	48.5	52.5	47.7	50.1	51.9	51.9	50.7	51.8	51.8	53.5
U.S. (Median of the States)	54.5	55.3	57.1	54.6	54.3	54.4	54.8	55.4	56.2	57.1	59.4
<b>Binge Drinking * in Past 30 Days (%)</b>											
Missouri	17.2	17.3	19.2	15.6	17.2	15.3	16.2	16.5			
U.S. (Median of the States)	16.8	16.9	18.3	15.1	15.7	15.6	15.8	15.4			
* 5 or more drinks on one occasion for males											
* 4 or more drinks on one occasion for females											
<b>Heavy Drinking ** in Past 30 Days (%)</b>											
Missouri	6.0	6.3	7.3	5.5	4.1	5.3	4.6	6.2	5.0	6.0	5.5
U.S. (Median of the States)	6.2	6.1	6.6	5.0	5.1	5.1	5.2	4.9	4.9	4.9	5.8
** More than 2 drinks per day for males											
** More than 1 drink per day for females											
<b>Tobacco Smoking in Past 30 Days (%)</b>											
Missouri	22.1	23.9	25.0	21.1	23.1	24.9	24.5	23.2	23.4	24.1	27.2
U.S. (Median of the States)	19.0	19.6	21.2	17.3	17.9	18.3	19.8	20.1	20.6	20.9	22.0
<b>Former Smokers (%)</b>											
Missouri	25.2	23.9	25.0	26.1	24.7	25.0	23.4	26.8	24.2	24.2	24.3
U.S. (Median of the States)	25.3	25.2	25.1	25.1	25.5	25.2	24.6	24.7	24.8	24.1	25.2
<b>Limited in Any Activities Due to Physical, Mental, or Emotional Problems</b>											
Missouri	24.2	23.7	28.1	24.8	22.1	25.0	21.4		20.9		19.3
U.S. (Median of the States)	19.7	20.1	24.3	21.2	18.9	20.6	18.9		18.6		18.3
<b>Depressive Disorder Identified by Health or Mental Health Professional in Lifetime (%)</b>											
Missouri	21.3	20.1	20.1								
U.S. (Median of the States)	18.7	18.0	17.5								

Values shown are weighted estimates based on sampling. Apparent differences in values might not be statistically significant.

Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention: Behavioral Risk Factor Surveillance System.

2002

53.6  
58.1

6.1  
5.9

26.5  
23.2

25.5  
24.7

## MONITORING THE FUTURE SURVEY: TABLES FOR GRADE 8

### Estimated Daily Substance Use in Past 30 Days (%): U.S. Students in Grade 8

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002
Alcohol	0.3	0.3	0.4	0.5	0.5	0.7	0.6	0.5	0.5	0.6	0.8	0.7
Been Drunk Daily	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3
Cigarettes	1.8	1.9	2.4	2.9	2.7	3.1	3.0	4.0	4.0	4.4	4.5	5.1
Smokeless Tobacco	0.5	0.5	0.8	0.9	0.8	0.8	0.8	0.7	0.7	1.0	0.8	0.8
Marijuana/Hashish	1.1	1.1	1.3	1.2	1.0	0.9	0.8	1.0	1.0	0.8	1.0	1.2

### Estimated Past-30 Day Substance Use (%): U.S. Students in Grade 8

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002
Alcohol	10.2	11.0	12.7	13.8	14.9	15.9	15.9	17.2	17.1	18.6	19.7	19.6
Been Drunk (past 30 days)	3.5	3.6	4.4	5.0	5.4	5.4	5.5	6.2	6.0	6.2	6.7	6.7
Binge Alcohol Use (past 2 weeks)*	5.1	5.1	6.4	7.2	7.8	8.1	8.3	8.7	8.4	9.4	9.8	10.3
Cigarettes	4.5	4.9	6.1	7.1	6.5	6.8	7.1	8.7	9.3	9.2	10.2	10.7
Smokeless Tobacco	2.8	2.8	3.5	4.1	3.7	3.5	3.2	3.7	3.3	4.1	4.1	3.3
Any Illicit Drug	8.5	7.7	8.5	9.5	8.1	7.6	7.4	8.1	8.5	8.4	9.7	10.4
Marijuana/Hashish	7.0	6.5	7.2	8.0	6.5	5.8	5.7	6.5	6.6	6.4	7.5	8.3
Inhalants	2.3	2.7	3.2	3.6	3.8	4.1	3.9	4.1	4.2	4.5	4.1	3.8
Hallucinogens	0.8	0.6	1.0	1.0	0.9	0.9	1.0	0.9	1.1	1.0	1.2	1.2
LSD	0.5	0.3	0.5	0.6	0.5	0.5	0.5	0.4	0.5	0.5	0.6	0.7
MDMA "Ecstasy"	0.5	0.5	0.6	1.1	0.6	0.8	0.6	0.7	0.6	0.8	0.7	1.4
Cocaine (all forms)	0.5	0.5	0.8	0.6	0.8	0.8	0.9	1.0	1.0	0.9	0.9	1.1
Crack Cocaine	0.3	0.3	0.5	0.4	0.5	0.5	0.6	0.6	0.6	0.6	0.7	0.8
Amphetamines	1.4	1.3	1.8	1.8	1.9	2.2	2.0	2.1	2.3	2.3	2.7	2.8
Methamphetamine	0.4	0.5	0.4	0.7	0.5	0.7	0.6	0.6	0.7	0.6	1.2	1.1
Heroin	0.3	0.2	0.4	0.4	0.4	0.4	0.4	0.3	0.5	0.5	0.4	0.5
Tranquilizers	0.9	0.8	1.0	1.2	1.2	1.2	1.1	1.3	1.3	1.2	1.4	1.2
Rohypnol	0.1	0.1	0.6	0.2	0.2	0.1	0.3	0.4	0.2	0.2	0.1	0.2
Steroids	0.3	0.3	0.4	0.3	0.4	0.5	0.4	0.5	0.5	0.5	0.7	0.8
Injection Drug Use	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.3	0.3

### Estimated Lifetime Substance Use (%): U.S. Students in Grade 8

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002
Alcohol	27.8	29.5	33.1	35.8	36.6	38.9	38.9	40.5	41.0	43.9	45.6	47.0
Ever Been Drunk	12.2	12.8	14.8	16.3	17.4	18.0	17.9	19.5	19.5	19.9	20.3	21.3
Cigarettes	14.8	15.5	18.4	20.0	20.1	20.5	22.1	24.6	25.9	27.9	28.4	31.4
Smokeless Tobacco	7.9	8.1	9.7	9.9	9.6	9.8	9.1	10.2	10.1	11.0	11.3	11.2
Any Illicit Drug	20.3	18.5	20.1	21.4	19.9	19.6	19.0	20.9	21.4	21.5	22.8	24.5
Any Illicit Drug other than Marijuana	9.3	8.7	9.8	10.6	10.4	11.2	11.1	12.2	11.1	12.2	13.6	13.7
Marijuana/Hashish	16.5	15.2	16.4	17.3	15.7	14.6	14.2	15.7	16.5	16.3	17.5	19.2
Inhalants	10.8	11.8	13.1	14.5	14.9	15.7	15.6	16.1	17.1	17.3	15.8	15.2
Hallucinogens	2.5	2.8	3.3	3.4	3.0	3.3	3.1	3.4	3.8	3.5	4.0	4.1
LSD	1.4	1.3	1.7	1.8	1.7	1.9	1.6	1.6	1.9	1.8	2.1	2.5
MDMA "Ecstasy"	1.8	2.0	2.6	3.3	2.2	2.4	2.3	2.5	2.8	2.8	3.2	4.3
Cocaine (all forms)	1.7	1.9	2.2	2.6	2.6	3.0	3.1	3.4	3.7	3.4	3.6	3.6
Crack Cocaine	1.2	1.0	1.5	1.5	1.7	2.0	2.1	2.3	2.4	2.4	2.5	2.5
Amphetamines	4.2	4.5	5.2	5.7	6.0	6.8	6.5	7.3	7.4	7.5	8.4	8.7
Methamphetamine	1.4	1.3	1.3	1.8	1.6	2.3	1.8	2.7	3.1	2.5	3.9	3.5
Heroin	1.0	0.8	1.2	1.3	1.3	1.4	1.3	1.4	1.5	1.6	1.6	1.6
Tranquilizers	2.9	3.0	3.4	4.4	3.9	3.9	3.9	4.3	4.1	4.0	4.4	4.3
Rohypnol	0.7	1.0	2.0	0.9	0.7	0.7	1.0	1.0	1.1	1.0	1.0	0.8
Steroids	1.1	1.2	1.2	1.1	1.3	1.4	1.5	1.6	1.7	1.9	2.5	2.5
Injection Drug Use	0.6	0.6	0.8	0.9	0.9	0.9	0.9	1.0	1.0	1.1	1.0	1.0

\* Binge alcohol use in the Monitoring the Future Survey is defined as consuming 5 or more drinks on the same occasion on at least one day in the past two weeks.

Data Source: Johnston, L.D., O'Malley, P.M., Bachman, J.G., & Schulenberg, J.E. (2014).  
*Monitoring the Future national survey results on drug use, 1975-2013: Volume 1, Secondary school students.*  
 Ann Arbor: Institute for Social Research, The University of Michigan.

## MONITORING THE FUTURE SURVEY: TABLES FOR GRADE 10

### Estimated Daily Substance Use in Past 30 Days (%): U.S. Students in Grade 10

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002
Alcohol	0.9	1.0	0.8	1.1	1.1	1.0	1.4	1.4	1.3	1.3	1.5	1.8
Been Drunk Daily	0.3	0.4	0.2	0.3	0.4	0.3	0.5	0.5	0.4	0.4	0.5	0.5
Cigarettes	4.4	5.0	5.5	6.6	6.3	5.9	7.2	7.6	7.5	8.3	8.9	10.1
Smokeless Tobacco	1.9	2.0	1.7	2.5	1.9	1.4	1.6	1.7	1.9	1.6	1.8	1.7
Marijuana/Hashish	4.0	3.5	3.6	3.3	2.8	2.7	2.8	2.8	3.1	3.2	3.6	3.9

### Estimated Past-30 Day Substance Use (%): U.S. Students in Grade 10

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002
Alcohol	25.7	27.6	27.2	28.9	30.4	28.8	33.4	33.8	33.2	35.2	35.4	35.4
Been Drunk (past 30 days)	12.8	14.5	13.7	14.7	15.5	14.4	18.1	18.8	17.6	18.5	18.2	18.3
Binge Alcohol Use (past 2 weeks)*	13.7	15.6	14.7	16.3	17.5	16.0	19.6	19.9	19.0	19.9	20.0	20.3
Cigarettes	9.1	10.8	11.8	13.6	13.1	12.3	14.0	14.5	14.9	16.0	16.7	17.7
Smokeless Tobacco	6.4	6.4	6.6	7.5	6.5	5.0	6.1	5.7	5.6	4.9	5.3	6.1
Any Illicit Drug	19.4	18.6	19.2	18.5	17.8	15.8	16.9	16.8	17.3	18.3	19.5	20.8
Marijuana/Hashish	18.0	17.0	17.6	16.7	15.9	13.8	14.2	14.2	15.2	15.9	17.0	17.8
Inhalants	1.3	1.4	1.7	2.0	2.2	2.1	2.5	2.3	2.2	2.4	2.2	2.4
Hallucinogens	1.1	1.2	1.4	1.6	1.4	1.3	1.7	1.5	1.5	1.6	1.5	1.6
LSD	0.6	0.5	0.7	0.7	0.5	0.7	0.7	0.7	0.6	0.6	0.6	0.7
MDMA "Ecstasy"	1.2	1.0	1.6	1.9	1.3	1.1	1.2	1.2	1.0	0.8	1.1	1.8
Cocaine (all forms)	0.8	0.8	0.7	0.9	0.9	1.2	1.3	1.5	1.5	1.7	1.3	1.6
Crack Cocaine	0.4	0.4	0.4	0.5	0.4	0.5	0.5	0.7	0.7	0.8	0.7	1.0
Heroin	0.3	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.5	0.5	0.3	0.5
Amphetamines	2.8	2.8	3.1	3.3	3.3	2.8	4.0	3.5	3.7	4.0	4.3	5.2
Methamphetamine	0.4	0.6	0.5	0.7	0.6	0.7	0.4	0.7	1.1	1.3	1.4	1.8
Tranquilizers	1.6	1.7	1.9	2.2	2.0	1.9	2.6	2.4	2.3	2.3	2.4	2.9
Rohypnol	0.1	0.2	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.3	0.2	0.4
Steroids	0.4	0.4	0.5	0.5	0.5	0.5	0.5	0.6	0.6	0.8	0.8	1.0
Injection Drug Use	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.3	0.3

### Estimated Lifetime Substance Use (%): U.S. Students in Grade 10

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002
Alcohol	52.1	54.0	56.0	58.2	59.1	58.3	61.7	61.5	63.2	64.2	66.0	66.9
Ever Been Drunk	33.5	34.6	35.9	36.9	38.6	37.2	41.2	41.4	42.1	42.3	42.4	44.0
Cigarettes	25.7	27.7	30.4	33.0	32.7	31.7	34.6	36.1	38.9	40.7	43.0	47.4
Smokeless Tobacco	14.0	15.4	15.6	16.8	15.2	12.2	15.1	15.0	14.5	13.8	14.6	16.9
Any Illicit Drug	38.8	36.8	37.7	37.0	36.0	34.1	35.6	36.1	38.2	39.8	41.4	44.6
Any Illicit Drug other than Marijuana	15.7	14.9	15.6	16.8	16.7	15.9	18.2	17.5	18.0	18.8	19.7	22.1
Marijuana/Hashish	35.8	33.8	34.5	33.4	32.3	29.9	31.0	31.8	34.1	35.1	36.4	38.7
Inhalants	8.7	9.9	10.1	12.0	12.3	12.8	13.6	13.3	13.1	12.4	12.7	13.5
Hallucinogens	5.4	5.2	6.0	6.1	6.1	5.5	6.4	6.1	5.8	6.4	6.9	7.8
LSD	2.7	2.6	2.8	3.0	3.0	2.6	3.0	2.7	2.5	2.8	3.5	5.0
MDMA "Ecstasy"	5.7	5.0	6.6	6.4	5.5	4.3	5.2	4.5	4.0	4.3	5.4	6.6
Cocaine (all forms)	3.3	3.3	3.3	3.7	4.6	4.5	5.3	4.8	5.2	5.4	5.1	6.1
Crack Cocaine	1.5	1.4	1.6	1.8	2.1	2.0	2.3	2.2	2.5	2.6	2.7	3.6
Amphetamines	8.1	8.9	9.0	10.6	10.3	9.0	11.1	11.2	11.1	11.9	13.1	14.9
Methamphetamine	1.6	1.8	2.1	2.5	2.8	2.4	2.8	3.2	4.1	5.3	5.2	6.1
Heroin	1.0	1.1	1.2	1.3	1.5	1.2	1.5	1.4	1.5	1.5	1.5	1.8
Tranquilizers	5.5	6.3	6.8	7.3	7.0	6.8	7.4	7.2	7.1	7.3	7.8	8.8
Rohypnol	1.1	0.8	1.2	1.4	0.7	0.9	1.3	0.8	1.0	1.2	1.0	1.3
Steroids	1.3	1.3	1.4	1.6	1.3	1.4	1.8	1.8	2.0	2.4	3.0	3.5
Injection Drug Use	0.7	0.7	0.8	0.8	0.9	0.7	0.9	0.9	0.8	0.8	0.9	1.0

\* Binge alcohol use in the Monitoring the Future Survey is defined as consuming 5 or more drinks on the same occasion on at least one day in the past two weeks.

Data Source: Johnston, L.D., O'Malley, P.M., Bachman, J.G., & Schulenberg, J.E. (2014). *Monitoring the Future national survey results on drug use, 1975-2013: Volume 1, Secondary school students*. Ann Arbor: Institute for Social Research, The University of Michigan.



## MONITORING THE FUTURE SURVEY: TABLES FOR GRADE 12

### Estimated Daily Substance Use in Past 30 Days (%): U.S. Students in Grade 12

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002
Alcohol	2.2	2.5	2.1	2.7	2.5	2.8	3.1	3.0	3.1	2.8	3.2	3.5
Been Drunk Daily	1.3	1.5	1.3	1.6	1.1	1.4	1.3	1.6	1.5	1.8	1.6	1.2
Cigarettes	8.5	9.3	10.3	10.7	11.2	11.4	12.3	12.2	13.6	15.6	15.8	16.9
Smokeless Tobacco	3.0	3.2	3.1	3.1	2.9	2.7	2.8	2.2	2.5	2.8	2.2	2.0
Marijuana/Hashish	6.5	6.5	6.6	6.1	5.2	5.4	5.1	5.0	5.0	5.6	6.0	6.0

### Estimated Past-30 Day Substance Use (%): U.S. Students in Grade 12

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002
Alcohol	39.2	41.5	40.0	41.2	43.5	43.1	44.4	45.3	47.0	48.0	47.5	48.6
Been Drunk (past 30 days)	26.0	28.1	25.0	26.8	27.4	27.6	28.7	30.0	30.2	32.5	30.9	30.3
Binge Alcohol Use (past 2 weeks)*	22.1	23.7	21.6	23.2	25.2	24.6	25.9	25.4	27.1	29.2	27.9	28.6
Cigarettes	16.3	17.1	18.7	19.2	20.1	20.4	21.6	21.6	23.2	25.0	24.4	26.7
Smokeless Tobacco	8.1	7.9	8.3	8.5	8.4	6.5	6.6	6.1	7.6	6.7	6.7	6.5
Any Illicit Drug	25.5	25.2	25.2	23.8	23.3	22.3	21.9	21.5	23.1	23.4	24.1	25.4
Marijuana/Hashish	22.7	22.9	22.6	21.4	20.6	19.4	18.8	18.3	19.8	19.9	21.2	21.5
Inhalants	1.0	0.9	1.0	1.4	1.2	1.4	1.2	1.5	2.0	1.5	1.5	1.5
Hallucinogens	1.4	1.6	1.6	1.9	1.6	2.2	1.7	1.5	1.9	1.9	1.8	2.3
LSD	0.8	0.8	0.8	0.8	0.5	1.1	0.6	0.6	0.7	0.7	0.6	0.7
PCP	0.4	0.5	0.8	0.8	0.5	0.6	0.5	0.4	0.7	0.4	0.6	0.4
MDMA "Ecstasy"	1.5	0.9	2.3	1.4	1.8	1.8	1.6	1.3	1.0	1.2	1.3	2.4
Cocaine (all forms)	1.1	1.1	1.1	1.3	1.3	1.9	2.0	2.5	2.3	2.3	2.1	2.3
Crack Cocaine	0.6	0.6	0.5	0.7	0.6	0.8	0.9	0.9	1.0	1.0	0.9	1.2
Amphetamines	4.1	3.3	3.7	3.3	3.0	2.9	3.7	3.7	3.9	4.6	5.0	5.5
Methamphetamine	0.4	0.5	0.6	0.5	0.5	0.6	0.6	0.9	0.9	1.4	1.7	1.7
Crystal Methamphetamine "Ice"	0.8	0.4	0.6	0.6	0.5	0.6	0.6	0.7	0.9	0.8	0.8	1.2
Heroin	0.3	0.3	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.5	0.4	0.5
Other Narcotics	2.8	3.0	3.6	3.6	4.1	3.8	3.8	3.8	3.9	4.3	4.1	4.0
Barbiturates	2.2	2.0	1.8	2.2	2.5	2.8	2.7	3.0	3.3	2.9	2.9	3.2
Methaqualone		0.3	0.2	0.2	0.3	0.2	0.4	0.4	0.5	0.5	0.4	0.3
Tranquilizers	2.0	2.1	2.3	2.5	2.7	2.6	2.6	2.7	2.9	3.1	2.8	3.3
Steroids	1.0	0.9	0.7	1.1	1.0	1.0	1.0	1.1	0.9	1.6	1.3	1.4
Injection Drug Use	0.2	0.3	0.4	0.4	0.1	0.2	0.2	0.3	0.3	0.2	0.3	0.3

### Estimated Lifetime Substance Use (%): U.S. Students in Grade 12

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002
Alcohol	68.2	69.4	70.0	71.0	72.3	71.9	72.2	72.7	75.1	76.8	76.6	78.4
Ever Been Drunk	52.3	54.2	51.0	54.1	56.5	54.7	55.1	56.4	57.5	60.3	58.1	61.6
Cigarettes	38.1	39.5	40.0	42.2	43.6	44.7	46.2	47.1	50.0	52.8	53.7	57.2
Smokeless Tobacco	17.2	17.4	16.9	17.6	16.3	15.6	15.1	15.2	17.5	16.7	17.0	18.3
Any Illicit Drug	50.4	49.1	49.9	48.2	46.7	47.4	46.8	48.2	50.4	51.1	51.1	53.0
Any Illicit Drug other than Marijuana	24.7	24.1	24.9	24.7	24.0	24.9	25.5	26.9	27.4	28.7	27.7	29.5
Marijuana/Hashish	45.5	45.2	45.5	43.8	42.0	42.6	41.8	42.3	44.8	45.7	46.1	47.8
Inhalants	6.9	7.9	8.1	9.0	9.5	9.9	10.5	11.1	11.4	10.9	11.2	11.7
Hallucinogens	7.6	7.5	8.3	8.6	7.4	8.7	8.4	8.3	8.8	9.7	10.6	12.0
LSD	3.9	3.8	4.0	4.0	3.1	4.0	3.4	3.3	3.5	4.6	5.9	8.4
PCP	1.3	1.6	2.3	1.8	1.7	1.8	2.1	2.2	2.4	1.6	2.5	3.1
MDMA "Ecstasy"	7.1	7.2	8.0	7.3	6.5	6.2	6.5	6.5	5.4	7.5	8.3	10.5
Cocaine (all forms)	4.5	4.9	5.2	5.5	6.0	7.2	7.8	8.5	8.0	8.1	7.7	7.8
Crack Cocaine	1.8	2.1	1.9	2.4	2.4	2.8	3.2	3.5	3.5	3.9	3.6	3.8
Amphetamines	12.4	12.0	12.2	11.1	9.9	10.5	11.4	12.4	13.1	15.0	14.4	16.8
Methamphetamine	1.5	1.7	2.1	2.3	2.4	2.8	3.0	4.4	4.5	6.2	6.2	6.7
Crystal Methamphetamine "Ice"	2.0	1.7	2.1	1.8	2.1	2.8	3.4	3.4	4.0	4.0	3.9	4.7
Heroin	1.0	1.1	1.4	1.6	1.2	1.3	1.5	1.4	1.5	1.5	1.5	1.7
Other Narcotics	11.1	12.2	13.0	13.0	13.2	13.2	13.1	13.4	12.8	13.5	13.2	13.5
Barbiturates	7.5	6.9	7.0	7.5	8.2	8.5	9.3	10.2	10.5	9.9	8.8	9.5
Methaqualone		0.8	0.6	0.4	0.7	0.8	1.0	1.2	1.3	1.3	1.0	1.5
Tranquilizers	7.7	8.5	8.7	8.5	9.3	8.9	9.5	10.3	9.9	10.6	10.2	11.4
Steroids	2.1	1.8	1.8	2.0	2.2	2.2	2.2	2.7	2.6	3.4	3.5	4.0
Injection Drug Use	0.7	0.7	0.9	1.1	0.6	0.7	0.7	0.8	0.9	0.7	0.7	0.8

\* Binge alcohol use in the Monitoring the Future Survey is defined as consuming 5 or more drinks on the same occasion on at least one day in the past two weeks.

Data Source: Johnston, L.D., O'Malley, P.M., Bachman, J.G., & Schulenberg, J.E. (2014).

Monitoring the Future national survey results on drug use, 1975-2013: Volume 1, Secondary school students.

Ann Arbor: Institute for Social Research, The University of Michigan.

## MONITORING THE FUTURE SURVEY: TABLES FOR COLLEGE STUDENTS

### Estimated Daily Substance Use in Past 30 Days (%): U.S. College Students

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002
Alcohol	3.6	3.9	3.8	3.6	4.3	4.0	4.3	4.8	4.6	3.7	4.3	5.0
Been Drunk Daily	0.5	0.4	1.3	0.3	0.7	0.5	0.7	0.6	0.5	0.8	1.1	0.8
Cigarettes	5.6	5.2	7.3	7.6	8.0	9.2	9.3	9.2	12.4	13.8	13.8	15.9
Marijuana/Hashish	5.1	4.8	4.7	4.4	4.9	3.9	3.5	4.3	4.0	4.5	4.7	4.1

### Estimated Past-30 Day Substance Use (%): U.S. College Students

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002
Alcohol	63.1	67.7	63.5	65.0	65.8	69.0	66.6	65.4	67.9	67.7	66.2	68.9
Been Drunk (past 30 days)	40.2	40.1	39.9	43.6	42.4	45.3	46.8	47.6	43.1	47.4	40.4	44.4
Binge Alcohol Use (past 2 weeks)*	35.2	37.4	36.1	37.0	36.9	40.0	41.1	40.2	40.1	41.7	38.5	40.1
Cigarettes	14.0	12.5	15.2	16.4	17.9	17.9	19.9	19.2	23.8	24.3	22.5	26.7
Any Illicit Drug	22.5	22.3	21.4	19.2	20.7	18.9	19.3	19.2	19.5	21.2	21.4	21.5
Any Illicit Drug other than Marijuana	8.2	7.8	8.2	8.1	8.4	7.3	8.1	8.2	8.2	9.1	8.2	7.8
Marijuana/Hashish	20.6	20.5	19.4	17.5	18.5	17.0	16.8	16.7	17.1	18.9	19.3	19.7
Inhalants	0.1	0.2	0.3	0.5	0.1	0.4	0.1	0.4	0.3	0.4	0.4	0.7
Hallucinogens	1.0	1.1	1.2	1.4	1.0	1.7	1.3	0.9	1.2	1.3	1.8	1.2
LSD	0.4	0.4	0.5	0.7	0.3	0.8	0.3	0.3	0.1	0.2	0.2	0.2
MDMA "Ecstasy"	0.8	1.4	0.7	1.0	0.5	0.6	0.4	0.6	0.8	0.7	1.0	0.7
Cocaine (all forms)	0.9	1.1	1.2	1.0	1.3	1.2	1.7	1.8	1.8	2.4	1.9	1.6
Crack Cocaine	0.3	0.0	0.1	0.1	0.1	0.1	0.1	**	0.1	0.4	0.4	0.3
Amphetamines	5.3	4.6	4.5	4.1	3.4	2.8	3.1	2.5	2.9	3.2	3.1	3.0
Methamphetamine	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.2	0.1	0.2	0.6	0.2
Crystal Methamphetamine "Ice"	0.0	0.3	0.0	0.2	0.0	0.0	0.1	**	0.2	0.1	0.3	0.0
Heroin	0.2	0.1	0.0	0.0	0.1	**	0.1	0.2	0.1	0.1	0.0	0.0
Other Narcotics	1.5	2.2	2.1	2.3	2.7	2.3	2.2	3.1	3.1	3.0	2.3	1.6
Barbiturates	0.9	0.8	0.8	0.6	1.2	1.4	1.4	1.3	1.3	1.5	1.7	1.7
Tranquilizers	1.2	1.1	1.6	1.3	2.2	1.6	1.8	2.1	2.2	2.7	2.8	3.0
Steroids	0.0	0.0	0.2	0.0	0.2	**	0.1	**	**	**	0.1	**
Injection Drug Use	0.1	0.2	0.0	0.0	0.1	0.0	**	0.1	0.1	0.1	0.1	**

### Estimated Lifetime Substance Use (%): U.S. College Students

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002
Alcohol	78.0	81.0	80.5	82.3	82.6	85.3	83.1	84.7	86.6	84.6	86.2	86.0
Ever Been Drunk	66.5	70.0	67.9	70.5	69.1	72.5	71.6	73.1	72.9	73.4	74.9	75.1
Any Illicit Drug	51.0	50.5	49.2	49.1	51.4	49.5	50.5	50.6	52.3	52.2	53.9	51.8
Any Illicit Drug other than Marijuana	26.7	23.8	24.3	24.8	25.6	22.6	25.3	26.3	26.5	28.0	27.6	26.9
Marijuana/Hashish	47.7	49.1	46.6	46.8	47.5	46.8	47.5	46.9	49.1	49.1	50.7	49.5
Inhalants	4.3	5.7	3.7	5.5	6.9	4.9	6.3	7.4	7.1	8.5	9.7	7.7
Hallucinogens	7.8	7.6	7.4	7.8	8.0	8.5	9.1	10.6	11.0	12.0	14.5	13.6
LSD	4.4	3.1	3.7	4.0	3.3	4.3	3.3	3.5	3.7	5.6	8.7	8.6
MDMA "Ecstasy"	8.1	8.7	6.8	6.2	6.5	6.2	5.4	6.9	8.3	10.2	12.9	12.7
Cocaine (all forms)	5.1	5.2	5.5	6.6	8.1	7.2	8.5	7.7	8.8	9.5	9.2	8.2
Crack Cocaine	0.7	0.7	0.8	1.2	1.0	1.4	1.3	2.3	1.7	2.0	3.1	1.9
Amphetamines	15.3	14.4	13.4	12.1	11.8	9.1	11.2	10.7	12.3	12.7	12.3	11.9
Methamphetamine	0.9	0.3	0.6	1.1	1.0	1.9	1.9	2.9	4.1	5.2	5.8	5.0
Crystal Methamphetamine "Ice"	0.0	0.6	0.2	0.8	0.7	1.1	1.3	1.7	2.4	2.2	2.9	2.0
Heroin	0.4	0.5	0.6	0.7	0.8	0.7	0.5	0.7	0.5	0.9	1.0	1.0
Other Narcotics	10.8	10.3	12.4	12.2	14.0	12.4	14.1	14.6	14.4	13.8	14.2	12.2
Barbiturates	5.4	3.5	3.6	5.3	6.0	6.4	5.9	6.3	8.5	7.2	5.7	5.9
Tranquilizers	7.8	6.4	7.1	8.1	9.2	8.6	9.1	10.0	11.9	10.6	11.0	10.7
Steroids	0.8	0.4	1.1	0.7	1.3	1.6	0.6	1.9	1.0	1.6	1.2	1.2
Injection Drug Use	0.1	0.2	0.3	0.1	0.1	0.0	0.1	0.3	0.3	0.1	0.1	0.3

\* Binge alcohol use in the Monitoring the Future Survey is defined as consuming 5 or more drinks on the same occasion on at least one day in the past two weeks.

\*\* Indicates value is less than 0.05 percent but greater than 0.0 percent.

Data Source: Johnston, L.D., O'Malley, P.M., Bachman, J.G., & Schulenberg, J.E. (2014). *Monitoring the Future national survey results on drug use, 1975-2013: Volume 2, College students and adults ages 19-50*. Ann Arbor: Institute for Social Research, The University of Michigan.

## MONITORING THE FUTURE SURVEY: TABLES FOR YOUNG ADULTS AGES 19-28

### Estimated Daily Substance Use in Past 30 Days (%): U.S. Young Adults Ages 19-28

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002
Alcohol	5.1	5.5	5.2	4.6	5.3	5.3	5.6	5.4	5.2	4.5	5.1	4.7
Been Drunk Daily	0.5	0.4	0.7	0.7	1.0	0.5	0.6	0.6	0.5	0.7	0.8	0.6
Cigarettes	12.1	12.8	13.8	14.8	15.0	16.7	17.3	18.6	19.6	20.8	20.3	21.2
Marijuana/Hashish	6.2	5.6	6.1	5.3	5.4	5.1	5.0	5.0	4.9	5.0	5.3	4.5

### Estimated Past-30 Day Substance Use (%): U.S. Young Adults Ages 19-28

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002
Alcohol	68.7	69.5	68.8	68.4	69.4	68.9	69.5	68.7	68.6	68.4	67.0	68.3
Been Drunk (past 30 days)	37.7	39.1	39.5	39.4	40.5	40.7	41.4	42.1	39.0	39.0	37.8	37.1
Binge Alcohol Use (past 2 weeks)*	35.1	35.5	36.5	35.9	36.7	37.9	37.8	37.6	37.0	37.1	35.8	35.9
Cigarettes	20.0	19.7	21.3	22.4	23.3	24.6	26.2	27.0	28.6	29.2	28.4	29.2
Any Illicit Drug	21.8	19.9	20.6	18.9	19.8	19.3	18.9	18.5	18.6	19.1	19.9	18.9
Any Illicit Drug other than Marijuana	8.3	7.8	8.4	8.6	8.5	8.9	8.6	8.1	8.2	8.5	8.3	7.7
Marijuana/Hashish	19.0	17.7	18.3	16.1	17.0	16.0	16.0	15.7	15.8	16.5	17.3	16.9
Inhalants	0.1	0.3	0.1	0.1	0.2	0.4	0.2	0.3	0.2	0.3	0.3	0.5
Hallucinogens	1.0	0.6	0.9	1.0	0.8	0.9	0.9	0.7	0.8	0.9	1.2	0.9
LSD	0.4	0.3	0.3	0.4	0.2	0.4	0.2	0.2	0.1	0.1	0.2	0.3
PCP	0.2	0.0	0.1	0.0	**	0.1	**	**	0.0	0.1	0.1	0.1
MDMA "Ecstasy"	1.1	1.0	0.7	0.8	0.6	0.6	0.5	0.7	0.6	0.6	0.8	1.3
Cocaine (all forms)	1.5	1.3	1.5	1.4	1.8	1.9	2.1	2.3	2.2	2.2	2.4	2.2
Crack Cocaine	0.1	0.1	0.2	0.1	0.2	0.4	0.3	0.3	0.3	0.3	0.3	0.3
Amphetamines	3.2	3.2	3.0	2.9	2.5	2.2	2.3	2.2	2.1	2.4	2.5	2.5
Methamphetamine	0.2	0.4	0.3	0.2	0.3	0.3	0.6	0.5	0.7	0.6	0.7	1.0
Crystal Methamphetamine "Ice"	0.4	0.3	0.2	0.2	0.2	0.3	0.3	0.3	0.6	0.4	0.4	0.5
Heroin	0.3	0.2	0.2	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.1	**
Other Narcotics	2.6	2.7	2.9	3.4	3.2	3.6	3.4	3.2	3.5	3.0	2.9	2.9
Barbiturates	1.2	1.1	1.1	1.1	1.2	1.9	1.6	1.5	1.7	1.8	1.5	1.5
Tranquilizers	1.9	1.9	2.3	2.2	2.8	2.7	2.8	2.3	2.6	2.7	2.4	2.8
Steroids	0.1	0.1	0.2	0.5	0.3	0.2	0.4	0.1	0.1	0.1	0.1	0.1
Injection Drug Use	0.3	0.2	0.2	0.1	0.1	**	**	0.1	0.1	0.1	**	**

### Estimated Lifetime Substance Use (%): U.S. Young Adults Ages 19-28

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002
Alcohol	86.2	86.5	87.4	87.5	87.9	88.4	87.9	88.9	89.1	89.4	89.3	90.2
Ever Been Drunk	77.4	78.9	78.9	79.0	78.2	80.1	80.1	80.9	79.9	80.1	80.9	81.2
Any Illicit Drug	60.5	58.9	59.1	58.4	59.3	59.3	59.8	59.7	60.4	60.5	60.2	59.0
Any Illicit Drug other than Marijuana	34.2	32.8	33.2	33.3	32.8	34.7	34.2	34.8	34.0	35.2	33.9	32.8
Marijuana/Hashish	57.1	56.5	56.3	55.9	56.0	55.9	56.7	56.7	57.0	57.4	57.2	56.8
Inhalants	6.5	7.2	7.2	7.9	8.9	9.5	9.1	10.9	10.3	11.6	12.2	12.4
Hallucinogens	12.4	12.2	13.0	13.9	14.2	14.8	16.0	17.2	17.6	19.3	19.7	19.6
LSD	6.3	6.2	6.1	7.2	7.3	8.1	9.6	10.1	11.2	13.4	14.6	15.1
PCP	1.4	1.1	1.7	1.6	1.6	2.2	2.1	2.4	2.0	2.7	3.0	2.5
MDMA "Ecstasy"	11.6	11.4	11.3	12.3	11.5	13.1	13.1	14.4	14.9	16.0	15.3	14.6
Cocaine (all forms)	12.2	11.9	12.5	13.6	13.9	14.8	14.7	15.2	14.3	15.2	14.7	13.5
Crack Cocaine	2.6	2.7	2.9	3.6	3.3	4.3	3.9	4.4	4.1	4.2	4.7	4.3
Amphetamines	18.7	17.4	16.5	16.1	14.9	14.6	15.3	15.6	14.6	15.9	15.2	14.8
Methamphetamine	3.1	3.5	3.2	4.3	4.7	6.3	6.7	7.3	8.3	9.0	8.9	9.1
Crystal Methamphetamine "Ice"	2.8	2.6	3.1	2.8	3.4	3.6	3.7	4.7	4.4	4.7	4.7	4.1
Heroin	1.6	1.6	1.7	1.8	1.6	1.9	1.6	1.9	1.7	1.9	1.9	1.8
Other Narcotics	17.4	17.6	18.2	19.0	18.5	19.5	18.8	18.7	17.8	17.6	16.8	13.9
Barbiturates	9.5	7.2	7.9	8.6	9.5	10.6	9.8	9.5	10.0	9.7	8.7	8.0
Tranquilizers	13.2	13.3	13.8	14.3	13.8	15.8	14.5	15.0	14.5	14.9	13.8	13.4
Steroids	1.2	1.7	1.3	1.7	1.8	1.8	1.7	1.8	1.8	1.9	1.8	1.6
Injection Drug Use	1.0	0.5	0.7	0.8	0.5	0.5	0.5	0.6	0.6	0.4	0.5	0.4

\* Binge alcohol use in the Monitoring the Future Survey is defined as consuming 5 or more drinks on the same occasion on at least one day in the past two weeks.

\*\* Indicates value is less than 0.05 percent but greater than 0.0 percent.

Data Source: Johnston, L.D., O'Malley, P.M., Bachman, J.G., & Schulenberg, J.E. (2014).

Monitoring the Future national survey results on drug use, 1975-2013: Volume 2, College students and adults ages 19-50.

Ann Arbor: Institute for Social Research, The University of Michigan.

# MISSOURI COLLEGE HEALTH BEHAVIOR SURVEY

## Reported Past-Year Substance Involvement among Missouri College Students

ALCOHOL AND DRUG USE (%)	2014	2013	2012	2011	2010	2009	2008
Alcohol Use in Past Year	76.3	77.0	79.3	77.8	79.9	79.5	81.3
Alcohol Use in Past 30 Days	70.9	63.5	62.6	66.2	67.2	66.7	68.1
Binge Alcohol Use in One Sitting in Past 2 Weeks	28.3	27.2	27.9	32.8	33.8	35.7	31.2
Binge Alcohol Use in 2-Hour Period in Past 2 Weeks	26.9	25.6	26.3	31.2	31.7	33.5	29.3
Tobacco Use in Past Year	37.6	38.2	48.5	43.6	43.4	30.3	—
Cigarette Use in Past Year	17.8	20.5	18.1	18.9	19.5	15.4	14.8
Marijuana Use in Past Year	11.7	12.6	21.0	23.4	21.6	23.1	21.8
Cocaine Use in Past Year	—	2.2	—	2.4	2.3	2.9	3.4
Amphetamine Use in Past Year	—	1.9	—	3.3	2.4	2.2	2.1
Methamphetamine Use in Past Year	—	1.0	—	0.8	0.5	0.7	0.8
Inhalant Use in Past Year	—	1.1	—	1.2	0.9	0.7	0.8
Club Drug Use in Past Year	—	2.9	—	2.8	2.5	2.6	2.4
K2 (Synthetic Marijuana) Use in Past Year	—	1.9	3.2	—	—	—	—
Bath Salts Use in Past Year	—	1.1	1.0	—	—	—	—
Prescription Stimulant Use without Rx in Past Year	7.5	6.6	5.4	5.5	4.6	5.3	4.6
Prescription Pain Medication Use without Rx in Past Year	7.4	7.6	4.5	6.6	6.5	8.4	8.2
Prescription Sedative Use without Rx in Past Year	3.1	2.7	2.1	2.8	2.6	3.8	3.4
Prescription Sleep Medication Use without Rx in Past Year	4.4	2.0	1.0	1.8	2.0	2.5	2.2

### AMONG ALL STUDENTS, DRINKING RELATED RISKS AND CONSEQUENCES EXPERIENCED (%)

Hangover	50.3	50.8	48.6	51.4	52.4	53.0	55.1
Rode with Someone who Drove After Drinking	28.5	30.6	29.8	33.6	36.3	36.9	38.7
Blackout or Memory Loss	27.0	35.6	26.2	26.1	25.1	25.7	27.7
Driven After Consumption	23.5	25.2	25.5	27.3	30.0	30.5	31.9
Missed Class	17.4	16.9	16.5	18.3	20.4	21.5	24.3
Engaged in Risky Sexual Behavior	15.8	16.2	16.5	16.9	17.2	18.3	19.5
Forced or Coerced to Drink More than Desired	16.2	17.3	16.1	13.5	12.6	13.9	—
Hurt or Injured	11.0	11.5	11.4	11.6	11.6	11.6	12.5
Performed Poorly on Test or Assignment	11.0	10.4	10.0	11.0	12.2	12.5	14.2
Taken Advantage of Sexually	5.9	7.1	6.3	6.3	5.7	6.3	6.2
Trouble with Campus Administration	3.3	3.7	3.0	3.5	2.0	2.9	3.1
Took Advantage of Someone Sexually	2.1	2.6	2.4	2.2	2.0	2.3	—
Received Medical Attention	2.9	2.6	2.2	2.1	2.2	2.5	2.3
Arrested by Campus Police or Other Law Enforcement	2.0	2.3	1.9	1.8	2.3	2.3	2.0
Arrested for DUI or DWI	1.1	1.6	0.8	1.1	1.4	1.2	1.0

### AMONG PAST-YEAR DRINKERS, THOSE RESPONDING "ALWAYS" OR "USUALLY" TO USE OF THESE PROTECTIVE FACTORS (%)

Know Where One's Drink Has Been At All Times	81.1	80.9	81.2	82.1	83.4	—	—
Eat Before and/or During Alcohol Consumption	77.1	76.6	77.5	75.5	76.4	77.2	76.6
Go Home with a Friend	66.1	65.3	65.0	65.1	65.5	---	---
Use a Designated Driver	65.2	64.3	64.8	66.3	69.9	70.7	70.7
Purposefully Limit the Amount of Money Spent on Alcohol	61.7	61.4	61.2	60.3	63.8	61.0	59.5
Avoid Trying to "Keep-up or "Out-drink" Others	60.4	60.1	58.4	59.7	59.1	—	—
Drink Slowly, Rather than Gulp or Chug	53.2	53.6	48.4	49.1	49.2	—	—
Determine Not to Exceed a Set Number of Drinks	41.8	40.6	40.9	43.0	45.0	44.4	43.7
Avoid Mixing Different Types of Alcohol	40.7	41.7	38.3	38.4	39.4	—	—
Drink Water While Drinking Alcohol	40.6	36.6	35.9	34.4	33.2	—	—
Avoid Drinking Games	28.8	31.5	33.5	32.5	37.2	34.8	36.4
Alternate Alcoholic and Non-alcoholic Drinks	33.4	31.4	30.4	30.4	30.1	29.2	28.0
Have a Friend Tell You When You Have Had Enough	29.5	28.3	29.1	29.0	32.6	34.8	36.4
Leave the Bar or Party at Predetermined Time	27.8	28.6	29.1	28.2	30.0	—	—
Stop Drinking at a Predetermined Time	26.6	27.7	26.4	26.1	26.1	—	—
Put Extra Ice in Drink	21.3	21.8	20.4	20.0	20.3	—	—

— Indicates question not included on survey or data not available for specified year.

Data Source: Partners in Prevention Statewide Coalition.

<http://pip.missouri.edu/>

Based on responses of 8994 students at 21 Missouri colleges in 2014, 9599 students at 21 colleges in 2013, 9151 students at 21 colleges in 2012, 8905 students at 20 colleges in 2011, 6543 students at 13 colleges in 2010, 6257 students at 13 colleges in 2009, and 5050 students at 12 colleges in 2008. Data are unweighted.

# MISSOURI COLLEGE HEALTH BEHAVIOR SURVEY

## Reported Past-Year Mental Health Problems among Missouri College Students

LEVEL OF STRESS EXPERIENCED IN PAST TWO WEEKS (%)	2014	2013	2012	2011	2010	2009	2008
None	1.1	1.9	1.9	1.7	2.0	2.1	—
Minimal	8.5	10.7	11.1	10.5	13.9	11.6	—
A Little	16.9	18.7	19.0	18.8	20.4	20.2	—
Manageable	48.8	47.5	47.7	47.2	44.6	45.4	—
Overwhelming	21.1	18.3	18.1	19.5	16.7	18.5	—
Unbearable	2.7	2.1	2.0	2.3	2.1	2.3	—
<b>AMONG ALL STUDENTS, MAIN SOURCES OF STRESS (%)</b>							
School / Academics	89.4	—	77.2	78.7	75.2	74.4	86.8
Financial Concerns	54.4	—	47.4	50.6	49.2	50.3	50.8
Future Plans	53.2	—	43.9	44.3	42.9	50.2	—
Time Management	52.2	—	43.1	47.1	43.6	52.8	49.0
Job	34.9	—	31.1	32.1	32.9	34.1	34.9
Dating / Relationship with Partner	29	—	26.2	28.8	31.8	36.0	34.0
Family	29.7	—	25.0	27.7	28.4	31.6	25.1
Physical Health	25.1	—	20.1	22.3	23.3	22.2	21.0
Outside Organizations / Responsibilities	22.8	—	17.7	17.7	15.5	18.1	—
Friends	19.6	—	16.1	17.6	18.5	22.3	17.1
Roommates	16.6	—	14.6	15.8	15.3	17.7	17.9
Mental Health Issues	9.9	—	7.2	7.4	8.1	8.9	—
Other Source of Stress	2.6	—	2.6	3.2	3.7	4.1	5.6
<b>AMONG ALL STUDENTS, MENTAL HEALTH PROBLEMS EXPERIENCED IN PAST YEAR (%)</b>							
Anxiety	44.1	39.4	34.4	34.9	32.7	35.8	35.2
Chronic Sleep Disorder	18.8	18.1	15.0	16.8	15.6	16.6	19.4
Suicidal Thoughts	15	13.6	13.6	13.4	13.1	—	—
Major Depression	18.5	17.6	12.5	12.5	12.1	12.9	35.2
Panic Attack	15.4	13.4	11.7	12.5	11.6	12.3	—
Eating Disorder	5.8	6.4	5.3	5.0	4.7	6.0	6.3
Self-injury	3.6	3.8	3.5	4.0	3.7	3.9	2.4
Abusive Relationship	3.2	3.1	3.0	3.2	2.8	3.1	—
Alcohol Abuse/dependency	2.8	3.2	2.8	2.8	3.1	4.3	3.0
Bipolar Disorder	2.6	2.3	2.1	2.3	2.3	2.7	—
Sexual Assault	1.5	1.4	1.1	1.2	0.9	1.1	1.2
Suicide Attempt	0.9	0.9	1.0	0.8	0.9	—	—
Other Problem	0.4	1.7	1.5	1.5	1.8	1.8	—
None of the Listed Problems	43.3	46.7	42.2	42.3	43.7	45.7	38.8
<b>AMONG STUDENTS EXPERIENCING PROBLEMS, THOSE WHO SOUGHT ASSISTANCE FOR THE FOLLOWING (%)</b>							
Major Depression	50.3	48.4	53.3	50.0	48.5	47.5	59.3
Panic Attack	42.6	44.4	43.1	41.1	38.3	39.6	—
Bipolar Disorder	50.8	49.2	42.0	51.5	48.7	44.7	—
Abusive Relationship	35.1	33.9	38.5	35.8	34.8	32.0	—
Anxiety	26.9	37.1	36.8	34.2	32.2	33.2	30.1
Chronic Sleep Disorder	31.8	31.2	32.6	31.1	29.7	29.8	24.7
Self-injury	39.4	38.1	30.9	32.8	28.5	31.0	40.7
Sexual Assault	30.3	27.9	28.2	26.6	32.2	22.1	35.5
Eating Disorder	24.9	26.7	27.2	23.1	30.2	23.1	27.2
Alcohol Abuse/dependency	21	18.4	22.6	16.6	21.2	19.0	28.0
Other Problem	51.9	45.6	48.6	45.4	46.2	45.5	—

— Indicates question not included on survey or data not available for specified year.

Data Source: Partners in Prevention Statewide Coalition.

<http://pip.missouri.edu/>

Based on responses of 8994 students at 21 Missouri colleges in 2014, 9599 students at 21 colleges in 2013, 9151 students at 21 colleges in 2012, 8905 students at 20 colleges in 2011, 6543 students at 13 colleges in 2010, 6257 students at 13 colleges in 2009, and 5050 students at 12 colleges in 2008. Data are unweighted.

# MISSOURI COLLEGE HEALTH BEHAVIOR SURVEY

## Reported Gambling among Missouri College Students

INVOLVEMENT IN GAMBLING (%)	2014	2013	2012	2011	2010	2009	2008
Yes	26.5	27.9	28.7	29.9	31.1	21.6	28.2
No	72.3	70.9	71.3	70.1	68.9	78.4	71.8
<b>AMONG STUDENTS WHO GAMBLE, THOSE RESPONDING "SOMETIMES", "OFTEN", OR "ALWAYS" AS A RESULT OF GAMBLING (%)</b>							
Lost Track of Time While Gambling	—	—	11.8	—	12.5	16.9	7.4
Spent Time Thinking About Past Gambling Experiences	—	—	10.2	—	10.2	14.1	—
Spent Time Planning Future Gambling Activities	—	—	8.9	—	8.5	14.5	—
Lost a Lot of Time	—	—	7.1	—	6.9	8.0	3.7
Attempted to Recoup Gambling Losses	5.9	—	6.9	—	7.6	9.6	—
Felt Need to Gamble Increased Amounts for Excitement	4.6	—	6.9	—	6.5	8.5	—
Sought Ways to Find Money to Gamble	5.8	—	5.7	—	2.5	7.4	—
Lied to Family or Friends to Hide Gambling Activity	—	—	5.2	—	5.0	<b>6.3</b>	—
Withdrew from Social Situations or Enjoyable Activities	2.7	—	5.1	—	4.8	7.1	—
Strained Relationships	—	—	5.0	—	4.6	5.8	—
Borrowed Money for Gambling Debts	1.3	—	4.9	—	4.5	5.9	—
<b>AMONG STUDENTS WHO GAMBLE, THOSE RESPONDING "SOMEWHAT", "QUITE A BIT", OR "TO A GREAT EXTENT" DUE TO GAMBLING (%)</b>							
Lost a Considerable Amount of Money	10.9	—	6.6	—	6.6	8.0	4.1
Gambled Money Intended for Something Else	8.7	—	4.8	—	5.2	7.4	3.8
Experienced Financial Hardship	—	—	4.6	—	5.4	6.4	2.9
Academic Problems	6.9	—	2.7	—	3.0	3.0	2.2
Legal Trouble	6.3	—	2.0	—	1.7	2.1	0.9

— Indicates question not included on survey or data not available for specified year.


Data Source: Partners in Prevention Statewide Coalition.

<http://pip.missouri.edu/>

Based on responses of 8994 students at 21 Missouri colleges in 2014, 9599 students at 21 colleges in 2013, 9151 students at 21 colleges in 2012, 8905 students at 20 colleges in 2011, 6543 students at 13 colleges in 2010, 6257 students at 13 colleges in 2009, and 5050 students at 12 colleges in 2008. Data are unweighted.


## ALCOHOL USE AMONG MISSOURI COLLEGE STUDENTS

### Past-Year Alcohol Use (%): Students Completing the Missouri College Health Behavior Survey




Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.  
Missouri College Health Behavior Survey 2007-2014 respondents.

### Past 30-Day Alcohol Use (%): Students Completing the Missouri College Health Behavior Survey




Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.  
Missouri College Health Behavior Survey 2007-2014 respondents.

### Past 2-Week Binge Alcohol Use in One Sitting (%): Students Completing the Missouri College Health Behavior Survey



Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.  
Missouri College Health Behavior Survey 2007-2014 respondents.

### Past 2-Week Binge Alcohol Use in 2-Hour Period (%): Students Completing the Missouri College Health Behavior Survey




Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.  
Missouri College Health Behavior Survey 2007-2014 respondents.




## NON-PRESCRIPTION DRUG USE AMONG MISSOURI COLLEGE STUDENTS

### Past-Year Stimulant Use without Prescription (%): Students Completing the Missouri College Health Behavior Survey




Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.  
Missouri College Health Behavior Survey, 2008-2014 respondents.

### Past-Year Pain Medication Use without Prescription (%): Students Completing the Missouri College Health Behavior Survey




Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.  
Missouri College Health Behavior Survey, 2008-2014 respondents.

### Past-Year Sedative Use without Prescription (%): Students Completing the Missouri College Health Behavior Survey



Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.  
Missouri College Health Behavior Survey, 2008-2014 respondents.

### Past-Year Sleep Medication Use without Prescription (%): Students Completing the Missouri College Health Behavior Survey




Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.  
Missouri College Health Behavior Survey, 2008-2014 respondents.




## ILLICIT DRUG USE AMONG MISSOURI COLLEGE STUDENTS

### Past-Year Marijuana Use (%): Students Completing the Missouri College Health Behavior Survey, 2007-2014




Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.  
Missouri College Health Behavior Survey, 2007-2014 respondents.

### Past-Year Cocaine Use (%): Students Completing the Missouri College Health Behavior Survey, 2007-2013




Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.  
Missouri College Health Behavior Survey, 2007-2013 respondents. Item not included on 2012 and 2014 surveys.

### Past-Year Amphetamine Use (%): Students Completing the Missouri College Health Behavior Survey, 2007-2013




Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.  
Missouri College Health Behavior Survey, 2007-2013 respondents. Item not included on 2012 and 2014 surveys.

### Past-Year Inhalant Use (%): Students Completing the Missouri College Health Behavior Survey, 2007-2013



Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.  
Missouri College Health Behavior Survey, 2007-2013 respondents. Item not included on 2012 and 2014 surveys.

### Past-Year Club Drug Use (%): Students Completing the Missouri College Health Behavior Survey, 2007-2013



Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.  
Missouri College Health Behavior Survey, 2007-2013 respondents. Item not included on 2012 and 2014 surveys.

**PREGNANCY RISK ASSESSMENT MONITORING SYSTEM (PRAMS)  
TABLES FOR ALCOHOL, TOBACCO, AND MENTAL HEALTH**

**Survey results of samples of Missouri women after having a live birth:**

	2011	2010	2009	2008	2007
<b>ALCOHOL</b>					
<b>Binge Alcohol Use (4 or More Drinks on One Occasion) During 3 Months Before Pregnancy (%)</b>	27.6	28.0	30.7		
<b>Any Alcohol Use During 3 Months Before Pregnancy (%)</b>	60.4	57.7	58.6	58.5	57.7
<b>Any Alcohol Use During Last 3 Months of Pregnancy (%)</b>	5.4	5.2	4.8	5.5	4.5
<b>Change in Drinking from 3 Months Before Pregnancy to Last 3 Months of Pregnancy (%)</b>					
<b>Non-Drinkers</b>	39.6	42.1	41.4	41.2	42.3
<b>Drinkers</b>	60.4	57.9	58.6	58.7	57.7
<b>Drinkers Who Quit, Among Total Sample</b>	55.0	52.7	53.8	53.3	53.2
<b>Drinkers who Reduced Number of Drinks</b>	2.8	3.8	2.1	2.8	2.7
<b>Drinkers who Increased or Maintained Same Number of Drinks</b>	2.6	1.2	2.6	2.4	1.8
<b>Non-Drinkers Who Began or Resumed Drinking</b>	0.0	0.2	0.0	0.2	0.0
<b>Drinkers who Quit During Pregnancy, Among Drinkers Only (%) *</b>	91.0	91.3	91.9	91.0	92.2
<b>TOBACCO</b>					
<b>Tobacco Smoking During Three Months Before Pregnancy (%)</b>	33.6	33.5	35.2	34.7	31.7
<b>Tobacco Smoking During Last Three Months of Pregnancy (%)</b>	18.5	16.7	18.9	21.8	18.4
<b>Change in Smoking from 3 Months Before Pregnancy to Last 3 Months of Pregnancy (%)</b>					
<b>Non-Smokers</b>	66.4	66.7	64.6	65.3	68.3
<b>Smokers</b>	33.5	33.4	35.4	34.7	31.7
<b>Smokers Who Quit, Among Total Sample</b>	15.1	16.6	16.4	13.0	13.4
<b>Smokers Who Reduced Number of Cigarettes Per Day</b>	12.0	11.1	11.1	13.9	12.2
<b>Smokers Who Increased or Maintained Same Number of Cigarettes Per Day</b>	6.3	5.7	7.7	7.8	6.1
<b>Non-Smokers Who Began or Resumed Smoking</b>	0.1	0.0	0.2	0.0	0.0
<b>Tobacco Smokers Who Quit During Pregnancy, Among Smokers Only (%) *</b>	45.2	49.7	46.6	37.4	42.1
<b>MENTAL HEALTH</b>					
<b>Anxiety During 3 Months Before Pregnancy (%)</b>	14.1	13.4	13.1		
<b>Depression During 3 Months Before Pregnancy (%)</b>	12.0	13.1	13.6		

*Data Sources:*

U.S. Department of Health and Human Services, Centers for Disease Control and Prevention: Pregnancy Risk Assessment Monitoring System.

Accessed from: <http://apps.nccd.cdc.gov/cPONDER/default.aspx>


Missouri Department of Health and Senior Services, Office of Epidemiology

\* Indicates calculated values

Blank data cells indicate data not collected or available.

# ECONOMIC COSTS OF MENTAL ILLNESS AND SUBSTANCE ABUSE IN THE UNITED STATES AND MISSOURI

## Estimated Annual Economic Cost of Serious Mental Illness in the United States and Missouri




Data Source: U.S. Department of Health and Human Services, National Institute of Mental Health. "Annual Total Direct and Indirect Costs of Serious Mental Illness, 2002". Missouri estimates are derived from the nationwide estimates based on U.S. and Missouri data from the 2010-2011 National Survey on Drug Use and Health.

## Estimated Annual Economic Cost of Alcohol Abuse in the United States and Missouri




Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. "Economic Costs of Excessive Alcohol Consumption in the U.S., 2006." *American Journal of Preventive Medicine* 41(5):516-524. November 2011. Missouri estimates are derived from the nationwide estimates based on U.S. and Missouri data from the 2010-2011 National Survey on Drug Use and Health.

## Estimated Annual Economic Cost of Drug Abuse in the United States and Missouri



Data Source: U.S. Department of Justice, National Drug Intelligence Center. *The Economic Impact of Illicit Drug Use on American Society*. April 2011. Missouri cost estimates are derived from the nationwide estimates based on U.S. and Missouri data from the 2010-2011 National Survey on Drug Use and Health.


## Estimated Annual Economic Cost of Cigarette Smoking in the United States and Missouri



Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. *Mortality and Morbidity Weekly Report* 57 (45):1226-1228, November 14, 2008. Missouri cost estimates are derived from the nationwide estimates based on U.S. and Missouri data from the 2010-2011 National Survey on Drug Use and Health.


## MISSOURI BIRTHS AND FETAL EXPOSURE TO SUBSTANCE ABUSE

### Missouri Resident Births, 2000-2012




Data Source: Missouri Department of Health and Senior Services.

### Missouri Resident Births for which Mother Reported Drinking Alcohol During Pregnancy, 2000-2009




Data Source: Missouri Department of Health and Senior Services.

### Missouri Resident Newborns Reported Affected by Mother's Illicit Drug Use, 2000-2012



Data Source: Missouri Department of Health and Senior Services.


### Missouri Resident Births for which Mother Reported Smoking During Pregnancy, 2000-2012



Data Source: Missouri Department of Health and Senior Services.


## MISSOURI HOSPITAL AND EMERGENCY DEPARTMENT EPISODES

### Hospitalizations and Emergency Department Episodes for All Causes: Missouri Residents, 2001-2010




Data Source: Missouri Department of Health and Senior Services.

### Alcohol Cirrhosis Hospitalizations and Emergency Department Episodes: Missouri Residents, 2001-2012




Data Source: Missouri Department of Health and Senior Services.

### Alcohol Non-Cirrhosis Hospitalizations and Emergency Department Episodes: Missouri Residents, 2001-2012



Data Source: Missouri Department of Health and Senior Services.


### Drug Related Hospitalizations and Emergency Department Episodes: Missouri Residents, 2001-2012



Data Source: Missouri Department of Health and Senior Services.


## DISEASES ASSOCIATED WITH SUBSTANCE ABUSE

### Newly Diagnosed HIV Disease Cases Related to All Types of Exposure: Missouri Residents, 2000-2013



Data Source: Missouri Department of Health and Senior Services, Bureau of HIV, STD, and Hepatitis.


### Newly Diagnosed HIV Disease Cases Involving Injection Drug Use Risk Factor: Missouri Residents, 2000-2013



Data Source: Missouri Department of Health and Senior Services, Bureau of HIV, STD, and Hepatitis.


\* MSM denotes HIV risk factor for men who have sex with men.

### Newly Diagnosed Hepatitis B Cases: Missouri Residents, 2007-2012




Data Source: Missouri Department of Health and Senior Services, Bureau of HIV, STD, and Hepatitis.

### Newly Diagnosed Hepatitis C Cases: Missouri Residents, 2005-2012



Data Source: Missouri Department of Health and Senior Services, Bureau of Health Informatics.


### Newly Diagnosed Tuberculosis Cases: Missouri Residents, 2009-2013



Data Source: Missouri Department of Health and Senior Services, Bureau of Health Informatics.


## ALCOHOL, DRUG, AND SMOKING INDUCED DEATHS

### Alcohol Induced Deaths: Missouri Residents, 2000-2012




Data Source: Missouri Department of Health and Senior Services, Bureau of Health Informatics. All years updated using revised methodology.

### Drug Induced Deaths: Missouri Residents, 2000-2012



Data Source: Missouri Department of Health and Senior Services, Bureau of Health Informatics. All years updated using revised methodology.


### Smoking Induced Deaths: Missouri Residents, 2000-2012



Data Source: Missouri Department of Health and Senior Services, Bureau of Health Informatics. All years updated using revised methodology.

## ALCOHOL INVOLVED TRAFFIC CRASHES


### Traffic Crashes in Missouri, All Causes, 2000-2012



Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center.


[http://www.mshp.dps.missouri.gov/MSHPWeb/SAC/data\\_and\\_statistics\\_crashes\\_severity.html](http://www.mshp.dps.missouri.gov/MSHPWeb/SAC/data_and_statistics_crashes_severity.html) and Annual Tabulation.

### Alcohol Involved Traffic Crashes, 2001-2012




Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Annual Tabulation.

### Traffic Crashes Caused by Alcohol Impaired Driver, by Crash Severity, 2001-2012



Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Annual Tabulation.

### Traffic Crash Fatalities and Injuries Caused by Alcohol Impaired Driver, 2001-2012




Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Annual Tabulation.



## DRUG INVOLVED TRAFFIC CRASHES


### Traffic Crashes in Missouri, All Causes, 2000-2012



Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center.


[http://www.mshp.dps.missouri.gov/MSHPWeb/SAC/data\\_and\\_statistics\\_crashes\\_severity.html](http://www.mshp.dps.missouri.gov/MSHPWeb/SAC/data_and_statistics_crashes_severity.html)

### Drug Involved Traffic Crashes, 2004-2012




Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center.

### Traffic Crashes Caused by Drug Impaired Driver, by Crash Severity, 2002-2012



Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center.


### Traffic Crash Fatalities and Injuries Caused by Drug Impaired Driver, 2002-2012



Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center.


## MISSOURI ALCOHOL AND DRUG ARRESTS

### Arrests for Impaired Driving: Missouri DWI Tracking System, 2000-2013




Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. DWI Tracking System.

### Arrests for Impaired Boating, 2001-2013




Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Uniform Crime Reports.

### Arrests for Liquor Law Offenses, 2001-2013




Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Uniform Crime Reports.

### Arrests for Drug Offenses, 2001-2013



Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Uniform Crime Reports.


### Methamphetamine Lab and Equipment Confiscations, 2001-2013



Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Division of Drug and Crime Control, EPIC System.


## MISSOURI JUVENILE COURT ENCOUNTERS

### Total Out-of-Home Placements of Children, and Percentage Due to Parental Substance Abuse, 2000-2012




Data Source: Missouri Department of Social Services. Annual special data tabulations. Based on child's most recent removal reason within year.

### Out-of-Home Placements of Children Due to Parental Substance Abuse, 2000-2012




Data Source: Missouri Department of Social Services. Annual special data tabulations. Based on child's most recent removal reason within year.

### Juvenile Court Referrals for Law Violations and Status Offenses, 2000-2013



Data Source: Missouri Department of Social Services. Beginning in 2013, some juvenile law violations were reclassified as status offenses.


### Juvenile Court Referrals for Alcohol and Drug Violations, 2000-2013



Data Source: Missouri Department of Social Services. Annual special data tabulations.


## MISSOURI CRIMINAL JUSTICE SERVICES FOR ALCOHOL AND DRUG OFFENSES

### Missouri Drug Court and Mental Health Court Growth by Type, Fiscal Years 2000-2013




Data Source: Missouri Office of State Courts Administrator.

### Missouri Drug Court and Mental Health Court Participants, Fiscal Years 2006-2013




Data Source: Missouri Office of State Courts Administrator.

### Probation and Parole Admissions for Driving while Intoxicated and Drug Convictions, Fiscal Years 2001-2013



Data Source: Missouri Department of Corrections. Annual special data tabulations.


### State Prison Admissions for Driving while Intoxicated and Drug Convictions, Fiscal Years 2001-2013




Data Source: Missouri Department of Corrections. Annual special data tabulations.

## ALCOHOL CONSUMPTION


**Per Capita Consumption of Ethanol in All Beverage Alcohol in the United States and Missouri, Ages 14 and Older, 1970-2012**




**Per Capita Consumption of Ethanol in Beer in the United States and Missouri, Ages 14 and Older, 1970-2012**



**Per Capita Consumption of Ethanol in Wine in the United States and Missouri, Ages 14 and Older, 1970-2012**




**Per Capita Consumption of Ethanol in Distilled Spirits in the United States and Missouri, Ages 14 and Older, 1970-2012**



Data Source: U.S. Department of HHS, NIAAA. Surveillance Report #98: Apparent Per Capita Alcohol Consumption: National, State, and Regional Trends, 1977-2012 (and prior reports).


## MISSOURI LIQUOR LICENSES

### Retail Liquor Licenses Issued, 1995-2013




Data Source: Missouri Department of Public Safety, Division of Alcohol and Tobacco Control.

### Retail Liquor Licenses Issued for On-Premises By-the-Drink Sales: DBH Planning Regions, 2002-2013



Data Source: Missouri Department of Public Safety, Division of Alcohol and Tobacco Control.


### Retail Liquor Licenses Issued for Off-Premises Carry-Out Sales: DBH Planning Regions, 2002-2013



Data Source: Missouri Department of Public Safety, Division of Alcohol and Tobacco Control.


## MISSOURI TOBACCO SALES

**Trend in Tobacco Tax Revenue (in Millions), Fiscal Years 2001-2013**



Data Source: Missouri Department of Revenue. Annual report: "Taxes Administered"

**Apparent Packs of Cigarettes (in Millions) Sold in Missouri Based on Cigarette Tax Revenues: Fiscal Years 2001-2013**




Data Source: Missouri Department of Revenue. Annual report: "Taxes Administered"

Total cigarette sales estimates are based on the cigarette tax portion of tobacco tax receipts.


Breakouts for Jackson County and St. Louis County are based on supplemental county cigarette tax receipts.

## MISSOURI UNEMPLOYMENT

**Unemployment Rates in the United States and Missouri: Annual Averages, 1990-2013**



**Unemployment Rates in Missouri DBH Planning Regions: Annual Averages, 1990-2013**



Data Sources: Missouri Dept of Economic Development, Missouri Economic Research and Information Center.

Local Area Unemployment Statistics: <http://www.missourieconomy.org/indicators/laus/default.aspx>.

U.S. Dept of Labor, Bureau of Labor Statistics. Labor Force Statistics from the Current Population Survey.

Table: Employment status of the civilian noninstitutional population, 1941 to date.



# MISSOURI

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Detoxification	5,489	5,819	6,420
CSTAR Adolescent	2,245	2,346	2,421
CSTAR Women and Children	3,714	3,693	4,015
CSTAR General Adult	15,573	13,369	11,521
CSTAR Opioid	621	626	709
Primary Recovery Treatment	5,875	8,886	12,545
Clinical SATOP (CIP, YCIP, SROP)	5,908	5,449	4,422
Other Substance Abuse Treatment	1,060	1,237	1,240

<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Offender Management Unit	24,423	25,871	24,511
- Adolescent Diversion Education Program	624	769	760
- Offender Education Program	9,280	10,132	9,840
- Weekend Intervention Program	5,240	5,608	5,589
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	1,175	1,400	1,412
Compulsive Gambling	121	151	178
Recovery Supports	5,564	5,195	3,502
Early Intervention	1,508	1,371	1,080

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	35,877	36,565	37,193
<b>AGE</b>			
Under 18	2,314	2,435	2,509
18 to 24	6,107	6,485	6,939
25 to 29	6,225	6,295	6,545
30 to 34	5,891	5,736	5,509
35 to 39	3,962	3,972	4,074
40 to 44	3,428	3,627	3,692
45 to 54	5,877	6,166	6,211
55 and Over	2,073	1,849	1,712

<b>GENDER</b>			
Male	23,956	24,748	25,397
Female	11,920	11,814	11,793

<b>RACE / ETHNICITY</b>			
Caucasian	27,754	27,948	27,876
African American	6,659	7,131	7,855
Native American / Alaskan	85	83	103
Asian / Pacific Islander	91	101	69
Hispanic	724	769	760
Other Race / Two or More Races	838	801	788

<b>EDUCATION</b>			
Less than High School Diploma	12,062	12,657	13,648
High School Graduate or G.E.D.	15,697	16,109	16,185
Associate Degree or Some College	7,745	7,397	6,657
Bachelor or Advanced Degree	368	401	701

<b>EMPLOYMENT</b>			
Employed	9,711	9,906	9,627
Unemployed	13,705	14,271	15,758
Not in Labor Force	12,459	12,388	11,806

<b>HOUSING / LIVING ARRANGEMENT</b>			
Independent Living	28,348	28,630	29,026
Dependent Living	4,364	4,531	5,020
Homeless	2,070	2,225	2,248

<b>MARITAL / FAMILY STATUS</b>			
Never Married	20,699	20,681	21,380
Married / Cohabiting	7,834	8,090	8,099
Previously Married	7,344	7,794	7,712

<b>PRIMARY DRUG PROBLEM</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Alcohol	13,874	14,361	14,640
Marijuana / Hashish	8,234	8,823	9,465
Cocaine (total)	1,488	2,274	2,570
- Crack	1,013	1,539	1,934
Stimulant (total)	5,322	4,653	4,150
- Methamphetamine	5,104	4,460	3,963
Heroin	3,507	3,195	3,098
Analgesic except Heroin	2,507	2,269	2,331
- Non-Prescription Methadone	39	38	35
PCP, LSD, other Hallucinogen	287	344	335
Tranquilizer	350	371	394
Inhalant	37	47	45
Sedative	40	33	52
Other Medication or Illicit Drug	231	195	111
Average Age at First Use of Drug	18.1	17.9	17.7

<b>INJECTION DRUG USE</b>			
Any Injection Use at Admission	5,466	4,756	4,255
- Daily Injection Use	1,695	1,460	1,409
- Weekly Injection Use	1,368	1,144	1,089
- Less than Weekly Injection Use	2,403	2,152	1,757

<b>LIFETIME DUI / DWI ARRESTS</b>			
0	19,994	20,709	21,963
1 or 2	10,196	10,220	9,823
3 or More	5,687	5,636	5,405

<b>TREATMENT REFERRAL SOURCE</b>			
Self / Family / Friend	12,234	10,984	10,931
School	128	109	115
Mental Health Provider	494	523	601
Health Care Provider	1,476	1,327	1,319
Court / Criminal Justice	16,357	19,857	20,980
Other Referral Source	4,053	3,492	3,238

<b>TREATMENT ACCOMMODATION</b>			
Pregnant when Admitted to any Episode	611	633	613
Military Veteran	1,562	1,701	1,678
Special Education Services Needed	2,908	2,987	2,865
Co-Occurring Psychological Problem	12,683	12,056	11,670
Co-Occurring Developmental Problem	1,539	1,332	1,255

**DIVISION OF BEHAVIORAL HEALTH  
SUBSTANCE ABUSE TREATMENT ADMISSIONS, FISCAL YEAR 2013: MALES**

<b>ALL RACES</b>		<b>All Ages</b>	<b>Under 15</b>	<b>15-17</b>	<b>18-24</b>	<b>25-29</b>	<b>30-34</b>	<b>35-39</b>	<b>40-44</b>	<b>45-54</b>	<b>Over 54</b>
<b>TOTAL ADMISSIONS</b>		26,361	712	1,294	4,306	4,235	4,010	2,824	2,511	4,624	1,845
<i>Substance Abuse Treatment</i>											
Alcohol		10,461	20	103	1,098	1,435	1,472	1,156	1,260	2,729	1,188
Cocaine/Crack		894	1	8	36	59	66	89	138	389	108
Heroin		2,086	0	12	411	457	423	295	167	180	141
Marijuana		5,874	273	1,038	1,603	998	774	426	304	370	88
Methamphetamine		2,710	0	27	407	487	582	428	312	387	80
All Other Drugs		1,949	20	100	421	457	377	194	140	181	59
<i>Non-Substance Abuse Treatment</i>											
Recovery Supports		1,902	0	0	328	335	308	225	184	359	163
Co-dependent Services		441	398	6	1	3	3	5	2	17	6
Compulsive Gambling		44	0	0	1	4	5	6	4	12	12
<b>CAUCASIAN</b>		<b>All Ages</b>	<b>Under 15</b>	<b>15-17</b>	<b>18-24</b>	<b>25-29</b>	<b>30-34</b>	<b>35-39</b>	<b>40-44</b>	<b>45-54</b>	<b>Over 54</b>
<b>TOTAL ADMISSIONS</b>		19,302	429	899	3,339	3,284	2,986	2,059	1,800	3,278	1,228
<i>Substance Abuse Treatment</i>											
Alcohol		8,551	19	94	970	1,245	1,233	938	987	2,160	905
Cocaine/Crack		231	1	6	18	28	28	32	41	67	10
Heroin		1,215	0	11	360	340	222	123	62	66	31
Marijuana		3,787	180	674	1,063	626	475	277	191	243	58
Methamphetamine		2,586	0	26	387	465	556	409	297	371	75
All Other Drugs		1,630	19	87	358	393	299	155	109	159	51
<i>Non-Substance Abuse Treatment</i>											
Recovery Supports		1,025	0	0	183	181	167	116	107	189	82
Co-dependent Services		242	210	1	0	3	2	5	2	14	5
Compulsive Gambling		35	0	0	0	3	4	4	4	9	11
<b>AFRICAN AMERICAN</b>		<b>All Ages</b>	<b>Under 15</b>	<b>15-17</b>	<b>18-24</b>	<b>25-29</b>	<b>30-34</b>	<b>35-39</b>	<b>40-44</b>	<b>45-54</b>	<b>Over 54</b>
<b>TOTAL ADMISSIONS</b>		5,859	201	255	764	762	847	652	611	1,196	571
<i>Substance Abuse Treatment</i>											
Alcohol		1,490	1	4	88	122	172	164	206	475	258
Cocaine/Crack		632	0	1	15	26	34	55	94	313	94
Heroin		796	0	0	32	103	179	159	105	111	107
Marijuana		1,734	65	242	456	320	267	134	106	116	28
Methamphetamine		45	0	0	7	11	8	6	3	7	3
All Other Drugs		248	1	3	43	47	64	35	26	22	7
<i>Non-Substance Abuse Treatment</i>											
Recovery Supports		766	0	0	122	132	122	98	71	149	72
Co-dependent Services		142	134	5	0	0	1	0	0	1	1
Compulsive Gambling		6	0	0	1	1	0	1	0	2	1
<b>OTHER RACES</b>		<b>All Ages</b>	<b>Under 15</b>	<b>15-17</b>	<b>18-24</b>	<b>25-29</b>	<b>30-34</b>	<b>35-39</b>	<b>40-44</b>	<b>45-54</b>	<b>Over 54</b>
<b>TOTAL ADMISSIONS</b>		1,200	82	140	203	189	177	113	100	150	46
<i>Substance Abuse Treatment</i>											
Alcohol		420	0	5	40	68	67	54	67	94	25
Cocaine/Crack		31	0	1	3	5	4	2	3	9	4
Heroin		75	0	1	19	14	22	13	0	3	3
Marijuana		353	28	122	84	52	32	15	7	11	2
Methamphetamine		79	0	1	13	11	18	13	12	9	2
All Other Drugs		71	0	10	20	17	14	4	5	0	1
<i>Non-Substance Abuse Treatment</i>											
Recovery Supports		111	0	0	23	22	19	11	6	21	9
Co-dependent Services		57	54	0	1	0	0	0	0	2	0
Compulsive Gambling		3	0	0	0	0	1	1	0	1	0

Each client is counted only once -- in either a Substance Abuse Treatment or Non-Substance Abuse Treatment category.

The "Other Races" category includes Hispanic, Native American, Alaskan, Asian, Pacific Islander, all other, and multi-racial.


**DIVISION OF BEHAVIORAL HEALTH**  
**SUBSTANCE ABUSE TREATMENT ADMISSIONS, FISCAL YEAR 2013: FEMALES**

<b>ALL RACES</b>		<b>All Ages</b>	<b>Under 15</b>	<b>15-17</b>	<b>18-24</b>	<b>25-29</b>	<b>30-34</b>	<b>35-39</b>	<b>40-44</b>	<b>45-54</b>	<b>Over 54</b>
<b>TOTAL ADMISSIONS</b>		13,115	579	571	2,240	2,465	2,343	1,482	1,185	1,769	481
<i>Substance Abuse Treatment</i>											
Alcohol		3,419	15	60	394	496	527	436	433	824	234
Cocaine/Crack		595	2	3	38	57	77	75	105	200	38
Heroin		1,446	0	14	333	396	336	139	81	105	42
Marijuana		2,360	123	377	566	462	325	179	149	154	25
Methamphetamine		2,395	3	51	477	540	580	317	229	177	21
All Other Drugs		1,723	10	54	326	388	358	234	113	187	53
<i>Non-Substance Abuse Treatment</i>											
Recovery Supports		619	0	0	101	121	120	86	55	102	34
Co-dependent Services		515	426	12	5	3	17	14	12	12	14
Compulsive Gambling		43	0	0	0	2	3	2	8	8	20
<b>CAUCASIAN</b>		<b>All Ages</b>	<b>Under 15</b>	<b>15-17</b>	<b>18-24</b>	<b>25-29</b>	<b>30-34</b>	<b>35-39</b>	<b>40-44</b>	<b>45-54</b>	<b>Over 54</b>
<b>TOTAL ADMISSIONS</b>		10,497	377	459	1,878	2,045	1,928	1,201	977	1,291	341
<i>Substance Abuse Treatment</i>											
Alcohol		2,899	13	50	348	432	457	375	371	668	185
Cocaine/Crack		219	1	0	17	21	33	32	46	60	9
Heroin		982	0	14	278	300	214	81	47	38	10
Marijuana		1,760	100	296	407	329	242	124	125	116	21
Methamphetamine		2,280	3	46	451	515	560	305	220	162	18
All Other Drugs		1,576	9	51	303	356	319	208	110	171	49
<i>Non-Substance Abuse Treatment</i>											
Recovery Supports		425	0	0	72	88	86	62	41	57	19
Co-dependent Services		320	251	2	2	2	15	13	11	12	12
Compulsive Gambling		36	0	0	0	2	2	1	6	7	18
<b>AFRICAN AMERICAN</b>		<b>All Ages</b>	<b>Under 15</b>	<b>15-17</b>	<b>18-24</b>	<b>25-29</b>	<b>30-34</b>	<b>35-39</b>	<b>40-44</b>	<b>45-54</b>	<b>Over 54</b>
<b>TOTAL ADMISSIONS</b>		2,043	156	64	262	315	311	226	171	413	125
<i>Substance Abuse Treatment</i>											
Alcohol		384	0	3	30	38	48	46	48	130	41
Cocaine/Crack		334	1	2	17	29	36	36	54	130	29
Heroin		407	0	0	38	83	107	53	30	64	32
Marijuana		474	11	48	131	111	70	46	22	33	2
Methamphetamine		18	0	0	5	6	1	1	2	3	0
All Other Drugs		104	0	2	16	24	25	20	2	12	3
<i>Non-Substance Abuse Treatment</i>											
Recovery Supports		156	0	0	23	23	21	22	12	40	15
Co-dependent Services		160	144	9	2	1	2	1	0	0	1
Compulsive Gambling		6	0	0	0	0	1	1	1	1	2
<b>OTHER RACES</b>		<b>All Ages</b>	<b>Under 15</b>	<b>15-17</b>	<b>18-24</b>	<b>25-29</b>	<b>30-34</b>	<b>35-39</b>	<b>40-44</b>	<b>45-54</b>	<b>Over 54</b>
<b>TOTAL ADMISSIONS</b>		575	46	48	100	105	104	55	37	65	15
<i>Substance Abuse Treatment</i>											
Alcohol		136	2	7	16	26	22	15	14	26	8
Cocaine/Crack		42	0	1	4	7	8	7	5	10	0
Heroin		57	0	0	17	13	15	5	4	3	0
Marijuana		126	12	33	28	22	13	9	2	5	2
Methamphetamine		97	0	5	21	19	19	11	7	12	3
All Other Drugs		43	1	1	7	8	14	6	1	4	1
<i>Non-Substance Abuse Treatment</i>											
Recovery Supports		38	0	0	6	10	13	2	2	5	0
Co-dependent Services		35	31	1	1	0	0	0	1	0	1
Compulsive Gambling		1	0	0	0	0	0	0	1	0	0

Each client is counted only once -- in either a Substance Abuse Treatment or Non-Substance Abuse Treatment category.


The "Other Races" category includes Hispanic, Native American, Alaskan, Asian, Pacific Islander, all other, and multi-racial.

<sup>1</sup> Individuals are counted only once based on their primary drug of abuse at first admission.<sup>2</sup> Individuals with more than one admission may have more than one referral source.<sup>3</sup> Individuals are counted once in each category of program they were admitted to during the fiscal year.


<sup>1</sup> Individuals are counted only once based on their primary drug of abuse at first admission.

<sup>2</sup> Individuals with more than one admission may have more than one referral source.

<sup>3</sup> Individuals are counted once in each category of program they were admitted to during the fiscal year.



<sup>1</sup> Individuals are counted only once based on their primary drug of abuse at first admission.

<sup>2</sup> Individuals with more than one admission may have more than one referral source.


<sup>3</sup> Individuals are counted once in each category of program they were admitted to during the fiscal year.



<sup>1</sup> Individuals are counted only once based on their primary drug of abuse at first admission.

<sup>2</sup> Individuals with more than one admission may have more than one referral source.

<sup>3</sup> Individuals are counted once in each category of program they were admitted to during the fiscal year.




<sup>1</sup> Individuals are counted only once based on their primary drug of abuse at first admission.

<sup>2</sup> Individuals with more than one admission may have more than one referral source.


<sup>3</sup> Individuals are counted once in each category of program they were admitted to during the fiscal year.



<sup>1</sup> Individuals are counted only once based on their primary drug of abuse at first admission.<sup>2</sup> Individuals with more than one admission may have more than one referral source.<sup>3</sup> Individuals are counted once in each category of program they were admitted to during the fiscal year.


## AGE PROFILES OF SUBSTANCE ABUSE INTERVENTION AND TREATMENT PROGRAM ADMISSIONS

### Individuals Assigned to Substance Abuse Traffic Offender Program (SATOP) Offender Management Units (OMU), Fiscal Year 2013




Data Source: Missouri Department of Mental Health, Division of Behavioral Health, Research & Statistics Unit, CIMOR system.

### Individuals Referred by SATOP OMUs and Admitted to Education and Treatment Programs, Fiscal Year 2013




Data Source: Missouri Department of Mental Health, Division of Behavioral Health, Research & Statistics Unit, CIMOR system.

### Individuals Admitted to SATOP and non-SATOP Clinical Treatment Programs, Fiscal Year 2013



Data Source: Missouri Department of Mental Health, Division of Behavioral Health, Research & Statistics Unit, CIMOR system.

# MISSOURI



<b>DBH REGION</b>	All Regions
<b>DBH SERVICE AREAS</b>	
Substance Abuse	All Service Areas
Adult Psychiatric	All Service Areas
<b>POPULATION</b>	
Census 2010	5,988,927
2013 Estimate	6,044,171

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	75,400	76,069	76,718
Mother Reported Smoking while Pregnant	13,506	13,803	14,335

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	540	499	566
Hepatitis B Chronic, Acute, Prenatal	1 537	481	451
Hepatitis C Chronic and Acute	1 4,726	5,048	4,415
Tuberculosis Infection Cases	1 2,645	2,833	2,572

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	55,783	55,597	55,047
Suicides	901	921	850
Self-inflicted Injuries	8,122	8,298	8,186
Homicides	429	416	438
Assault Injuries	23,955	23,728	23,740
Alcohol Induced Deaths	449	366	396
Drug Induced Deaths	952	994	1,019
Smoking Attributable Deaths	9,869	9,668	9,686

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 39,752	43,132	
Alcohol Primary Diagnosis	2 3,170	3,233	
Drug Primary Diagnosis	2 3,361	3,402	
Alcohol Related Diagnosis	14,752	16,972	19,329
Drug Related Diagnosis	18,598	19,989	21,502
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 28,781	23,925	
Alcohol Primary Diagnosis	2 5,260	4,436	
Drug Primary Diagnosis	2 3,443	2,970	
Alcohol Related Diagnosis	25,142	21,819	18,852
Drug Related Diagnosis	24,124	20,302	16,256
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 53,484	51,946	
Alcohol Primary Diagnosis	2 15,898	14,936	
Drug Primary Diagnosis	2 10,567	10,560	
Alcohol Related Diagnosis	34,549	31,130	29,721
Drug Related Diagnosis	33,668	31,160	25,976

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	5,771	5,707	6,176
Fatal Crashes	196	179	197
Injury Crashes	2,407	2,393	2,550
Property Damage Crashes	3,168	3,135	3,429
Crash Fatalities	205	197	207
Crash Injuries	3,434	3,532	3,725
Drug Involved Crashes--Total	1,213	1,176	1,173
Fatal Crashes	37	45	53
Injury Crashes	557	529	516
Property Damage Crashes	619	602	604
Crash Fatalities	45	49	55
Crash Injuries	833	589	773

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	3,018,072	2,993,108	3,046,303
Employed	2,820,753	2,785,710	2,785,796
Unemployed	197,319	207,398	260,507
Unemployment Rate	6.5%	6.9%	8.6%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	266,610	266,883	273,777
Drop-outs	6,425	8,474	8,821
Drop-out Rate	2.4%	3.2%	3.2%
School Suspensions:			
Alcohol Incidents	433	469	478
Drug Incidents	2,295	2,783	2,952
Tobacco Incidents	61	120	101

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	33,154	33,649	35,059
Liquor Law Arrests	10,516	11,094	11,606
Drug Arrests	37,360	36,648	36,060
Methamphetamine Lab Incidents	1,985	2,096	1,960
Violent Offenses	27,171	26,870	27,376
Property Offenses	201,050	200,238	201,547
Domestic Violence Reports	41,504	40,648	41,680

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	30,154	29,324	29,028
Violent Offenses	7,436	7,504	8,572
Alcohol Offenses	1,120	1,122	1,248
Drug Offenses	2,266	2,321	2,273
Status Offenses--Total	13,990	13,875	14,946
Truancy	3,958	3,968	4,284
Beyond Parental Control	2,630	2,581	2,652
Habitually Absent from Home	2,760	2,662	2,962
Injurious Behavior	4,144	4,112	4,522
Abuse/Neglect/Custody--Total	17,013	15,374	15,038
Abuse	3,610	3,513	3,322
Neglect	11,582	9,908	9,718
Custody Disputes	1,821	1,953	1,998

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	6,422	6,145	6,236
Parental Alcohol Use Related	210	255	242
Parental Drug Use Related	2,373	1,972	1,853
Parental Alcohol and Drug Use	197	198	236
Child Removed for Other Reason	3,642	3,720	3,905

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	6,189	5,763	5,495
Probation/Parole Admissions--Total	38,469	36,965	35,571
Probation/Parole Admissions--Drug	12,090	11,593	11,144
Probation/Parole Admissions--DWI	2,650	2,645	2,316
Prison Admissions--Total	18,232	17,973	17,639
Prison Admissions--Drug	5,779	5,557	5,508
Prison Admissions--DWI	1,127	1,201	1,176

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	7,370	7,400	7,372
Alcohol Package Carry-out Licenses	4,966	5,134	5,036

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# MISSOURI

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Detoxification	5,489	5,819	6,420
CSTAR Adolescent	2,245	2,346	2,421
CSTAR Women and Children	3,714	3,693	4,015
CSTAR General Adult	15,573	13,369	11,521
CSTAR Opioid	621	626	709
Primary Recovery Treatment	5,875	8,886	12,545
Clinical SATOP (CIP, YCIP, SROP)	5,908	5,449	4,422
Other Substance Abuse Treatment	1,060	1,237	1,240

<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Offender Management Unit	24,423	25,871	24,511
- Adolescent Diversion Education Program	624	769	760
- Offender Education Program	9,280	10,132	9,840
- Weekend Intervention Program	5,240	5,608	5,589
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	1,175	1,400	1,412
Compulsive Gambling	121	151	178
Recovery Supports	5,564	5,195	3,502
Early Intervention	1,508	1,371	1,080

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	35,877	36,565	37,193
<b>AGE</b>			
Under 18	2,314	2,435	2,509
18 to 24	6,107	6,485	6,939
25 to 29	6,225	6,295	6,545
30 to 34	5,891	5,736	5,509
35 to 39	3,962	3,972	4,074
40 to 44	3,428	3,627	3,692
45 to 54	5,877	6,166	6,211
55 and Over	2,073	1,849	1,712

<b>GENDER</b>			
Male	23,956	24,748	25,397
Female	11,920	11,814	11,793

<b>RACE / ETHNICITY</b>			
Caucasian	27,754	27,948	27,876
African American	6,659	7,131	7,855
Native American / Alaskan	85	83	103
Asian / Pacific Islander	91	101	69
Hispanic	724	769	760
Other Race / Two or More Races	838	801	788

<b>EDUCATION</b>			
Less than High School Diploma	12,062	12,657	13,648
High School Graduate or G.E.D.	15,697	16,109	16,185
Associate Degree or Some College	7,745	7,397	6,657
Bachelor or Advanced Degree	368	401	701

<b>EMPLOYMENT</b>			
Employed	9,711	9,906	9,627
Unemployed	13,705	14,271	15,758
Not in Labor Force	12,459	12,388	11,806

<b>HOUSING / LIVING ARRANGEMENT</b>			
Independent Living	28,348	28,630	29,026
Dependent Living	4,364	4,531	5,020
Homeless	2,070	2,225	2,248

<b>MARITAL / FAMILY STATUS</b>			
Never Married	20,699	20,681	21,380
Married / Cohabiting	7,834	8,090	8,099
Previously Married	7,344	7,794	7,712

<b>PRIMARY DRUG PROBLEM</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Alcohol	13,874	14,361	14,640
Marijuana / Hashish	8,234	8,823	9,465
Cocaine (total)	1,488	2,274	2,570
- Crack	1,013	1,539	1,934
Stimulant (total)	5,322	4,653	4,150
- Methamphetamine	5,104	4,460	3,963
Heroin	3,507	3,195	3,098
Analgesic except Heroin	2,507	2,269	2,331
- Non-Prescription Methadone	39	38	35
PCP, LSD, other Hallucinogen	287	344	335
Tranquilizer	350	371	394
Inhalant	37	47	45
Sedative	40	33	52
Other Medication or Illicit Drug	231	195	111
Average Age at First Use of Drug	18.1	17.9	17.7

<b>INJECTION DRUG USE</b>			
Any Injection Use at Admission	5,466	4,756	4,255
- Daily Injection Use	1,695	1,460	1,409
- Weekly Injection Use	1,368	1,144	1,089
- Less than Weekly Injection Use	2,403	2,152	1,757


<b>LIFETIME DUI / DWI ARRESTS</b>			
0	19,994	20,709	21,963
1 or 2	10,196	10,220	9,823
3 or More	5,687	5,636	5,405

<b>TREATMENT REFERRAL SOURCE</b>			
Self / Family / Friend	12,234	10,984	10,931
School	128	109	115
Mental Health Provider	494	523	601
Health Care Provider	1,476	1,327	1,319
Court / Criminal Justice	16,357	19,857	20,980
Other Referral Source	4,053	3,492	3,238

<b>TREATMENT ACCOMMODATION</b>			
Pregnant when Admitted to any Episode	611	633	613
Military Veteran	1,562	1,701	1,678
Special Education Services Needed	2,908	2,987	2,865
Co-Occurring Psychological Problem	12,683	12,056	11,670
Co-Occurring Developmental Problem	1,539	1,332	1,255

# MISSOURI

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** All Regions  
**PSYCHIATRIC SERVICE AREA** All Service Areas  
**CENSUS 2010** 5,988,927  
**2013 POPULATION ESTIMATE** 6,044,171

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	2,870	3,027	2,288
Anxiety Disorder	22,842	21,446	16,554
Dementia	132	138	133
Developmental Disorder	1,032	1,001	778
Impulse Control Disorder	11,504	11,498	8,818
Mood Disorder	45,193	43,838	35,200
Personality Disorder	4,694	4,513	3,910
Psychotic Disorder	14,602	14,561	12,726
Sexual Disorder	276	198	241
Other Diagnosis	4,462	4,303	3,492
Diagnosis Unknown	8,005	10,098	14,302

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	77,539	78,254	70,287	Less than High School Diploma	20,156	11,357	7,016
<b>AGE</b>				High School Grad or G.E.D.	366	10,245	9,398
Under 6	733	767	764	Associate Degree or Some College	113	4,015	3,614
6 to 9	4,060	4,149	3,600	Bachelor or Advanced Degree	23	1,281	1,005
10 to 13	5,287	5,623	4,903	Education Level Unknown	56,881	51,356	49,254
14 to 17	5,869	6,179	5,665	<b>EMPLOYMENT</b>			
18 to 24	6,857	7,175	6,342	Employed	4,083	3,576	2,693
25 to 29	6,478	6,455	5,788	Unemployed	5,287	20,577	17,894
30 to 34	7,144	7,082	6,151	Not in Labor Force	36,191	7,264	607
35 to 39	6,416	6,340	5,829	Employment Status Unknown	31,978	46,837	49,093
40 to 44	7,033	7,038	6,352	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	7,968	8,385	7,907	Independent Living	25,022	23,373	17,308
50 to 54	8,424	8,149	7,351	Dependent Living	18,619	8,849	8,332
55 to 59	5,970	5,665	5,005	Homeless	1,471	901	578
60 and Over	5,300	5,247	4,620	Other	8	554	651
Age Unknown	0	0	10	Housing Unknown	32,419	44,577	43,418
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	36,740	37,178	33,689	Self / Family / Friend	38,093	38,561	33,638
Female	40,797	41,076	36,588	School	1,439	1,317	1,018
Gender Unknown	*	0	10	Mental Health Provider	6,490	7,057	7,456
<b>RACE / ETHNICITY</b>				Health Care Provider	10,946	9,843	7,186
Caucasian	56,156	56,760	51,459	Court / Criminal Justice	4,234	4,501	4,117
African American	16,676	16,845	14,687	Other	15,863	16,429	15,902
Native American / Alaskan	187	209	195	Referral Source Unknown	474	546	970
Asian / Pacific Islander	213	196	179	<b>TYPE OF COMMITMENT</b>			
Hispanic	1,604	1,705	1,270	Voluntary	75,499	75,911	67,481
Other Race	2,702	2,537	2,479	Civil	448	660	704
Race/Ethnicity Unknown	*	*	18	Criminal	936	971	980
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	200	198	187
Hearing Impaired	2,099	2,050	1,777	Commitment Type Unknown	456	514	935
Past or Current Military Service	1,730	1,842	1,755				

## MISSOURI STUDENT SURVEY


	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	33.3	38.2	42.9	Alcohol (1 or 2 drinks daily)	60.3		
Cigarettes	19.1	22.7	26.6	Alcohol (Binge: 5+ drinks once or twice a week)	71.9		
Chewing Tobacco	9.8	10.5	11.4	Alcohol (any use)		70.5	74.7
Marijuana	15.2	16.5	17.7	Cigarettes (1+ packs per day)	85.7		
Inhalants	2.9	5.3	6.5	Cigarettes (any use)		81.5	80.7
Prescription medications not prescribed for student	7.4	8.6	11.1	Marijuana (once or twice a week)	64.4		
Over-the-counter medications for non-medical use	2.9	6.0	7.7	Marijuana (any use)		72.1	72.2
Methamphetamine	0.5	1.2	0.9	Other: Cocaine, LSD, Meth, Club Drug (any use)	91.5	93.1	92.7
Cocaine	1.1	1.7	1.6				
Heroin	0.3	0.9	0.6	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	1.9	2.8	3.0	Were very sad	20.2	18.5	19.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.5	2.1	2.2	Were grouchy, irritable, or in a bad mood	25.2	24.1	25.3
Steroids not prescribed for student	0.9	1.4	1.1	Felt hopeless about the future	11.8	10.9	12.3
Synthetic drugs (K2, bath salts, Spice, etc)	3.2	6.4		Felt like not eating or eating more than usual	17.5	17.0	18.7
				Slept a lot more or a lot less than usual	18.4	20.1	26.0
				Had difficulty concentrating on school work	24.1	23.0	24.6
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	13.10	12.72	12.54	Seriously considered attempting suicide	11.7	11.9	11.6
Cigarettes	12.86	12.48	12.29	Made plan about how they would attempt suicide	8.6	8.7	8.3
Marijuana	13.88	13.62	13.53	Attempted suicide	5.0	5.5	5.5
Inhalants	11.86	11.81	11.95	Attempted suicide and resulting injury, poisoning, or overdose	1.8	1.9	2.1
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	13.9	16.9	19.8	Were threatened/injured with weapon at school	6.3	6.4	9.5
Alcohol (Binge: 5+ drinks on one occasion)		9.7	11.4	Were in a physical fight	19.1	20.6	24.0
Cigarettes	8.1	10.6	13.7	Were in a fight and had to be treated by a doctor or nurse	3.2	3.4	4.1
Chewing Tobacco	5.0	5.6	6.1				
Marijuana	7.6	8.6	9.4	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.1	2.3	3.0	Were victims of mean rumors or lies spread at school	48.3	47.3	52.9
Prescription medications not prescribed for student	3.7	4.6	6.7	Were made fun of by others	58.6	60.4	67.6
Over-the-counter medications for non-medical use	1.6	3.5	4.8	Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.5	20.4	19.2
				Spread mean rumors or lies about other kids at school	24.3	27.3	32.9
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	54.0	61.9	72.3
Alcohol (Binge: 5+ drinks on one occasion)	6.1			Posted something on the internet or sent a text that might embarrass or hurt another student	16.8	14.5	17.9
<i>Percent whose friends used in past 12 months:</i>				<i>Percent of students who agree that:</i>			
Alcohol	44.3	51.5	57.6	Teachers notice and comment on student's good work	72.9	69.2	71.1
Cigarettes	33.8	41.9	46.7	School provides feedback to parents on positive student performance	43.3	39.3	41.5
Marijuana	31.7	36.5	38.3	Rules are enforced fairly	66.1	63.6	65.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.2	14.6	17.8	Students of all races/ethnicities are treated equal	78.9	75.6	76.9
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	24.9	29.9	33.1	Parents notice and comment on student's good work	82.8	82.6	83.5
Cigarettes	10.5	12.9	14.7	Parents involve student in making family decisions	69.7	69.2	70.1
Marijuana	13.2	13.4	14.2	It is important to be honest with parents regardless of consequences	87.5	85.1	82.5
				Student could ask parent for help with a personal problem	78.6	76.3	76.7
<i>Percent who say it would be wrong to use:</i>							
Alcohol	65.7	61.9	59.3				
Cigarettes	85.5	81.4	78.7				
Marijuana	79.7	80.8	80.3				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.0	95.2	94.5				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	81.6	79.8	78.6				
Cigarettes	93.2	91.5	90.2				
Marijuana	92.6	93.4	93.3				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	51.1	56.2	58.6				
Cigarettes	46.3	51.7	56.0				
Marijuana	34.0	37.3	37.4				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.0	17.0	19.2				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys



# ADAIR COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	14
Adult Psychiatric	14
<b>POPULATION</b>	
Census 2010	25,607
2013 Estimate	25,572

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	249	266	261
Mother Reported Smoking while Pregnant	48	53	55
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	1	1
Hepatitis B Chronic, Acute, Prenatal	1	0	2
Hepatitis C Chronic and Acute	1	10	23
Tuberculosis Infection Cases	1	11	26
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	226	209	200
Suicides	3	3	2
Self-inflicted Injuries	49	36	31
Homicides	0	0	1
Assault Injuries	32	36	36
Alcohol Induced Deaths	0	1	0
Drug Induced Deaths	4	6	2
Smoking Attributable Deaths	33	34	36
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	127	121
Alcohol Primary Diagnosis	2	23	24
Drug Primary Diagnosis	2	8	3
Alcohol Related Diagnosis	107	102	78
Drug Related Diagnosis	59	50	43
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	37	37
Alcohol Primary Diagnosis	2	2	2
Drug Primary Diagnosis	2	6	3
Alcohol Related Diagnosis	15	11	41
Drug Related Diagnosis	29	19	24
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	150	139
Alcohol Primary Diagnosis	2	91	76
Drug Primary Diagnosis	2	27	20
Alcohol Related Diagnosis	132	113	103
Drug Related Diagnosis	46	38	43
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	21	16	29
Fatal Crashes	1	0	1
Injury Crashes	13	9	10
Property Damage Crashes	7	7	18
Crash Fatalities	1	0	1
Crash Injuries	28	13	18
Drug Involved Crashes--Total	5	5	1
Fatal Crashes	1	0	0
Injury Crashes	2	0	0
Property Damage Crashes	2	5	1
Crash Fatalities	1	0	0
Crash Injuries	6	0	0

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	13,088	11,870	12,610
Employed	12,379	11,131	11,665
Unemployed	709	739	945
Unemployment Rate	5.4%	6.2%	7.5%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	946	934	958
Drop-outs	19	24	15
Drop-out Rate	2.0%	2.6%	1.6%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	0	1	1
Tobacco Incidents	0	0	3

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	103	108	147
Liquor Law Arrests	117	178	148
Drug Arrests	92	141	112
Methamphetamine Lab Incidents	21	19	13
Violent Offenses	55	138	115
Property Offenses	710	800	736
Domestic Violence Reports	170	352	332

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	145	147	65
Violent Offenses	44	22	21
Alcohol Offenses	7	20	10
Drug Offenses	0	8	4
Status Offenses--Total	167	175	257
Truancy	69	60	48
Beyond Parental Control	42	27	61
Habitually Absent from Home	7	6	7
Injurious Behavior	47	82	137
Abuse/Neglect/Custody--Total	48	101	84
Abuse	3	16	13
Neglect	45	85	70
Custody Disputes	0	0	1

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	32	40	28
Parental Alcohol Use Related	0	1	0
Parental Drug Use Related	21	15	5
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	11	24	23

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	48	36	45
Probation/Parole Admissions--Total	165	150	136
Probation/Parole Admissions--Drug	55	64	51
Probation/Parole Admissions--DWI	10	8	4
Prison Admissions--Total	67	75	68
Prison Admissions--Drug	26	27	23
Prison Admissions--DWI	3	5	0

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	31	33	33
Alcohol Package Carry-out Licenses	20	22	22

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# ADAIR COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	19	12	5
CSTAR Adolescent	19	19	25
CSTAR Women and Children	*	7	6
CSTAR General Adult	190	186	177
CSTAR Opioid	0	0	0
Primary Recovery Treatment	15	25	16
Clinical SATOP (CIP, YCIP, SROP)	18	23	16
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	110	160	155
- Adolescent Diversion Education Program	37	82	60
- Offender Education Program	25	25	26
- Weekend Intervention Program	14	19	30
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	25	28	27


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	251	248	207	Alcohol	76	104	76
AGE				Marijuana / Hashish	88	89	74
Under 18	19	16	25	Cocaine (total)	*	*	*
18 to 24	68	76	60	- Crack	*	*	*
25 to 29	53	40	35	Stimulant (total)	54	33	28
30 to 34	29	35	30	- Methamphetamine	53	33	26
35 to 39	22	24	16	Heroin	5	*	*
40 to 44	17	16	11	Analgesic except Heroin	22	11	17
45 to 54	33	32	18	- Non-Prescription Methadone	0	0	0
55 and Over	10	9	12	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	*
Male	175	178	141	Inhalant	0	*	*
Female	76	70	66	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	*
Caucasian	235	230	188	Average Age at First Use of Drug	17.4	16.1	16.9
African American	6	10	8	INJECTION DRUG USE			
Native American / Alaskan	*	0	0	Any Injection Use at Admission	38	25	10
Asian / Pacific Islander	*	*	0	- Daily Injection Use	7	*	*
Hispanic	*	6	7	- Weekly Injection Use	8	5	*
Other Race / Two or More Races	7	*	6	- Less than Weekly Injection Use	23	17	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	93	86	90	0	161	138	131
High School Graduate or G.E.D.	123	119	87	1 or 2	59	86	58
Associate Degree or Some College	32	38	29	3 or More	31	24	18
Bachelor or Advanced Degree	*	5	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	46	31	48
Employed	70	72	60	School	0	0	0
Unemployed	27	46	46	Mental Health Provider	*	*	0
Not in Labor Force	154	130	101	Health Care Provider	10	7	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	43	153	123
Independent Living	211	213	170	Other Referral Source	46	38	32
Dependent Living	25	24	32	TREATMENT ACCOMMODATION			
Homeless	13	6	*	Pregnant when Admitted to any Episode	7	*	*
MARITAL / FAMILY STATUS				Military Veteran	6	10	*
Never Married	145	138	119	Special Education Services Needed	30	20	24
Married / Cohabiting	52	57	42	Co-Occurring Psychological Problem	153	131	60
Previously Married	54	53	46	Co-Occurring Developmental Problem	*	5	7



# ADAIR COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 14  
**CENSUS 2010** 25,607  
**2013 POPULATION ESTIMATE** 25,572

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	11	11	9
Anxiety Disorder	108	103	97
Dementia	0	0	0
Developmental Disorder	15	10	9
Impulse Control Disorder	76	79	60
Mood Disorder	210	218	192
Personality Disorder	21	21	13
Psychotic Disorder	73	76	72
Sexual Disorder	*	*	0
Other Diagnosis	34	38	29
Diagnosis Unknown	34	65	111

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	389	437	449	Less than High School Diploma	155	103	82
<b>AGE</b>				High School Grad or G.E.D.	22	127	136
Under 6	0	*	*	Associate Degree or Some College	6	30	29
6 to 9	19	22	18	Bachelor or Advanced Degree	0	8	8
10 to 13	33	31	40	Education Level Unknown	206	169	194
14 to 17	41	41	42	<b>EMPLOYMENT</b>			
18 to 24	31	45	46	Employed	23	53	46
25 to 29	33	43	38	Unemployed	38	188	207
30 to 34	33	33	31	Not in Labor Force	279	50	*
35 to 39	32	43	42	Employment Status Unknown	49	146	193
40 to 44	35	39	47	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	39	48	48	Independent Living	193	229	206
50 to 54	35	39	45	Dependent Living	132	79	102
55 to 59	36	29	23	Homeless	*	0	5
60 and Over	22	23	27	Other	*	*	*
Age Unknown	0	0	0	Housing Unknown	59	127	132
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	187	225	227	Self / Family / Friend	140	147	132
Female	202	212	222	School	*	*	0
Gender Unknown	0	0	0	Mental Health Provider	18	30	35
<b>RACE / ETHNICITY</b>				Health Care Provider	39	33	24
Caucasian	365	402	420	Court / Criminal Justice	10	19	12
African American	9	14	11	Other	173	198	236
Native American / Alaskan	0	0	0	Referral Source Unknown	8	9	10
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	6	8	8	Voluntary	375	423	434
Other Race	9	13	10	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	5	5	6	Commitment Type Unknown	8	9	10
Past or Current Military Service	15	16	16				

# ADAIR COUNTY


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	41.8	48.1	45.5	Alcohol (1 or 2 drinks daily)	47.8		
Cigarettes	22.9	44.0	26.2	Alcohol (Binge: 5+ drinks once or twice a week)	60.2		
Chewing Tobacco	14.9	12.7	13.0	Alcohol (any use)		75.4	78.9
Marijuana	12.6	21.8	12.9	Cigarettes (1+ packs per day)	83.2		
Inhalants	3.9	6.3	9.1	Cigarettes (any use)		73.6	81.1
Prescription medications not prescribed for student	4.6	6.1	10.3	Marijuana (once or twice a week)	71.1		
Over-the-counter medications for non-medical use	1.7	1.1	9.0	Marijuana (any use)		65.4	67.0
Methamphetamine	0.0	5.6	1.7	Other: Cocaine, LSD, Meth, Club Drug (any use)	94.7	97.8	92.5
Cocaine	1.0	5.4	2.1				
Heroin	0.0	5.2	0.4	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	1.0	5.6	4.2	Were very sad	19.4	19.6	29.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	5.2	2.8	Were grouchy, irritable, or in a bad mood	32.5	30.0	35.6
Steroids not prescribed for student	0.5	5.5	1.8	Felt hopeless about the future	8.0	7.9	18.0
Synthetic drugs (K2, bath salts, Spice, etc)	4.6	9.7		Felt like not eating or eating more than usual	12.9	19.0	26.0
				Slept a lot more or a lot less than usual	18.7	14.0	32.2
				Had difficulty concentrating on school work	23.6	19.3	27.4
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	13.80	12.42	12.40	Seriously considered attempting suicide	14.2	17.6	9.3
Cigarettes	14.59	12.42	12.08	Made plan about how they would attempt suicide	9.4	11.4	6.8
Marijuana	16.07	13.93	13.06	Attempted suicide	2.2	11.0	4.5
Inhalants	12.95	13.33	12.44	Attempted suicide and resulting injury, poisoning, or overdose	1.7	5.6	2.6
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	19.3	22.8	19.3	Were threatened/injured with weapon at school	2.4	11.8	8.2
Alcohol (Binge: 5+ drinks on one occasion)		10.4	14.3	Were in a physical fight	17.9	21.9	22.6
Cigarettes	16.1	21.1	18.1	Were in a fight and had to be treated by a doctor or nurse	1.0	6.0	3.7
Chewing Tobacco	6.3	7.1	5.9				
Marijuana	3.4	9.5	5.3	<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.5	6.1	3.2	Were victims of mean rumors or lies spread at school	63.9	49.3	49.8
Prescription medications not prescribed for student	1.7	0.6	4.5	Were made fun of by others	67.5	72.4	65.5
Over-the-counter medications for non-medical use	1.7	0.9	4.6	Were victims of an embarrassing or hurtful text message or something posted on the Internet	30.4	25.5	18.2
				Spread mean rumors or lies about other kids at school	33.6	31.9	30.3
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	71.1	49.3	76.5
Alcohol (Binge: 5+ drinks on one occasion)	9.8			Posted something on the internet or sent a text that might embarrass or hurt another student	15.6	13.6	18.3
				<i>Percent of students who agree that:</i>			
<i>Percent whose friends used in past 12 months:</i>				Teachers notice and comment on student's good work	74.9	70.9	69.1
Alcohol	55.9	57.8	53.2	School provides feedback to parents on positive student performance	33.7	46.9	32.5
Cigarettes	52.8	57.2	41.8	Rules are enforced fairly	40.4	49.4	65.3
Marijuana	25.0	47.6	26.4	Students of all races/ethnicities are treated equal	93.7	82.6	82.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.2	15.9	14.1				
				<i>Percent of students who agree that:</i>			
<i>Percent who would likely use, if offered by a best friend:</i>				Parents notice and comment on student's good work	79.5	80.1	80.1
Alcohol	35.2	39.1	35.4	Parents involve student in making family decisions	57.0	64.5	68.0
Cigarettes	18.1	31.5	14.9	It is important to be honest with parents regardless of consequences	91.1	71.9	81.6
Marijuana	8.8	20.9	10.6	Student could ask parent for help with a personal problem	76.9	70.7	77.2
<i>Percent who say it would be wrong to use:</i>							
Alcohol	54.0	52.9	57.9				
Cigarettes	83.2	61.2	77.9				
Marijuana	88.7	68.0	84.2				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.8	88.8	92.7				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	70.4	77.8	78.9				
Cigarettes	91.4	92.9	88.4				
Marijuana	96.3	93.8	96.3				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	61.7	55.8	60.6				
Cigarettes	62.7	48.8	51.0				
Marijuana	38.8	34.5	29.3				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.5	18.1	17.6				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# ANDREW COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	1
Adult Psychiatric	1
<b>POPULATION</b>	
Census 2010	17,291
2013 Estimate	17,445

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	172	180	189
Mother Reported Smoking while Pregnant	39	31	32

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	1	8	5
Tuberculosis Infection Cases	1	3	0

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	164	159	141
Suicides	2	1	2
Self-inflicted Injuries	13	14	9
Homicides	1	0	0
Assault Injuries	29	27	23
Alcohol Induced Deaths	1	1	0
Drug Induced Deaths	0	1	0
Smoking Attributable Deaths	25	29	28

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	76	80
Alcohol Primary Diagnosis	2	4	3
Drug Primary Diagnosis	2	4	2
Alcohol Related Diagnosis	21	12	24
Drug Related Diagnosis	29	26	18
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	39	32
Alcohol Primary Diagnosis	2	10	15
Drug Primary Diagnosis	2	8	10
Alcohol Related Diagnosis	43	44	20
Drug Related Diagnosis	53	31	21
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	101	102
Alcohol Primary Diagnosis	2	21	12
Drug Primary Diagnosis	2	13	8
Alcohol Related Diagnosis	41	31	26
Drug Related Diagnosis	31	27	19

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	10	18	14
Fatal Crashes	1	2	2
Injury Crashes	7	9	6
Property Damage Crashes	2	7	6
Crash Fatalities	1	3	2
Crash Injuries	8	18	8
Drug Involved Crashes--Total	1	1	5
Fatal Crashes	0	0	0
Injury Crashes	0	1	3
Property Damage Crashes	1	0	2
Crash Fatalities	0	0	0
Crash Injuries	0	1	3

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	10,733	10,675	10,633
Employed	10,217	10,137	9,968
Unemployed	516	538	665
Unemployment Rate	4.8%	5.0%	6.3%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	822	825	839
Drop-outs	9	30	22
Drop-out Rate	1.1%	3.6%	2.6%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	0	1	1
Tobacco Incidents	0	1	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	62	116	89
Liquor Law Arrests	14	30	26
Drug Arrests	59	68	72
Methamphetamine Lab Incidents	0	1	1
Violent Offenses	15	11	10
Property Offenses	157	151	169
Domestic Violence Reports	76	83	88

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	45	49	75
Violent Offenses	21	11	15
Alcohol Offenses	1	2	0
Drug Offenses	3	1	5
Status Offenses--Total	60	59	57
Truancy	46	35	40
Beyond Parental Control	6	17	9
Habitually Absent from Home	4	4	5
Injurious Behavior	3	2	2
Abuse/Neglect/Custody--Total	9	0	3
Abuse	1	0	3
Neglect	8	0	0
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	3	0	0
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	0	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	3	0	0

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	80	65	56
Probation/Parole Admissions--Drug	16	12	22
Probation/Parole Admissions--DWI	4	7	4
Prison Admissions--Total	42	42	39
Prison Admissions--Drug	6	10	10
Prison Admissions--DWI	2	7	6

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	14	12	12
Alcohol Package Carry-out Licenses	19	17	17

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# ANDREW COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	7	6	7
CSTAR Adolescent	*	7	7
CSTAR Women and Children	*	0	0
CSTAR General Adult	34	23	8
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	24	22
Clinical SATOP (CIP, YCIP, SROP)	15	11	6
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	49	61	57
- Adolescent Diversion Education Program	0	5	*
- Offender Education Program	19	19	41
- Weekend Intervention Program	10	18	9
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	0
Compulsive Gambling	*	*	0
Recovery Supports	0	0	0
Early Intervention	*	*	13

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	57	59	45	Alcohol	25	25	21
AGE				Marijuana / Hashish	6	15	11
Under 18	*	7	10	Cocaine (total)	0	*	*
18 to 24	11	10	9	- Crack	0	*	0
25 to 29	12	10	6	Stimulant (total)	13	8	5
30 to 34	9	8	7	- Methamphetamine	13	8	5
35 to 39	5	6	*	Heroin	0	0	*
40 to 44	*	5	6	Analgesic except Heroin	10	8	6
45 to 54	7	9	*	- Non-Prescription Methadone	0	0	0
55 and Over	7	*	*	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	0	0	0
Male	41	46	39	Inhalant	0	0	0
Female	16	13	6	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	0
Caucasian	56	57	43	Average Age at First Use of Drug	20.6	19.4	17.0
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	10	5	6
Asian / Pacific Islander	0	*	0	- Daily Injection Use	*	*	*
Hispanic	0	0	*	- Weekly Injection Use	*	0	*
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	5	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	12	19	20	0	21	26	26
High School Graduate or G.E.D.	26	27	18	1 or 2	25	21	12
Associate Degree or Some College	19	13	7	3 or More	11	12	7
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	15	11	11
Employed	14	25	12	School	0	0	0
Unemployed	30	19	17	Mental Health Provider	0	0	0
Not in Labor Force	13	15	16	Health Care Provider	*	5	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	36	40	30
Independent Living	51	49	31	Other Referral Source	*	*	*
Dependent Living	*	9	12	TREATMENT ACCOMMODATION			
Homeless	*	*	0	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	0	5	0
Never Married	29	34	29	Special Education Services Needed	*	*	0
Married / Cohabiting	11	12	7	Co-Occurring Psychological Problem	16	7	11
Previously Married	17	13	9	Co-Occurring Developmental Problem	*	0	0

# ANDREW COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 1  
**CENSUS 2010** 17,291  
**2013 POPULATION ESTIMATE** 17,445

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	6	6	9
Anxiety Disorder	29	31	26
Dementia	0	0	0
Developmental Disorder	*	*	0
Impulse Control Disorder	26	27	34
Mood Disorder	45	46	43
Personality Disorder	*	5	*
Psychotic Disorder	13	11	11
Sexual Disorder	0	0	0
Other Diagnosis	13	12	16
Diagnosis Unknown	6	10	21

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	84	90	111	Less than High School Diploma	41	17	*
<b>AGE</b>				High School Grad or G.E.D.	*	13	*
Under 6	*	6	6	Associate Degree or Some College	0	*	*
6 to 9	13	18	22	Bachelor or Advanced Degree	0	*	0
10 to 13	15	15	23	Education Level Unknown	42	52	101
14 to 17	7	10	15	<b>EMPLOYMENT</b>			
18 to 24	*	*	5	Employed	*	*	0
25 to 29	*	5	*	Unemployed	7	26	10
30 to 34	*	*	6	Not in Labor Force	60	10	0
35 to 39	8	6	*	Employment Status Unknown	15	52	101
40 to 44	*	*	6	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	8	8	9	Independent Living	33	30	10
50 to 54	7	5	*	Dependent Living	37	17	15
55 to 59	*	*	5	Homeless	*	0	0
60 and Over	5	5	*	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	13	43	85
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	41	47	61	Self / Family / Friend	32	30	41
Female	43	43	50	School	*	*	5
Gender Unknown	0	0	0	Mental Health Provider	15	17	17
<b>RACE / ETHNICITY</b>				Health Care Provider	24	24	25
Caucasian	77	82	105	Court / Criminal Justice	*	*	*
African American	0	0	*	Other	7	13	17
Native American / Alaskan	*	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	83	89	109
Other Race	*	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	5	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	*	*				



# ANDREW COUNTY


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	23.3	36.2	39.5	Alcohol (1 or 2 drinks daily)	56.6		
Cigarettes	15.8	21.7	25.3	Alcohol (Binge: 5+ drinks once or twice a week)	68.9		
Chewing Tobacco	3.1	12.7	13.1	Alcohol (any use)		69.7	81.3
Marijuana	2.7	13.7	10.8	Cigarettes (1+ packs per day)	90.8		
Inhalants	2.2	5.3	7.9	Cigarettes (any use)		84.0	76.5
Prescription medications not prescribed for student	1.8	5.3	7.7	Marijuana (once or twice a week)	88.2		
Over-the-counter medications for non-medical use	0.0	6.7	5.5	Marijuana (any use)		73.2	68.6
Methamphetamine	0.0	1.7	0.3	Other: Cocaine, LSD, Meth, Club Drug (any use)	93.3	93.9	92.1
Cocaine	0.9	2.3	1.0				
Heroin	0.0	1.7	0.0	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	0.0	2.7	2.6	Were very sad	12.3	14.7	20.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	2.0	2.6	Were grouchy, irritable, or in a bad mood	21.8	22.7	33.1
Steroids not prescribed for student	0.0	1.3	0.5	Felt hopeless about the future	6.2	11.0	15.7
Synthetic drugs (K2, bath salts, Spice, etc)	0.9	5.3		Felt like not eating or eating more than usual	18.4	15.1	20.8
				Slept a lot more or a lot less than usual	12.9	17.8	28.6
				Had difficulty concentrating on school work	16.3	20.3	28.1
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	11.81	12.81	12.08	Seriously considered attempting suicide	1.7	11.4	8.8
Cigarettes	13.16	12.43	11.69	Made plan about how they would attempt suicide	1.7	7.0	6.0
Marijuana	15.00	13.71	13.60	Attempted suicide	0.9	5.7	3.3
Inhalants	11.33	11.71	12.83	Attempted suicide and resulting injury, poisoning, or overdose	1.3	0.7	1.3
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	5.8	16.7	18.1	Were threatened/injured with weapon at school	2.6	4.3	10.7
Alcohol (Binge: 5+ drinks on one occasion)		13.6	9.3	Were in a physical fight	8.8	16.7	24.9
Cigarettes	7.9	11.7	13.6	Were in a fight and had to be treated by a doctor or nurse	0.4	3.0	3.8
Chewing Tobacco	2.2	6.7	9.0				
Marijuana	0.0	7.7	6.4	<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.9	2.7	4.6	Were victims of mean rumors or lies spread at school	41.2	49.5	60.1
Prescription medications not prescribed for student	0.9	3.0	6.4	Were made fun of by others	47.4	63.0	72.2
Over-the-counter medications for non-medical use	0.0	4.3	3.9	Were victims of an embarrassing or hurtful text message or something posted on the Internet	16.2	25.0	24.8
				Spread mean rumors or lies about other kids at school	15.3	33.3	41.9
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	40.2	65.3	77.6
Alcohol (Binge: 5+ drinks on one occasion)	1.4			Posted something on the internet or sent a text that might embarrass or hurt another student	9.6	19.7	25.6
<i>Percent whose friends used in past 12 months:</i>				<i>Percent of students who agree that:</i>			
Alcohol	25.2	51.0	59.3	Teachers notice and comment on student's good work	74.1	68.2	68.4
Cigarettes	19.7	42.6	47.5	School provides feedback to parents on positive student performance	55.1	36.8	42.3
Marijuana	3.1	33.6	29.8	Rules are enforced fairly	79.3	64.7	71.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	2.6	15.2	19.7	Students of all races/ethnicities are treated equal	96.4	81.1	78.7
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	15.7	30.5	31.2	Parents notice and comment on student's good work	92.0	83.9	82.9
Cigarettes	6.6	14.0	13.3	Parents involve student in making family decisions	81.1	68.6	70.9
Marijuana	1.4	12.4	10.0	It is important to be honest with parents regardless of consequences	89.4	86.6	84.1
				Student could ask parent for help with a personal problem	86.2	75.2	78.6
<i>Percent who say it would be wrong to use:</i>							
Alcohol	75.7	66.2	63.9				
Cigarettes	88.6	80.9	81.3				
Marijuana	97.3	83.4	88.8				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.8	95.3	96.2				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	86.5	87.3	76.2				
Cigarettes	94.6	94.3	92.8				
Marijuana	100.0	95.5	94.8				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	42.5	53.0	61.0				
Cigarettes	39.5	46.0	56.7				
Marijuana	7.1	29.7	28.7				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.3	13.2	16.1				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# ATCHISON COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	1
Adult Psychiatric	1
<b>POPULATION</b>	
Census 2010	5,685
2013 Estimate	5,449

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	55	55	63
Mother Reported Smoking while Pregnant	13	11	17

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	1	0	0
Tuberculosis Infection Cases	1	0	0

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	80	88	93
Suicides	0	1	3
Self-inflicted Injuries	8	9	6
Homicides	0	0	1
Assault Injuries	9	8	15
Alcohol Induced Deaths	0	2	1
Drug Induced Deaths	0	0	0
Smoking Attributable Deaths	20	17	18

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	37	41
Alcohol Primary Diagnosis	2	3	2
Drug Primary Diagnosis	2	1	0
Alcohol Related Diagnosis	8	10	7
Drug Related Diagnosis	10	11	12
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	11	14
Alcohol Primary Diagnosis	2	3	1
Drug Primary Diagnosis	2	1	0
Alcohol Related Diagnosis	12	9	3
Drug Related Diagnosis	5	5	0
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	42	44
Alcohol Primary Diagnosis	2	5	3
Drug Primary Diagnosis	2	1	3
Alcohol Related Diagnosis	16	10	13
Drug Related Diagnosis	11	7	4

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	9	6	7
Fatal Crashes	0	1	0
Injury Crashes	4	3	2
Property Damage Crashes	5	2	5
Crash Fatalities	0	1	0
Crash Injuries	5	3	2
Drug Involved Crashes--Total	0	1	1
Fatal Crashes	0	0	0
Injury Crashes	0	0	1
Property Damage Crashes	0	1	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	1

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	3,062	3,000	3,161
Employed	2,903	2,826	2,930
Unemployed	159	174	231
Unemployment Rate	5.2%	5.8%	7.3%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	250	268	297
Drop-outs	2	6	4
Drop-out Rate	0.8%	2.2%	1.3%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	4	0	0
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	55	51	54
Liquor Law Arrests	22	35	15
Drug Arrests	77	72	61
Methamphetamine Lab Incidents	0	0	0
Violent Offenses	8	2	11
Property Offenses	51	29	49
Domestic Violence Reports	10	12	33

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	14	18	15
Violent Offenses	3	6	3
Alcohol Offenses	4	2	1
Drug Offenses	5	2	0
Status Offenses--Total	33	27	36
Truancy	10	4	0
Beyond Parental Control	12	11	18
Habitually Absent from Home	0	1	0
Injurious Behavior	11	11	18
Abuse/Neglect/Custody--Total	15	51	21
Abuse	0	2	12
Neglect	15	49	9
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	6	18	9
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	5	2
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	6	13	7

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	1	2	4
Probation/Parole Admissions--Total	31	47	31
Probation/Parole Admissions--Drug	18	27	13
Probation/Parole Admissions--DWI	0	2	2
Prison Admissions--Total	16	14	22
Prison Admissions--Drug	8	2	8
Prison Admissions--DWI	0	3	1

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	7	7	8
Alcohol Package Carry-out Licenses	15	11	9

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# ATCHISON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	0	5	0
CSTAR Adolescent	*	*	*
CSTAR Women and Children	0	0	0
CSTAR General Adult	*	*	*
CSTAR Opioid	0	0	0
Primary Recovery Treatment	8	14	12
Clinical SATOP (CIP, YCIP, SROP)	6	6	*
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	40	35	30
- Adolescent Diversion Education Program	5	12	6
- Offender Education Program	20	13	12
- Weekend Intervention Program	9	*	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	*	7	6


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	19	25	18	Alcohol	8	10	*
AGE				Marijuana / Hashish	7	7	*
Under 18	*	0	*	Cocaine (total)	*	*	0
18 to 24	5	*	*	- Crack	*	0	0
25 to 29	*	*	*	Stimulant (total)	*	6	9
30 to 34	*	*	*	- Methamphetamine	*	6	9
35 to 39	0	*	*	Heroin	0	0	*
40 to 44	*	8	*	Analgesic except Heroin	0	0	0
45 to 54	*	*	*	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	0	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	0	0	0
Male	14	18	11	Inhalant	0	0	0
Female	5	7	7	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	19	25	16	Average Age at First Use of Drug	17.8	17.6	17.2
African American	0	0	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	*	0
Hispanic	0	0	0	- Weekly Injection Use	0	0	0
Other Race / Two or More Races	0	0	*	- Less than Weekly Injection Use	*	0	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	10	5	6	0	9	12	12
High School Graduate or G.E.D.	5	15	6	1 or 2	5	8	*
Associate Degree or Some College	*	*	5	3 or More	5	5	*
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	*	*	*
Employed	11	12	10	School	0	0	0
Unemployed	*	9	6	Mental Health Provider	0	0	*
Not in Labor Force	*	*	*	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	15	18	15
Independent Living	16	24	16	Other Referral Source	*	*	0
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	0	0	0	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	0	*	*
Never Married	12	11	10	Special Education Services Needed	0	*	*
Married / Cohabiting	5	6	*	Co-Occurring Psychological Problem	5	8	7
Previously Married	*	8	*	Co-Occurring Developmental Problem	0	0	0



# ATCHISON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 1  
**CENSUS 2010** 5,685  
**2013 POPULATION ESTIMATE** 5,449

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	*	0	0
Anxiety Disorder	11	8	*
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	7	7	6
Mood Disorder	18	14	9
Personality Disorder	0	*	0
Psychotic Disorder	5	*	*
Sexual Disorder	0	0	0
Other Diagnosis	*	5	*
Diagnosis Unknown	*	*	5

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	30	28	24	Less than High School Diploma	7	*	*
<b>AGE</b>				High School Grad or G.E.D.	*	8	*
Under 6	*	*	0	Associate Degree or Some College	0	*	0
6 to 9	*	*	*	Bachelor or Advanced Degree	0	*	0
10 to 13	*	5	5	Education Level Unknown	20	14	17
14 to 17	*	*	*	<b>EMPLOYMENT</b>			
18 to 24	*	*	*	Employed	5	*	*
25 to 29	*	*	*	Unemployed	8	11	*
30 to 34	0	0	0	Not in Labor Force	10	0	0
35 to 39	*	*	*	Employment Status Unknown	7	14	17
40 to 44	*	*	*	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	*	*	*	Independent Living	19	14	7
50 to 54	*	0	*	Dependent Living	6	*	*
55 to 59	0	*	*	Homeless	0	0	0
60 and Over	*	5	*	Other	*	0	0
Age Unknown	0	0	0	Housing Unknown	*	11	14
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	10	13	11	Self / Family / Friend	11	5	5
Female	20	15	13	School	*	6	5
Gender Unknown	0	0	0	Mental Health Provider	*	5	*
<b>RACE / ETHNICITY</b>				Health Care Provider	6	7	7
Caucasian	28	24	20	Court / Criminal Justice	*	*	*
African American	*	*	*	Other	7	*	*
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	*	*	Voluntary	30	28	24
Other Race	*	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	0	0	0				

# ATCHISON COUNTY


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	23.1	36.7	35.1	Alcohol (1 or 2 drinks daily)	64.6		
Cigarettes	7.7	20.3	4.0	Alcohol (Binge: 5+ drinks once or twice a week)	73.4		
Chewing Tobacco	10.9	10.1	40.9	Alcohol (any use)		79.5	93.4
Marijuana	3.1	8.9	2.0	Cigarettes (1+ packs per day)	90.8		
Inhalants	4.6	3.8	1.3	Cigarettes (any use)		83.5	93.4
Prescription medications not prescribed for student	6.1	5.1	2.0	Marijuana (once or twice a week)	89.2		
Over-the-counter medications for non-medical use	0.0	2.5	1.3	Marijuana (any use)		78.5	88.1
Methamphetamine	0.0	1.3	0.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	100.0	97.4	98.0
Cocaine	0.0	0.0	0.0				
Heroin	0.0	0.0	0.0	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	0.0	0.0	0.0	Were very sad	15.4	21.3	10.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	2.6	0.0	Were grouchy, irritable, or in a bad mood	15.4	35.4	15.2
Steroids not prescribed for student	1.5	1.3	0.0	Felt hopeless about the future	7.7	10.3	6.0
Synthetic drugs (K2, bath salts, Spice, etc)	0.0	3.8		Felt like not eating or eating more than usual	7.7	16.9	6.6
				Slept a lot more or a lot less than usual	10.8	16.5	15.4
				Had difficulty concentrating on school work	16.9	14.1	15.9
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	13.46	13.58	12.95	Seriously considered attempting suicide	6.2	13.9	1.3
Cigarettes	14.00	12.59	11.69	Made plan about how they would attempt suicide	3.1	11.4	1.3
Marijuana	15.42	13.03		Attempted suicide	3.1	6.3	0.0
Inhalants	11.29			Attempted suicide and resulting injury, poisoning, or overdose	1.6	1.3	0.0
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	7.7	13.8	2.0	Were threatened/injured with weapon at school	6.2	3.8	3.9
Alcohol (Binge: 5+ drinks on one occasion)		6.3	0.0	Were in a physical fight	15.9	24.1	11.9
Cigarettes	4.6	11.4	1.3	Were in a fight and had to be treated by a doctor or nurse	0.0	3.8	1.3
Chewing Tobacco	4.7	7.6	1.8				
Marijuana	0.0	2.5	2.0	<i>Percent of students who, in past 3 months:</i>			
Inhalants	3.1	1.3	1.3	Were victims of mean rumors or lies spread at school	53.8	58.2	55.6
Prescription medications not prescribed for student	3.1	5.1	1.3	Were made fun of by others	61.5	64.6	65.6
Over-the-counter medications for non-medical use	0.0	2.5	1.3	Were victims of an embarrassing or hurtful text message or something posted on the Internet	25.0	22.8	9.9
				Spread mean rumors or lies about other kids at school	22.7	27.8	40.4
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	60.9	63.3	85.4
Alcohol (Binge: 5+ drinks on one occasion)	1.6			Posted something on the internet or sent a text that might embarrass or hurt another student	10.8	10.1	4.6
<i>Percent whose friends used in past 12 months:</i>				<i>Percent of students who agree that:</i>			
Alcohol	40.0	51.3	18.5	Teachers notice and comment on student's good work	87.5	75.9	62.0
Cigarettes	27.7	43.0	10.6	School provides feedback to parents on positive student performance	57.8	45.5	30.4
Marijuana	10.6	16.7	3.4	Rules are enforced fairly	68.8	57.0	70.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.7	3.9	0.0	Students of all races/ethnicities are treated equal	90.8	83.8	71.3
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	15.4	19.0	5.3	Parents notice and comment on student's good work	92.1	85.9	65.6
Cigarettes	6.2	10.1	1.3	Parents involve student in making family decisions	70.3	69.2	61.5
Marijuana	1.5	8.9	0.0	It is important to be honest with parents regardless of consequences	92.3	92.4	98.0
				Student could ask parent for help with a personal problem	88.9	81.0	63.2
<i>Percent who say it would be wrong to use:</i>							
Alcohol	79.7	70.9	94.7				
Cigarettes	89.2	86.1	96.7				
Marijuana	96.9	87.3	98.7				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	100.0	97.5	100.0				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	89.2	78.5	98.0				
Cigarettes	96.9	86.3	96.7				
Marijuana	98.4	92.3	98.7				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	45.3	54.4	47.7				
Cigarettes	38.5	49.4	42.4				
Marijuana	10.8	23.1	30.5				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.7	8.9	29.3				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# AUDRAIN COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	15
Adult Psychiatric	15
<b>POPULATION</b>	
Census 2010	25,529
2013 Estimate	25,661

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	316	360	371
Mother Reported Smoking while Pregnant	103	116	121
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	2	0
Hepatitis B Chronic, Acute, Prenatal	1 3	3	2
Hepatitis C Chronic and Acute	1 19	21	20
Tuberculosis Infection Cases	1 4	2	0
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	282	268	301
Suicides	8	4	3
Self-inflicted Injuries	30	36	26
Homicides	0	1	0
Assault Injuries	81	71	84
Alcohol Induced Deaths	1	0	1
Drug Induced Deaths	6	0	5
Smoking Attributable Deaths	61	41	61
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 128	128	
Alcohol Primary Diagnosis	2 7	3	
Drug Primary Diagnosis	2 8	6	
Alcohol Related Diagnosis	36	32	45
Drug Related Diagnosis	57	41	45
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 103	82	
Alcohol Primary Diagnosis	2 18	13	
Drug Primary Diagnosis	2 5	11	
Alcohol Related Diagnosis	69	39	46
Drug Related Diagnosis	63	60	48
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 249	223	
Alcohol Primary Diagnosis	2 40	35	
Drug Primary Diagnosis	2 24	24	
Alcohol Related Diagnosis	87	74	90
Drug Related Diagnosis	59	70	50
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	28	18	16
Fatal Crashes	1	0	2
Injury Crashes	15	12	6
Property Damage Crashes	12	6	8
Crash Fatalities	1	0	2
Crash Injuries	16	14	11
Drug Involved Crashes--Total	5	6	5
Fatal Crashes	1	0	1
Injury Crashes	2	2	2
Property Damage Crashes	2	4	2
Crash Fatalities	3	0	1
Crash Injuries	4	2	12

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	12,248	11,893	11,958
Employed	11,541	11,139	11,006
Unemployed	707	754	952
Unemployment Rate	5.8%	6.3%	8.0%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	1,006	1,057	1,091
Drop-outs	45	37	42
Drop-out Rate	4.5%	3.5%	3.8%
School Suspensions:			
Alcohol Incidents	0	1	0
Drug Incidents	6	6	4
Tobacco Incidents	0	0	1

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	80	90	135
Liquor Law Arrests	12	16	41
Drug Arrests	61	79	147
Methamphetamine Lab Incidents	3	4	7
Violent Offenses	45	36	59
Property Offenses	489	483	416
Domestic Violence Reports	378	306	303

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	122	131	128
Violent Offenses	37	30	30
Alcohol Offenses	1	14	13
Drug Offenses	10	9	6
Status Offenses--Total	158	118	142
Truancy	36	21	34
Beyond Parental Control	9	12	15
Habitually Absent from Home	15	4	19
Injurious Behavior	58	50	52
Abuse/Neglect/Custody--Total	41	25	40
Abuse	27	11	28
Neglect	12	14	11
Custody Disputes	2	0	1

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	18	7	27
Parental Alcohol Use Related	0	1	9
Parental Drug Use Related	2	0	4
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	16	6	14

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	22	25	17
Probation/Parole Admissions--Total	236	256	199
Probation/Parole Admissions--Drug	54	60	46
Probation/Parole Admissions--DWI	22	19	20
Prison Admissions--Total	88	112	97
Prison Admissions--Drug	17	32	31
Prison Admissions--DWI	5	9	12

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	26	24	26
Alcohol Package Carry-out Licenses	26	27	28

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# AUDRAIN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	25	16	40
CSTAR Adolescent	21	27	27
CSTAR Women and Children	20	11	17
CSTAR General Adult	33	25	27
CSTAR Opioid	*	0	*
Primary Recovery Treatment	144	170	153
Clinical SATOP (CIP, YCIP, SROP)	24	20	21
Other Substance Abuse Treatment	*	*	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	90	109	99
- Adolescent Diversion Education Program	*	8	8
- Offender Education Program	26	37	32
- Weekend Intervention Program	15	25	21
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	10	9	14
Compulsive Gambling	*	*	0
Recovery Supports	*	*	0
Early Intervention	7	17	19

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	235	230	239	Alcohol	90	82	103
AGE				Marijuana / Hashish	74	93	78
Under 18	22	24	30	Cocaine (total)	14	20	24
18 to 24	42	47	40	- Crack	6	*	11
25 to 29	39	36	37	Stimulant (total)	28	9	15
30 to 34	37	33	36	- Methamphetamine	26	7	15
35 to 39	27	20	28	Heroin	8	9	*
40 to 44	21	21	20	Analgesic except Heroin	11	12	7
45 to 54	33	42	36	- Non-Prescription Methadone	0	0	0
55 and Over	14	7	12	PCP, LSD, other Hallucinogen	0	*	*
GENDER				Tranquilizer	*	0	*
Male	159	171	169	Inhalant	0	0	0
Female	76	59	70	Sedative	*	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	5	*	*
Caucasian	190	179	194	Average Age at First Use of Drug	17.7	16.7	17.0
African American	36	42	41	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	18	16	12
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	5	*	*	- Weekly Injection Use	5	*	*
Other Race / Two or More Races	7	8	*	- Less than Weekly Injection Use	9	12	8
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	91	95	90	0	129	131	122
High School Graduate or G.E.D.	109	102	114	1 or 2	72	56	79
Associate Degree or Some College	35	32	31	3 or More	34	43	38
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	41	20	46
Employed	79	76	71	School	0	0	0
Unemployed	91	91	106	Mental Health Provider	*	*	6
Not in Labor Force	65	63	62	Health Care Provider	6	*	10
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	150	196	166
Independent Living	186	190	184	Other Referral Source	28	9	11
Dependent Living	37	33	44	TREATMENT ACCOMMODATION			
Homeless	*	*	5	Pregnant when Admitted to any Episode	5	*	*
MARITAL / FAMILY STATUS				Military Veteran	7	13	5
Never Married	127	129	141	Special Education Services Needed	24	33	20
Married / Cohabiting	57	46	50	Co-Occurring Psychological Problem	89	79	63
Previously Married	51	55	48	Co-Occurring Developmental Problem	*	*	5

# AUDRAIN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 15  
**CENSUS 2010** 25,529  
**2013 POPULATION ESTIMATE** 25,661

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	58	63	37
Anxiety Disorder	284	303	231
Dementia	*	7	5
Developmental Disorder	40	36	22
Impulse Control Disorder	247	269	179
Mood Disorder	467	504	382
Personality Disorder	92	87	67
Psychotic Disorder	82	76	66
Sexual Disorder	*	0	*
Other Diagnosis	79	75	44
Diagnosis Unknown	45	73	165

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	698	767	677	Less than High School Diploma	253	112	57
<b>AGE</b>				High School Grad or G.E.D.	0	94	74
Under 6	11	16	12	Associate Degree or Some College	0	31	33
6 to 9	58	60	58	Bachelor or Advanced Degree	0	*	5
10 to 13	67	72	63	Education Level Unknown	445	526	508
14 to 17	78	91	77	<b>EMPLOYMENT</b>			
18 to 24	59	86	82	Employed	59	40	34
25 to 29	63	56	45	Unemployed	53	168	132
30 to 34	59	65	56	Not in Labor Force	422	84	*
35 to 39	56	58	46	Employment Status Unknown	164	475	508
40 to 44	43	54	48	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	64	66	60	Independent Living	247	202	144
50 to 54	56	60	54	Dependent Living	207	103	89
55 to 59	43	43	35	Homeless	6	*	*
60 and Over	41	40	41	Other	0	5	*
Age Unknown	0	0	0	Housing Unknown	238	454	441
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	327	334	287	Self / Family / Friend	469	536	507
Female	371	433	390	School	7	13	10
Gender Unknown	0	0	0	Mental Health Provider	48	38	29
<b>RACE / ETHNICITY</b>				Health Care Provider	38	54	29
Caucasian	603	669	591	Court / Criminal Justice	12	16	12
African American	54	54	58	Other	123	109	84
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	6
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	8	7	6	Voluntary	694	765	669
Other Race	30	33	20	Civil	*	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	*
Hearing Impaired	15	24	20	Commitment Type Unknown	*	*	6
Past or Current Military Service	11	9	13				



# AUDRAIN COUNTY


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	46.5	40.2	42.2	Alcohol (1 or 2 drinks daily)	45.8		
Cigarettes	31.4	25.1	27.0	Alcohol (Binge: 5+ drinks once or twice a week)	71.4		
Chewing Tobacco	22.2	8.3	11.5	Alcohol (any use)		64.9	77.0
Marijuana	10.2	12.9	15.1	Cigarettes (1+ packs per day)	80.3		
Inhalants	2.5	5.5	8.5	Cigarettes (any use)		74.8	78.2
Prescription medications not prescribed for student	3.2	7.6	15.0	Marijuana (once or twice a week)	60.2		
Over-the-counter medications for non-medical use	0.0	4.5	7.3	Marijuana (any use)		70.6	72.0
Methamphetamine	0.0	1.0	0.6	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.6	90.2	92.3
Cocaine	0.0	2.4	1.8				
Heroin	0.0	0.5	0.2	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	0.0	2.9	2.2	Were very sad	8.3	21.4	28.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.4	2.2	1.4	Were grouchy, irritable, or in a bad mood	20.8	25.7	31.2
Steroids not prescribed for student	0.0	1.9	1.0	Felt hopeless about the future	4.0	9.7	17.5
Synthetic drugs (K2, bath salts, Spice, etc)	8.5	6.0		Felt like not eating or eating more than usual	9.2	20.5	23.8
				Slept a lot more or a lot less than usual	2.5	18.5	32.4
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	17.3	25.4	31.6
Alcohol	12.92	13.00	11.97				
Cigarettes	12.20	12.68	11.56	<i>Percent of students who, in past 12 months:</i>			
Marijuana	13.41	14.26	12.93	Seriously considered attempting suicide	3.2	11.2	12.1
Inhalants	13.64	12.77	11.72	Made plan about how they would attempt suicide	3.2	9.1	6.8
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide	3.2	5.7	6.1
Alcohol	14.8	18.9	20.5	Attempted suicide and resulting injury, poisoning, or overdose	2.1	1.7	2.4
Alcohol (Binge: 5+ drinks on one occasion)		11.7	15.0				
Cigarettes	16.2	12.6	14.7	<i>Percent of students who, in past 12 months:</i>			
Chewing Tobacco	6.0	6.2	5.0	Were threatened/injured with weapon at school	14.8	6.7	7.5
Marijuana	0.7	6.0	6.1	Were in a physical fight	26.4	17.0	23.5
Inhalants	2.1	1.9	5.9	Were in a fight and had to be treated by a doctor or nurse	4.2	3.3	2.0
Prescription medications not prescribed for student	2.2	1.7	7.9				
Over-the-counter medications for non-medical use	0.0	2.4	5.7	<i>Percent of students who, in past 3 months:</i>			
<i>Percent of students who, in past 2 weeks, used:</i>				Were victims of mean rumors or lies spread at school	39.2	48.9	57.6
Alcohol (Binge: 5+ drinks on one occasion)	7.0			Were made fun of by others	49.3	63.2	67.0
<i>Percent whose friends used in past 12 months:</i>				Were victims of an embarrassing or hurtful text message or something posted on the Internet	11.7	22.7	20.2
Alcohol	69.0	51.3	53.4	Spread mean rumors or lies about other kids at school	32.0	30.6	34.1
Cigarettes	51.8	40.3	44.5	Made fun of other people	39.1	62.2	70.6
Marijuana	23.2	28.5	35.2	Posted something on the internet or sent a text that might embarrass or hurt another student	12.3	19.1	20.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.1	12.4	14.5				
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	37.3	34.0	31.2	Teachers notice and comment on student's good work	81.0	65.9	71.8
Cigarettes	18.0	13.4	15.4	School provides feedback to parents on positive student performance	58.8	36.5	36.2
Marijuana	10.9	7.2	9.1	Rules are enforced fairly	66.5	56.6	61.3
<i>Percent who say it would be wrong to use:</i>				Students of all races/ethnicities are treated equal	89.8	73.7	73.9
Alcohol	31.3	62.5	62.0				
Cigarettes	71.8	79.5	80.3	<i>Percent of students who agree that:</i>			
Marijuana	74.6	84.1	85.3	Parents notice and comment on student's good work	83.5	80.5	84.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.5	94.7	95.9	Parents involve student in making family decisions	77.5	65.8	69.6
<i>Percent whose parents would disapprove if they use:</i>				It is important to be honest with parents regardless of consequences	79.9	82.7	83.0
Alcohol	72.2	76.8	83.3	Student could ask parent for help with a personal problem	76.1	73.5	76.1
Cigarettes	94.7	91.1	93.7				
Marijuana	98.6	95.2	95.3				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	73.2	53.5	47.5				
Cigarettes	49.6	50.0	49.9				
Marijuana	28.3	33.5	34.5				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.4	16.6	20.7				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# BARRY COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	9
Adult Psychiatric	8A
<b>POPULATION</b>	
Census 2010	35,597
2013 Estimate	35,572

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	437	426	423
Mother Reported Smoking while Pregnant	102	113	129

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	2	1
Hepatitis B Chronic, Acute, Prenatal	1	2	5
Hepatitis C Chronic and Acute	1	23	24
Tuberculosis Infection Cases	1	7	4

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	397	389	395
Suicides	6	6	10
Self-inflicted Injuries	62	54	45
Homicides	1	0	0
Assault Injuries	118	83	88
Alcohol Induced Deaths	0	3	1
Drug Induced Deaths	5	5	7
Smoking Attributable Deaths	79	75	78

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	198	200
Alcohol Primary Diagnosis	2	20	13
Drug Primary Diagnosis	2	24	13
Alcohol Related Diagnosis	92	94	105
Drug Related Diagnosis	112	111	124
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	117	96
Alcohol Primary Diagnosis	2	32	30
Drug Primary Diagnosis	2	21	14
Alcohol Related Diagnosis	110	96	65
Drug Related Diagnosis	120	72	66
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	314	294
Alcohol Primary Diagnosis	2	59	57
Drug Primary Diagnosis	2	82	62
Alcohol Related Diagnosis	194	191	160
Drug Related Diagnosis	267	256	220

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	51	68	71
Fatal Crashes	3	4	3
Injury Crashes	19	34	27
Property Damage Crashes	29	30	41
Crash Fatalities	3	4	3
Crash Injuries	28	48	45
Drug Involved Crashes--Total	7	14	16
Fatal Crashes	0	0	0
Injury Crashes	2	4	8
Property Damage Crashes	5	10	8
Crash Fatalities	0	0	0
Crash Injuries	2	8	9

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	16,604	16,275	16,833
Employed	15,642	15,247	15,477
Unemployed	962	1,028	1,356
Unemployment Rate	5.8%	6.3%	8.1%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	1,905	1,928	1,989
Drop-outs	31	45	41
Drop-out Rate	1.6%	2.3%	2.1%
School Suspensions:			
Alcohol Incidents	52	1	0
Drug Incidents	3	44	25
Tobacco Incidents	2	2	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	269	316	212
Liquor Law Arrests	44	45	56
Drug Arrests	180	176	172
Methamphetamine Lab Incidents	44	42	45
Violent Offenses	100	101	111
Property Offenses	1,390	1,124	1,054
Domestic Violence Reports	314	354	356

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	80	135	146
Violent Offenses	17	43	36
Alcohol Offenses	2	4	5
Drug Offenses	10	14	15
Status Offenses--Total	46	55	59
Truancy	10	15	5
Beyond Parental Control	10	13	15
Habitually Absent from Home	12	13	25
Injurious Behavior	11	12	14
Abuse/Neglect/Custody--Total	140	78	116
Abuse	7	14	16
Neglect	26	18	38
Custody Disputes	107	46	62

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	93	42	66
Parental Alcohol Use Related	5	3	7
Parental Drug Use Related	38	19	15
Parental Alcohol and Drug Use	2	2	4
Child Removed for Other Reason	48	18	40

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	50	43	28
Probation/Parole Admissions--Total	307	286	233
Probation/Parole Admissions--Drug	96	78	72
Probation/Parole Admissions--DWI	27	18	13
Prison Admissions--Total	127	140	118
Prison Admissions--Drug	33	42	39
Prison Admissions--DWI	6	8	4

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	31	27	31
Alcohol Package Carry-out Licenses	51	51	51

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# BARRY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	25	34	32
CSTAR Adolescent	0	7	11
CSTAR Women and Children	18	9	12
CSTAR General Adult	84	75	89
CSTAR Opioid	0	0	0
Primary Recovery Treatment	16	27	34
Clinical SATOP (CIP, YCIP, SROP)	24	12	8
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	111	111	97
- Adolescent Diversion Education Program	*	0	0
- Offender Education Program	46	40	44
- Weekend Intervention Program	17	19	15
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	10	10	6
Compulsive Gambling	0	0	0
Recovery Supports	*	5	0
Early Intervention	*	*	0


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	160	144	171	Alcohol	58	55	63
AGE				Marijuana / Hashish	26	32	36
Under 18	*	7	12	Cocaine (total)	0	0	*
18 to 24	19	33	30	- Crack	0	0	0
25 to 29	41	25	34	Stimulant (total)	56	32	41
30 to 34	30	15	24	- Methamphetamine	54	32	41
35 to 39	20	15	25	Heroin	*	0	*
40 to 44	12	14	15	Analgesic except Heroin	15	19	18
45 to 54	27	27	23	- Non-Prescription Methadone	0	0	0
55 and Over	10	8	8	PCP, LSD, other Hallucinogen	0	*	*
GENDER				Tranquilizer	*	*	5
Male	91	98	108	Inhalant	0	0	0
Female	69	46	63	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	152	136	165	Average Age at First Use of Drug	17.3	16.5	17.3
African American	0	0	*	INJECTION DRUG USE			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	30	20	24
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	5	7
Hispanic	*	6	7	- Weekly Injection Use	7	6	7
Other Race / Two or More Races	*	*	0	- Less than Weekly Injection Use	19	9	10
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	51	55	71	0	83	76	90
High School Graduate or G.E.D.	72	67	73	1 or 2	52	39	49
Associate Degree or Some College	36	22	25	3 or More	25	29	32
Bachelor or Advanced Degree	*	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	59	42	65
Employed	40	55	30	School	0	0	0
Unemployed	63	48	88	Mental Health Provider	0	*	*
Not in Labor Force	57	41	53	Health Care Provider	13	7	8
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	40	45	87
Independent Living	140	133	147	Other Referral Source	46	49	10
Dependent Living	7	7	16	TREATMENT ACCOMMODATION			
Homeless	9	*	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	12	7	*
Never Married	59	66	75	Special Education Services Needed	19	7	15
Married / Cohabiting	49	38	51	Co-Occurring Psychological Problem	70	49	48
Previously Married	52	40	45	Co-Occurring Developmental Problem	*	*	*



# BARRY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 8A  
**CENSUS 2010** 35,597  
**2013 POPULATION ESTIMATE** 35,572

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	26	44	26
Anxiety Disorder	177	191	160
Dementia	0	0	0
Developmental Disorder	8	10	8
Impulse Control Disorder	93	108	87
Mood Disorder	247	276	248
Personality Disorder	63	63	55
Psychotic Disorder	63	65	51
Sexual Disorder	*	*	*
Other Diagnosis	43	39	23
Diagnosis Unknown	233	98	163

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	645	553	567	Less than High School Diploma	107	57	34
<b>AGE</b>				High School Grad or G.E.D.	0	31	37
Under 6	13	8	10	Associate Degree or Some College	0	14	15
6 to 9	40	40	37	Bachelor or Advanced Degree	0	*	*
10 to 13	52	47	53	Education Level Unknown	538	448	478
14 to 17	40	53	43	<b>EMPLOYMENT</b>			
18 to 24	71	41	49	Employed	10	7	5
25 to 29	52	48	48	Unemployed	*	75	82
30 to 34	42	57	52	Not in Labor Force	176	50	*
35 to 39	38	45	54	Employment Status Unknown	456	421	476
40 to 44	81	57	58	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	68	45	53	Independent Living	85	101	81
50 to 54	60	47	56	Dependent Living	97	51	57
55 to 59	49	33	27	Homeless	*	*	0
60 and Over	39	32	27	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	460	398	427
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	275	248	248	Self / Family / Friend	381	263	298
Female	370	305	319	School	11	7	10
Gender Unknown	0	0	0	Mental Health Provider	35	39	55
<b>RACE / ETHNICITY</b>				Health Care Provider	86	74	98
Caucasian	618	530	543	Court / Criminal Justice	15	17	29
African American	9	5	*	Other	115	150	68
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	9
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	11	9	11	Voluntary	633	544	546
Other Race	5	7	8	Civil	8	*	7
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	37	35	44	Commitment Type Unknown	*	*	9
Past or Current Military Service	7	6	8				

# BARRY COUNTY


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	39.7	36.0	46.0	Alcohol (1 or 2 drinks daily)	49.3		
Cigarettes	29.3	26.8	29.5	Alcohol (Binge: 5+ drinks once or twice a week)	61.5		
Chewing Tobacco	24.9	18.6	21.2	Alcohol (any use)		74.5	76.1
Marijuana	14.3	14.4	16.2	Cigarettes (1+ packs per day)	80.3		
Inhalants	4.7	7.3	8.2	Cigarettes (any use)		82.5	79.9
Prescription medications not prescribed for student	6.9	7.6	11.4	Marijuana (once or twice a week)	64.4		
Over-the-counter medications for non-medical use	3.8	4.8	9.8	Marijuana (any use)		78.5	76.4
Methamphetamine	1.2	1.5	1.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	93.9	94.7	94.4
Cocaine	1.2	1.3	1.7				
Heroin	0.2	1.0	0.4	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	1.2	3.2	2.5	Were very sad	23.0	16.4	24.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.5	1.9	1.8	Were grouchy, irritable, or in a bad mood	27.7	21.6	30.1
Steroids not prescribed for student	0.5	1.1	1.2	Felt hopeless about the future	12.4	10.2	16.3
Synthetic drugs (K2, bath salts, Spice, etc)	2.9	7.3		Felt like not eating or eating more than usual	17.1	15.2	20.3
				Slept a lot more or a lot less than usual	15.3	18.7	32.1
				Had difficulty concentrating on school work	20.3	20.1	28.1
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	12.39	12.49	12.63	Seriously considered attempting suicide	10.7	11.2	11.2
Cigarettes	12.01	12.36	12.22	Made plan about how they would attempt suicide	8.9	7.0	8.8
Marijuana	13.24	13.17	13.60	Attempted suicide	4.5	4.5	5.8
Inhalants	10.26	12.08	12.61	Attempted suicide and resulting injury, poisoning, or overdose	1.4	1.9	1.7
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	14.0	13.3	19.4	Were threatened/injured with weapon at school	8.0	5.8	9.1
Alcohol (Binge: 5+ drinks on one occasion)		8.3	12.0	Were in a physical fight	21.8	17.2	25.1
Cigarettes	14.8	10.7	15.8	Were in a fight and had to be treated by a doctor or nurse	1.7	2.5	3.0
Chewing Tobacco	13.0	10.0	11.6				
Marijuana	5.7	5.9	6.9	<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.7	2.5	2.8	Were victims of mean rumors or lies spread at school	50.4	48.3	56.7
Prescription medications not prescribed for student	1.4	4.0	6.3	Were made fun of by others	59.6	60.3	68.5
Over-the-counter medications for non-medical use	1.4	2.5	5.2	Were victims of an embarrassing or hurtful text message or something posted on the Internet	19.1	18.8	18.2
				Spread mean rumors or lies about other kids at school	22.5	23.2	37.9
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	56.0	55.9	74.0
Alcohol (Binge: 5+ drinks on one occasion)	6.0			Posted something on the internet or sent a text that might embarrass or hurt another student	12.9	10.3	20.2
				<i>Percent of students who agree that:</i>			
<i>Percent whose friends used in past 12 months:</i>				Teachers notice and comment on student's good work	78.6	66.7	65.7
Alcohol	44.5	49.3	58.6	School provides feedback to parents on positive student performance	46.0	37.3	39.9
Cigarettes	39.2	41.9	48.4	Rules are enforced fairly	62.9	64.7	59.6
Marijuana	29.2	29.6	35.1	Students of all races/ethnicities are treated equal	81.9	77.6	76.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.6	11.6	14.9				
				<i>Percent of students who agree that:</i>			
<i>Percent who would likely use, if offered by a best friend:</i>				Parents notice and comment on student's good work	84.2	85.7	83.9
Alcohol	29.5	24.9	32.5	Parents involve student in making family decisions	71.0	72.5	67.5
Cigarettes	17.5	13.4	16.9	It is important to be honest with parents regardless of consequences	91.8	89.2	86.9
Marijuana	10.6	9.4	12.1	Student could ask parent for help with a personal problem	75.1	79.0	77.3
<i>Percent who say it would be wrong to use:</i>							
Alcohol	63.1	69.2	61.7				
Cigarettes	76.3	83.0	76.9				
Marijuana	82.7	85.9	83.0				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.6	96.3	96.0				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	79.0	82.9	80.2				
Cigarettes	91.1	91.3	89.0				
Marijuana	94.5	95.5	94.8				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	48.9	51.1	55.3				
Cigarettes	50.4	52.6	58.7				
Marijuana	26.9	30.0	37.7				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.0	15.3	18.7				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# BARTON COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	9
Adult Psychiatric	9
<b>POPULATION</b>	
Census 2010	12,402
2013 Estimate	12,275

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	5,051	4,903	5,034
Employed	4,663	4,490	4,535
Unemployed	388	413	499
Unemployment Rate	7.7%	8.4%	9.9%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	624	640	601
Drop-outs	7	6	11
Drop-out Rate	1.1%	0.9%	1.8%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	3	1	3
Tobacco Incidents	0	0	0

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	152	143	137
Mother Reported Smoking while Pregnant	30	27	27

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	1	2	9
Tuberculosis Infection Cases	1	0	2

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	135	127	132
Suicides	2	3	0
Self-inflicted Injuries	9	15	16
Homicides	2	0	0
Assault Injuries	38	33	26
Alcohol Induced Deaths	3	0	0
Drug Induced Deaths	3	5	0
Smoking Attributable Deaths	19	20	20

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	103	89
Alcohol Primary Diagnosis	2	5	6
Drug Primary Diagnosis	2	5	10
Alcohol Related Diagnosis	38	45	40
Drug Related Diagnosis	51	53	53
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	20	20
Alcohol Primary Diagnosis	2	5	1
Drug Primary Diagnosis	2	4	1
Alcohol Related Diagnosis	21	18	18
Drug Related Diagnosis	20	10	10
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	115	79
Alcohol Primary Diagnosis	2	8	12
Drug Primary Diagnosis	2	16	24
Alcohol Related Diagnosis	88	56	61
Drug Related Diagnosis	74	55	50

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	15	10	9
Fatal Crashes	1	1	0
Injury Crashes	4	4	3
Property Damage Crashes	10	5	6
Crash Fatalities	1	1	0
Crash Injuries	6	4	5
Drug Involved Crashes--Total	7	1	1
Fatal Crashes	0	0	0
Injury Crashes	2	0	0
Property Damage Crashes	5	1	1
Crash Fatalities	0	0	0
Crash Injuries	3	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	54	49	58
Liquor Law Arrests	28	50	40
Drug Arrests	20	33	25
Methamphetamine Lab Incidents	4	0	0
Violent Offenses	34	20	20
Property Offenses	301	244	199
Domestic Violence Reports	212	138	123

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	162	138	86
Violent Offenses	42	52	40
Alcohol Offenses	10	16	2
Drug Offenses	7	6	6
Status Offenses--Total	41	45	32
Truancy	17	20	19
Beyond Parental Control	14	11	6
Habitually Absent from Home	4	5	5
Injurious Behavior	6	9	2
Abuse/Neglect/Custody--Total	133	147	101
Abuse	21	20	17
Neglect	111	126	81
Custody Disputes	1	1	3

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	4	18	12
Parental Alcohol Use Related	0	0	2
Parental Drug Use Related	1	2	2
Parental Alcohol and Drug Use	0	1	0
Child Removed for Other Reason	3	15	8

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	21	19	21
Probation/Parole Admissions--Total	92	81	97
Probation/Parole Admissions--Drug	21	26	30
Probation/Parole Admissions--DWI	8	5	4
Prison Admissions--Total	49	36	41
Prison Admissions--Drug	20	8	14
Prison Admissions--DWI	4	3	2

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	6	6	5
Alcohol Package Carry-out Licenses	15	16	16

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# BARTON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	5	7	5
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	40	52	35
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	8	26
Clinical SATOP (CIP, YCIP, SROP)	9	10	6
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	30	41	37
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	9	18	17
- Weekend Intervention Program	*	8	5
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	0
Compulsive Gambling	0	0	0
Recovery Supports	10	21	16
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	67	89	84	Alcohol	24	41	37
AGE				Marijuana / Hashish	16	11	18
Under 18	*	*	*	Cocaine (total)	*	*	*
18 to 24	6	14	17	- Crack	0	0	*
25 to 29	20	21	10	Stimulant (total)	16	22	14
30 to 34	10	19	14	- Methamphetamine	16	21	14
35 to 39	11	8	13	Heroin	*	0	0
40 to 44	8	6	10	Analgesic except Heroin	7	13	11
45 to 54	7	16	14	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	5	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	0	0	*
Male	48	67	61	Inhalant	0	0	0
Female	19	22	23	Sedative	*	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	65	88	80	Average Age at First Use of Drug	17.6	18.2	17.5
African American	*	0	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	11	16	10
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	*	*	0	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	*	*	0	- Less than Weekly Injection Use	7	14	5
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	25	25	25	0	30	44	41
High School Graduate or G.E.D.	32	46	48	1 or 2	22	28	21
Associate Degree or Some College	10	18	11	3 or More	15	17	22
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	30	25	13
Employed	19	33	27	School	0	0	0
Unemployed	21	22	30	Mental Health Provider	*	*	0
Not in Labor Force	27	34	27	Health Care Provider	5	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	21	54	62
Independent Living	59	78	80	Other Referral Source	9	8	5
Dependent Living	5	*	*	TREATMENT ACCOMMODATION			
Homeless	0	*	*	Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS				Military Veteran	*	5	5
Never Married	34	32	34	Special Education Services Needed	18	15	9
Married / Cohabiting	15	31	22	Co-Occurring Psychological Problem	37	37	36
Previously Married	18	26	28	Co-Occurring Developmental Problem	*	*	*

# BARTON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 9  
**CENSUS 2010** 12,402  
**2013 POPULATION ESTIMATE** 12,275

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	5	6	*
Anxiety Disorder	26	17	20
Dementia	0	0	0
Developmental Disorder	0	*	0
Impulse Control Disorder	9	12	12
Mood Disorder	34	39	35
Personality Disorder	6	*	*
Psychotic Disorder	6	7	5
Sexual Disorder	0	0	0
Other Diagnosis	6	*	*
Diagnosis Unknown	9	7	12

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	64	75	78	Less than High School Diploma	11	9	10
<b>AGE</b>				High School Grad or G.E.D.	0	7	*
Under 6	*	0	*	Associate Degree or Some College	0	*	*
6 to 9	*	*	8	Bachelor or Advanced Degree	0	0	0
10 to 13	6	6	5	Education Level Unknown	53	55	60
14 to 17	*	*	*	<b>EMPLOYMENT</b>			
18 to 24	*	6	12	Employed	*	*	*
25 to 29	*	*	7	Unemployed	0	16	16
30 to 34	9	6	6	Not in Labor Force	22	*	0
35 to 39	6	10	7	Employment Status Unknown	41	51	60
40 to 44	10	6	*	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	6	15	10	Independent Living	13	16	15
50 to 54	*	7	5	Dependent Living	11	8	5
55 to 59	6	5	5	Homeless	0	0	0
60 and Over	5	5	*	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	40	51	57
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	23	27	35	Self / Family / Friend	39	42	49
Female	41	48	43	School	*	0	0
Gender Unknown	0	0	0	Mental Health Provider	0	*	*
<b>RACE / ETHNICITY</b>				Health Care Provider	9	13	11
Caucasian	61	71	76	Court / Criminal Justice	10	11	6
African American	*	0	0	Other	5	7	6
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	*
Asian / Pacific Islander	0	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	0	Voluntary	56	61	67
Other Race	*	*	*	Civil	8	13	8
Race/Ethnicity Unknown	0	0	0	Criminal	0	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	0	*	0	Commitment Type Unknown	0	0	*
Past or Current Military Service	*	*	*				



# BARTON COUNTY


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	28.7	27.5	35.8	Alcohol (1 or 2 drinks daily)	59.2		
Cigarettes	19.7	18.9	29.2	Alcohol (Binge: 5+ drinks once or twice a week)	75.0		
Chewing Tobacco	16.6	11.5	11.6	Alcohol (any use)		75.9	87.1
Marijuana	8.6	7.3	8.7	Cigarettes (1+ packs per day)	83.3		
Inhalants	1.3	4.1	5.5	Cigarettes (any use)		79.2	85.7
Prescription medications not prescribed for student	14.4	10.1	9.7	Marijuana (once or twice a week)	70.6		
Over-the-counter medications for non-medical use	4.0	5.5	6.6	Marijuana (any use)		86.0	82.0
Methamphetamine	0.7	1.8	0.3	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.8	94.4	96.5
Cocaine	0.7	0.9	0.3				
Heroin	0.7	1.9	0.3	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	1.3	1.4	2.1	Were very sad	23.7	20.2	27.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.0	0.9	1.0	Were grouchy, irritable, or in a bad mood	25.5	19.9	37.5
Steroids not prescribed for student	1.3	3.3	0.7	Felt hopeless about the future	10.6	8.7	17.8
Synthetic drugs (K2, bath salts, Spice, etc)	1.3	3.7		Felt like not eating or eating more than usual	18.7	17.5	24.2
				Slept a lot more or a lot less than usual	14.5	19.0	31.8
				Had difficulty concentrating on school work	29.4	18.8	31.0
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	13.13	11.80	12.62	Seriously considered attempting suicide	9.2	9.6	13.7
Cigarettes	13.19	11.95	12.52	Made plan about how they would attempt suicide	7.3	8.3	10.0
Marijuana	14.28	12.30	13.51	Attempted suicide	6.6	4.6	6.2
Inhalants	13.98	11.75	12.03	Attempted suicide and resulting injury, poisoning, or overdose	2.0	1.4	1.5
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	13.2	11.0	12.7	Were threatened/injured with weapon at school	6.5	6.9	7.9
Alcohol (Binge: 5+ drinks on one occasion)		4.1	6.8	Were in a physical fight	18.4	19.9	21.0
Cigarettes	6.6	10.1	14.4	Were in a fight and had to be treated by a doctor or nurse	3.3	3.2	3.4
Chewing Tobacco	7.3	6.0	6.7				
Marijuana	2.0	2.8	3.1	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.3	2.8	3.5	Were victims of mean rumors or lies spread at school	51.6	55.0	57.2
Prescription medications not prescribed for student	7.2	5.5	4.5	Were made fun of by others	64.9	64.2	71.7
Over-the-counter medications for non-medical use	2.0	3.2	3.5	Were victims of an embarrassing or hurtful text message or something posted on the Internet	25.8	23.9	20.1
				Spread mean rumors or lies about other kids at school	28.9	35.3	33.7
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	65.1	64.2	72.5
Alcohol (Binge: 5+ drinks on one occasion)	8.7			Posted something on the internet or sent a text that might embarrass or hurt another student	16.4	14.4	12.5
				<i>Percent of students who agree that:</i>			
<i>Percent whose friends used in past 12 months:</i>				Teachers notice and comment on student's good work	73.9	73.9	62.5
Alcohol	41.2	41.3	46.0	School provides feedback to parents on positive student performance	40.8	34.1	34.4
Cigarettes	29.6	36.7	48.5	Rules are enforced fairly	62.9	69.1	56.4
Marijuana	17.1	17.1	26.4	Students of all races/ethnicities are treated equal	81.6	81.1	85.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.2	8.3	15.6				
				<i>Percent of students who agree that:</i>			
<i>Percent who would likely use, if offered by a best friend:</i>				Parents notice and comment on student's good work	80.3	84.3	82.5
Alcohol	19.9	22.0	19.7	Parents involve student in making family decisions	66.4	71.1	69.9
Cigarettes	7.2	10.6	16.1	It is important to be honest with parents regardless of consequences	88.9	89.8	84.7
Marijuana	7.9	5.6	7.3	Student could ask parent for help with a personal problem	79.7	77.1	73.0
<i>Percent who say it would be wrong to use:</i>							
Alcohol	72.7	72.9	72.7				
Cigarettes	88.8	85.3	80.5				
Marijuana	86.7	90.2	87.8				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.4	94.4	94.8				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	83.7	83.6	86.8				
Cigarettes	96.1	91.7	93.0				
Marijuana	96.0	95.8	97.2				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	50.7	48.4	51.0				
Cigarettes	49.0	44.5	53.3				
Marijuana	20.4	17.7	32.6				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.3	13.0	18.9				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# BATES COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	8
Adult Psychiatric	8B
<b>POPULATION</b>	
Census 2010	17,049
2013 Estimate	16,550

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	7,473	7,744	7,974
Employed	6,929	7,107	7,142
Unemployed	544	637	832
Unemployment Rate	7.3%	8.2%	10.4%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	802	773	834
Drop-outs	15	16	18
Drop-out Rate	1.9%	2.1%	2.2%
School Suspensions:			
Alcohol Incidents	0	1	3
Drug Incidents	6	4	1
Tobacco Incidents	0	0	0

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	183	198	199
Mother Reported Smoking while Pregnant	48	57	57

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	1	1
Hepatitis B Chronic, Acute, Prenatal	1	0	1
Hepatitis C Chronic and Acute	1	7	13
Tuberculosis Infection Cases	1	0	1

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	209	214	196
Suicides	6	3	0
Self-inflicted Injuries	13	19	25
Homicides	0	2	2
Assault Injuries	52	55	46
Alcohol Induced Deaths	2	0	0
Drug Induced Deaths	8	6	4
Smoking Attributable Deaths	41	43	42

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	121	126
Alcohol Primary Diagnosis	2	6	5
Drug Primary Diagnosis	2	6	11
Alcohol Related Diagnosis	40	54	50
Drug Related Diagnosis	59	70	56
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	28	19
Alcohol Primary Diagnosis	2	2	7
Drug Primary Diagnosis	2	7	7
Alcohol Related Diagnosis	31	35	38
Drug Related Diagnosis	27	31	26
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	141	144
Alcohol Primary Diagnosis	2	27	22
Drug Primary Diagnosis	2	24	23
Alcohol Related Diagnosis	83	64	85
Drug Related Diagnosis	128	64	75

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	18	14	30
Fatal Crashes	1	1	2
Injury Crashes	2	7	12
Property Damage Crashes	15	6	16
Crash Fatalities	1	1	2
Crash Injuries	3	10	19
Drug Involved Crashes--Total	6	5	7
Fatal Crashes	0	0	0
Injury Crashes	3	4	4
Property Damage Crashes	3	1	3
Crash Fatalities	0	0	0
Crash Injuries	3	4	5

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	111	91	131
Liquor Law Arrests	11	30	53
Drug Arrests	248	167	141
Methamphetamine Lab Incidents	1	1	2
Violent Offenses	51	65	38
Property Offenses	493	449	411
Domestic Violence Reports	153	127	94

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	92	88	90
Violent Offenses	32	21	27
Alcohol Offenses	5	7	11
Drug Offenses	4	3	8
Status Offenses--Total	72	131	93
Truancy	10	16	17
Beyond Parental Control	13	26	16
Habitually Absent from Home	4	17	6
Injurious Behavior	41	64	42
Abuse/Neglect/Custody--Total	126	101	105
Abuse	28	47	39
Neglect	97	51	65
Custody Disputes	1	3	1

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	8	13	18
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	3	7	3
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	5	6	15

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	8	12	8
Probation/Parole Admissions--Total	159	132	128
Probation/Parole Admissions--Drug	69	51	47
Probation/Parole Admissions--DWI	11	12	7
Prison Admissions--Total	53	59	53
Prison Admissions--Drug	20	19	14
Prison Admissions--DWI	5	2	4

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	15	16	15
Alcohol Package Carry-out Licenses	20	21	18

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# BATES COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	*	5	11
CSTAR Adolescent	*	5	*
CSTAR Women and Children	*	*	0
CSTAR General Adult	117	115	100
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	36
Clinical SATOP (CIP, YCIP, SROP)	13	13	10
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	65	80	41
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	25	27	10
- Weekend Intervention Program	13	14	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	7
Compulsive Gambling	0	0	0
Recovery Supports	*	*	6
Early Intervention	*	*	*


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	137	136	139	Alcohol	56	48	63
AGE				Marijuana / Hashish	27	36	28
Under 18	*	*	*	Cocaine (total)	*	0	0
18 to 24	27	28	29	- Crack	0	0	0
25 to 29	21	23	24	Stimulant (total)	38	36	34
30 to 34	20	24	16	- Methamphetamine	36	32	33
35 to 39	14	17	18	Heroin	0	*	*
40 to 44	20	9	5	Analgesic except Heroin	14	12	9
45 to 54	24	24	35	- Non-Prescription Methadone	0	0	0
55 and Over	8	7	8	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	0
Male	86	94	91	Inhalant	0	0	0
Female	51	42	48	Sedative	0	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	*
Caucasian	132	133	137	Average Age at First Use of Drug	18.1	17.7	16.2
African American	*	*	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	18	17	17
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	0	0	0	- Weekly Injection Use	*	*	5
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	11	12	10
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	48	45	56	0	46	55	60
High School Graduate or G.E.D.	67	70	63	1 or 2	42	42	41
Associate Degree or Some College	22	21	19	3 or More	49	39	38
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	79	64	50
Employed	36	42	40	School	0	0	0
Unemployed	43	35	55	Mental Health Provider	6	5	7
Not in Labor Force	58	59	44	Health Care Provider	9	5	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	6	30	65
Independent Living	126	115	127	Other Referral Source	35	32	13
Dependent Living	*	5	8	TREATMENT ACCOMMODATION			
Homeless	*	5	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	8	*	8
Never Married	67	56	56	Special Education Services Needed	7	10	11
Married / Cohabiting	39	46	49	Co-Occurring Psychological Problem	46	31	41
Previously Married	31	34	34	Co-Occurring Developmental Problem	12	11	13



# BATES COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 8B  
**CENSUS 2010** 17,049  
**2013 POPULATION ESTIMATE** 16,550

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	5	*	*
Anxiety Disorder	90	84	72
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	29	40	40
Mood Disorder	130	134	120
Personality Disorder	10	10	10
Psychotic Disorder	27	27	25
Sexual Disorder	0	0	0
Other Diagnosis	19	17	11
Diagnosis Unknown	16	9	24

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	190	186	186	Less than High School Diploma	72	31	20
<b>AGE</b>				High School Grad or G.E.D.	0	19	23
Under 6	*	*	*	Associate Degree or Some College	0	*	*
6 to 9	10	9	7	Bachelor or Advanced Degree	0	*	*
10 to 13	24	23	29	Education Level Unknown	118	130	141
14 to 17	12	20	27	<b>EMPLOYMENT</b>			
18 to 24	19	15	14	Employed	*	10	6
25 to 29	17	16	12	Unemployed	9	36	39
30 to 34	14	15	17	Not in Labor Force	133	28	0
35 to 39	19	14	14	Employment Status Unknown	46	112	141
40 to 44	22	17	12	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	17	19	20	Independent Living	88	56	43
50 to 54	18	17	17	Dependent Living	59	23	40
55 to 59	8	10	8	Homeless	*	0	*
60 and Over	8	9	8	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	41	107	102
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	87	79	90	Self / Family / Friend	134	134	136
Female	103	107	96	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	5	8	10
<b>RACE / ETHNICITY</b>				Health Care Provider	22	23	16
Caucasian	182	179	179	Court / Criminal Justice	0	*	*
African American	*	*	*	Other	27	18	17
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	*	*	Voluntary	189	185	183
Other Race	*	*	*	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	9	*	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	5	*				

# BATES COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	30.9	41.2	43.7	Alcohol (1 or 2 drinks daily)	58.9		
Cigarettes	19.5	27.3	29.0	Alcohol (Binge: 5+ drinks once or twice a week)	70.4		
Chewing Tobacco	11.3	12.7	17.0	Alcohol (any use)		69.8	79.1
Marijuana	11.1	11.2	13.8	Cigarettes (1+ packs per day)	83.0		
Inhalants	2.9	3.9	5.1	Cigarettes (any use)		78.0	81.0
Prescription medications not prescribed for student	11.3	9.3	12.2	Marijuana (once or twice a week)	70.9		
Over-the-counter medications for non-medical use	2.9	2.3	6.7	Marijuana (any use)		76.1	68.5
Methamphetamine	0.5	0.4	1.4	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.2	89.1	94.8
Cocaine	1.4	1.2	1.4	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.0	0.4	0.8	Were very sad	20.9	24.6	22.4
Hallucinogens	1.5	2.4	4.9	Were grouchy, irritable, or in a bad mood	28.5	24.3	26.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	1.6	2.5	Felt hopeless about the future	14.1	12.1	15.4
Steroids not prescribed for student	1.0	0.8	0.8	Felt like not eating or eating more than usual	15.5	21.6	23.3
Synthetic drugs (K2, bath salts, Spice, etc)	5.9	6.2		Slept a lot more or a lot less than usual	18.8	21.6	29.5
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	23.2	25.1	26.2
Alcohol	12.20	13.36	12.11	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	11.80	12.06	12.30	Seriously considered attempting suicide	17.4	14.4	10.2
Marijuana	13.49	13.41	13.05	Made plan about how they would attempt suicide	7.8	10.5	8.3
Inhalants	12.65	10.85	12.31	Attempted suicide	4.3	4.7	4.6
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.5	3.9	1.7
Alcohol	12.8	18.1	19.4	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occassion)		11.6	12.9	Were threatened/injured with weapon at school	5.3	5.0	10.5
Cigarettes	7.3	13.1	15.3	Were in a physical fight	15.0	15.1	24.0
Chewing Tobacco	6.4	5.8	9.2	Were in a fight and had to be treated by a doctor or nurse	1.9	3.5	3.5
Marijuana	2.9	4.6	6.5	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.0	0.8	2.4	Were victims of mean rumors or lies spread at school	49.8	47.9	60.9
Prescription medications not prescribed for student	4.9	3.5	7.9	Were made fun of by others	58.0	63.6	74.5
Over-the-counter medications for non-medical use	0.5	1.2	4.3	Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.1	19.1	23.6
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	19.8	18.1	34.6
Alcohol (Binge: 5+ drinks on one occassion)	5.9			Made fun of other people	43.0	62.3	71.2
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	13.5	13.6	15.6
Alcohol	35.3	46.2	55.4	<i>Percent of students who agree that:</i>			
Cigarettes	25.7	42.5	48.8	Teachers notice and comment on student's good work	73.9	77.7	68.1
Marijuana	16.7	21.4	33.0	School provides feedback to parents on positive student performance	46.6	35.1	38.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	3.9	8.9	17.1	Rules are enforced fairly	69.6	52.5	61.6
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	85.9	86.4	80.1
Alcohol	21.4	32.0	36.2	<i>Percent of students who agree that:</i>			
Cigarettes	10.6	19.0	16.4	Parents notice and comment on student's good work	85.5	79.1	78.6
Marijuana	7.7	6.6	12.5	Parents involve student in making family decisions	76.2	61.9	61.8
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	85.0	88.8	83.6
Alcohol	71.7	57.8	55.3	Student could ask parent for help with a personal problem	81.6	74.8	74.6
Cigarettes	89.7	80.1	77.3	<div>Page Notes: Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</div>			
Marijuana	83.4	88.3	83.2				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.1	97.3	95.4				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	84.1	63.3	72.9	<div>Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys</div>			
Cigarettes	93.7	81.4	89.5				
Marijuana	96.6	97.6	93.2				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	40.0	56.7	60.5				
Cigarettes	38.0	59.0	55.7				
Marijuana	19.4	29.8	30.5				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.8	19.4	18.6				

# BENTON COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	8
Adult Psychiatric	8B
<b>POPULATION</b>	
Census 2010	19,056
2013 Estimate	18,932

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	8,411	7,890	7,953
Employed	7,830	7,254	7,154
Unemployed	581	636	799
Unemployment Rate	6.9%	8.1%	10.0%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	809	765	810
Drop-outs	9	27	17
Drop-out Rate	1.1%	3.5%	2.1%
School Suspensions:			
Alcohol Incidents	1	4	1
Drug Incidents	8	11	13
Tobacco Incidents	2	0	0

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	125	167	191
Mother Reported Smoking while Pregnant	37	57	57

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	1
Hepatitis C Chronic and Acute	1	14	15
Tuberculosis Infection Cases	1	2	3

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	292	253	272
Suicides	7	4	7
Self-inflicted Injuries	24	28	26
Homicides	3	0	0
Assault Injuries	54	41	58
Alcohol Induced Deaths	3	3	1
Drug Induced Deaths	10	4	3
Smoking Attributable Deaths	63	49	51

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	156	156
Alcohol Primary Diagnosis	2	15	13
Drug Primary Diagnosis	2	14	13
Alcohol Related Diagnosis	126	129	79
Drug Related Diagnosis	87	92	87

Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	47	31
Alcohol Primary Diagnosis	2	7	16
Drug Primary Diagnosis	2	10	8
Alcohol Related Diagnosis	49	54	87
Drug Related Diagnosis	46	49	49

Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	150	139
Alcohol Primary Diagnosis	2	14	21
Drug Primary Diagnosis	2	21	26
Alcohol Related Diagnosis	69	79	111
Drug Related Diagnosis	105	104	120

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	23	26	25
Fatal Crashes	1	1	1
Injury Crashes	9	12	12
Property Damage Crashes	13	13	12
Crash Fatalities	1	1	1
Crash Injuries	14	18	13
Drug Involved Crashes--Total	4	8	1
Fatal Crashes	0	1	0
Injury Crashes	1	3	1
Property Damage Crashes	3	4	0
Crash Fatalities	0	1	0
Crash Injuries	1	5	3

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	106	128	124
Liquor Law Arrests	6	9	10
Drug Arrests	127	95	90
Methamphetamine Lab Incidents	1	0	5
Violent Offenses	87	48	44
Property Offenses	537	406	420
Domestic Violence Reports	97	120	106

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	82	74	61
Violent Offenses	26	15	20
Alcohol Offenses	8	5	1
Drug Offenses	11	9	4
Status Offenses--Total	83	92	57
Truancy	52	60	17
Beyond Parental Control	15	17	22
Habitually Absent from Home	9	6	10
Injurious Behavior	6	8	8
Abuse/Neglect/Custody--Total	76	87	29
Abuse	21	36	13
Neglect	55	51	16
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	8	6	2
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	1	2	1
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	7	4	1

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	10	5	9
Probation/Parole Admissions--Total	97	98	97
Probation/Parole Admissions--Drug	23	26	17
Probation/Parole Admissions--DWI	8	9	7
Prison Admissions--Total	59	61	56
Prison Admissions--Drug	15	18	13
Prison Admissions--DWI	2	4	2

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	36	40	38
Alcohol Package Carry-out Licenses	31	34	31

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# BENTON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	*	5	13
CSTAR Adolescent	17	13	10
CSTAR Women and Children	7	7	*
CSTAR General Adult	109	129	94
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	12	37
Clinical SATOP (CIP, YCIP, SROP)	12	23	14
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	45	65	57
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	11	18	19
- Weekend Intervention Program	9	16	9
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	0
Recovery Supports	8	6	9
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	154	184	155	Alcohol	48	81	75
AGE				Marijuana / Hashish	52	48	38
Under 18	17	15	10	Cocaine (total)	0	*	*
18 to 24	35	30	29	- Crack	0	*	0
25 to 29	29	24	27	Stimulant (total)	36	33	26
30 to 34	19	30	17	- Methamphetamine	35	30	24
35 to 39	16	15	20	Heroin	*	*	0
40 to 44	8	20	16	Analgesic except Heroin	13	18	12
45 to 54	19	34	29	- Non-Prescription Methadone	0	*	0
55 and Over	11	16	7	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	*
Male	97	122	113	Inhalant	0	0	0
Female	57	62	42	Sedative	*	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	*
Caucasian	152	183	150	Average Age at First Use of Drug	16.6	18.2	17.0
African American	*	0	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	24	27	21
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	9	*
Hispanic	0	0	*	- Weekly Injection Use	6	5	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	16	13	16
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	57	70	48	0	111	95	76
High School Graduate or G.E.D.	75	84	71	1 or 2	24	47	50
Associate Degree or Some College	21	29	35	3 or More	19	42	29
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	94	88	39
Employed	27	35	47	School	0	0	0
Unemployed	54	60	63	Mental Health Provider	*	*	0
Not in Labor Force	73	89	45	Health Care Provider	*	9	6
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	39	67	103
Independent Living	123	148	138	Other Referral Source	15	18	6
Dependent Living	21	18	15	TREATMENT ACCOMMODATION			
Homeless	*	*	0	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	12	9
Never Married	89	84	71	Special Education Services Needed	8	7	13
Married / Cohabiting	29	47	46	Co-Occurring Psychological Problem	45	39	60
Previously Married	36	53	38	Co-Occurring Developmental Problem	*	*	*

# BENTON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 8B  
**CENSUS 2010** 19,056  
**2013 POPULATION ESTIMATE** 18,932

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	21	19	15
Anxiety Disorder	205	188	165
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	30	43	41
Mood Disorder	214	232	207
Personality Disorder	20	21	19
Psychotic Disorder	33	40	38
Sexual Disorder	*	0	*
Other Diagnosis	38	35	21
Diagnosis Unknown	32	31	60

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	339	358	349	Less than High School Diploma	141	65	52
<b>AGE</b>				High School Grad or G.E.D.	0	79	54
Under 6	*	*	*	Associate Degree or Some College	0	17	18
6 to 9	15	18	16	Bachelor or Advanced Degree	0	0	*
10 to 13	28	39	30	Education Level Unknown	198	197	224
14 to 17	30	36	32	<b>EMPLOYMENT</b>			
18 to 24	32	34	42	Employed	13	8	8
25 to 29	28	23	19	Unemployed	26	138	113
30 to 34	22	16	20	Not in Labor Force	240	21	*
35 to 39	26	25	27	Employment Status Unknown	60	191	224
40 to 44	33	28	25	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	41	42	43	Independent Living	184	140	113
50 to 54	38	39	42	Dependent Living	91	46	50
55 to 59	31	35	26	Homeless	5	*	*
60 and Over	12	20	24	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	59	168	183
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	163	166	163	Self / Family / Friend	267	261	255
Female	176	192	186	School	0	*	*
Gender Unknown	0	0	0	Mental Health Provider	14	19	18
<b>RACE / ETHNICITY</b>				Health Care Provider	23	34	28
Caucasian	330	350	335	Court / Criminal Justice	*	*	*
African American	*	*	*	Other	28	35	38
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	5
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	8	Voluntary	332	349	340
Other Race	*	*	5	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	*	*	5
Past or Current Military Service	6	9	9				




# BENTON COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	50.3	44.3	54.0	Alcohol (1 or 2 drinks daily)	51.8		
Cigarettes	33.2	31.1	34.2	Alcohol (Binge: 5+ drinks once or twice a week)	62.8		
Chewing Tobacco	16.1	16.4	16.5	Alcohol (any use)		70.8	75.9
Marijuana	17.7	17.1	15.2	Cigarettes (1+ packs per day)	83.2		
Inhalants	3.7	7.0	9.7	Cigarettes (any use)		77.9	78.3
Prescription medications not prescribed for student	13.2	10.2	16.7	Marijuana (once or twice a week)	64.1		
Over-the-counter medications for non-medical use	2.1	3.3	9.9	Marijuana (any use)		73.8	69.0
Methamphetamine	1.6	1.2	1.8	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.7	97.1	92.3
Cocaine	1.6	1.3	1.8	<i>Percent of students who, in past 30 days:</i>			
Heroin	1.1	1.2	0.6	Were very sad	23.4	20.5	24.3
Hallucinogens	2.1	4.1	3.2	Were grouchy, irritable, or in a bad mood	29.0	24.9	29.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.6	4.1	4.1	Felt hopeless about the future	15.1	8.7	11.5
Steroids not prescribed for student	1.1	1.6	0.9	Felt like not eating or eating more than usual	20.7	18.9	19.0
Synthetic drugs (K2, bath salts, Spice, etc)	4.3	5.7		Felt like not eating or eating more than usual	20.4	26.2	31.0
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	26.9	25.9	27.4
Alcohol	12.44	12.71	12.24	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.15	12.35	11.76	Seriously considered attempting suicide	16.2	13.2	15.7
Marijuana	13.36	13.43	12.10	Made plan about how they would attempt suicide	14.7	7.0	11.7
Inhalants	12.62	12.65	12.52	Attempted suicide	11.5	2.0	7.0
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	3.2	1.3	4.2
Alcohol	18.8	19.4	23.1	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		12.2	12.6	Were threatened/injured with weapon at school	11.5	6.5	12.3
Cigarettes	14.8	16.3	17.8	Were in a physical fight	24.0	19.6	26.3
Chewing Tobacco	7.3	9.0	7.1	Were in a fight and had to be treated by a doctor or nurse	4.7	1.2	3.5
Marijuana	7.3	8.6	8.7	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.1	2.0	4.4	Were victims of mean rumors or lies spread at school	58.9	52.5	59.2
Prescription medications not prescribed for student	5.3	5.3	7.7	Were made fun of by others	70.8	62.3	73.2
Over-the-counter medications for non-medical use	1.6	1.2	6.6	Were victims of an embarrassing or hurtful text message or something posted on the Internet	28.9	25.4	20.2
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	23.4	30.9	33.1
Alcohol (Binge: 5+ drinks on one occasion)	10.0			Made fun of other people	62.0	68.8	74.3
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	19.7	21.7	19.9
Alcohol	57.9	59.4	61.2	<i>Percent of students who agree that:</i>			
Cigarettes	45.3	52.0	51.3	Teachers notice and comment on student's good work	71.0	74.9	73.6
Marijuana	32.5	32.2	31.7	School provides feedback to parents on positive student performance	33.7	45.3	41.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.0	17.3	18.0	Rules are enforced fairly	61.5	72.7	58.2
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	82.6	81.9	77.1
Alcohol	37.7	38.3	42.8	<i>Percent of students who agree that:</i>			
Cigarettes	16.7	17.7	19.6	Parents notice and comment on student's good work	78.2	79.3	82.6
Marijuana	15.7	10.4	14.0	Parents involve student in making family decisions	63.0	66.9	68.2
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	89.1	86.0	80.1
Alcohol	50.3	61.3	51.5	Student could ask parent for help with a personal problem	70.4	74.9	73.7
Cigarettes	77.9	82.2	74.1	<div>Page Notes: Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</div>			
Marijuana	78.9	84.0	79.7				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.4	95.1	92.4				
<i>Percent whose parents would disapprove if they use:</i>				<div>Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys</div>			
Alcohol	71.6	74.0	71.6				
Cigarettes	87.9	88.7	89.2				
Marijuana	91.5	95.3	95.5				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	60.7	61.3	64.0				
Cigarettes	55.5	52.1	65.8				
Marijuana	31.6	36.4	41.1				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.6	15.5	26.7				

# BOLLINGER COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	21
Adult Psychiatric	21
<b>POPULATION</b>	
Census 2010	12,363
2013 Estimate	12,490

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	146	146	141
Mother Reported Smoking while Pregnant	31	47	45
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	2	0
Hepatitis C Chronic and Acute	1	8	4
Tuberculosis Infection Cases	1	14	3
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	134	120	154
Suicides	3	1	2
Self-inflicted Injuries	15	7	11
Homicides	1	0	0
Assault Injuries	36	19	14
Alcohol Induced Deaths	0	0	2
Drug Induced Deaths	1	0	0
Smoking Attributable Deaths	28	29	32
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	104	106
Alcohol Primary Diagnosis	2	6	0
Drug Primary Diagnosis	2	7	6
Alcohol Related Diagnosis	30	40	30
Drug Related Diagnosis	43	36	20
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	10	5
Alcohol Primary Diagnosis	2	6	1
Drug Primary Diagnosis	2	1	1
Alcohol Related Diagnosis	34	32	26
Drug Related Diagnosis	17	9	9
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	98	81
Alcohol Primary Diagnosis	2	10	6
Drug Primary Diagnosis	2	8	8
Alcohol Related Diagnosis	27	28	34
Drug Related Diagnosis	33	31	37
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	25	18	16
Fatal Crashes	3	0	0
Injury Crashes	12	10	5
Property Damage Crashes	10	8	11
Crash Fatalities	3	0	0
Crash Injuries	13	11	6
Drug Involved Crashes--Total	3	4	4
Fatal Crashes	0	0	0
Injury Crashes	3	0	2
Property Damage Crashes	0	4	2
Crash Fatalities	0	0	0
Crash Injuries	4	0	2

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	5,552	5,473	5,651
Employed	5,165	5,092	5,151
Unemployed	387	381	500
Unemployment Rate	7.0%	7.0%	8.8%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	546	592	589
Drop-outs	6	7	7
Drop-out Rate	1.1%	1.2%	1.2%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	5	0	9
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	53	57	46
Liquor Law Arrests	17	19	16
Drug Arrests	14	48	41
Methamphetamine Lab Incidents	0	1	4
Violent Offenses	17	38	15
Property Offenses	125	144	108
Domestic Violence Reports	29	27	15

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	36	54	79
Violent Offenses	12	9	10
Alcohol Offenses	4	5	5
Drug Offenses	3	5	5
Status Offenses--Total	30	22	32
Truancy	1	2	4
Beyond Parental Control	1	0	5
Habitually Absent from Home	4	3	9
Injurious Behavior	24	16	14
Abuse/Neglect/Custody--Total	33	35	50
Abuse	0	3	8
Neglect	9	1	0
Custody Disputes	24	31	42

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	24	21	21
Parental Alcohol Use Related	0	0	2
Parental Drug Use Related	9	9	8
Parental Alcohol and Drug Use	1	0	0
Child Removed for Other Reason	14	12	11

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	48	64	53
Probation/Parole Admissions--Drug	14	19	16
Probation/Parole Admissions--DWI	9	7	10
Prison Admissions--Total	29	19	25
Prison Admissions--Drug	5	6	6
Prison Admissions--DWI	9	2	3

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	9	10	9
Alcohol Package Carry-out Licenses	12	12	12

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# BOLLINGER COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	6	6	*
CSTAR Adolescent	*	7	10
CSTAR Women and Children	8	8	10
CSTAR General Adult	27	51	27
CSTAR Opioid	0	0	0
Primary Recovery Treatment	8	49	60
Clinical SATOP (CIP, YCIP, SROP)	10	10	*
Other Substance Abuse Treatment	*	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	40	71	51
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	22	34	27
- Weekend Intervention Program	5	19	14
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	*
Compulsive Gambling	0	0	0
Recovery Supports	16	*	*
Early Intervention	*	0	0


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	63	119	103	Alcohol	26	48	39
AGE				Marijuana / Hashish	17	28	36
Under 18	*	7	12	Cocaine (total)	*	*	*
18 to 24	8	26	22	- Crack	*	*	*
25 to 29	17	18	17	Stimulant (total)	10	26	15
30 to 34	11	24	16	- Methamphetamine	10	24	15
35 to 39	11	13	9	Heroin	*	*	*
40 to 44	*	6	10	Analgesic except Heroin	7	9	6
45 to 54	8	19	13	- Non-Prescription Methadone	0	0	0
55 and Over	*	6	*	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	*	5	*
Male	37	78	67	Inhalant	0	0	0
Female	26	41	36	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	*
Caucasian	59	115	100	Average Age at First Use of Drug	17.5	16.4	16.4
African American	*	0	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	9	20	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	0
Hispanic	0	*	*	- Weekly Injection Use	*	*	0
Other Race / Two or More Races	*	*	0	- Less than Weekly Injection Use	7	18	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	28	53	56	0	33	58	57
High School Graduate or G.E.D.	27	51	32	1 or 2	20	34	26
Associate Degree or Some College	8	15	14	3 or More	10	27	20
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	16	27	16
Employed	18	27	28	School	0	0	0
Unemployed	26	42	37	Mental Health Provider	0	*	0
Not in Labor Force	19	50	38	Health Care Provider	*	6	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	24	78	70
Independent Living	51	103	81	Other Referral Source	16	7	15
Dependent Living	12	14	22	TREATMENT ACCOMMODATION			
Homeless	0	*	0	Pregnant when Admitted to any Episode	5	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	6
Never Married	29	55	49	Special Education Services Needed	8	11	10
Married / Cohabiting	17	30	35	Co-Occurring Psychological Problem	27	39	26
Previously Married	17	34	19	Co-Occurring Developmental Problem	*	8	9



# BOLLINGER COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 21  
**CENSUS 2010** 12,363  
**2013 POPULATION ESTIMATE** 12,490

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	33	48	12
Anxiety Disorder	63	66	33
Dementia	0	0	0
Developmental Disorder	0	0	*
Impulse Control Disorder	58	60	18
Mood Disorder	234	250	134
Personality Disorder	*	*	*
Psychotic Disorder	63	70	49
Sexual Disorder	*	0	*
Other Diagnosis	11	14	10
Diagnosis Unknown	45	101	36

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	453	549	259	Less than High School Diploma	73	73	62
<b>AGE</b>				High School Grad or G.E.D.	0	42	33
Under 6	*	*	*	Associate Degree or Some College	0	12	14
6 to 9	20	20	10	Bachelor or Advanced Degree	0	*	*
10 to 13	31	43	9	Education Level Unknown	380	418	148
14 to 17	31	46	15	<b>EMPLOYMENT</b>			
18 to 24	45	60	24	Employed	10	21	20
25 to 29	46	44	19	Unemployed	*	101	88
30 to 34	36	48	27	Not in Labor Force	137	24	*
35 to 39	41	50	31	Employment Status Unknown	302	403	147
40 to 44	38	48	25	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	55	60	38	Independent Living	58	59	48
50 to 54	43	50	32	Dependent Living	95	89	72
55 to 59	33	37	16	Homeless	0	*	*
60 and Over	33	40	11	Other	0	*	0
Age Unknown	0	0	0	Housing Unknown	300	399	138
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	200	233	112	Self / Family / Friend	285	380	143
Female	253	316	147	School	8	*	*
Gender Unknown	0	0	0	Mental Health Provider	33	33	26
<b>RACE / ETHNICITY</b>				Health Care Provider	66	63	34
Caucasian	397	473	220	Court / Criminal Justice	9	13	13
African American	11	11	6	Other	50	56	40
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	25	46	24	Voluntary	448	543	254
Other Race	17	18	8	Civil	0	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	10	21	14	Commitment Type Unknown	*	*	*
Past or Current Military Service	14	12	10				

# BOLLINGER COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	34.9	37.6	49.0	Alcohol (1 or 2 drinks daily)	52.4		
Cigarettes	24.7	31.5	35.1	Alcohol (Binge: 5+ drinks once or twice a week)	62.1		
Chewing Tobacco	17.8	18.2	25.6	Alcohol (any use)		70.0	78.9
Marijuana	9.7	10.5	12.0	Cigarettes (1+ packs per day)	81.0		
Inhalants	2.1	5.0	9.6	Cigarettes (any use)		76.9	76.5
Prescription medications not prescribed for student	7.6	9.4	15.7	Marijuana (once or twice a week)	69.9		
Over-the-counter medications for non-medical use	2.1	4.4	8.9	Marijuana (any use)		79.6	72.3
Methamphetamine	0.7	1.7	0.8	Other: Cocaine, LSD, Meth, Club Drug (any use)	91.8	95.6	89.7
Cocaine	0.7	1.1	0.8				
Heroin	0.7	0.6	0.8	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	0.7	1.7	2.4	Were very sad	19.7	17.7	11.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.7	1.7	2.8	Were grouchy, irritable, or in a bad mood	24.7	22.2	23.4
Steroids not prescribed for student	0.7	1.7	0.4	Felt hopeless about the future	9.6	6.7	6.3
Synthetic drugs (K2, bath salts, Spice, etc)	2.1	4.4		Felt like not eating or eating more than usual	17.1	17.8	15.3
				Slept a lot more or a lot less than usual	13.6	18.3	23.9
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	23.1	23.2	15.3
Alcohol	12.49	12.11	11.82	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.04	12.28	11.33	Seriously considered attempting suicide	8.8	10.4	13.0
Marijuana	13.90	13.36	12.95	Made plan about how they would attempt suicide	6.8	7.2	9.8
Inhalants	11.20	12.86	11.52	Attempted suicide	2.7	4.4	7.0
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.4	0.6	2.8
Alcohol	9.7	14.4	24.1	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		8.8	15.7	Were threatened/injured with weapon at school	4.8	3.9	10.3
Cigarettes	9.7	14.3	14.9	Were in a physical fight	19.0	16.1	26.0
Chewing Tobacco	10.2	12.2	12.7	Were in a fight and had to be treated by a doctor or nurse	2.7	1.6	6.3
Marijuana	3.5	3.9	4.4	<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.7	2.2	5.2	Were victims of mean rumors or lies spread at school	49.3	48.9	57.9
Prescription medications not prescribed for student	3.5	5.5	9.3	Were made fun of by others	60.5	59.8	70.5
Over-the-counter medications for non-medical use	1.4	1.7	4.5	Were victims of an embarrassing or hurtful text message or something posted on the Internet	19.0	19.1	21.6
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	24.3	24.9	31.0
Alcohol (Binge: 5+ drinks on one occasion)	2.8			Made fun of other people	57.8	60.2	70.5
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	13.6	9.5	16.2
Alcohol	41.5	45.3	64.2	<i>Percent of students who agree that:</i>			
Cigarettes	31.3	39.2	52.4	Teachers notice and comment on student's good work	73.5	72.4	70.0
Marijuana	19.9	20.6	28.2	School provides feedback to parents on positive student performance	42.9	43.0	47.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.5	6.1	16.7	Rules are enforced fairly	64.6	67.4	64.2
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	81.5	79.4	74.3
Alcohol	24.7	26.7	40.3	<i>Percent of students who agree that:</i>			
Cigarettes	11.7	15.5	18.6	Parents notice and comment on student's good work	78.3	84.0	80.7
Marijuana	8.3	9.4	9.2	Parents involve student in making family decisions	66.7	68.5	68.3
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	89.8	84.9	81.8
Alcohol	64.8	66.5	56.0	Student could ask parent for help with a personal problem	76.2	77.2	73.0
Cigarettes	82.9	77.7	74.2				
Marijuana	86.3	86.7	83.2				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.6	97.8	92.8				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	80.3	83.2	75.7				
Cigarettes	90.9	89.9	88.7				
Marijuana	94.4	93.8	95.5				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	50.3	47.2	57.5				
Cigarettes	49.7	48.1	61.3				
Marijuana	21.9	22.8	33.7				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.0	9.6	19.8				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# BOONE COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	12
Adult Psychiatric	12
<b>POPULATION</b>	
Census 2010	162,642
2013 Estimate	170,773

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	2,132	2,112	2,003
Mother Reported Smoking while Pregnant	309	291	303
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	5	7	12
Hepatitis B Chronic, Acute, Prenatal	1 27	13	12
Hepatitis C Chronic and Acute	1 162	160	89
Tuberculosis Infection Cases	1 257	292	251
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	956	980	962
Suicides	21	23	14
Self-inflicted Injuries	142	130	126
Homicides	3	4	3
Assault Injuries	450	463	499
Alcohol Induced Deaths	7	9	8
Drug Induced Deaths	18	24	24
Smoking Attributable Deaths	140	146	163
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 384	410	
Alcohol Primary Diagnosis	2 66	64	
Drug Primary Diagnosis	2 31	37	
Alcohol Related Diagnosis	305	315	361
Drug Related Diagnosis	248	253	278
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 952	762	
Alcohol Primary Diagnosis	2 276	230	
Drug Primary Diagnosis	2 117	131	
Alcohol Related Diagnosis	703	573	532
Drug Related Diagnosis	650	538	445
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 1,037	1,083	
Alcohol Primary Diagnosis	2 340	289	
Drug Primary Diagnosis	2 202	162	
Alcohol Related Diagnosis	706	601	641
Drug Related Diagnosis	537	494	465
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	163	143	190
Fatal Crashes	6	6	6
Injury Crashes	72	52	70
Property Damage Crashes	85	85	114
Crash Fatalities	6	8	6
Crash Injuries	102	85	104
Drug Involved Crashes--Total	20	24	32
Fatal Crashes	0	2	0
Injury Crashes	12	13	17
Property Damage Crashes	8	9	15
Crash Fatalities	0	3	0
Crash Injuries	23	15	27

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	93,834	92,286	91,745
Employed	89,639	88,027	86,411
Unemployed	4,195	4,259	5,334
Unemployment Rate	4.5%	4.6%	5.8%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	6,669	6,653	6,781
Drop-outs	173	231	188
Drop-out Rate	2.6%	3.5%	2.8%
School Suspensions:			
Alcohol Incidents	5	0	2
Drug Incidents	40	36	57
Tobacco Incidents	1	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	1,093	1,137	1,639
Liquor Law Arrests	768	895	898
Drug Arrests	1,026	1,179	1,135
Methamphetamine Lab Incidents	20	7	15
Violent Offenses	627	716	673
Property Offenses	5,579	5,528	4,946
Domestic Violence Reports	1,738	1,722	1,539

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	906	1,001	1,200
Violent Offenses	276	299	368
Alcohol Offenses	15	15	27
Drug Offenses	95	87	86
Status Offenses--Total	849	823	950
Truancy	130	95	106
Beyond Parental Control	320	300	274
Habitually Absent from Home	141	96	148
Injurious Behavior	243	331	410
Abuse/Neglect/Custody--Total	391	289	206
Abuse	54	47	44
Neglect	280	196	142
Custody Disputes	57	46	20

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	162	126	33
Parental Alcohol Use Related	4	9	0
Parental Drug Use Related	69	19	9
Parental Alcohol and Drug Use	5	4	1
Child Removed for Other Reason	84	94	23

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	307	302	361
Probation/Parole Admissions--Total	1,172	1,193	1,157
Probation/Parole Admissions--Drug	282	275	267
Probation/Parole Admissions--DWI	67	102	91
Prison Admissions--Total	473	520	580
Prison Admissions--Drug	127	132	168
Prison Admissions--DWI	38	53	42

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	243	233	235
Alcohol Package Carry-out Licenses	119	117	110

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# BOONE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Detoxification	152	148	161
CSTAR Adolescent	74	58	54
CSTAR Women and Children	169	197	213
CSTAR General Adult	504	310	215
CSTAR Opioid	*	0	0
Primary Recovery Treatment	207	366	653
Clinical SATOP (CIP, YCIP, SROP)	194	189	177
Other Substance Abuse Treatment	*	0	*


<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Offender Management Unit	938	942	1,102
- Adolescent Diversion Education Program	37	60	52
- Offender Education Program	401	387	489
- Weekend Intervention Program	197	186	230
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	44	60	74
Compulsive Gambling	0	*	*
Recovery Supports	6	7	8
Early Intervention	12	*	12

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	1,026	1,007	1,240	Alcohol	470	477	588
<b>AGE</b>				Marijuana / Hashish	290	264	368
Under 18	76	58	47	Cocaine (total)	70	112	145
18 to 24	171	190	260	- Crack	44	65	90
25 to 29	187	181	238	Stimulant (total)	64	52	35
30 to 34	138	168	190	- Methamphetamine	57	41	30
35 to 39	119	101	116	Heroin	51	39	27
40 to 44	103	77	123	Analgesic except Heroin	54	41	57
45 to 54	159	173	212	- Non-Prescription Methadone	0	0	0
55 and Over	73	59	54	PCP, LSD, other Hallucinogen	11	8	8
<b>GENDER</b>				Tranquilizer	9	*	5
Male	644	647	841	Inhalant	*	*	*
Female	382	360	399	Sedative	*	*	0
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	*	9	*
Caucasian	711	683	802	Average Age at First Use of Drug	17.4	17.3	17.0
African American	264	265	362	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	*	*	6	Any Injection Use at Admission	93	73	60
Asian / Pacific Islander	5	7	5	- Daily Injection Use	19	24	14
Hispanic	12	23	27	- Weekly Injection Use	34	30	14
Other Race / Two or More Races	38	38	48	- Less than Weekly Injection Use	40	19	32
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	272	292	367	0	517	518	705
High School Graduate or G.E.D.	399	405	505	1 or 2	387	359	372
Associate Degree or Some College	311	287	315	3 or More	122	130	163
Bachelor or Advanced Degree	43	23	53	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	400	370	483
Employed	328	318	459	School	*	*	*
Unemployed	355	362	393	Mental Health Provider	19	22	9
Not in Labor Force	343	327	388	Health Care Provider	43	28	33
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	490	526	636
Independent Living	790	818	1,038	Other Referral Source	65	60	76
Dependent Living	128	97	108	<b>TREATMENT ACCOMMODATION</b>			
Homeless	82	73	71	Pregnant when Admitted to any Episode	12	15	15
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	63	42	37
Never Married	619	617	748	Special Education Services Needed	108	111	99
Married / Cohabiting	191	191	262	Co-Occurring Psychological Problem	485	370	389
Previously Married	216	199	230	Co-Occurring Developmental Problem	60	58	92

# BOONE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 12  
**CENSUS 2010** 162,642  
**2013 POPULATION ESTIMATE** 170,773

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	75	76	49
Anxiety Disorder	756	752	555
Dementia	*	*	*
Developmental Disorder	20	27	20
Impulse Control Disorder	244	238	203
Mood Disorder	1,117	1,080	773
Personality Disorder	161	155	128
Psychotic Disorder	349	326	235
Sexual Disorder	*	*	*
Other Diagnosis	110	100	75
Diagnosis Unknown	98	182	269

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	1,771	1,802	1,435	Less than High School Diploma	508	317	166
<b>AGE</b>				High School Grad or G.E.D.	0	325	262
Under 6	16	13	10	Associate Degree or Some College	0	209	147
6 to 9	67	71	66	Bachelor or Advanced Degree	*	66	61
10 to 13	130	126	126	Education Level Unknown	1,262	885	799
14 to 17	136	125	123	<b>EMPLOYMENT</b>			
18 to 24	175	225	166	Employed	197	174	106
25 to 29	158	178	130	Unemployed	326	702	522
30 to 34	165	168	110	Not in Labor Force	949	219	24
35 to 39	147	139	117	Employment Status Unknown	299	707	783
40 to 44	185	189	149	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	187	180	131	Independent Living	887	872	554
50 to 54	170	167	137	Dependent Living	450	229	237
55 to 59	124	116	98	Homeless	80	35	20
60 and Over	111	105	72	Other	0	28	33
Age Unknown	0	0	0	Housing Unknown	354	638	591
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	864	853	662	Self / Family / Friend	558	674	616
Female	907	949	773	School	8	5	*
Gender Unknown	0	0	0	Mental Health Provider	115	137	127
<b>RACE / ETHNICITY</b>				Health Care Provider	625	575	337
Caucasian	1,150	1,222	993	Court / Criminal Justice	206	167	128
African American	494	448	337	Other	252	238	215
Native American / Alaskan	5	6	5	Referral Source Unknown	7	6	8
Asian / Pacific Islander	9	9	12	<b>TYPE OF COMMITMENT</b>			
Hispanic	36	27	20	Voluntary	1,737	1,772	1,406
Other Race	77	90	68	Civil	5	6	8
Race/Ethnicity Unknown	0	0	0	Criminal	18	15	11
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	67	61	45	Commitment Type Unknown	7	7	9
Past or Current Military Service	37	41	33				



# BOONE COUNTY


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	37.2	46.9	47.7	Alcohol (1 or 2 drinks daily)	40.1		
Cigarettes	28.8	26.5	28.7	Alcohol (Binge: 5+ drinks once or twice a week)	52.8		
Chewing Tobacco	21.8	16.5	11.2	Alcohol (any use)		68.2	70.1
Marijuana	15.4	19.2	22.6	Cigarettes (1+ packs per day)	79.7		
Inhalants	3.4	5.0	7.1	Cigarettes (any use)		79.9	80.2
Prescription medications not prescribed for student	5.6	10.2	12.7	Marijuana (once or twice a week)	59.7		
Over-the-counter medications for non-medical use	0.0	5.9	8.5	Marijuana (any use)		74.4	70.9
Methamphetamine	0.0	0.7	0.6	Other: Cocaine, LSD, Meth, Club Drug (any use)	87.2	93.0	93.2
Cocaine	1.2	2.1	2.4				
Heroin	0.0	0.4	0.7	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	0.0	1.6	4.2	Were very sad	19.0	15.1	23.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	1.9	3.3	Were grouchy, irritable, or in a bad mood	32.1	21.1	34.0
Steroids not prescribed for student	0.0	1.8	0.5	Felt hopeless about the future	11.4	12.0	15.0
Synthetic drugs (K2, bath salts, Spice, etc)	2.2	6.8		Felt like not eating or eating more than usual	13.1	15.9	23.1
				Slept a lot more or a lot less than usual	17.0	19.8	32.3
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	27.0	22.2	29.2
Alcohol	14.77	12.86	12.86				
Cigarettes	12.36	12.67	12.49	<i>Percent of students who, in past 12 months:</i>			
Marijuana	13.38	13.91	13.59	Seriously considered attempting suicide	5.3	9.1	13.4
Inhalants	13.54	12.52	12.58	Made plan about how they would attempt suicide	6.3	7.6	8.9
				Attempted suicide	0.0	4.6	5.2
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose	1.2	1.3	1.9
Alcohol	11.2	21.3	21.4	had to be treated by doctor or nurse			
Alcohol (Binge: 5+ drinks on one occasion)		11.6	11.2				
Cigarettes	13.3	10.6	13.0	<i>Percent of students who, in past 12 months:</i>			
Chewing Tobacco	7.2	9.0	5.8	Were threatened/injured with weapon at school	3.7	6.2	8.7
Marijuana	4.4	7.0	11.2	Were in a physical fight	18.7	17.7	17.9
Inhalants	0.0	1.3	2.4	Were in a fight and had to be treated by a doctor or nurse	1.2	3.1	2.2
Prescription medications not prescribed for student	4.5	3.7	7.0				
Over-the-counter medications for non-medical use	0.0	2.8	5.0	<i>Percent of students who, in past 3 months:</i>			
				Were victims of mean rumors or lies spread at school	58.4	42.4	52.4
<i>Percent of students who, in past 2 weeks, used:</i>				Were made fun of by others	63.6	62.9	68.5
Alcohol (Binge: 5+ drinks on one occasion)	4.5			Were victims of an embarrassing or hurtful text message or something posted on the Internet	18.4	19.2	18.1
				Spread mean rumors or lies about other kids at school	18.4	20.9	30.8
<i>Percent whose friends used in past 12 months:</i>				Made fun of other people	56.9	64.9	75.9
Alcohol	60.5	61.2	66.1	Posted something on the internet or sent a text that might embarrass or hurt another student	21.7	15.1	16.5
Cigarettes	47.6	49.8	50.5				
Marijuana	19.3	40.5	46.8	<i>Percent of students who agree that:</i>			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	2.2	14.8	22.8	Teachers notice and comment on student's good work	78.2	70.1	69.9
				School provides feedback to parents on positive student performance	47.8	43.5	42.3
<i>Percent who would likely use, if offered by a best friend:</i>				Rules are enforced fairly	74.0	67.4	67.3
Alcohol	31.8	37.4	35.8	Students of all races/ethnicities are treated equal	76.1	78.7	70.3
Cigarettes	14.5	16.3	14.7				
Marijuana	5.6	11.3	17.0	<i>Percent of students who agree that:</i>			
				Parents notice and comment on student's good work	91.2	82.9	83.8
<i>Percent who say it would be wrong to use:</i>				Parents involve student in making family decisions	61.0	70.1	70.2
Alcohol	51.9	56.3	53.3	It is important to be honest with parents regardless of consequences	94.4	86.7	82.0
Cigarettes	75.1	78.6	77.3	Student could ask parent for help with a personal problem	91.3	78.5	76.3
Marijuana	85.3	83.9	76.0				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.8	96.1	94.1				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	77.8	76.5	76.1				
Cigarettes	91.0	89.4	89.9				
Marijuana	97.6	94.8	91.8				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	57.1	60.5	65.5				
Cigarettes	50.0	56.9	62.1				
Marijuana	24.5	36.4	44.1				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.4	14.4	22.2				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# BUCHANAN COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	1
Adult Psychiatric	1
<b>POPULATION</b>	
Census 2010	89,201
2013 Estimate	89,631

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	1,212	1,215	1,244
Mother Reported Smoking while Pregnant	351	300	294

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	3	6	5
Hepatitis B Chronic, Acute, Prenatal	1	16	15
Hepatitis C Chronic and Acute	1	76	147
Tuberculosis Infection Cases	1	26	22

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	979	982	932
Suicides	8	14	17
Self-inflicted Injuries	169	171	158
Homicides	2	5	8
Assault Injuries	447	547	525
Alcohol Induced Deaths	6	7	9
Drug Induced Deaths	10	10	6
Smoking Attributable Deaths	181	172	174

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	703	941
Alcohol Primary Diagnosis	2	68	75
Drug Primary Diagnosis	2	62	65
Alcohol Related Diagnosis		180	251
Drug Related Diagnosis		304	321
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	860	603
Alcohol Primary Diagnosis	2	141	166
Drug Primary Diagnosis	2	109	91
Alcohol Related Diagnosis		574	543
Drug Related Diagnosis		634	486
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	1,250	1,310
Alcohol Primary Diagnosis	2	343	291
Drug Primary Diagnosis	2	148	147
Alcohol Related Diagnosis		642	609
Drug Related Diagnosis		443	447

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	121	90	120
Fatal Crashes	5	2	1
Injury Crashes	52	35	51
Property Damage Crashes	64	53	68
Crash Fatalities	7	2	1
Crash Injuries	75	51	74
Drug Involved Crashes--Total	28	24	17
Fatal Crashes	2	1	0
Injury Crashes	12	13	10
Property Damage Crashes	14	10	7
Crash Fatalities	3	1	0
Crash Injuries	20	13	13

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	51,111	51,416	51,007
Employed	48,312	48,525	47,208
Unemployed	2,799	2,891	3,799
Unemployment Rate	5.5%	5.6%	7.4%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	3,786	3,691	3,988
Drop-outs	76	88	71
Drop-out Rate	2.0%	2.4%	1.8%
School Suspensions:			
Alcohol Incidents	4	2	6
Drug Incidents	28	48	17
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	403	505	506
Liquor Law Arrests	203	239	264
Drug Arrests	620	619	735
Methamphetamine Lab Incidents	2	6	5
Violent Offenses	348	308	336
Property Offenses	5,062	4,372	3,926
Domestic Violence Reports	769	829	830

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	625	628	636
Violent Offenses	127	155	153
Alcohol Offenses	17	8	5
Drug Offenses	26	29	38
Status Offenses--Total	517	328	322
Truancy	229	125	107
Beyond Parental Control	138	68	59
Habitually Absent from Home	100	120	134
Injurious Behavior	40	8	8
Abuse/Neglect/Custody--Total	87	48	60
Abuse	16	13	11
Neglect	70	35	47
Custody Disputes	1	0	2

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	60	33	35
Parental Alcohol Use Related	0	4	1
Parental Drug Use Related	12	2	10
Parental Alcohol and Drug Use	6	0	1
Child Removed for Other Reason	42	27	23

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	271	244	206
Probation/Parole Admissions--Total	964	1,078	984
Probation/Parole Admissions--Drug	363	384	369
Probation/Parole Admissions--DWI	81	98	74
Prison Admissions--Total	639	570	609
Prison Admissions--Drug	245	230	249
Prison Admissions--DWI	33	37	52

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	115	118	120
Alcohol Package Carry-out Licenses	83	82	79

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# BUCHANAN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	172	196	204
CSTAR Adolescent	82	92	92
CSTAR Women and Children	12	7	*
CSTAR General Adult	572	313	103
CSTAR Opioid	*	0	0
Primary Recovery Treatment	23	289	334
Clinical SATOP (CIP, YCIP, SROP)	68	79	34
Other Substance Abuse Treatment	*	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	360	398	319
- Adolescent Diversion Education Program	*	10	6
- Offender Education Program	164	166	153
- Weekend Intervention Program	81	84	64
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	8	11	5
Compulsive Gambling	*	5	*
Recovery Supports	12	7	*
Early Intervention	51	163	99


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	806	770	669	Alcohol	260	294	268
AGE				Marijuana / Hashish	267	235	196
Under 18	84	89	93	Cocaine (total)	22	48	47
18 to 24	161	120	130	- Crack	18	40	31
25 to 29	126	131	105	Stimulant (total)	162	107	73
30 to 34	120	98	63	- Methamphetamine	161	107	71
35 to 39	70	80	77	Heroin	7	*	5
40 to 44	69	71	62	Analgesic except Heroin	80	73	70
45 to 54	127	143	112	- Non-Prescription Methadone	*	0	0
55 and Over	49	38	27	PCP, LSD, other Hallucinogen	*	*	*
GENDER				Tranquilizer	*	*	6
Male	569	556	469	Inhalant	0	*	0
Female	237	214	200	Sedative	*	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	666	653	547	Average Age at First Use of Drug	17.7	17.3	17.2
African American	102	81	87	INJECTION DRUG USE			
Native American / Alaskan	0	*	*	Any Injection Use at Admission	102	83	77
Asian / Pacific Islander	*	*	*	- Daily Injection Use	25	24	34
Hispanic	28	25	21	- Weekly Injection Use	30	19	13
Other Race / Two or More Races	22	19	16	- Less than Weekly Injection Use	47	40	30
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	290	255	242	0	509	466	441
High School Graduate or G.E.D.	386	374	310	1 or 2	191	191	143
Associate Degree or Some College	127	131	99	3 or More	106	113	85
Bachelor or Advanced Degree	*	10	18	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	266	190	200
Employed	211	200	194	School	0	*	*
Unemployed	428	365	302	Mental Health Provider	11	21	*
Not in Labor Force	167	205	173	Health Care Provider	34	57	36
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	444	447	396
Independent Living	537	540	446	Other Referral Source	44	47	30
Dependent Living	180	160	152	TREATMENT ACCOMMODATION			
Homeless	72	63	61	Pregnant when Admitted to any Episode	5	5	*
MARITAL / FAMILY STATUS				Military Veteran	46	33	34
Never Married	499	461	421	Special Education Services Needed	81	12	15
Married / Cohabiting	141	136	96	Co-Occurring Psychological Problem	267	112	139
Previously Married	166	173	152	Co-Occurring Developmental Problem	28	8	12



# BUCHANAN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 1  
**CENSUS 2010** 89,201  
**2013 POPULATION ESTIMATE** 89,631

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	63	85	95
Anxiety Disorder	510	477	329
Dementia	*	*	*
Developmental Disorder	18	18	8
Impulse Control Disorder	387	427	349
Mood Disorder	884	885	750
Personality Disorder	141	143	118
Psychotic Disorder	392	391	341
Sexual Disorder	*	0	6
Other Diagnosis	247	268	216
Diagnosis Unknown	193	281	494

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.


<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	1,747	1,901	1,949	Less than High School Diploma	690	342	104
<b>AGE</b>				High School Grad or G.E.D.	30	436	148
Under 6	55	61	64	Associate Degree or Some College	15	155	67
6 to 9	173	195	205	Bachelor or Advanced Degree	*	31	11
10 to 13	164	202	220	Education Level Unknown	1,011	937	1,619
14 to 17	138	194	215	<b>EMPLOYMENT</b>			
18 to 24	124	128	133	Employed	86	112	40
25 to 29	120	109	110	Unemployed	191	749	282
30 to 34	104	108	109	Not in Labor Force	1,028	114	9
35 to 39	116	128	132	Employment Status Unknown	442	926	1,618
40 to 44	142	139	144	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	153	194	178	Independent Living	682	686	254
50 to 54	204	196	198	Dependent Living	619	406	263
55 to 59	118	111	110	Homeless	23	25	*
60 and Over	136	136	131	Other	0	13	6
Age Unknown	0	0	0	Housing Unknown	423	771	1,424
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	984	1,058	1,088	Self / Family / Friend	555	588	593
Female	763	843	861	School	114	118	118
Gender Unknown	0	0	0	Mental Health Provider	386	456	473
<b>RACE / ETHNICITY</b>				Health Care Provider	276	295	299
Caucasian	1,419	1,543	1,611	Court / Criminal Justice	177	160	128
African American	175	201	200	Other	220	263	295
Native American / Alaskan	9	12	16	Referral Source Unknown	19	21	43
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	61	59	43	Voluntary	1,615	1,766	1,782
Other Race	81	84	77	Civil	12	14	15
Race/Ethnicity Unknown	0	0	0	Criminal	101	100	107
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	*
Hearing Impaired	103	107	106	Commitment Type Unknown	19	21	43
Past or Current Military Service	71	73	70				

# BUCHANAN COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	24.0	31.9	39.8	Alcohol (1 or 2 drinks daily)	61.5		
Cigarettes	18.6	21.5	27.2	Alcohol (Binge: 5+ drinks once or twice a week)	72.6		
Chewing Tobacco	6.3	10.1	12.7	Alcohol (any use)		74.6	79.1
Marijuana	12.7	14.2	13.9	Cigarettes (1+ packs per day)	84.8		
Inhalants	3.2	5.8	6.8	Cigarettes (any use)		81.6	81.9
Prescription medications not prescribed for student	5.9	7.0	9.6	Marijuana (once or twice a week)	65.1		
Over-the-counter medications for non-medical use	2.3	4.7	7.6	Marijuana (any use)		73.8	76.1
Methamphetamine	1.0	0.3	1.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	91.6	92.7	94.2
Cocaine	0.7	1.2	1.5	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.2	0.2	0.8	Were very sad	20.7	18.1	24.7
Hallucinogens	1.9	1.7	2.4	Were grouchy, irritable, or in a bad mood	26.2	24.4	36.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	1.2	1.6	Felt hopeless about the future	11.4	10.6	11.9
Steroids not prescribed for student	0.6	0.8	1.3	Felt like not eating or eating more than usual	16.5	15.8	24.0
Synthetic drugs (K2, bath salts, Spice, etc)	3.3	6.6		Felt like not eating or eating more than usual	15.3	19.5	36.3
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	24.3	21.7	27.8
Alcohol	12.41	12.58	12.47	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.08	12.27	11.82	Seriously considered attempting suicide	12.3	10.5	10.8
Marijuana	12.81	13.45	13.38	Made plan about how they would attempt suicide	9.5	7.5	7.5
Inhalants	10.78	11.89	12.80	Attempted suicide	5.6	5.0	6.3
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.6	1.3	2.4
Alcohol	6.7	12.4	18.2	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occassion)		7.9	10.5	Were threatened/injured with weapon at school	6.5	6.7	9.3
Cigarettes	6.8	10.6	15.5	Were in a physical fight	20.0	20.8	23.8
Chewing Tobacco	2.6	5.2	7.2	Were in a fight and had to be treated by a doctor or nurse	3.2	2.2	3.7
Marijuana	5.4	7.2	6.9	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.2	1.9	3.3	Were victims of mean rumors or lies spread at school	46.2	46.2	53.6
Prescription medications not prescribed for student	2.6	3.8	5.5	Were made fun of by others	53.6	56.3	64.6
Over-the-counter medications for non-medical use	1.1	2.8	4.7	Were victims of an embarrassing or hurtful text message or something posted on the Internet	25.7	19.3	21.0
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	19.8	26.1	33.9
Alcohol (Binge: 5+ drinks on one occassion)	2.0			Made fun of other people	44.2	55.6	66.8
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	16.9	14.1	19.3
Alcohol	32.3	47.8	59.5	<i>Percent of students who agree that:</i>			
Cigarettes	31.9	40.2	49.6	Teachers notice and comment on student's good work	76.6	74.9	78.5
Marijuana	25.9	35.0	36.1	School provides feedback to parents on positive student performance	42.5	39.2	47.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.0	16.1	18.4	Rules are enforced fairly	70.3	70.6	71.8
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	80.9	83.3	84.1
Alcohol	14.9	22.9	31.3	<i>Percent of students who agree that:</i>			
Cigarettes	9.3	11.0	16.5	Parents notice and comment on student's good work	84.2	82.9	83.8
Marijuana	10.5	12.1	10.0	Parents involve student in making family decisions	73.3	70.6	72.1
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	87.9	84.8	81.5
Alcohol	77.1	70.9	63.4	Student could ask parent for help with a personal problem	79.9	80.0	77.4
Cigarettes	87.6	84.3	78.4	<div>Page Notes: Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</div>			
Marijuana	83.2	83.9	85.1				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.5	96.3	94.8				
<i>Percent whose parents would disapprove if they use:</i>				<div>Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys</div>			
Alcohol	89.3	86.5	82.0				
Cigarettes	94.0	94.0	92.1				
Marijuana	92.6	94.3	95.1				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	38.8	45.6	53.3				
Cigarettes	37.9	44.5	54.2				
Marijuana	27.8	31.4	32.3				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.3	13.0	16.8				

# BUTLER COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	19
Adult Psychiatric	19
<b>POPULATION</b>	
Census 2010	42,794
2013 Estimate	43,083

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	21,196	20,614	20,719
Employed	19,791	19,102	19,018
Unemployed	1,405	1,512	1,701
Unemployment Rate	6.6%	7.3%	8.2%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	1,825	1,778	1,818
Drop-outs	66	89	117
Drop-out Rate	3.6%	5.0%	6.4%
School Suspensions:			
Alcohol Incidents	8	7	13
Drug Incidents	21	16	27
Tobacco Incidents	3	0	2

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	615	569	531
Mother Reported Smoking while Pregnant	190	190	185

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	6	1	1
Hepatitis B Chronic, Acute, Prenatal	1 11	6	7
Hepatitis C Chronic and Acute	1 91	104	76
Tuberculosis Infection Cases	1 18	7	3

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	516	560	546
Suicides	10	6	12
Self-inflicted Injuries	123	123	137
Homicides	1	3	0
Assault Injuries	236	205	301
Alcohol Induced Deaths	7	0	4
Drug Induced Deaths	11	18	9
Smoking Attributable Deaths	98	112	102

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 495	517	
Alcohol Primary Diagnosis	2 35	26	
Drug Primary Diagnosis	2 56	37	
Alcohol Related Diagnosis	204	199	149
Drug Related Diagnosis	283	229	179
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 123	150	
Alcohol Primary Diagnosis	2 20	13	
Drug Primary Diagnosis	2 28	16	
Alcohol Related Diagnosis	123	103	147
Drug Related Diagnosis	106	78	156
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 698	734	
Alcohol Primary Diagnosis	2 74	85	
Drug Primary Diagnosis	2 90	80	
Alcohol Related Diagnosis	133	185	214
Drug Related Diagnosis	192	168	161

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	70	52	66
Fatal Crashes	4	1	1
Injury Crashes	35	15	32
Property Damage Crashes	31	36	33
Crash Fatalities	5	1	1
Crash Injuries	52	21	39
Drug Involved Crashes--Total	16	17	24
Fatal Crashes	1	1	1
Injury Crashes	10	9	9
Property Damage Crashes	5	7	14
Crash Fatalities	1	2	1
Crash Injuries	18	11	12

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	275	263	305
Liquor Law Arrests	47	41	44
Drug Arrests	266	342	263
Methamphetamine Lab Incidents	29	37	24
Violent Offenses	239	184	210
Property Offenses	2,074	2,128	1,862
Domestic Violence Reports	253	275	366

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	306	271	400
Violent Offenses	83	112	151
Alcohol Offenses	15	2	16
Drug Offenses	16	13	27
Status Offenses--Total	99	129	134
Truancy	29	34	37
Beyond Parental Control	30	37	47
Habitually Absent from Home	36	52	49
Injurious Behavior	2	6	1
Abuse/Neglect/Custody--Total	152	101	95
Abuse	12	15	31
Neglect	138	86	64
Custody Disputes	2	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	104	55	39
Parental Alcohol Use Related	2	0	0
Parental Drug Use Related	30	22	13
Parental Alcohol and Drug Use	3	0	5
Child Removed for Other Reason	69	33	21

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	92	67	51
Probation/Parole Admissions--Total	389	390	401
Probation/Parole Admissions--Drug	138	131	139
Probation/Parole Admissions--DWI	13	8	20
Prison Admissions--Total	248	200	219
Prison Admissions--Drug	84	64	86
Prison Admissions--DWI	7	4	6

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	59	57	61
Alcohol Package Carry-out Licenses	49	46	48

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# BUTLER COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	78	88	92
CSTAR Adolescent	22	29	20
CSTAR Women and Children	28	21	20
CSTAR General Adult	264	194	151
CSTAR Opioid	0	0	*
Primary Recovery Treatment	144	259	286
Clinical SATOP (CIP, YCIP, SROP)	46	58	56
Other Substance Abuse Treatment	*	*	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	164	173	155
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	55	45	31
- Weekend Intervention Program	38	33	32
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	5	*	5
Compulsive Gambling	*	0	*
Recovery Supports	158	170	74
Early Intervention	*	*	6

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	504	619	567	Alcohol	148	168	198
AGE				Marijuana / Hashish	140	186	165
Under 18	22	33	20	Cocaine (total)	14	28	20
18 to 24	95	113	117	- Crack	11	25	18
25 to 29	85	116	115	Stimulant (total)	94	126	88
30 to 34	92	96	78	- Methamphetamine	91	122	88
35 to 39	58	94	67	Heroin	30	25	16
40 to 44	58	58	53	Analgesic except Heroin	72	74	68
45 to 54	76	82	87	- Non-Prescription Methadone	0	0	*
55 and Over	18	27	30	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	9	12
Male	339	406	376	Inhalant	*	*	0
Female	165	213	191	Sedative	*	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	432	516	480	Average Age at First Use of Drug	18.0	17.5	17.8
African American	57	87	77	INJECTION DRUG USE			
Native American / Alaskan	*	0	0	Any Injection Use at Admission	96	78	61
Asian / Pacific Islander	*	*	0	- Daily Injection Use	21	9	14
Hispanic	10	8	7	- Weekly Injection Use	34	13	14
Other Race / Two or More Races	6	10	6	- Less than Weekly Injection Use	41	56	33
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	188	270	237	0	301	411	351
High School Graduate or G.E.D.	249	270	262	1 or 2	150	154	155
Associate Degree or Some College	66	77	66	3 or More	53	54	61
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	129	130	146
Employed	112	134	144	School	*	*	*
Unemployed	245	304	271	Mental Health Provider	*	7	8
Not in Labor Force	147	181	152	Health Care Provider	46	33	24
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	246	395	344
Independent Living	389	494	473	Other Referral Source	67	52	44
Dependent Living	88	96	65	TREATMENT ACCOMMODATION			
Homeless	22	26	24	Pregnant when Admitted to any Episode	8	9	5
MARITAL / FAMILY STATUS				Military Veteran	15	23	27
Never Married	234	258	245	Special Education Services Needed	70	102	82
Married / Cohabiting	158	207	160	Co-Occurring Psychological Problem	251	300	267
Previously Married	112	154	162	Co-Occurring Developmental Problem	59	64	56

# BUTLER COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 19  
**CENSUS 2010** 42,794  
**2013 POPULATION ESTIMATE** 43,083

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	27	9	5
Anxiety Disorder	108	72	51
Dementia	*	*	*
Developmental Disorder	*	*	5
Impulse Control Disorder	72	54	41
Mood Disorder	483	344	288
Personality Disorder	5	6	7
Psychotic Disorder	105	95	79
Sexual Disorder	*	*	*
Other Diagnosis	7	9	10
Diagnosis Unknown	66	91	70

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	821	627	516	Less than High School Diploma	232	120	68
<b>AGE</b>				High School Grad or G.E.D.	0	118	77
Under 6	6	*	*	Associate Degree or Some College	0	24	16
6 to 9	43	31	12	Bachelor or Advanced Degree	0	*	*
10 to 13	50	40	37	Education Level Unknown	589	364	354
14 to 17	54	42	35	<b>EMPLOYMENT</b>			
18 to 24	62	34	35	Employed	7	26	25
25 to 29	63	56	45	Unemployed	9	207	137
30 to 34	83	59	47	Not in Labor Force	400	52	0
35 to 39	77	52	39	Employment Status Unknown	405	342	354
40 to 44	87	56	42	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	88	85	78	Independent Living	221	200	119
50 to 54	90	74	59	Dependent Living	186	118	87
55 to 59	53	45	39	Homeless	*	*	*
60 and Over	65	49	46	Other	*	*	*
Age Unknown	0	0	0	Housing Unknown	410	305	304
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	370	287	236	Self / Family / Friend	296	211	183
Female	451	340	280	School	24	19	11
Gender Unknown	0	0	0	Mental Health Provider	88	92	93
<b>RACE / ETHNICITY</b>				Health Care Provider	168	103	80
Caucasian	743	572	466	Court / Criminal Justice	112	89	61
African American	60	45	42	Other	132	112	84
Native American / Alaskan	*	*	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	6	*	5	Voluntary	799	600	501
Other Race	11	5	*	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	18	23	9
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	40	35	25	Commitment Type Unknown	0	0	*
Past or Current Military Service	15	18	15				




# BUTLER COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	30.0	39.6	42.7	Alcohol (1 or 2 drinks daily)	56.8		
Cigarettes	21.5	28.7	32.5	Alcohol (Binge: 5+ drinks once or twice a week)	66.3		
Chewing Tobacco	13.1	14.0	15.2	Alcohol (any use)		74.1	74.9
Marijuana	13.4	18.7	18.6	Cigarettes (1+ packs per day)	78.8		
Inhalants	2.8	5.1	8.1	Cigarettes (any use)		81.8	81.3
Prescription medications not prescribed for student	7.7	13.3	17.5	Marijuana (once or twice a week)	65.0		
Over-the-counter medications for non-medical use	3.0	6.1	9.6	Marijuana (any use)		73.9	73.4
Methamphetamine	1.1	1.9	2.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	87.4	93.8	93.0
Cocaine	0.4	2.5	2.4	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.4	2.1	0.4	Were very sad	18.7	19.9	21.6
Hallucinogens	0.6	3.0	4.2	Were grouchy, irritable, or in a bad mood	23.5	27.1	24.0
Club drugs (Ecstasy, GHB, rooie, Special K, etc)	0.9	3.4	3.1	Felt hopeless about the future	10.0	11.9	16.2
Steroids not prescribed for student	1.1	1.8	2.0	Felt like not eating or eating more than usual	18.9	18.4	20.2
Synthetic drugs (K2, bath salts, Spice, etc)	3.5	6.6		Slept a lot more or a lot less than usual	17.2	22.3	27.8
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	24.5	26.6	27.4
Alcohol	12.48	13.04	12.33	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.02	12.58	11.98	Seriously considered attempting suicide	12.3	15.9	13.8
Marijuana	13.68	14.00	13.51	Made plan about how they would attempt suicide	10.0	10.7	9.8
Inhalants	11.94	12.36	12.69	Attempted suicide	5.1	6.7	6.6
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.7	2.4	2.3
Alcohol	12.7	18.3	21.1	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occassion)		13.0	13.2	Were threatened/injured with weapon at school	8.9	8.9	11.0
Cigarettes	10.1	14.6	17.2	Were in a physical fight	21.8	21.5	26.5
Chewing Tobacco	7.0	7.9	9.3	Were in a fight and had to be treated by a doctor or nurse	4.0	2.9	5.4
Marijuana	6.2	9.6	12.4	<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.6	1.3	3.9	Were victims of mean rumors or lies spread at school	50.1	49.8	55.9
Prescription medications not prescribed for student	4.3	7.2	9.4	Were made fun of by others	56.7	55.9	68.9
Over-the-counter medications for non-medical use	1.5	3.7	6.2	Were victims of an embarrassing or hurtful text message or something posted on the Internet	22.7	20.5	18.5
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	25.9	24.0	31.9
Alcohol (Binge: 5+ drinks on one occassion)	6.7			Made fun of other people	51.9	55.7	72.5
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	13.3	11.9	14.5
Alcohol	42.6	54.0	55.6	<i>Percent of students who agree that:</i>			
Cigarettes	37.7	47.1	46.7	Teachers notice and comment on student's good work	71.0	65.0	65.6
Marijuana	31.2	38.6	38.3	School provides feedback to parents on positive student performance	36.7	31.7	36.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.5	19.5	20.9	Rules are enforced fairly	59.7	58.1	58.7
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	77.6	67.3	69.5
Alcohol	24.4	30.6	32.8	<i>Percent of students who agree that:</i>			
Cigarettes	13.2	16.7	16.6	Parents notice and comment on student's good work	81.2	82.7	82.7
Marijuana	11.7	13.0	14.8	Parents involve student in making family decisions	67.5	67.3	67.6
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	88.8	88.7	84.2
Alcohol	68.8	61.6	59.2	Student could ask parent for help with a personal problem	80.1	78.5	77.1
Cigarettes	84.4	78.2	78.2	<div>Page Notes: Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</div>			
Marijuana	82.4	80.7	80.6				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.1	95.1	93.5				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	82.6	79.1	78.6				
Cigarettes	92.7	89.2	88.9	<div>Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys</div>			
Marijuana	92.5	93.9	92.8				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	45.9	53.8	54.4				
Cigarettes	46.7	53.7	56.5				
Marijuana	32.0	40.8	39.3				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.8	24.0	22.7				

# CALDWELL COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	13
Adult Psychiatric	13
<b>POPULATION</b>	
Census 2010	9,424
2013 Estimate	9,097

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	89	90	93
Mother Reported Smoking while Pregnant	25	28	26

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	1	5	3
Tuberculosis Infection Cases	1	0	1

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	112	92	108
Suicides	2	1	3
Self-inflicted Injuries	5	8	11
Homicides	0	0	1
Assault Injuries	17	18	27
Alcohol Induced Deaths	1	0	0
Drug Induced Deaths	1	3	4
Smoking Attributable Deaths	23	19	15

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	34	53
Alcohol Primary Diagnosis	2	1	1
Drug Primary Diagnosis	2	1	2
Alcohol Related Diagnosis	11	15	35
Drug Related Diagnosis	16	20	27
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	15	18
Alcohol Primary Diagnosis	2	2	2
Drug Primary Diagnosis	2	1	4
Alcohol Related Diagnosis	36	30	17
Drug Related Diagnosis	19	19	7
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	50	46
Alcohol Primary Diagnosis	2	8	5
Drug Primary Diagnosis	2	10	6
Alcohol Related Diagnosis	15	14	26
Drug Related Diagnosis	31	21	20

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	4	5	7
Fatal Crashes	1	1	0
Injury Crashes	1	3	3
Property Damage Crashes	2	1	4
Crash Fatalities	1	1	0
Crash Injuries	1	3	5
Drug Involved Crashes--Total	1	0	0
Fatal Crashes	0	0	0
Injury Crashes	1	0	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	1	0	0

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	4,149	4,287	4,420
Employed	3,868	3,970	4,026
Unemployed	281	317	394
Unemployment Rate	6.8%	7.4%	8.9%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	486	455	488
Drop-outs	1	5	8
Drop-out Rate	0.2%	1.1%	1.6%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	0	5	2
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	49	53	56
Liquor Law Arrests	9	11	10
Drug Arrests	41	37	23
Methamphetamine Lab Incidents	0	0	0
Violent Offenses	33	26	35
Property Offenses	188	101	144
Domestic Violence Reports	69	60	56

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	40	17	27
Violent Offenses	11	4	7
Alcohol Offenses	1	0	3
Drug Offenses	1	4	2
Status Offenses--Total	40	20	39
Truancy	21	11	17
Beyond Parental Control	6	5	7
Habitually Absent from Home	1	0	7
Injurious Behavior	12	3	8
Abuse/Neglect/Custody--Total	19	4	11
Abuse	0	0	8
Neglect	19	1	3
Custody Disputes	0	3	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	5	6	3
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	0	0
Parental Alcohol and Drug Use	0	2	0
Child Removed for Other Reason	5	4	3

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	67	79	60
Probation/Parole Admissions--Drug	22	27	24
Probation/Parole Admissions--DWI	5	9	5
Prison Admissions--Total	53	45	62
Prison Admissions--Drug	22	16	22
Prison Admissions--DWI	6	6	8

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	5	4	4
Alcohol Package Carry-out Licenses	10	12	11

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# CALDWELL COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	*	*	5
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	14	20	32
CSTAR Opioid	0	0	0
Primary Recovery Treatment	6	5	7
Clinical SATOP (CIP, YCIP, SROP)	6	6	*
Other Substance Abuse Treatment	*	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	22	33	35
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	8	16	16
- Weekend Intervention Program	5	8	7
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	*
Recovery Supports	*	0	*
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	30	37	44	Alcohol	11	17	24
AGE				Marijuana / Hashish	10	11	11
Under 18	*	*	*	Cocaine (total)	0	*	*
18 to 24	7	6	6	- Crack	0	*	*
25 to 29	5	8	11	Stimulant (total)	5	*	6
30 to 34	9	5	10	- Methamphetamine	5	*	6
35 to 39	0	*	6	Heroin	0	*	0
40 to 44	*	6	6	Analgesic except Heroin	*	*	*
45 to 54	*	*	*	- Non-Prescription Methadone	0	*	0
55 and Over	0	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	*
Male	19	23	35	Inhalant	*	*	0
Female	11	14	9	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	30	36	43	Average Age at First Use of Drug	16.6	18.0	16.4
African American	0	0	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	0
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	0
Hispanic	0	*	0	- Weekly Injection Use	*	0	0
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	0	*	0
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	8	9	12	0	19	19	28
High School Graduate or G.E.D.	18	27	26	1 or 2	8	10	10
Associate Degree or Some College	*	*	6	3 or More	*	8	6
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	5	10	11
Employed	12	15	13	School	*	0	0
Unemployed	12	17	24	Mental Health Provider	*	*	0
Not in Labor Force	6	5	7	Health Care Provider	*	0	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	13	22	27
Independent Living	25	30	41	Other Referral Source	7	*	*
Dependent Living	*	6	*	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	0	*	5
Never Married	20	20	24	Special Education Services Needed	*	*	*
Married / Cohabiting	5	9	9	Co-Occurring Psychological Problem	14	12	8
Previously Married	5	8	11	Co-Occurring Developmental Problem	0	*	*

# CALDWELL COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 13  
**CENSUS 2010** 9,424  
**2013 POPULATION ESTIMATE** 9,097

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	*	*	*
Anxiety Disorder	37	47	41
Dementia	*	*	*
Developmental Disorder	*	*	*
Impulse Control Disorder	14	18	15
Mood Disorder	60	68	65
Personality Disorder	13	16	13
Psychotic Disorder	15	16	15
Sexual Disorder	0	0	0
Other Diagnosis	11	11	7
Diagnosis Unknown	*	10	20

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	83	103	108	Less than High School Diploma	30	17	15
<b>AGE</b>				High School Grad or G.E.D.	*	16	13
Under 6	0	*	0	Associate Degree or Some College	0	*	*
6 to 9	*	5	5	Bachelor or Advanced Degree	0	0	*
10 to 13	10	8	13	Education Level Unknown	52	68	74
14 to 17	5	10	*	<b>EMPLOYMENT</b>			
18 to 24	7	7	6	Employed	9	7	6
25 to 29	6	11	12	Unemployed	5	26	27
30 to 34	9	7	16	Not in Labor Force	56	11	*
35 to 39	7	9	8	Employment Status Unknown	13	59	74
40 to 44	8	14	13	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	12	12	11	Independent Living	49	37	32
50 to 54	7	7	8	Dependent Living	19	12	11
55 to 59	*	5	5	Homeless	0	0	0
60 and Over	6	7	7	Other	0	*	0
Age Unknown	0	0	0	Housing Unknown	15	53	65
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	33	41	43	Self / Family / Friend	38	45	40
Female	50	62	65	School	*	*	0
Gender Unknown	0	0	0	Mental Health Provider	10	15	20
<b>RACE / ETHNICITY</b>				Health Care Provider	20	20	25
Caucasian	80	98	106	Court / Criminal Justice	7	11	14
African American	*	*	0	Other	7	10	9
Native American / Alaskan	*	*	*	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	0	0	Voluntary	82	102	108
Other Race	*	*	*	Civil	*	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

# CALDWELL COUNTY


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	37.0	38.8	49.5	Alcohol (1 or 2 drinks daily)	50.9		
Cigarettes	22.7	25.6	32.3	Alcohol (Binge: 5+ drinks once or twice a week)	63.9		
Chewing Tobacco	13.9	16.9	17.0	Alcohol (any use)		68.8	80.9
Marijuana	4.6	8.8	10.6	Cigarettes (1+ packs per day)	81.5		
Inhalants	0.9	3.1	3.7	Cigarettes (any use)		78.6	75.3
Prescription medications not prescribed for student	6.4	6.9	11.0	Marijuana (once or twice a week)	81.7		
Over-the-counter medications for non-medical use	0.0	3.8	4.7	Marijuana (any use)		77.5	68.1
Methamphetamine	0.0	0.7	0.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	94.5	93.0	92.2
Cocaine	0.9	1.3	1.4				
Heroin	0.0	1.9	0.5	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	0.9	1.3	1.8	Were very sad	24.8	17.6	8.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.9	0.6	1.4	Were grouchy, irritable, or in a bad mood	28.4	23.8	12.5
Steroids not prescribed for student	0.9	0.6	1.8	Felt hopeless about the future	11.0	10.1	5.1
Synthetic drugs (K2, bath salts, Spice, etc)	1.8	3.8		Felt like not eating or eating more than usual	16.4	15.0	9.9
				Slept a lot more or a lot less than usual	26.6	20.8	18.0
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	24.8	22.6	16.6
Alcohol	12.84	12.93	13.29	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	13.21	13.07	12.31	Seriously considered attempting suicide	15.9	13.8	12.8
Marijuana	13.53	13.48	14.50	Made plan about how they would attempt suicide	5.5	7.0	11.0
Inhalants	10.79	10.74	11.64	Attempted suicide	6.4	5.0	4.1
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose	0.0	0.6	2.3
Alcohol	13.9	16.3	19.4	had to be treated by doctor or nurse			
Alcohol (Binge: 5+ drinks on one occasion)		11.9	11.5	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	7.3	8.8	15.6	Were threatened/injured with weapon at school	5.5	6.9	7.3
Chewing Tobacco	7.4	10.6	5.0	Were in a physical fight	20.2	21.4	22.0
Marijuana	1.8	3.1	4.2	Were in a fight and had to be treated by a doctor or nurse	2.8	3.1	6.0
Inhalants	0.9	0.6	2.3	<i>Percent of students who, in past 3 months:</i>			
Prescription medications not prescribed for student	4.6	3.8	6.9	Were victims of mean rumors or lies spread at school	55.0	61.6	59.6
Over-the-counter medications for non-medical use	0.0	2.5	2.8	Were made fun of by others	64.8	68.4	72.5
<i>Percent of students who, in past 2 weeks, used:</i>				Were victims of an embarrassing or hurtful text message or something posted on the Internet	36.1	27.0	18.4
Alcohol (Binge: 5+ drinks on one occasion)	5.5			Spread mean rumors or lies about other kids at school	29.1	28.1	40.4
<i>Percent whose friends used in past 12 months:</i>				Made fun of other people	65.1	67.9	78.4
Alcohol	52.8	50.0	66.8	Posted something on the internet or sent a text that might embarrass or hurt another student	21.1	15.7	18.1
Cigarettes	39.8	37.5	42.2	<i>Percent of students who agree that:</i>			
Marijuana	25.9	21.9	30.1	Teachers notice and comment on student's good work	77.1	73.1	72.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.3	9.4	12.1	School provides feedback to parents on positive student performance	52.3	48.8	42.2
<i>Percent who would likely use, if offered by a best friend:</i>				Rules are enforced fairly	78.0	65.0	68.2
Alcohol	33.0	27.5	40.3	Students of all races/ethnicities are treated equal	85.3	82.3	91.7
Cigarettes	10.9	10.1	11.0	<i>Percent of students who agree that:</i>			
Marijuana	4.6	5.7	6.0	Parents notice and comment on student's good work	76.1	80.0	76.5
<i>Percent who say it would be wrong to use:</i>				Parents involve student in making family decisions	67.0	70.0	64.7
Alcohol	56.9	63.8	54.4	It is important to be honest with parents regardless of consequences	89.8	88.1	86.8
Cigarettes	85.3	84.3	77.1	Student could ask parent for help with a personal problem	79.6	75.8	74.5
Marijuana	93.6	89.3	88.4				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	99.1	98.1	95.4				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	74.1	79.1	72.4				
Cigarettes	88.9	91.2	87.9				
Marijuana	94.4	95.6	92.6				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	54.1	57.2	68.1				
Cigarettes	51.4	53.1	66.8				
Marijuana	23.1	32.7	32.9				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.3	15.2	17.6				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# CALLAWAY COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	11
Adult Psychiatric	15
<b>POPULATION</b>	
Census 2010	44,332
2013 Estimate	44,359

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	527	500	507
Mother Reported Smoking while Pregnant	126	139	140

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	1	1	3
Hepatitis B Chronic, Acute, Prenatal	1	5	3
Hepatitis C Chronic and Acute	1	16	20
Tuberculosis Infection Cases	1	19	11

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	353	365	365
Suicides	4	10	8
Self-inflicted Injuries	86	95	104
Homicides	4	4	3
Assault Injuries	254	251	276
Alcohol Induced Deaths	4	4	3
Drug Induced Deaths	8	5	9
Smoking Attributable Deaths	66	75	66

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	135	147
Alcohol Primary Diagnosis	2	10	7
Drug Primary Diagnosis	2	8	10
Alcohol Related Diagnosis	74	57	86
Drug Related Diagnosis	81	88	82
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	312	230
Alcohol Primary Diagnosis	2	46	35
Drug Primary Diagnosis	2	30	34
Alcohol Related Diagnosis	171	142	94
Drug Related Diagnosis	191	155	108
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	409	430
Alcohol Primary Diagnosis	2	79	90
Drug Primary Diagnosis	2	75	75
Alcohol Related Diagnosis	188	183	139
Drug Related Diagnosis	185	176	126

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	41	61	40
Fatal Crashes	2	2	3
Injury Crashes	14	32	23
Property Damage Crashes	25	27	14
Crash Fatalities	2	2	3
Crash Injuries	20	39	34
Drug Involved Crashes--Total	8	10	10
Fatal Crashes	1	1	0
Injury Crashes	3	5	5
Property Damage Crashes	4	4	5
Crash Fatalities	1	1	0
Crash Injuries	10	3	6

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	22,076	22,124	22,875
Employed	20,794	20,774	21,155
Unemployed	1,282	1,350	1,720
Unemployment Rate	5.8%	6.1%	7.5%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	1,524	1,521	1,620
Drop-outs	54	50	51
Drop-out Rate	3.5%	3.3%	3.1%
School Suspensions:			
Alcohol Incidents	0	0	2
Drug Incidents	19	4	3
Tobacco Incidents	0	3	6

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	244	311	318
Liquor Law Arrests	91	86	69
Drug Arrests	251	230	263
Methamphetamine Lab Incidents	11	4	4
Violent Offenses	117	112	131
Property Offenses	1,319	1,374	1,357
Domestic Violence Reports	389	444	413

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	241	285	211
Violent Offenses	51	47	51
Alcohol Offenses	19	8	9
Drug Offenses	29	24	23
Status Offenses--Total	250	178	171
Truancy	60	50	40
Beyond Parental Control	93	45	53
Habitually Absent from Home	1	7	10
Injurious Behavior	93	75	68
Abuse/Neglect/Custody--Total	154	94	67
Abuse	9	18	11
Neglect	129	68	44
Custody Disputes	16	8	12

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	38	35	29
Parental Alcohol Use Related	1	0	2
Parental Drug Use Related	15	20	11
Parental Alcohol and Drug Use	0	3	0
Child Removed for Other Reason	22	12	16

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	44	38	29
Probation/Parole Admissions--Total	315	289	232
Probation/Parole Admissions--Drug	94	87	58
Probation/Parole Admissions--DWI	29	31	33
Prison Admissions--Total	150	127	131
Prison Admissions--Drug	46	36	37
Prison Admissions--DWI	9	21	13

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	46	42	40
Alcohol Package Carry-out Licenses	46	46	45

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# CALLAWAY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Detoxification	29	28	44
CSTAR Adolescent	17	19	19
CSTAR Women and Children	28	22	33
CSTAR General Adult	99	73	80
CSTAR Opioid	0	0	*
Primary Recovery Treatment	170	182	195
Clinical SATOP (CIP, YCIP, SROP)	52	43	39
Other Substance Abuse Treatment	0	0	*

<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Offender Management Unit	177	231	212
- Adolescent Diversion Education Program	12	13	18
- Offender Education Program	55	81	67
- Weekend Intervention Program	32	49	44
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	9	8	14
Compulsive Gambling	0	*	0
Recovery Supports	*	*	*
Early Intervention	16	13	11


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	336	311	358	Alcohol	142	134	167
<b>AGE</b>				Marijuana / Hashish	85	96	98
Under 18	17	21	19	Cocaine (total)	22	30	28
18 to 24	63	47	82	- Crack	12	20	15
25 to 29	70	58	73	Stimulant (total)	38	23	17
30 to 34	48	33	45	- Methamphetamine	35	21	16
35 to 39	35	35	35	Heroin	17	12	19
40 to 44	28	35	27	Analgesic except Heroin	21	11	17
45 to 54	55	66	62	- Non-Prescription Methadone	0	0	0
55 and Over	20	16	15	PCP, LSD, other Hallucinogen	*	*	6
<b>GENDER</b>				Tranquilizer	*	*	*
Male	237	239	268	Inhalant	0	0	*
Female	99	72	90	Sedative	*	0	0
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	*	*	*
Caucasian	278	263	289	Average Age at First Use of Drug	17.7	17.1	16.7
African American	49	42	51	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	40	24	17
Asian / Pacific Islander	0	0	0	- Daily Injection Use	10	7	5
Hispanic	*	*	8	- Weekly Injection Use	9	*	6
Other Race / Two or More Races	7	6	12	- Less than Weekly Injection Use	21	15	6
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	99	109	118	0	168	157	187
High School Graduate or G.E.D.	157	141	185	1 or 2	102	95	119
Associate Degree or Some College	75	58	51	3 or More	66	59	52
Bachelor or Advanced Degree	5	*	*	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	68	57	77
Employed	127	134	140	School	0	0	0
Unemployed	130	103	139	Mental Health Provider	*	0	*
Not in Labor Force	79	74	79	Health Care Provider	11	8	6
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	226	229	242
Independent Living	282	256	300	Other Referral Source	23	17	30
Dependent Living	30	39	41	<b>TREATMENT ACCOMMODATION</b>			
Homeless	8	*	8	Pregnant when Admitted to any Episode	6	*	7
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	15	19	15
Never Married	190	175	202	Special Education Services Needed	25	36	37
Married / Cohabiting	77	69	79	Co-Occurring Psychological Problem	105	84	94
Previously Married	69	67	77	Co-Occurring Developmental Problem	*	*	*



# CALLAWAY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 15  
**CENSUS 2010** 44,332  
**2013 POPULATION ESTIMATE** 44,359

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	21	22	22
Anxiety Disorder	240	245	181
Dementia	*	*	5
Developmental Disorder	13	13	7
Impulse Control Disorder	162	160	122
Mood Disorder	457	492	381
Personality Disorder	65	68	60
Psychotic Disorder	113	115	89
Sexual Disorder	*	*	*
Other Diagnosis	62	54	29
Diagnosis Unknown	60	88	151

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	682	745	681	Less than High School Diploma	196	110	86
<b>AGE</b>				High School Grad or G.E.D.	*	90	93
Under 6	*	5	7	Associate Degree or Some College	0	17	20
6 to 9	33	31	34	Bachelor or Advanced Degree	0	6	6
10 to 13	53	57	43	Education Level Unknown	482	522	476
14 to 17	63	59	43	<b>EMPLOYMENT</b>			
18 to 24	55	73	71	Employed	43	59	50
25 to 29	49	64	69	Unemployed	47	144	148
30 to 34	73	82	72	Not in Labor Force	358	64	8
35 to 39	61	62	64	Employment Status Unknown	234	478	475
40 to 44	63	68	59	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	64	74	61	Independent Living	200	169	138
50 to 54	73	68	68	Dependent Living	195	106	95
55 to 59	44	48	39	Homeless	6	*	*
60 and Over	47	54	51	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	281	465	442
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	333	362	329	Self / Family / Friend	374	455	466
Female	349	383	352	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	84	86	72
<b>RACE / ETHNICITY</b>				Health Care Provider	74	70	42
Caucasian	617	681	616	Court / Criminal Justice	37	34	20
African American	42	40	44	Other	111	98	79
Native American / Alaskan	*	*	*	Referral Source Unknown	0	0	*
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	5	*	Voluntary	648	713	653
Other Race	16	16	13	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	28	25	21
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	33	32	25	Commitment Type Unknown	0	0	*
Past or Current Military Service	19	25	23				

# CALLAWAY COUNTY

## MISSOURI STUDENT SURVEY


	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	42.0	43.6	49.6	Alcohol (1 or 2 drinks daily)	50.6		
Cigarettes	19.3	27.2	29.2	Alcohol (Binge: 5+ drinks once or twice a week)	65.1		
Chewing Tobacco	14.4	16.0	19.5	Alcohol (any use)		64.7	80.2
Marijuana	18.8	19.2	15.0	Cigarettes (1+ packs per day)	85.7		
Inhalants	2.6	5.1	6.7	Cigarettes (any use)		79.8	79.6
Prescription medications not prescribed for student	7.0	10.3	12.7	Marijuana (once or twice a week)	54.8		
Over-the-counter medications for non-medical use	2.2	6.2	8.7	Marijuana (any use)		66.9	70.6
Methamphetamine	0.6	1.6	1.3	Other: Cocaine, LSD, Meth, Club Drug (any use)	91.2	93.0	94.8
Cocaine	1.3	1.9	1.7				
Heroin	0.4	1.1	0.8	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	2.0	3.5	2.9	Were very sad	20.0	17.8	18.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.7	2.4	1.8	Were grouchy, irritable, or in a bad mood	22.4	23.6	21.5
Steroids not prescribed for student	0.7	1.3	1.5	Felt hopeless about the future	12.9	9.9	16.6
Synthetic drugs (K2, bath salts, Spice, etc)	4.3	6.4		Felt like not eating or eating more than usual	19.1	19.2	17.9
				Slept a lot more or a lot less than usual	16.0	18.6	27.2
				Had difficulty concentrating on school work	24.9	19.4	23.9
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	13.45	12.76	12.76	Seriously considered attempting suicide	10.6	14.8	13.2
Cigarettes	13.49	12.77	12.46	Made plan about how they would attempt suicide	9.6	10.9	7.9
Marijuana	14.08	13.87	13.94	Attempted suicide	4.2	6.2	4.8
Inhalants	11.77	12.22	12.27	Attempted suicide and resulting injury, poisoning, or overdose	1.5	1.8	2.1
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	20.1	20.4	24.4	Were threatened/injured with weapon at school	5.8	5.7	11.1
Alcohol (Binge: 5+ drinks on one occasion)		11.9	13.3	Were in a physical fight	16.5	20.0	22.1
Cigarettes	8.5	14.1	13.3	Were in a fight and had to be treated by a doctor or nurse	3.5	3.5	3.4
Chewing Tobacco	7.4	9.1	8.4				
Marijuana	8.2	10.2	6.5	<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.4	3.2	2.8	Were victims of mean rumors or lies spread at school	51.3	44.9	56.5
Prescription medications not prescribed for student	3.0	6.0	7.2	Were made fun of by others	64.1	57.2	71.7
Over-the-counter medications for non-medical use	1.1	4.7	5.0	Were victims of an embarrassing or hurtful text message or something posted on the Internet	25.3	16.5	19.1
				Spread mean rumors or lies about other kids at school	23.6	23.3	34.5
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	58.3	60.6	77.9
Alcohol (Binge: 5+ drinks on one occasion)	10.9			Posted something on the internet or sent a text that might embarrass or hurt another student	18.9	11.6	15.9
<i>Percent whose friends used in past 12 months:</i>				<i>Percent of students who agree that:</i>			
Alcohol	56.4	56.5	60.4	Teachers notice and comment on student's good work	66.1	71.0	79.4
Cigarettes	39.2	44.5	48.4	School provides feedback to parents on positive student performance	45.5	48.2	52.4
Marijuana	40.3	38.2	32.6	Rules are enforced fairly	55.0	63.5	70.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.0	13.3	15.9	Students of all races/ethnicities are treated equal	76.1	73.1	77.8
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	35.0	34.5	38.6	Parents notice and comment on student's good work	82.7	82.0	86.7
Cigarettes	12.0	16.4	18.1	Parents involve student in making family decisions	69.2	66.7	66.7
Marijuana	14.8	15.5	11.5	It is important to be honest with parents regardless of consequences	82.5	84.1	84.0
				Student could ask parent for help with a personal problem	76.8	73.4	74.6
<i>Percent who say it would be wrong to use:</i>							
Alcohol	53.2	53.2	53.9				
Cigarettes	83.7	77.0	77.8				
Marijuana	77.8	77.0	83.8				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.4	94.6	95.5				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	72.4	73.0	75.2				
Cigarettes	90.3	87.6	91.7				
Marijuana	90.0	92.0	95.5				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	66.2	58.5	60.6				
Cigarettes	54.1	54.1	56.2				
Marijuana	39.6	37.8	29.9				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.2	15.8	15.2				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys



# CAMDEN COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	11
Adult Psychiatric	11
<b>POPULATION</b>	
Census 2010	44,002
2013 Estimate	43,862

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	400	413	441
Mother Reported Smoking while Pregnant	120	104	106

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	1	0
Hepatitis B Chronic, Acute, Prenatal	1 6	2	2
Hepatitis C Chronic and Acute	1 34	33	31
Tuberculosis Infection Cases	1 11	9	10

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	466	441	434
Suicides	6	4	9
Self-inflicted Injuries	35	38	27
Homicides	0	0	3
Assault Injuries	136	108	101
Alcohol Induced Deaths	10	3	4
Drug Induced Deaths	9	7	8
Smoking Attributable Deaths	101	84	77

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 152	127	
Alcohol Primary Diagnosis	2 10	5	
Drug Primary Diagnosis	2 8	2	
Alcohol Related Diagnosis	70	58	97
Drug Related Diagnosis	66	50	86
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 123	110	
Alcohol Primary Diagnosis	2 59	65	
Drug Primary Diagnosis	2 13	30	
Alcohol Related Diagnosis	258	240	163
Drug Related Diagnosis	127	137	81
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 369	260	
Alcohol Primary Diagnosis	2 65	57	
Drug Primary Diagnosis	2 69	43	
Alcohol Related Diagnosis	132	104	109
Drug Related Diagnosis	164	102	151

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	65	43	43
Fatal Crashes	4	3	3
Injury Crashes	36	24	20
Property Damage Crashes	25	16	20
Crash Fatalities	4	3	3
Crash Injuries	48	32	26
Drug Involved Crashes--Total	6	8	4
Fatal Crashes	0	0	0
Injury Crashes	2	5	2
Property Damage Crashes	4	3	2
Crash Fatalities	0	0	0
Crash Injuries	2	4	4

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	20,593	19,600	19,976
Employed	18,940	17,823	17,831
Unemployed	1,653	1,777	2,145
Unemployment Rate	8.0%	9.1%	10.7%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	1,636	1,630	1,632
Drop-outs	33	32	58
Drop-out Rate	2.0%	2.0%	3.6%
School Suspensions:			
Alcohol Incidents	9	32	13
Drug Incidents	30	43	43
Tobacco Incidents	4	6	1

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	357	373	411
Liquor Law Arrests	93	86	110
Drug Arrests	202	233	213
Methamphetamine Lab Incidents	8	5	2
Violent Offenses	93	81	82
Property Offenses	1,057	968	980
Domestic Violence Reports	302	221	182

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	164	179	113
Violent Offenses	30	53	37
Alcohol Offenses	34	15	8
Drug Offenses	9	21	5
Status Offenses--Total	66	84	81
Truancy	23	21	20
Beyond Parental Control	11	14	16
Habitually Absent from Home	7	18	11
Injurious Behavior	23	25	29
Abuse/Neglect/Custody--Total	118	99	122
Abuse	14	25	23
Neglect	104	74	99
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	46	29	39
Parental Alcohol Use Related	0	1	1
Parental Drug Use Related	13	1	2
Parental Alcohol and Drug Use	0	0	2
Child Removed for Other Reason	33	27	34

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	339	306	338
Probation/Parole Admissions--Drug	113	95	84
Probation/Parole Admissions--DWI	32	32	36
Prison Admissions--Total	190	196	175
Prison Admissions--Drug	71	61	47
Prison Admissions--DWI	16	18	14

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	151	145	154
Alcohol Package Carry-out Licenses	78	79	90

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# CAMDEN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	7	16	15
CSTAR Adolescent	13	25	21
CSTAR Women and Children	12	19	25
CSTAR General Adult	177	167	143
CSTAR Opioid	0	0	0
Primary Recovery Treatment	10	67	72
Clinical SATOP (CIP, YCIP, SROP)	38	39	35
Other Substance Abuse Treatment	*	*	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	187	206	235
- Adolescent Diversion Education Program	0	*	0
- Offender Education Program	69	86	119
- Weekend Intervention Program	40	41	57
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	7	12	8
Compulsive Gambling	*	*	0
Recovery Supports	*	*	6
Early Intervention	*	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	250	300	248	Alcohol	111	133	116
AGE				Marijuana / Hashish	58	71	58
Under 18	14	24	19	Cocaine (total)	*	*	*
18 to 24	42	52	53	- Crack	*	*	*
25 to 29	45	52	42	Stimulant (total)	44	55	42
30 to 34	39	43	36	- Methamphetamine	41	51	40
35 to 39	27	32	33	Heroin	10	13	6
40 to 44	35	34	23	Analgesic except Heroin	24	24	17
45 to 54	39	48	36	- Non-Prescription Methadone	0	0	0
55 and Over	9	15	6	PCP, LSD, other Hallucinogen	0	*	0
GENDER				Tranquilizer	*	0	7
Male	161	215	182	Inhalant	0	0	0
Female	89	85	66	Sedative	0	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	0
Caucasian	241	292	244	Average Age at First Use of Drug	17.5	17.3	16.1
African American	*	*	0	INJECTION DRUG USE			
Native American / Alaskan	*	0	0	Any Injection Use at Admission	40	46	28
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	11	6
Hispanic	*	*	*	- Weekly Injection Use	11	*	9
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	27	31	13
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	65	98	90	0	80	110	117
High School Graduate or G.E.D.	114	125	100	1 or 2	84	98	89
Associate Degree or Some College	66	76	55	3 or More	86	92	42
Bachelor or Advanced Degree	5	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	74	62	55
Employed	91	103	80	School	*	*	*
Unemployed	73	97	103	Mental Health Provider	*	*	*
Not in Labor Force	86	100	65	Health Care Provider	12	*	7
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	125	197	163
Independent Living	206	241	207	Other Referral Source	32	32	18
Dependent Living	24	33	32	TREATMENT ACCOMMODATION			
Homeless	8	12	5	Pregnant when Admitted to any Episode	*	6	*
MARITAL / FAMILY STATUS				Military Veteran	9	12	10
Never Married	126	158	125	Special Education Services Needed	19	21	15
Married / Cohabiting	66	63	71	Co-Occurring Psychological Problem	65	78	87
Previously Married	58	79	52	Co-Occurring Developmental Problem	13	12	9

# CAMDEN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 11  
**CENSUS 2010** 44,002  
**2013 POPULATION ESTIMATE** 43,862

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	16	10	5
Anxiety Disorder	197	158	116
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	36	37	26
Mood Disorder	252	222	170
Personality Disorder	12	9	10
Psychotic Disorder	29	33	27
Sexual Disorder	0	0	0
Other Diagnosis	24	17	9
Diagnosis Unknown	10	18	57

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	331	308	277	Less than High School Diploma	124	72	45
<b>AGE</b>				High School Grad or G.E.D.	*	64	59
Under 6	*	*	*	Associate Degree or Some College	*	25	26
6 to 9	23	21	18	Bachelor or Advanced Degree	*	*	*
10 to 13	27	28	23	Education Level Unknown	203	145	146
14 to 17	36	37	33	<b>EMPLOYMENT</b>			
18 to 24	26	25	24	Employed	16	22	21
25 to 29	23	22	25	Unemployed	30	120	106
30 to 34	28	21	19	Not in Labor Force	208	41	5
35 to 39	23	26	26	Employment Status Unknown	77	125	145
40 to 44	33	30	31	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	38	29	26	Independent Living	162	153	120
50 to 54	37	28	20	Dependent Living	97	57	60
55 to 59	13	18	11	Homeless	*	*	*
60 and Over	20	20	19	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	69	96	92
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	139	131	129	Self / Family / Friend	202	188	165
Female	192	177	148	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	21	18	18
<b>RACE / ETHNICITY</b>				Health Care Provider	43	35	21
Caucasian	316	297	264	Court / Criminal Justice	23	30	27
African American	*	*	*	Other	40	36	44
Native American / Alaskan	*	0	*	Referral Source Unknown	0	0	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	6	*	*	Voluntary	330	307	274
Other Race	*	5	*	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	13	9	9	Commitment Type Unknown	0	0	*
Past or Current Military Service	10	8	11				

# CAMDEN COUNTY


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	43.1	40.0	46.3	Alcohol (1 or 2 drinks daily)	52.8		
Cigarettes	34.2	26.6	32.4	Alcohol (Binge: 5+ drinks once or twice a week)	65.8		
Chewing Tobacco	10.2	12.9	15.4	Alcohol (any use)		70.0	75.5
Marijuana	19.4	17.5	22.6	Cigarettes (1+ packs per day)	88.8		
Inhalants	1.2	5.4	10.7	Cigarettes (any use)		81.3	82.3
Prescription medications not prescribed for student	10.2	9.1	14.3	Marijuana (once or twice a week)	54.7		
Over-the-counter medications for non-medical use	0.0	6.4	9.6	Marijuana (any use)		70.7	70.6
Methamphetamine	0.0	1.2	2.9	Other: Cocaine, LSD, Meth, Club Drug (any use)	90.3	92.6	94.0
Cocaine	1.0	1.5	3.3				
Heroin	0.0	0.5	1.2	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	1.2	3.4	6.3	Were very sad	20.2	20.4	18.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.4	2.2	4.3	Were grouchy, irritable, or in a bad mood	27.3	24.9	21.6
Steroids not prescribed for student	0.2	1.5	2.5	Felt hopeless about the future	11.3	11.1	15.0
Synthetic drugs (K2, bath salts, Spice, etc)	5.4	9.7		Felt like not eating or eating more than usual	16.5	18.7	17.3
				Slept a lot more or a lot less than usual	21.4	20.2	26.8
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	24.0	22.3	26.2
Alcohol	13.05	12.43	11.92				
Cigarettes	12.84	12.09	11.59	<i>Percent of students who, in past 12 months:</i>			
Marijuana	13.82	13.42	13.01	Seriously considered attempting suicide	10.1	11.3	12.7
Inhalants	12.00	12.24	11.96	Made plan about how they would attempt suicide	5.6	8.6	8.7
				Attempted suicide	3.2	5.4	5.6
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose	0.0	2.2	1.7
Alcohol	13.9	17.7	22.3	had to be treated by doctor or nurse			
Alcohol (Binge: 5+ drinks on one occasion)		11.4	14.1				
Cigarettes	14.6	12.6	17.6	<i>Percent of students who, in past 12 months:</i>			
Chewing Tobacco	5.6	6.7	8.3	Were threatened/injured with weapon at school	4.4	7.6	8.9
Marijuana	4.5	8.6	11.5	Were in a physical fight	20.9	19.4	23.7
Inhalants	1.2	2.5	5.8	Were in a fight and had to be treated by a doctor or nurse	0.2	3.1	3.1
Prescription medications not prescribed for student	2.2	4.4	10.5				
Over-the-counter medications for non-medical use	0.0	3.5	6.8	<i>Percent of students who, in past 3 months:</i>			
				Were victims of mean rumors or lies spread at school	43.5	50.9	53.5
<i>Percent of students who, in past 2 weeks, used:</i>				Were made fun of by others	46.0	60.1	67.4
Alcohol (Binge: 5+ drinks on one occasion)	2.2			Were victims of an embarrassing or hurtful text message or something posted on the Internet	20.4	20.6	21.2
				Spread mean rumors or lies about other kids at school	16.5	24.6	33.7
<i>Percent whose friends used in past 12 months:</i>				Made fun of other people	48.1	57.7	73.0
Alcohol	41.3	50.3	59.7	Posted something on the internet or sent a text that might embarrass or hurt another student	8.5	13.4	14.5
Cigarettes	42.8	43.6	51.2				
Marijuana	29.0	36.3	39.4	<i>Percent of students who agree that:</i>			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.9	16.4	23.5	Teachers notice and comment on student's good work	73.5	69.1	72.8
				School provides feedback to parents on positive student performance	61.8	37.2	44.3
<i>Percent who would likely use, if offered by a best friend:</i>				Rules are enforced fairly	65.5	61.6	62.7
Alcohol	26.5	29.6	38.0	Students of all races/ethnicities are treated equal	86.6	73.7	76.2
Cigarettes	15.3	14.8	20.2				
Marijuana	10.7	14.0	19.2	<i>Percent of students who agree that:</i>			
				Parents notice and comment on student's good work	85.2	83.2	86.1
<i>Percent who say it would be wrong to use:</i>				Parents involve student in making family decisions	70.0	69.5	71.0
Alcohol	65.8	63.1	55.3	It is important to be honest with parents regardless of consequences	81.8	88.3	83.6
Cigarettes	79.8	80.1	75.1	Student could ask parent for help with a personal problem	82.5	78.0	77.4
Marijuana	75.7	79.5	76.2				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.6	94.4	93.0				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	81.1	80.4	78.7				
Cigarettes	91.1	88.5	89.8				
Marijuana	95.0	91.8	93.9				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	46.9	53.0	56.2				
Cigarettes	56.4	51.9	57.7				
Marijuana	36.3	34.8	38.0				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.9	17.9	16.6				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# CAPE GIRARDEAU COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	21
Adult Psychiatric	21
<b>POPULATION</b>	
Census 2010	75,674
2013 Estimate	77,320

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	919	897	922
Mother Reported Smoking while Pregnant	194	159	219
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	3	7	1
Hepatitis B Chronic, Acute, Prenatal	1 8	5	6
Hepatitis C Chronic and Acute	1 48	49	39
Tuberculosis Infection Cases	1 31	50	43
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	719	750	731
Suicides	12	12	11
Self-inflicted Injuries	91	100	90
Homicides	1	2	3
Assault Injuries	308	291	263
Alcohol Induced Deaths	3	0	2
Drug Induced Deaths	8	11	13
Smoking Attributable Deaths	123	129	122
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 676	783	
Alcohol Primary Diagnosis	2 72	59	
Drug Primary Diagnosis	2 43	37	
Alcohol Related Diagnosis	267	303	229
Drug Related Diagnosis	306	345	269
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 75	58	
Alcohol Primary Diagnosis	2 35	20	
Drug Primary Diagnosis	2 11	9	
Alcohol Related Diagnosis	155	117	112
Drug Related Diagnosis	98	89	107
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 714	801	
Alcohol Primary Diagnosis	2 144	147	
Drug Primary Diagnosis	2 84	106	
Alcohol Related Diagnosis	320	350	325
Drug Related Diagnosis	307	309	261
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	53	51	56
Fatal Crashes	2	0	2
Injury Crashes	19	21	27
Property Damage Crashes	32	30	27
Crash Fatalities	2	0	2
Crash Injuries	30	23	37
Drug Involved Crashes--Total	16	17	21
Fatal Crashes	1	0	1
Injury Crashes	6	8	14
Property Damage Crashes	9	9	6
Crash Fatalities	1	0	1
Crash Injuries	6	7	18

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	39,075	38,444	38,877
Employed	36,773	36,172	36,118
Unemployed	2,302	2,272	2,759
Unemployment Rate	5.9%	5.9%	7.1%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	2,781	2,892	2,944
Drop-outs	82	102	88
Drop-out Rate	2.9%	3.5%	3.0%
School Suspensions:			
Alcohol Incidents	2	6	1
Drug Incidents	28	37	23
Tobacco Incidents	0	1	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	572	553	560
Liquor Law Arrests	174	204	169
Drug Arrests	293	341	365
Methamphetamine Lab Incidents	28	40	66
Violent Offenses	280	293	392
Property Offenses	3,351	3,146	3,110
Domestic Violence Reports	505	468	478

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	424	457	624
Violent Offenses	101	75	73
Alcohol Offenses	13	15	17
Drug Offenses	41	29	22
Status Offenses--Total	306	146	161
Truancy	107	23	55
Beyond Parental Control	29	48	38
Habitually Absent from Home	64	49	44
Injurious Behavior	100	26	24
Abuse/Neglect/Custody--Total	173	106	127
Abuse	36	44	45
Neglect	122	17	8
Custody Disputes	15	45	74

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	80	81	77
Parental Alcohol Use Related	2	3	4
Parental Drug Use Related	40	33	33
Parental Alcohol and Drug Use	2	5	10
Child Removed for Other Reason	36	40	30

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	80	115	89
Probation/Parole Admissions--Total	451	423	448
Probation/Parole Admissions--Drug	170	172	200
Probation/Parole Admissions--DWI	54	35	48
Prison Admissions--Total	212	246	232
Prison Admissions--Drug	79	96	85
Prison Admissions--DWI	26	25	20

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	120	118	115
Alcohol Package Carry-out Licenses	65	64	60

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# CAPE GIRARDEAU COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	109	91	80
CSTAR Adolescent	43	70	57
CSTAR Women and Children	93	99	114
CSTAR General Adult	223	162	53
CSTAR Opioid	0	0	0
Primary Recovery Treatment	75	223	296
Clinical SATOP (CIP, YCIP, SROP)	51	42	28
Other Substance Abuse Treatment	*	*	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	363	417	369
- Adolescent Diversion Education Program	0	*	0
- Offender Education Program	184	225	215
- Weekend Intervention Program	95	102	104
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	7	15	7
Compulsive Gambling	*	*	0
Recovery Supports	208	165	101
Early Intervention	*	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	532	625	589	Alcohol	206	237	203
AGE				Marijuana / Hashish	156	191	209
Under 18	44	72	58	Cocaine (total)	41	55	53
18 to 24	97	117	118	- Crack	22	34	34
25 to 29	88	115	122	Stimulant (total)	69	62	51
30 to 34	79	90	102	- Methamphetamine	65	55	50
35 to 39	76	59	56	Heroin	13	12	12
40 to 44	56	69	51	Analgesic except Heroin	38	49	42
45 to 54	74	76	66	- Non-Prescription Methadone	0	0	0
55 and Over	18	27	16	PCP, LSD, other Hallucinogen	*	5	*
GENDER				Tranquilizer	5	9	15
Male	364	434	392	Inhalant	*	0	0
Female	168	191	197	Sedative	0	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	402	475	428	Average Age at First Use of Drug	17.9	17.3	17.7
African American	112	112	128	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	57	64	55
Asian / Pacific Islander	*	0	0	- Daily Injection Use	7	15	9
Hispanic	7	20	17	- Weekly Injection Use	15	13	12
Other Race / Two or More Races	11	20	17	- Less than Weekly Injection Use	35	36	34
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	165	202	216	0	281	347	354
High School Graduate or G.E.D.	243	277	263	1 or 2	153	180	171
Associate Degree or Some College	120	136	98	3 or More	98	98	64
Bachelor or Advanced Degree	*	10	12	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	149	173	131
Employed	149	172	178	School	*	0	0
Unemployed	206	224	213	Mental Health Provider	7	8	*
Not in Labor Force	177	229	198	Health Care Provider	34	34	22
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	261	332	376
Independent Living	418	445	402	Other Referral Source	56	61	56
Dependent Living	90	149	165	TREATMENT ACCOMMODATION			
Homeless	18	21	16	Pregnant when Admitted to any Episode	8	11	*
MARITAL / FAMILY STATUS				Military Veteran	16	40	20
Never Married	288	360	330	Special Education Services Needed	62	44	62
Married / Cohabiting	131	145	147	Co-Occurring Psychological Problem	205	206	186
Previously Married	113	120	112	Co-Occurring Developmental Problem	13	16	25

# CAPE GIRARDEAU COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 21  
**CENSUS 2010** 75,674  
**2013 POPULATION ESTIMATE** 77,320

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	211	271	136
Anxiety Disorder	272	300	190
Dementia	0	0	0
Developmental Disorder	*	*	0
Impulse Control Disorder	191	257	72
Mood Disorder	972	1,183	643
Personality Disorder	24	22	17
Psychotic Disorder	190	210	162
Sexual Disorder	0	*	0
Other Diagnosis	47	50	32
Diagnosis Unknown	209	470	229

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	1,881	2,495	1,311	Less than High School Diploma	215	135	99
<b>AGE</b>				High School Grad or G.E.D.	*	118	163
Under 6	*	*	*	Associate Degree or Some College	0	32	40
6 to 9	67	110	38	Bachelor or Advanced Degree	0	25	28
10 to 13	91	136	29	Education Level Unknown	1,665	2,185	981
14 to 17	96	151	42	<b>EMPLOYMENT</b>			
18 to 24	198	302	157	Employed	20	28	30
25 to 29	214	258	156	Unemployed	21	252	293
30 to 34	211	287	167	Not in Labor Force	404	85	9
35 to 39	177	232	138	Employment Status Unknown	1,436	2,130	979
40 to 44	178	225	142	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	177	204	128	Independent Living	246	247	225
50 to 54	183	218	123	Dependent Living	202	156	150
55 to 59	145	178	98	Homeless	8	*	*
60 and Over	141	191	90	Other	0	7	*
Age Unknown	0	0	0	Housing Unknown	1,425	2,082	931
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	811	1,042	600	Self / Family / Friend	1,198	1,751	839
Female	1,070	1,453	711	School	13	20	5
Gender Unknown	0	0	0	Mental Health Provider	158	177	113
<b>RACE / ETHNICITY</b>				Health Care Provider	214	231	121
Caucasian	1,508	1,979	1,055	Court / Criminal Justice	57	77	68
African American	203	235	132	Other	232	229	153
Native American / Alaskan	*	*	0	Referral Source Unknown	9	10	12
Asian / Pacific Islander	*	6	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	111	205	80	Voluntary	1,858	2,467	1,275
Other Race	55	69	41	Civil	*	6	11
Race/Ethnicity Unknown	0	0	0	Criminal	12	11	14
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	0
Hearing Impaired	82	100	58	Commitment Type Unknown	9	10	11
Past or Current Military Service	40	61	40				



# CAPE GIRARDEAU COUNTY


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	40.3	39.2	44.9	Alcohol (1 or 2 drinks daily)	53.9		
Cigarettes	26.3	24.2	27.6	Alcohol (Binge: 5+ drinks once or twice a week)	65.9		
Chewing Tobacco	19.2	11.3	13.4	Alcohol (any use)		72.4	75.6
Marijuana	9.0	12.2	18.7	Cigarettes (1+ packs per day)	82.0		
Inhalants	5.3	3.8	6.6	Cigarettes (any use)		81.8	80.9
Prescription medications not prescribed for student	7.5	6.6	11.2	Marijuana (once or twice a week)	76.5		
Over-the-counter medications for non-medical use	4.5	5.7	7.5	Marijuana (any use)		77.5	74.8
Methamphetamine	0.0	1.4	0.8	Other: Cocaine, LSD, Meth, Club Drug (any use)	91.5	93.2	94.9
Cocaine	1.5	1.3	0.8				
Heroin	0.0	0.6	0.7	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	0.8	3.0	3.8	Were very sad	22.2	17.5	20.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.0	1.6	2.1	Were grouchy, irritable, or in a bad mood	27.1	22.6	22.1
Steroids not prescribed for student	0.2	1.5	1.1	Felt hopeless about the future	10.7	11.9	14.1
Synthetic drugs (K2, bath salts, Spice, etc)	3.3	6.4		Felt like not eating or eating more than usual	24.4	16.3	20.2
				Slept a lot more or a lot less than usual	24.0	20.0	29.8
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	27.6	22.4	25.1
Alcohol	12.59	12.71	13.03	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.49	12.95	12.53	Seriously considered attempting suicide	9.7	9.9	12.1
Marijuana	13.86	13.75	13.71	Made plan about how they would attempt suicide	6.9	7.7	8.5
Inhalants	13.11	12.25	12.60	Attempted suicide	2.9	4.8	5.0
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose	1.4	1.1	1.8
Alcohol	14.0	15.0	20.3	had to be treated by doctor or nurse			
Alcohol (Binge: 5+ drinks on one occasion)		8.0	11.9	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	15.2	12.2	14.3	Were threatened/injured with weapon at school	8.3	4.9	9.3
Chewing Tobacco	13.1	5.6	7.5	Were in a physical fight	17.4	19.5	19.0
Marijuana	2.4	4.8	10.2	Were in a fight and had to be treated by a doctor or nurse	3.2	2.9	3.7
Inhalants	1.8	1.3	2.5	<i>Percent of students who, in past 3 months:</i>			
Prescription medications not prescribed for student	4.8	2.7	4.9	Were victims of mean rumors or lies spread at school	59.2	49.2	50.8
Over-the-counter medications for non-medical use	2.4	3.1	5.2	Were made fun of by others	64.6	62.2	68.2
<i>Percent of students who, in past 2 weeks, used:</i>				Were victims of an embarrassing or hurtful text message or something posted on the Internet	28.8	20.6	22.4
Alcohol (Binge: 5+ drinks on one occasion)	8.4			Spread mean rumors or lies about other kids at school	28.3	32.2	38.1
<i>Percent whose friends used in past 12 months:</i>				Made fun of other people	66.7	61.3	73.7
Alcohol	53.6	52.1	62.0	Posted something on the internet or sent a text that might embarrass or hurt another student	23.8	12.9	18.5
Cigarettes	41.0	42.7	49.9	<i>Percent of students who agree that:</i>			
Marijuana	18.5	32.8	41.8	Teachers notice and comment on student's good work	74.9	73.0	72.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.5	15.5	19.2	School provides feedback to parents on positive student performance	45.1	39.2	39.5
<i>Percent who would likely use, if offered by a best friend:</i>				Rules are enforced fairly	66.3	70.2	68.2
Alcohol	27.6	26.3	32.4	Students of all races/ethnicities are treated equal	83.8	75.2	76.1
Cigarettes	18.0	14.2	15.7	<i>Percent of students who agree that:</i>			
Marijuana	6.7	8.6	15.1	Parents notice and comment on student's good work	83.7	83.1	83.9
<i>Percent who say it would be wrong to use:</i>				Parents involve student in making family decisions	77.3	70.0	69.9
Alcohol	59.8	62.1	61.1	It is important to be honest with parents regardless of consequences	88.9	85.2	85.6
Cigarettes	78.1	82.0	78.3	Student could ask parent for help with a personal problem	80.1	76.2	79.4
Marijuana	88.6	86.6	80.1				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.6	95.8	95.1				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	72.5	78.8	77.8				
Cigarettes	92.0	92.1	89.7				
Marijuana	93.2	94.6	94.1				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	55.3	57.6	61.1				
Cigarettes	50.7	53.8	58.5				
Marijuana	22.7	35.7	39.3				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.5	19.5	19.4				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# CARROLL COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	12
Adult Psychiatric	12
<b>POPULATION</b>	
Census 2010	9,295
2013 Estimate	9,127

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	107	119	109
Mother Reported Smoking while Pregnant	27	30	29

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	1
Hepatitis C Chronic and Acute	1	7	5
Tuberculosis Infection Cases	1	1	2

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	134	116	114
Suicides	0	3	0
Self-inflicted Injuries	11	2	4
Homicides	0	2	1
Assault Injuries	25	21	18
Alcohol Induced Deaths	2	0	0
Drug Induced Deaths	3	2	3
Smoking Attributable Deaths	30	22	22

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	53	53
Alcohol Primary Diagnosis	2	4	1
Drug Primary Diagnosis	2	3	0
Alcohol Related Diagnosis	28	15	21
Drug Related Diagnosis	30	22	29
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	19	11
Alcohol Primary Diagnosis	2	7	5
Drug Primary Diagnosis	2	3	4
Alcohol Related Diagnosis	26	20	15
Drug Related Diagnosis	16	14	15
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	65	65
Alcohol Primary Diagnosis	2	8	14
Drug Primary Diagnosis	2	8	12
Alcohol Related Diagnosis	28	33	23
Drug Related Diagnosis	31	21	19

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	14	8	16
Fatal Crashes	0	2	0
Injury Crashes	5	3	5
Property Damage Crashes	9	3	11
Crash Fatalities	0	2	0
Crash Injuries	9	5	5
Drug Involved Crashes--Total	2	1	2
Fatal Crashes	0	1	0
Injury Crashes	1	0	0
Property Damage Crashes	1	0	2
Crash Fatalities	0	1	0
Crash Injuries	1	0	0

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	4,886	4,678	4,879
Employed	4,568	4,303	4,386
Unemployed	318	375	493
Unemployment Rate	6.5%	8.0%	10.1%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	474	486	512
Drop-outs	4	12	4
Drop-out Rate	0.8%	2.5%	0.8%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	0	0	5
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	26	20	41
Liquor Law Arrests	2	5	0
Drug Arrests	6	21	19
Methamphetamine Lab Incidents	0	0	0
Violent Offenses	13	8	11
Property Offenses	141	87	94
Domestic Violence Reports	50	41	32

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	57	45	50
Violent Offenses	10	11	12
Alcohol Offenses	1	3	0
Drug Offenses	1	5	5
Status Offenses--Total	39	55	49
Truancy	16	18	23
Beyond Parental Control	5	11	3
Habitually Absent from Home	7	9	6
Injurious Behavior	11	17	17
Abuse/Neglect/Custody--Total	6	4	10
Abuse	1	3	9
Neglect	3	1	1
Custody Disputes	2	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	2	0	0
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	0	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	2	0	0

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	76	52	48
Probation/Parole Admissions--Drug	12	16	11
Probation/Parole Admissions--DWI	3	3	1
Prison Admissions--Total	32	25	29
Prison Admissions--Drug	13	4	5
Prison Admissions--DWI	0	2	3

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	11	13	11
Alcohol Package Carry-out Licenses	11	12	12

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# CARROLL COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	*	*	9
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	0
CSTAR General Adult	18	19	20
CSTAR Opioid	0	0	0
Primary Recovery Treatment	23	27	31
Clinical SATOP (CIP, YCIP, SROP)	7	6	5
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	22	30	29
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	10	8	13
- Weekend Intervention Program	*	*	8
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	*	0
Recovery Supports	0	5	*
Early Intervention	0	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	48	60	55	Alcohol	16	32	20
AGE				Marijuana / Hashish	6	8	15
Under 18	*	*	*	Cocaine (total)	0	*	*
18 to 24	5	11	12	- Crack	0	*	0
25 to 29	12	11	8	Stimulant (total)	19	15	12
30 to 34	8	9	8	- Methamphetamine	17	15	11
35 to 39	7	9	9	Heroin	0	0	0
40 to 44	7	8	*	Analgesic except Heroin	6	*	*
45 to 54	6	6	10	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	0	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	*
Male	35	43	40	Inhalant	0	0	0
Female	13	17	15	Sedative	0	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	*
Caucasian	46	58	51	Average Age at First Use of Drug	19.7	17.3	17.2
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	13	9	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	0
Hispanic	0	*	0	- Weekly Injection Use	5	*	*
Other Race / Two or More Races	0	0	*	- Less than Weekly Injection Use	7	6	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	12	23	15	0	19	27	35
High School Graduate or G.E.D.	27	29	32	1 or 2	21	22	13
Associate Degree or Some College	8	7	6	3 or More	8	11	7
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	11	13	20
Employed	12	14	13	School	0	0	*
Unemployed	23	26	28	Mental Health Provider	0	0	0
Not in Labor Force	13	20	14	Health Care Provider	0	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	34	38	30
Independent Living	46	56	46	Other Referral Source	*	7	*
Dependent Living	*	*	6	TREATMENT ACCOMMODATION			
Homeless	0	*	*	Pregnant when Admitted to any Episode	*	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	20	26	31	Special Education Services Needed	*	6	*
Married / Cohabiting	19	14	11	Co-Occurring Psychological Problem	14	19	16
Previously Married	9	20	13	Co-Occurring Developmental Problem	*	*	*

# CARROLL COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 12  
**CENSUS 2010** 9,295  
**2013 POPULATION ESTIMATE** 9,127

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	7	*	*
Anxiety Disorder	65	71	56
Dementia	*	*	*
Developmental Disorder	*	*	*
Impulse Control Disorder	21	15	16
Mood Disorder	98	107	93
Personality Disorder	24	26	23
Psychotic Disorder	10	8	7
Sexual Disorder	0	0	0
Other Diagnosis	6	9	7
Diagnosis Unknown	6	11	28

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	128	135	138	Less than High School Diploma	41	30	16
<b>AGE</b>				High School Grad or G.E.D.	*	35	41
Under 6	0	0	0	Associate Degree or Some College	0	10	8
6 to 9	6	*	*	Bachelor or Advanced Degree	0	*	*
10 to 13	10	8	14	Education Level Unknown	86	56	71
14 to 17	8	16	19	<b>EMPLOYMENT</b>			
18 to 24	*	7	11	Employed	11	13	12
25 to 29	13	10	8	Unemployed	6	63	54
30 to 34	13	9	10	Not in Labor Force	95	20	*
35 to 39	14	14	12	Employment Status Unknown	16	39	71
40 to 44	7	11	10	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	14	15	16	Independent Living	81	84	65
50 to 54	10	13	13	Dependent Living	30	14	18
55 to 59	13	15	11	Homeless	0	*	0
60 and Over	16	14	10	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	17	34	53
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	47	55	59	Self / Family / Friend	83	88	99
Female	81	80	79	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	9	11	9
<b>RACE / ETHNICITY</b>				Health Care Provider	19	21	14
Caucasian	118	123	121	Court / Criminal Justice	9	*	7
African American	5	8	10	Other	5	8	5
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	6	Voluntary	127	134	135
Other Race	*	0	*	Civil	*	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				


# CARROLL COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	40.5	49.0	49.3	Alcohol (1 or 2 drinks daily)	56.0		
Cigarettes	21.8	31.2	30.8	Alcohol (Binge: 5+ drinks once or twice a week)	65.8		
Chewing Tobacco	19.8	16.9	21.8	Alcohol (any use)		56.2	76.9
Marijuana	3.6	7.7	12.1	Cigarettes (1+ packs per day)	83.6		
Inhalants	1.8	3.2	6.5	Cigarettes (any use)		72.1	76.4
Prescription medications not prescribed for student	7.2	5.2	9.8	Marijuana (once or twice a week)	73.9		
Over-the-counter medications for non-medical use	1.8	2.6	6.5	Marijuana (any use)		74.5	65.6
Methamphetamine	0.0	0.7	0.9	Other: Cocaine, LSD, Meth, Club Drug (any use)	89.3	89.5	91.1
Cocaine	0.0	0.0	0.9				
Heroin	0.0	0.6	0.0	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	1.8	1.9	1.4	Were very sad	15.3	17.5	23.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.9	0.7	0.9	Were grouchy, irritable, or in a bad mood	25.2	24.7	25.1
Steroids not prescribed for student	1.8	0.6	1.9	Felt hopeless about the future	8.2	9.7	14.8
Synthetic drugs (K2, bath salts, Spice, etc)	2.7	3.2		Felt like not eating or eating more than usual	17.1	15.6	19.7
				Slept a lot more or a lot less than usual	11.8	20.1	29.7
				Had difficulty concentrating on school work	20.7	22.7	24.1
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	12.25	12.15	11.98	Seriously considered attempting suicide	10.8	11.7	10.1
Cigarettes	13.08	11.89	11.85	Made plan about how they would attempt suicide	4.5	7.8	8.3
Marijuana	13.62	13.58	13.48	Attempted suicide	6.3	7.1	4.7
Inhalants	11.35	11.42	11.79	Attempted suicide and resulting injury, poisoning, or overdose	2.8	0.7	1.9
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	21.8	24.0	29.1	Were threatened/injured with weapon at school	7.1	7.1	7.4
Alcohol (Binge: 5+ drinks on one occasion)		16.2	18.3	Were in a physical fight	19.8	26.0	24.0
Cigarettes	6.4	14.9	15.4	Were in a fight and had to be treated by a doctor or nurse	3.6	3.2	1.9
Chewing Tobacco	9.0	10.4	12.0				
Marijuana	0.9	5.2	6.0	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.8	0.6	2.3	Were victims of mean rumors or lies spread at school	56.8	56.6	54.6
Prescription medications not prescribed for student	3.6	1.9	6.0	Were made fun of by others	60.4	68.8	67.3
Over-the-counter medications for non-medical use	1.8	1.3	4.2	Were victims of an embarrassing or hurtful text message or something posted on the Internet	26.8	24.7	18.5
				Spread mean rumors or lies about other kids at school	36.0	31.2	34.7
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	57.7	71.4	70.8
Alcohol (Binge: 5+ drinks on one occasion)	10.0			Posted something on the internet or sent a text that might embarrass or hurt another student	13.4	15.6	19.2
<i>Percent whose friends used in past 12 months:</i>				<i>Percent of students who agree that:</i>			
Alcohol	50.9	61.7	69.0	Teachers notice and comment on student's good work	68.5	70.6	75.0
Cigarettes	43.2	46.8	54.4	School provides feedback to parents on positive student performance	40.2	36.4	44.9
Marijuana	19.4	26.6	27.3	Rules are enforced fairly	60.4	57.1	58.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.5	8.4	11.7	Students of all races/ethnicities are treated equal	84.7	81.2	73.1
				<i>Percent of students who agree that:</i>			
<i>Percent who would likely use, if offered by a best friend:</i>				Parents notice and comment on student's good work	85.6	78.6	81.1
Alcohol	32.4	45.5	42.1	Parents involve student in making family decisions	74.8	66.9	67.1
Cigarettes	8.1	18.2	16.7	It is important to be honest with parents regardless of consequences	91.9	86.4	84.3
Marijuana	5.4	6.5	7.4	Student could ask parent for help with a personal problem	81.1	76.0	80.1
<i>Percent who say it would be wrong to use:</i>				<i>Page Notes:</i>			
Alcohol	62.5	47.1	51.9	Similar affirmative response choices for individual questions are combined.			
Cigarettes	85.7	76.6	76.7	Blank data cells indicate estimates are not available for item or geographic area.			
Marijuana	91.0	89.0	87.9	Survey is not conducted in every school district nor reported for every county.			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.3	96.7	95.8	Estimates are not available for counties with small numbers of respondents.			
				Percentages are estimates based on weighted data.			
<i>Percent whose parents would disapprove if they use:</i>				Some year-to-year differences in percentages are not statistically significant.			
Alcohol	77.3	69.9	71.8				
Cigarettes	91.8	89.5	88.4				
Marijuana	94.6	96.7	94.4				
<i>Percent who say it would be easy to obtain:</i>				Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Alcohol	51.4	61.7	62.0				
Cigarettes	49.1	48.1	53.5				
Marijuana	29.1	28.8	24.9				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.6	13.0	12.6				



# CARTER COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	19
Adult Psychiatric	19
<b>POPULATION</b>	
Census 2010	6,265
2013 Estimate	6,291

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	81	64	70
Mother Reported Smoking while Pregnant	30	22	21

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	1	9	1
Tuberculosis Infection Cases	1	0	1

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	65	92	72
Suicides	2	1	2
Self-inflicted Injuries	13	13	14
Homicides	0	0	0
Assault Injuries	14	15	18
Alcohol Induced Deaths	0	1	0
Drug Induced Deaths	1	2	1
Smoking Attributable Deaths	11	23	18

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	57	57
Alcohol Primary Diagnosis	2	1	4
Drug Primary Diagnosis	2	1	5
Alcohol Related Diagnosis	14	24	27
Drug Related Diagnosis	18	29	19
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	16	6
Alcohol Primary Diagnosis	2	4	2
Drug Primary Diagnosis	2	0	2
Alcohol Related Diagnosis	19	10	16
Drug Related Diagnosis	5	4	7
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	65	72
Alcohol Primary Diagnosis	2	2	8
Drug Primary Diagnosis	2	10	10
Alcohol Related Diagnosis	10	16	17
Drug Related Diagnosis	25	26	13

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	8	12	10
Fatal Crashes	0	1	0
Injury Crashes	5	8	4
Property Damage Crashes	3	3	6
Crash Fatalities	0	1	0
Crash Injuries	6	20	4
Drug Involved Crashes--Total	3	0	0
Fatal Crashes	0	0	0
Injury Crashes	2	0	0
Property Damage Crashes	1	0	0
Crash Fatalities	0	0	0
Crash Injuries	2	0	0

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	3,015	2,908	3,172
Employed	2,789	2,674	2,876
Unemployed	226	234	296
Unemployment Rate	7.5%	8.0%	9.3%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	356	371	368
Drop-outs	1	1	3
Drop-out Rate	0.3%	0.3%	0.8%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	0	1	2
Tobacco Incidents	0	0	1

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	39	45	34
Liquor Law Arrests	48	9	52
Drug Arrests	100	50	80
Methamphetamine Lab Incidents	1	5	3
Violent Offenses	7	7	9
Property Offenses	44	86	50
Domestic Violence Reports	11	17	20

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	32	16	24
Violent Offenses	2	9	6
Alcohol Offenses	0	0	6
Drug Offenses	1	2	0
Status Offenses--Total	13	24	19
Truancy	1	1	4
Beyond Parental Control	6	7	5
Habitually Absent from Home	1	2	3
Injurious Behavior	5	12	4
Abuse/Neglect/Custody--Total	1	3	5
Abuse	0	0	3
Neglect	1	1	1
Custody Disputes	0	2	1

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	0	0	3
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	0	3
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	0	0	0

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	19	25	19
Probation/Parole Admissions--Drug	5	5	6
Probation/Parole Admissions--DWI	1	0	1
Prison Admissions--Total	12	8	12
Prison Admissions--Drug	4	3	2
Prison Admissions--DWI	0	0	0

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	8	8	7
Alcohol Package Carry-out Licenses	13	13	12

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# CARTER COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	5	*	*
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	34	15	8
CSTAR Opioid	0	0	0
Primary Recovery Treatment	17	26	40
Clinical SATOP (CIP, YCIP, SROP)	*	*	5
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	8	15	16
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	*	*	6
- Weekend Intervention Program	*	8	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	0
Compulsive Gambling	0	0	0
Recovery Supports	13	*	*
Early Intervention	0	0	*


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	46	49	54	Alcohol	14	16	20
AGE				Marijuana / Hashish	14	15	16
Under 18	*	*	*	Cocaine (total)	0	*	0
18 to 24	6	11	8	- Crack	0	*	0
25 to 29	7	8	11	Stimulant (total)	10	12	12
30 to 34	12	7	12	- Methamphetamine	10	12	12
35 to 39	6	10	7	Heroin	*	0	*
40 to 44	*	*	7	Analgesic except Heroin	*	*	*
45 to 54	7	7	*	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	*
Male	27	32	39	Inhalant	0	0	*
Female	19	17	15	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	44	47	53	Average Age at First Use of Drug	17.5	16.9	15.9
African American	*	0	0	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	6	5	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	0
Hispanic	0	*	0	- Weekly Injection Use	0	0	*
Other Race / Two or More Races	0	*	0	- Less than Weekly Injection Use	5	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	26	27	26	0	26	30	28
High School Graduate or G.E.D.	15	17	22	1 or 2	15	12	17
Associate Degree or Some College	5	5	5	3 or More	5	7	9
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	9	5	11
Employed	20	14	22	School	0	0	0
Unemployed	16	22	18	Mental Health Provider	0	*	*
Not in Labor Force	10	13	14	Health Care Provider	5	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	25	36	37
Independent Living	43	46	52	Other Referral Source	5	*	*
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	*	*	0	Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	7
Never Married	18	23	18	Special Education Services Needed	10	10	5
Married / Cohabiting	16	18	19	Co-Occurring Psychological Problem	25	19	24
Previously Married	12	8	17	Co-Occurring Developmental Problem	*	5	*



# CARTER COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 19  
**CENSUS 2010** 6,265  
**2013 POPULATION ESTIMATE** 6,291

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	*	0	*
Anxiety Disorder	16	9	10
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	*	*	*
Mood Disorder	39	28	33
Personality Disorder	*	*	*
Psychotic Disorder	9	6	6
Sexual Disorder	0	0	0
Other Diagnosis	0	*	*
Diagnosis Unknown	*	9	7

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.


<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	66	47	51	Less than High School Diploma	26	11	7
<b>AGE</b>				High School Grad or G.E.D.	0	7	5
Under 6	0	0	0	Associate Degree or Some College	0	*	*
6 to 9	*	0	0	Bachelor or Advanced Degree	0	0	0
10 to 13	*	6	*	Education Level Unknown	40	26	36
14 to 17	7	*	6	<b>EMPLOYMENT</b>			
18 to 24	5	*	5	Employed	*	*	*
25 to 29	5	*	0	Unemployed	0	19	14
30 to 34	*	*	*	Not in Labor Force	40	*	0
35 to 39	11	*	5	Employment Status Unknown	25	24	36
40 to 44	*	6	8	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	*	5	*	Independent Living	32	22	14
50 to 54	10	6	8	Dependent Living	7	6	5
55 to 59	*	*	*	Homeless	0	0	*
60 and Over	13	7	7	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	27	19	31
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	26	21	21	Self / Family / Friend	26	24	24
Female	40	26	30	School	0	0	*
Gender Unknown	0	0	0	Mental Health Provider	9	7	11
<b>RACE / ETHNICITY</b>				Health Care Provider	22	11	9
Caucasian	65	45	49	Court / Criminal Justice	*	*	*
African American	*	*	*	Other	5	*	*
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	*	*	Voluntary	64	46	49
Other Race	0	0	0	Civil	*	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	*
Past or Current Military Service	*	*	*				

# CARTER COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol		44.7	55.1	Alcohol (1 or 2 drinks daily)			
Cigarettes		32.0	46.0	Alcohol (Binge: 5+ drinks once or twice a week)			
Chewing Tobacco		17.5	23.8	Alcohol (any use)		62.1	67.2
Marijuana		18.4	29.9	Cigarettes (1+ packs per day)			
Inhalants		2.9	11.0	Cigarettes (any use)		69.9	72.1
Prescription medications not prescribed for student		12.6	15.7	Marijuana (once or twice a week)			
Over-the-counter medications for non-medical use		6.8	18.3	Marijuana (any use)		65.7	76.7
Methamphetamine		2.9	4.7	Other: Cocaine, LSD, Meth, Club Drug (any use)		84.5	92.2
Cocaine		2.0	4.0				
Heroin		1.0	2.4	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens		5.8	8.0	Were very sad		20.4	18.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		2.9	3.1	Were grouchy, irritable, or in a bad mood		23.5	22.5
Steroids not prescribed for student		2.9	2.4	Felt hopeless about the future		7.8	9.3
Synthetic drugs (K2, bath salts, Spice, etc)		4.9		Felt like not eating or eating more than usual		11.8	17.8
<i>Average age of students' first use of:</i>				Slept a lot more or a lot less than usual		16.8	24.0
Alcohol		11.97	12.27	Had difficulty concentrating on school work		31.1	26.0
Cigarettes		11.58	11.36	<i>Percent of students who, in past 12 months:</i>			
Marijuana		12.88	12.83	Seriously considered attempting suicide		18.8	15.6
Inhalants			12.61	Made plan about how they would attempt suicide		18.6	7.8
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide		11.5	4.7
Alcohol		18.8	23.6	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse		6.9	2.4
Alcohol (Binge: 5+ drinks on one occassion)		14.6	17.1	<i>Percent of students who, in past 12 months:</i>			
Cigarettes		23.1	25.4	Were threatened/injured with weapon at school		3.9	11.6
Chewing Tobacco		12.6	14.3	Were in a physical fight		19.4	27.9
Marijuana		8.7	15.0	Were in a fight and had to be treated by a doctor or nurse		4.9	7.0
Inhalants		1.9	3.9	<i>Percent of students who, in past 3 months:</i>			
Prescription medications not prescribed for student		7.8	8.7	Were victims of mean rumors or lies spread at school		38.8	58.1
Over-the-counter medications for non-medical use		5.8	11.0	Were made fun of by others		58.4	61.2
<i>Percent of students who, in past 2 weeks, used:</i>				Were victims of an embarrassing or hurtful text message or something posted on the internet		16.8	20.2
Alcohol (Binge: 5+ drinks on one occassion)				Spread mean rumors or lies about other kids at school		17.5	28.7
<i>Percent whose friends used in past 12 months:</i>				Made fun of other people		56.3	72.1
Alcohol		55.3	72.1	Posted something on the internet or sent a text that might embarrass or hurt another student		14.6	19.5
Cigarettes		52.4	68.2	<i>Percent of students who agree that:</i>			
Marijuana		27.2	53.5	Teachers notice and comment on student's good work		58.3	60.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		7.8	34.1	School provides feedback to parents on positive student performance		36.9	31.3
<i>Percent who would likely use, if offered by a best friend:</i>				Rules are enforced fairly		54.4	52.7
Alcohol		34.0	40.8	Students of all races/ethnicities are treated equal		68.0	72.4
Cigarettes		23.8	23.6	<i>Percent of students who agree that:</i>			
Marijuana		17.3	23.2	Parents notice and comment on student's good work		77.5	78.0
<i>Percent who say it would be wrong to use:</i>				Parents involve student in making family decisions		61.6	55.9
Alcohol		55.3	53.1	It is important to be honest with parents regardless of consequences		77.7	82.0
Cigarettes		71.8	70.1	Student could ask parent for help with a personal problem		70.4	69.5
Marijuana		76.7	73.2	<div>Page Notes:</div> <div>Similar affirmative response choices for individual questions are combined.</div> <div>Blank data cells indicate estimates are not available for item or geographic area.</div> <div>Survey is not conducted in every school district nor reported for every county.</div> <div>Estimates are not available for counties with small numbers of respondents.</div> <div>Percentages are estimates based on weighted data.</div> <div>Some year-to-year differences in percentages are not statistically significant.</div>			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		95.1	91.3				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol		76.2	77.0				
Cigarettes		87.9	84.4				
Marijuana		94.0	91.2				
<i>Percent who say it would be easy to obtain:</i>				Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Alcohol		53.9	76.7				
Cigarettes		54.9	80.6				
Marijuana		37.6	55.9				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		14.9	31.5				

# CASS COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	7
Adult Psychiatric	7
<b>POPULATION</b>	
Census 2010	99,478
2013 Estimate	100,641

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	1,154	1,197	1,265
Mother Reported Smoking while Pregnant	202	253	248

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	2	2	5
Hepatitis B Chronic, Acute, Prenatal	1 3	6	4
Hepatitis C Chronic and Acute	1 38	42	49
Tuberculosis Infection Cases	1 12	13	19

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	890	817	875
Suicides	15	10	18
Self-inflicted Injuries	154	176	129
Homicides	1	5	4
Assault Injuries	248	319	296
Alcohol Induced Deaths	6	9	7
Drug Induced Deaths	5	15	13
Smoking Attributable Deaths	162	139	145

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 801	869	
Alcohol Primary Diagnosis	2 55	57	
Drug Primary Diagnosis	2 42	29	
Alcohol Related Diagnosis	228	265	327
Drug Related Diagnosis	298	280	264
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 186	96	
Alcohol Primary Diagnosis	2 45	36	
Drug Primary Diagnosis	2 25	21	
Alcohol Related Diagnosis	229	170	181
Drug Related Diagnosis	192	144	110
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 716	669	
Alcohol Primary Diagnosis	2 176	170	
Drug Primary Diagnosis	2 140	112	
Alcohol Related Diagnosis	348	342	343
Drug Related Diagnosis	433	331	294

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	72	72	64
Fatal Crashes	4	1	1
Injury Crashes	26	27	31
Property Damage Crashes	42	44	32
Crash Fatalities	4	1	2
Crash Injuries	35	39	46
Drug Involved Crashes--Total	18	21	22
Fatal Crashes	1	0	1
Injury Crashes	11	4	13
Property Damage Crashes	6	17	8
Crash Fatalities	2	0	2
Crash Injuries	19	4	18

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	49,900	50,413	51,242
Employed	46,780	46,992	46,833
Unemployed	3,120	3,421	4,409
Unemployment Rate	6.3%	6.8%	8.6%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	5,515	5,478	5,527
Drop-outs	90	123	95
Drop-out Rate	1.6%	2.2%	1.7%
School Suspensions:			
Alcohol Incidents	9	8	9
Drug Incidents	35	84	84
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	602	593	601
Liquor Law Arrests	146	144	117
Drug Arrests	410	361	360
Methamphetamine Lab Incidents	1	1	0
Violent Offenses	186	153	154
Property Offenses	2,148	2,164	1,959
Domestic Violence Reports	910	949	1,001

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	746	441	561
Violent Offenses	154	84	138
Alcohol Offenses	21	16	23
Drug Offenses	78	30	53
Status Offenses--Total	443	218	299
Truancy	48	24	44
Beyond Parental Control	69	59	76
Habitually Absent from Home	107	62	74
Injurious Behavior	217	72	105
Abuse/Neglect/Custody--Total	329	174	190
Abuse	40	7	15
Neglect	253	45	65
Custody Disputes	36	122	110

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	102	124	125
Parental Alcohol Use Related	0	7	9
Parental Drug Use Related	17	28	30
Parental Alcohol and Drug Use	11	8	15
Child Removed for Other Reason	74	81	71

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	103	60	40
Probation/Parole Admissions--Total	405	441	377
Probation/Parole Admissions--Drug	103	115	85
Probation/Parole Admissions--DWI	46	38	44
Prison Admissions--Total	230	236	212
Prison Admissions--Drug	53	47	61
Prison Admissions--DWI	20	28	22

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	72	76	77
Alcohol Package Carry-out Licenses	82	81	83

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# CASS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Detoxification	19	26	46
CSTAR Adolescent	54	71	41
CSTAR Women and Children	23	14	7
CSTAR General Adult	321	313	308
CSTAR Opioid	*	0	0
Primary Recovery Treatment	*	9	45
Clinical SATOP (CIP, YCIP, SROP)	110	115	85
Other Substance Abuse Treatment	*	*	0


<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Offender Management Unit	398	441	393
- Adolescent Diversion Education Program	*	*	6
- Offender Education Program	147	162	142
- Weekend Intervention Program	90	97	73
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	19	27	17
Compulsive Gambling	0	0	*
Recovery Supports	68	53	57
Early Intervention	*	18	12

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	564	571	522	Alcohol	257	253	239
<b>AGE</b>				Marijuana / Hashish	128	166	138
Under 18	57	74	42	Cocaine (total)	7	11	13
18 to 24	85	110	110	- Crack	6	*	7
25 to 29	89	103	91	Stimulant (total)	118	100	85
30 to 34	106	83	69	- Methamphetamine	107	94	82
35 to 39	60	53	58	Heroin	5	6	*
40 to 44	48	51	50	Analgesic except Heroin	34	23	29
45 to 54	97	73	79	- Non-Prescription Methadone	0	*	0
55 and Over	22	24	23	PCP, LSD, other Hallucinogen	7	*	*
<b>GENDER</b>				Tranquilizer	*	7	5
Male	372	382	339	Inhalant	*	0	*
Female	192	189	183	Sedative	*	0	*
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	*	*	6
Caucasian	527	535	492	Average Age at First Use of Drug	17.0	16.4	16.6
African American	11	14	14	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	49	30	34
Asian / Pacific Islander	*	*	*	- Daily Injection Use	*	5	0
Hispanic	15	17	12	- Weekly Injection Use	15	13	15
Other Race / Two or More Races	12	11	6	- Less than Weekly Injection Use	30	12	19
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	184	190	175	0	269	280	276
High School Graduate or G.E.D.	262	232	226	1 or 2	159	175	136
Associate Degree or Some College	115	138	117	3 or More	136	116	110
Bachelor or Advanced Degree	*	11	*	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	320	316	205
Employed	205	196	181	School	0	*	*
Unemployed	163	113	165	Mental Health Provider	7	13	13
Not in Labor Force	196	262	176	Health Care Provider	11	16	17
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	112	160	233
Independent Living	466	458	434	Other Referral Source	71	64	52
Dependent Living	64	79	56	<b>TREATMENT ACCOMMODATION</b>			
Homeless	10	13	15	Pregnant when Admitted to any Episode	10	5	8
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	21	31	31
Never Married	298	314	281	Special Education Services Needed	24	33	29
Married / Cohabiting	149	144	136	Co-Occurring Psychological Problem	156	130	172
Previously Married	117	113	105	Co-Occurring Developmental Problem	11	17	20

# CASS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 7  
**CENSUS 2010** 99,478  
**2013 POPULATION ESTIMATE** 100,641

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	57	66	67
Anxiety Disorder	273	268	219
Dementia	0	0	0
Developmental Disorder	10	9	*
Impulse Control Disorder	148	195	165
Mood Disorder	410	427	400
Personality Disorder	40	27	25
Psychotic Disorder	93	92	85
Sexual Disorder	*	*	*
Other Diagnosis	39	58	55
Diagnosis Unknown	82	54	88

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	702	709	704	Less than High School Diploma	211	72	34
<b>AGE</b>				High School Grad or G.E.D.	*	61	84
Under 6	11	16	9	Associate Degree or Some College	0	9	16
6 to 9	58	72	70	Bachelor or Advanced Degree	0	7	5
10 to 13	69	96	88	Education Level Unknown	489	560	565
14 to 17	91	97	107	<b>EMPLOYMENT</b>			
18 to 24	69	63	64	Employed	31	19	16
25 to 29	61	55	52	Unemployed	35	103	123
30 to 34	50	47	54	Not in Labor Force	294	49	0
35 to 39	68	52	62	Employment Status Unknown	342	538	565
40 to 44	66	53	39	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	60	63	53	Independent Living	152	116	127
50 to 54	47	45	59	Dependent Living	200	103	124
55 to 59	35	31	28	Homeless	6	*	*
60 and Over	17	19	19	Other	0	5	*
Age Unknown	0	0	0	Housing Unknown	344	483	448
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	307	333	330	Self / Family / Friend	483	501	500
Female	395	376	374	School	*	5	*
Gender Unknown	0	0	0	Mental Health Provider	16	17	14
<b>RACE / ETHNICITY</b>				Health Care Provider	70	69	49
Caucasian	630	642	629	Court / Criminal Justice	17	18	19
African American	21	27	33	Other	111	97	118
Native American / Alaskan	0	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	19	11	11	Voluntary	692	699	699
Other Race	30	23	28	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	5	5	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	15	16	16	Commitment Type Unknown	*	*	*
Past or Current Military Service	23	24	23				




# CASS COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	38.9	34.9	43.9	Alcohol (1 or 2 drinks daily)	58.4		
Cigarettes	21.1	19.3	26.5	Alcohol (Binge: 5+ drinks once or twice a week)	69.6		
Chewing Tobacco	13.4	11.3	12.0	Alcohol (any use)		66.5	75.0
Marijuana	16.7	8.2	15.9	Cigarettes (1+ packs per day)	87.5		
Inhalants	2.6	5.3	7.0	Cigarettes (any use)		79.7	80.6
Prescription medications not prescribed for student	10.0	7.6	11.9	Marijuana (once or twice a week)	61.9		
Over-the-counter medications for non-medical use	3.2	6.8	8.9	Marijuana (any use)		78.4	70.5
Methamphetamine	0.8	1.8	1.2	Other: Cocaine, LSD, Meth, Club Drug (any use)	91.1	94.1	93.5
Cocaine	1.9	2.1	2.0	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.5	1.0	0.5	Were very sad	25.2	16.8	19.1
Hallucinogens	5.3	2.4	2.7	Were grouchy, irritable, or in a bad mood	26.3	18.8	25.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	3.6	2.2	2.4	Felt hopeless about the future	15.3	7.6	13.4
Steroids not prescribed for student	2.0	1.4	1.2	Felt like not eating or eating more than usual	19.5	16.0	19.4
Synthetic drugs (K2, bath salts, Spice, etc)	6.3	5.5		Slept a lot more or a lot less than usual	17.3	19.4	27.2
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	28.4	22.2	26.6
Alcohol	13.53	12.50	12.80	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	13.36	12.50	12.89	Seriously considered attempting suicide	14.8	10.7	11.4
Marijuana	14.06	13.40	13.80	Made plan about how they would attempt suicide	11.6	8.7	7.4
Inhalants	11.58	11.39	11.78	Attempted suicide	5.9	4.7	5.0
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.0	1.1	1.7
Alcohol	18.0	11.6	19.4	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		6.9	11.5	Were threatened/injured with weapon at school	8.4	7.2	9.0
Cigarettes	10.4	6.9	14.0	Were in a physical fight	20.4	22.2	22.6
Chewing Tobacco	5.5	5.5	7.2	Were in a fight and had to be treated by a doctor or nurse	3.3	1.9	2.8
Marijuana	10.1	3.2	8.1	<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.8	2.3	3.3	Were victims of mean rumors or lies spread at school	54.4	50.8	54.2
Prescription medications not prescribed for student	4.5	4.1	6.6	Were made fun of by others	64.2	63.3	67.7
Over-the-counter medications for non-medical use	1.7	3.6	5.3	Were victims of an embarrassing or hurtful text message or something posted on the internet	31.2	22.2	21.5
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	25.7	22.4	36.3
Alcohol (Binge: 5+ drinks on one occasion)	7.9			Made fun of other people	56.3	58.9	74.4
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	20.9	13.2	18.1
Alcohol	50.5	41.7	60.0	<i>Percent of students who agree that:</i>			
Cigarettes	37.8	32.1	49.1	Teachers notice and comment on student's good work	65.4	67.1	65.7
Marijuana	37.8	20.1	37.3	School provides feedback to parents on positive student performance	34.1	35.8	35.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.6	9.8	17.8	Rules are enforced fairly	62.3	59.8	60.9
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	79.4	83.8	74.2
Alcohol	30.8	28.7	35.2	<i>Percent of students who agree that:</i>			
Cigarettes	12.8	11.1	15.8	Parents notice and comment on student's good work	78.9	81.9	83.1
Marijuana	15.0	6.7	12.1	Parents involve student in making family decisions	65.9	69.6	69.0
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	87.9	85.9	81.9
Alcohol	60.6	61.8	56.4	Student could ask parent for help with a personal problem	75.3	75.9	75.6
Cigarettes	82.2	83.3	77.4	<div>Page Notes: Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</div>			
Marijuana	76.9	88.5	81.8				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.0	95.7	94.5				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	78.6	77.9	75.8				
Cigarettes	90.6	92.0	89.5	<div>Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys</div>			
Marijuana	91.3	95.5	93.9				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	57.1	51.0	61.5				
Cigarettes	51.4	44.7	57.4				
Marijuana	39.3	25.3	34.6				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	18.7	12.2	17.4				

# CEDAR COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	8
Adult Psychiatric	8B
<b>POPULATION</b>	
Census 2010	13,982
2013 Estimate	13,913

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	6,388	6,096	6,476
Employed	6,001	5,675	5,952
Unemployed	387	421	524
Unemployment Rate	6.1%	6.9%	8.1%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	691	684	700
Drop-outs	8	13	11
Drop-out Rate	1.2%	1.9%	1.6%
School Suspensions:			
Alcohol Incidents	2	1	0
Drug Incidents	2	6	2
Tobacco Incidents	0	0	1

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	186	148	163
Mother Reported Smoking while Pregnant	42	36	48

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	1
Hepatitis C Chronic and Acute	1	7	9
Tuberculosis Infection Cases	1	0	0

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	201	167	210
Suicides	2	4	3
Self-inflicted Injuries	17	23	31
Homicides	0	0	1
Assault Injuries	47	53	42
Alcohol Induced Deaths	0	1	1
Drug Induced Deaths	6	6	1
Smoking Attributable Deaths	33	30	44

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	123	105
Alcohol Primary Diagnosis	2	6	4
Drug Primary Diagnosis	2	11	5
Alcohol Related Diagnosis		39	34
Drug Related Diagnosis		58	39

Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	71	43
Alcohol Primary Diagnosis	2	7	4
Drug Primary Diagnosis	2	10	5
Alcohol Related Diagnosis		41	30
Drug Related Diagnosis		51	37

Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	166	182
Alcohol Primary Diagnosis	2	27	30
Drug Primary Diagnosis	2	46	39
Alcohol Related Diagnosis		100	78
Drug Related Diagnosis		154	107

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	24	5	10
Fatal Crashes	1	0	2
Injury Crashes	6	2	4
Property Damage Crashes	17	3	4
Crash Fatalities	1	0	2
Crash Injuries	13	3	8
Drug Involved Crashes--Total	2	1	4
Fatal Crashes	0	0	1
Injury Crashes	0	0	2
Property Damage Crashes	2	1	1
Crash Fatalities	0	0	1
Crash Injuries	0	0	2

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	70	42	47
Liquor Law Arrests	10	11	19
Drug Arrests	13	19	17
Methamphetamine Lab Incidents	5	9	61
Violent Offenses	56	40	35
Property Offenses	336	351	331
Domestic Violence Reports	69	53	70

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	81	117	97
Violent Offenses	17	30	23
Alcohol Offenses	2	9	8
Drug Offenses	5	3	0
Status Offenses--Total	44	51	62
Truancy	24	20	33
Beyond Parental Control	10	18	17
Habitually Absent from Home	3	4	6
Injurious Behavior	7	9	6
Abuse/Neglect/Custody--Total	49	51	85
Abuse	16	8	9
Neglect	32	43	75
Custody Disputes	1	0	1

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	6	8	15
Parental Alcohol Use Related	0	0	1
Parental Drug Use Related	1	0	4
Parental Alcohol and Drug Use	0	0	1
Child Removed for Other Reason	5	8	9

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	16	14	12
Probation/Parole Admissions--Total	123	96	94
Probation/Parole Admissions--Drug	22	15	22
Probation/Parole Admissions--DWI	7	11	3
Prison Admissions--Total	60	54	54
Prison Admissions--Drug	14	15	10
Prison Admissions--DWI	5	5	2

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	19	16	15
Alcohol Package Carry-out Licenses	16	17	15

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# CEDAR COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	8	5	15
CSTAR Adolescent	*	7	5
CSTAR Women and Children	5	6	5
CSTAR General Adult	82	80	82
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	*	25
Clinical SATOP (CIP, YCIP, SROP)	9	9	5
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	48	42	45
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	19	16	20
- Weekend Intervention Program	8	8	9
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	7	*	*
Compulsive Gambling	0	*	0
Recovery Supports	8	6	*
Early Intervention	*	9	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	111	93	111	Alcohol	32	31	45
AGE				Marijuana / Hashish	26	25	27
Under 18	5	7	5	Cocaine (total)	*	*	*
18 to 24	28	16	24	- Crack	0	*	*
25 to 29	18	17	19	Stimulant (total)	32	26	27
30 to 34	14	20	26	- Methamphetamine	32	24	26
35 to 39	16	7	12	Heroin	0	0	0
40 to 44	11	9	7	Analgesic except Heroin	15	8	10
45 to 54	14	13	14	- Non-Prescription Methadone	0	0	0
55 and Over	5	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	0
Male	66	56	74	Inhalant	0	0	0
Female	45	37	37	Sedative	*	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	*
Caucasian	108	91	110	Average Age at First Use of Drug	18.6	17.0	16.6
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	*	0	0	Any Injection Use at Admission	20	14	19
Asian / Pacific Islander	0	0	0	- Daily Injection Use	6	*	*
Hispanic	*	0	0	- Weekly Injection Use	5	6	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	9	6	13
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	29	32	38	0	64	51	65
High School Graduate or G.E.D.	63	47	54	1 or 2	23	26	31
Associate Degree or Some College	19	14	18	3 or More	24	16	15
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	51	39	33
Employed	23	26	28	School	0	0	*
Unemployed	50	26	44	Mental Health Provider	*	0	*
Not in Labor Force	38	41	39	Health Care Provider	10	*	7
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	33	41	53
Independent Living	84	74	95	Other Referral Source	16	10	15
Dependent Living	15	12	7	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	5	*
Never Married	63	44	58	Special Education Services Needed	12	9	7
Married / Cohabiting	24	31	33	Co-Occurring Psychological Problem	45	18	29
Previously Married	24	18	20	Co-Occurring Developmental Problem	*	*	*

# CEDAR COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 8B  
**CENSUS 2010** 13,982  
**2013 POPULATION ESTIMATE** 13,913

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	*	*	8
Anxiety Disorder	110	100	90
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	24	25	28
Mood Disorder	188	173	140
Personality Disorder	17	18	15
Psychotic Disorder	43	50	45
Sexual Disorder	*	0	0
Other Diagnosis	9	7	5
Diagnosis Unknown	20	15	44

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	267	242	242	Less than High School Diploma	92	64	40
<b>AGE</b>				High School Grad or G.E.D.	0	59	56
Under 6	*	*	*	Associate Degree or Some College	0	14	13
6 to 9	13	11	11	Bachelor or Advanced Degree	0	*	*
10 to 13	15	15	12	Education Level Unknown	175	102	132
14 to 17	16	11	17	<b>EMPLOYMENT</b>			
18 to 24	23	22	18	Employed	11	20	16
25 to 29	24	13	16	Unemployed	5	107	92
30 to 34	22	24	20	Not in Labor Force	173	27	*
35 to 39	26	20	19	Employment Status Unknown	78	88	132
40 to 44	25	32	32	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	33	30	26	Independent Living	45	118	97
50 to 54	28	24	38	Dependent Living	134	32	29
55 to 59	22	23	16	Homeless	5	*	*
60 and Over	18	15	14	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	83	89	114
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	104	89	106	Self / Family / Friend	160	160	149
Female	163	153	136	School	*	0	0
Gender Unknown	0	0	0	Mental Health Provider	23	22	29
<b>RACE / ETHNICITY</b>				Health Care Provider	40	26	18
Caucasian	258	233	232	Court / Criminal Justice	7	*	6
African American	6	5	*	Other	34	28	38
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	259	235	233
Other Race	0	0	*	Civil	5	*	6
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	9	5	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	*	*				

# CEDAR COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	33.7	43.9	44.4	Alcohol (1 or 2 drinks daily)	58.1		
Cigarettes	17.2	35.9	26.0	Alcohol (Binge: 5+ drinks once or twice a week)	79.2		
Chewing Tobacco	16.4	21.8	18.0	Alcohol (any use)		60.9	77.6
Marijuana	10.8	23.2	12.1	Cigarettes (1+ packs per day)	84.9		
Inhalants	2.4	11.8	9.2	Cigarettes (any use)		74.1	78.3
Prescription medications not prescribed for student	3.6	13.6	9.5	Marijuana (once or twice a week)	73.3		
Over-the-counter medications for non-medical use	3.6	10.5	7.8	Marijuana (any use)		67.0	72.6
Methamphetamine	1.3	8.5	0.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	94.2	87.3	91.6
Cocaine	2.5	9.6	0.0				
Heroin	0.6	7.3	0.0	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	2.4	8.7	1.3	Were very sad	16.4	29.2	21.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	8.2	0.3	Were grouchy, irritable, or in a bad mood	17.6	27.9	27.0
Steroids not prescribed for student	0.0	8.2	1.7	Felt hopeless about the future	10.5	14.7	16.0
Synthetic drugs (K2, bath salts, Spice, etc)	1.8	13.6		Felt like not eating or eating more than usual	12.8	21.9	19.1
				Slept a lot more or a lot less than usual	18.5	19.3	27.4
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	17.6	31.8	29.3
Alcohol	13.14	11.26	11.74				
Cigarettes	12.91	11.35	11.41	<i>Percent of students who, in past 12 months:</i>			
Marijuana	14.54	11.85	13.69	Seriously considered attempting suicide	13.5	21.9	15.0
Inhalants	12.48	10.46	12.39	Made plan about how they would attempt suicide	9.3	15.0	10.4
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide	1.2	11.3	9.0
Alcohol	14.2	28.6	22.0	Attempted suicide and resulting injury, poisoning, or overdose	1.3	6.4	3.0
Alcohol (Binge: 5+ drinks on one occasion)		19.5	13.1	had to be treated by doctor or nurse			
Cigarettes	6.1	15.5	14.3				
Chewing Tobacco	8.5	12.7	12.9	<i>Percent of students who, in past 12 months:</i>			
Marijuana	4.8	11.5	4.7	Were threatened/injured with weapon at school	6.7	10.0	9.3
Inhalants	1.2	6.8	2.7	Were in a physical fight	20.0	30.9	30.0
Prescription medications not prescribed for student	1.2	9.5	6.4	Were in a fight and had to be treated by a doctor or nurse	3.0	6.9	3.4
Over-the-counter medications for non-medical use	1.2	8.6	5.4				
<i>Percent of students who, in past 2 weeks, used:</i>				<i>Percent of students who, in past 3 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)	7.4			Were victims of mean rumors or lies spread at school	46.7	51.4	57.1
<i>Percent whose friends used in past 12 months:</i>				Were made fun of by others	54.5	57.8	68.7
Alcohol	38.2	62.7	53.5	Were victims of an embarrassing or hurtful text message or something posted on the Internet	17.6	16.4	17.5
Cigarettes	35.2	52.7	42.0	Spread mean rumors or lies about other kids at school	17.0	25.0	27.8
Marijuana	20.6	40.5	24.3	Made fun of other people	51.8	61.4	70.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.3	21.0	10.7	Posted something on the internet or sent a text that might embarrass or hurt another student	10.4	15.9	15.9
<i>Percent who would likely use, if offered by a best friend:</i>							
Alcohol	24.8	42.7	35.5	<i>Percent of students who agree that:</i>			
Cigarettes	7.3	19.6	14.0	Teachers notice and comment on student's good work	73.3	71.4	72.2
Marijuana	4.9	17.8	11.4	School provides feedback to parents on positive student performance	44.4	35.6	37.2
<i>Percent who say it would be wrong to use:</i>				Rules are enforced fairly	81.8	64.5	74.0
Alcohol	66.9	52.1	58.6	Students of all races/ethnicities are treated equal	78.0	71.5	80.3
Cigarettes	82.2	74.5	78.7				
Marijuana	89.6	74.3	83.9	<i>Percent of students who agree that:</i>			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.1	88.6	96.6	Parents notice and comment on student's good work	82.1	79.4	79.1
<i>Percent whose parents would disapprove if they use:</i>				Parents involve student in making family decisions	72.2	57.8	67.9
Alcohol	78.5	76.8	79.1	It is important to be honest with parents regardless of consequences	97.0	79.1	77.9
Cigarettes	88.5	89.9	91.1	Student could ask parent for help with a personal problem	77.9	68.8	72.7
Marijuana	94.4	91.2	93.9				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	46.0	58.9	54.5				
Cigarettes	50.3	56.8	53.3				
Marijuana	17.8	29.0	24.8				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.8	18.3	13.8				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# CHARITON COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	12
Adult Psychiatric	12
<b>POPULATION</b>	
Census 2010	7,831
2013 Estimate	7,628

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	3,950	4,214	4,267
Employed	3,724	3,951	3,897
Unemployed	226	263	370
Unemployment Rate	5.7%	6.2%	8.7%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	328	324	357
Drop-outs	6	6	7
Drop-out Rate	1.8%	1.9%	2.0%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	2	1	0
Tobacco Incidents	0	0	0

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	80	80	91
Mother Reported Smoking while Pregnant	14	11	15

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	2
Hepatitis C Chronic and Acute	1	0	2
Tuberculosis Infection Cases	1	0	2

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	88	90	102
Suicides	0	1	0
Self-inflicted Injuries	12	4	7
Homicides	0	0	0
Assault Injuries	22	10	17
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	1	1	0
Smoking Attributable Deaths	19	16	19

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	60	87
Alcohol Primary Diagnosis	2	2	5
Drug Primary Diagnosis	2	3	4
Alcohol Related Diagnosis	13	21	27
Drug Related Diagnosis	18	17	16
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	20	12
Alcohol Primary Diagnosis	2	3	4
Drug Primary Diagnosis	2	3	5
Alcohol Related Diagnosis	15	16	12
Drug Related Diagnosis	15	11	9
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	44	60
Alcohol Primary Diagnosis	2	6	8
Drug Primary Diagnosis	2	7	11
Alcohol Related Diagnosis	16	23	24
Drug Related Diagnosis	23	22	12

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	9	6	14
Fatal Crashes	1	0	0
Injury Crashes	4	0	8
Property Damage Crashes	4	6	6
Crash Fatalities	1	0	0
Crash Injuries	6	0	8
Drug Involved Crashes--Total	6	1	0
Fatal Crashes	0	0	0
Injury Crashes	4	0	0
Property Damage Crashes	2	1	0
Crash Fatalities	0	0	0
Crash Injuries	7	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	36	33	36
Liquor Law Arrests	4	6	2
Drug Arrests	6	2	1
Methamphetamine Lab Incidents	1	0	0
Violent Offenses	24	23	26
Property Offenses	94	77	114
Domestic Violence Reports	24	6	13

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	12	3	7
Violent Offenses	3	1	0
Alcohol Offenses	0	0	3
Drug Offenses	1	0	0
Status Offenses--Total	35	54	25
Truancy	11	7	3
Beyond Parental Control	4	3	2
Habitually Absent from Home	0	0	0
Injurious Behavior	20	44	20
Abuse/Neglect/Custody--Total	25	7	20
Abuse	1	0	0
Neglect	24	7	20
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	11	9	5
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	5	0	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	6	9	5

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	16	9	0
Probation/Parole Admissions--Total	56	48	40
Probation/Parole Admissions--Drug	15	8	8
Probation/Parole Admissions--DWI	6	4	1
Prison Admissions--Total	32	21	25
Prison Admissions--Drug	12	5	5
Prison Admissions--DWI	2	2	1

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	11	10	9
Alcohol Package Carry-out Licenses	16	15	15

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# CHARITON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	*	*	5
CSTAR Adolescent	*	0	0
CSTAR Women and Children	*	*	*
CSTAR General Adult	22	13	17
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	6	12
Clinical SATOP (CIP, YCIP, SROP)	5	*	*
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	27	30	32
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	9	15	11
- Weekend Intervention Program	5	6	6
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	0
Early Intervention	*	*	0


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	33	25	33	Alcohol	13	8	14
AGE				Marijuana / Hashish	8	10	8
Under 18	*	0	0	Cocaine (total)	0	*	*
18 to 24	5	5	7	- Crack	0	0	*
25 to 29	6	6	8	Stimulant (total)	7	*	*
30 to 34	6	5	*	- Methamphetamine	6	*	*
35 to 39	7	*	*	Heroin	*	0	0
40 to 44	*	*	*	Analgesic except Heroin	*	*	6
45 to 54	5	*	*	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	5	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	0	0
Male	16	12	23	Inhalant	0	0	0
Female	17	13	10	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	32	24	31	Average Age at First Use of Drug	19.0	18.2	15.8
African American	*	0	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	*
Hispanic	0	0	0	- Weekly Injection Use	*	0	0
Other Race / Two or More Races	0	*	0	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	8	8	12	0	16	13	15
High School Graduate or G.E.D.	15	14	14	1 or 2	10	7	11
Associate Degree or Some College	8	*	7	3 or More	7	5	7
Bachelor or Advanced Degree	*	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	8	6	12
Employed	12	6	11	School	0	0	0
Unemployed	8	12	14	Mental Health Provider	0	0	0
Not in Labor Force	13	7	8	Health Care Provider	*	0	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	12	16	17
Independent Living	31	24	25	Other Referral Source	11	*	*
Dependent Living	*	0	*	TREATMENT ACCOMMODATION			
Homeless	0	0	*	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	11	10	14	Special Education Services Needed	*	0	*
Married / Cohabiting	10	7	10	Co-Occurring Psychological Problem	17	9	14
Previously Married	12	8	9	Co-Occurring Developmental Problem	0	0	*



# CHARITON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 12  
**CENSUS 2010** 7,831  
**2013 POPULATION ESTIMATE** 7,628

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	0	0	*
Anxiety Disorder	14	20	23
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	5	6	7
Mood Disorder	28	40	36
Personality Disorder	*	5	8
Psychotic Disorder	6	8	8
Sexual Disorder	0	0	0
Other Diagnosis	*	5	*
Diagnosis Unknown	*	5	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	33	54	49	Less than High School Diploma	12	8	10
<b>AGE</b>				High School Grad or G.E.D.	0	13	13
Under 6	0	0	0	Associate Degree or Some College	0	7	5
6 to 9	*	*	*	Bachelor or Advanced Degree	0	0	0
10 to 13	*	*	*	Education Level Unknown	21	26	21
14 to 17	*	*	*	<b>EMPLOYMENT</b>			
18 to 24	*	*	5	Employed	*	*	*
25 to 29	*	6	*	Unemployed	*	25	25
30 to 34	*	7	5	Not in Labor Force	26	5	*
35 to 39	*	5	*	Employment Status Unknown	*	23	20
40 to 44	5	*	5	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	0	*	*	Independent Living	17	24	23
50 to 54	*	7	6	Dependent Living	12	6	9
55 to 59	5	7	6	Homeless	*	*	0
60 and Over	*	6	6	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	*	21	16
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	12	22	20	Self / Family / Friend	22	30	26
Female	21	32	29	School	0	0	*
Gender Unknown	0	0	0	Mental Health Provider	*	5	*
<b>RACE / ETHNICITY</b>				Health Care Provider	8	14	8
Caucasian	31	51	48	Court / Criminal Justice	0	*	*
African American	*	*	*	Other	*	*	6
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	0	0	Voluntary	33	52	46
Other Race	0	*	0	Civil	0	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	*	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	*
Past or Current Military Service	*	6	*				


# CHARITON COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	38.1	46.6	51.4	Alcohol (1 or 2 drinks daily)	56.6		
Cigarettes	25.0	23.7	27.4	Alcohol (Binge: 5+ drinks once or twice a week)	66.3		
Chewing Tobacco	19.0	19.5	13.1	Alcohol (any use)		68.6	88.4
Marijuana	6.0	10.2	9.0	Cigarettes (1+ packs per day)	83.1		
Inhalants	4.7	5.1	5.5	Cigarettes (any use)		81.2	86.4
Prescription medications not prescribed for student	6.0	7.6	8.8	Marijuana (once or twice a week)	79.8		
Over-the-counter medications for non-medical use	1.2	4.2	6.2	Marijuana (any use)		81.5	70.5
Methamphetamine	0.0	0.0	0.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	95.1	93.2	95.2
Cocaine	0.0	0.9	0.7	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.0	0.0	0.7	Were very sad	14.1	21.0	26.9
Hallucinogens	1.2	0.8	1.4	Were grouchy, irritable, or in a bad mood	18.8	26.1	29.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	0.9	0.0	Felt hopeless about the future	7.1	11.0	16.4
Steroids not prescribed for student	1.2	0.8	0.7	Felt like not eating or eating more than usual	11.9	15.3	21.9
Synthetic drugs (K2, bath salts, Spice, etc)	2.4	3.4		Slept a lot more or a lot less than usual	15.5	21.8	31.5
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	17.9	17.6	31.7
Alcohol	13.02	12.70	12.58	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	13.56	12.81	11.75	Seriously considered attempting suicide	7.1	11.9	8.8
Marijuana	12.66	13.52	13.40	Made plan about how they would attempt suicide	4.8	6.7	6.1
Inhalants	13.06	11.82	12.31	Attempted suicide	1.2	2.5	2.7
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.0	1.7	0.7
Alcohol	14.3	19.5	26.0	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		14.4	16.9	Were threatened/injured with weapon at school	3.5	5.1	5.4
Cigarettes	11.9	11.8	10.3	Were in a physical fight	19.0	21.2	22.4
Chewing Tobacco	11.9	11.9	9.0	Were in a fight and had to be treated by a doctor or nurse	0.0	2.5	3.4
Marijuana	3.6	4.2	4.1	<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.0	1.7	1.4	Were victims of mean rumors or lies spread at school	50.0	49.2	62.1
Prescription medications not prescribed for student	1.2	4.2	5.4	Were made fun of by others	60.0	67.5	74.1
Over-the-counter medications for non-medical use	1.2	2.5	4.1	Were victims of an embarrassing or hurtful text message or something posted on the internet	20.2	24.8	25.2
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	16.7	32.2	41.8
Alcohol (Binge: 5+ drinks on one occasion)	7.1			Made fun of other people	56.0	66.1	77.4
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	10.6	16.1	20.7
Alcohol	47.1	51.7	66.4	<i>Percent of students who agree that:</i>			
Cigarettes	36.5	44.1	39.5	Teachers notice and comment on student's good work	81.2	69.2	80.8
Marijuana	15.5	24.6	19.2	School provides feedback to parents on positive student performance	54.1	47.5	45.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.7	6.8	8.8	Rules are enforced fairly	65.5	66.9	67.8
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	89.4	85.6	84.8
Alcohol	23.8	31.1	42.6	<i>Percent of students who agree that:</i>			
Cigarettes	13.1	11.1	10.2	Parents notice and comment on student's good work	88.2	86.4	90.5
Marijuana	4.8	5.9	5.6	Parents involve student in making family decisions	77.4	68.4	75.5
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	94.0	88.0	90.4
Alcohol	68.2	56.8	57.8	Student could ask parent for help with a personal problem	85.7	78.8	82.3
Cigarettes	79.8	76.9	81.6	<div>Page Notes: Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</div>			
Marijuana	90.5	88.1	92.5				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.8	96.6	97.9				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	78.8	74.4	73.5				
Cigarettes	89.4	90.7	92.5	<div>Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys</div>			
Marijuana	97.6	96.6	98.0				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	47.0	49.6	60.3				
Cigarettes	44.0	50.0	54.4				
Marijuana	17.9	21.4	21.8				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.2	11.1	8.2				



# CHRISTIAN COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	10
Adult Psychiatric	10
<b>POPULATION</b>	
Census 2010	77,422
2013 Estimate	80,899

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	962	996	1,106
Mother Reported Smoking while Pregnant	108	145	157

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	2	3	5
Hepatitis B Chronic, Acute, Prenatal	1 8	5	3
Hepatitis C Chronic and Acute	1 39	35	51
Tuberculosis Infection Cases	1 10	14	15

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	557	504	558
Suicides	14	13	13
Self-inflicted Injuries	75	71	73
Homicides	0	2	1
Assault Injuries	139	127	108
Alcohol Induced Deaths	2	4	3
Drug Induced Deaths	14	12	17
Smoking Attributable Deaths	93	80	88

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 216	237	
Alcohol Primary Diagnosis	2 16	6	
Drug Primary Diagnosis	2 18	11	
Alcohol Related Diagnosis	61	51	90
Drug Related Diagnosis	88	89	138
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 322	263	
Alcohol Primary Diagnosis	2 87	77	
Drug Primary Diagnosis	2 88	64	
Alcohol Related Diagnosis	265	215	170
Drug Related Diagnosis	264	245	151
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 503	414	
Alcohol Primary Diagnosis	2 114	108	
Drug Primary Diagnosis	2 133	126	
Alcohol Related Diagnosis	214	191	190
Drug Related Diagnosis	316	240	173

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	57	56	35
Fatal Crashes	3	1	1
Injury Crashes	25	26	13
Property Damage Crashes	29	29	21
Crash Fatalities	3	1	1
Crash Injuries	33	36	22
Drug Involved Crashes--Total	25	20	11
Fatal Crashes	1	0	0
Injury Crashes	11	12	5
Property Damage Crashes	13	8	6
Crash Fatalities	1	0	0
Crash Injuries	12	11	6

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	40,999	40,892	41,092
Employed	38,798	38,523	38,009
Unemployed	2,201	2,369	3,083
Unemployment Rate	5.4%	5.8%	7.5%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	4,082	4,128	4,106
Drop-outs	40	58	38
Drop-out Rate	1.0%	1.4%	0.9%
School Suspensions:			
Alcohol Incidents	5	6	7
Drug Incidents	29	28	40
Tobacco Incidents	0	0	1

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	287	268	253
Liquor Law Arrests	94	91	93
Drug Arrests	409	312	325
Methamphetamine Lab Incidents	22	36	9
Violent Offenses	140	147	215
Property Offenses	1,381	1,420	1,233
Domestic Violence Reports	444	514	446

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	315	363	350
Violent Offenses	77	100	97
Alcohol Offenses	10	12	26
Drug Offenses	39	48	45
Status Offenses--Total	211	249	243
Truancy	5	7	19
Beyond Parental Control	17	32	52
Habitually Absent from Home	12	23	25
Injurious Behavior	177	187	147
Abuse/Neglect/Custody--Total	140	101	115
Abuse	15	13	15
Neglect	120	87	96
Custody Disputes	5	1	4

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	65	53	62
Parental Alcohol Use Related	0	1	1
Parental Drug Use Related	27	18	16
Parental Alcohol and Drug Use	5	1	0
Child Removed for Other Reason	33	33	45

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	58	49	48
Probation/Parole Admissions--Total	372	381	356
Probation/Parole Admissions--Drug	126	141	105
Probation/Parole Admissions--DWI	16	28	24
Prison Admissions--Total	173	172	166
Prison Admissions--Drug	61	61	51
Prison Admissions--DWI	8	13	11

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	43	42	40
Alcohol Package Carry-out Licenses	46	46	47

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# CHRISTIAN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	49	51	90
CSTAR Adolescent	35	28	35
CSTAR Women and Children	35	18	29
CSTAR General Adult	91	80	75
CSTAR Opioid	0	0	0
Primary Recovery Treatment	104	125	139
Clinical SATOP (CIP, YCIP, SROP)	28	40	32
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	214	260	221
- Adolescent Diversion Education Program	0	6	*
- Offender Education Program	87	94	85
- Weekend Intervention Program	56	66	60
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	6	8	9
Compulsive Gambling	0	0	0
Recovery Supports	173	121	23
Early Intervention	17	21	14

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	428	400	349	Alcohol	127	152	110
AGE				Marijuana / Hashish	89	91	80
Under 18	37	30	38	Cocaine (total)	*	5	*
18 to 24	80	72	75	- Crack	0	5	*
25 to 29	76	69	71	Stimulant (total)	130	99	86
30 to 34	85	68	62	- Methamphetamine	114	96	83
35 to 39	64	53	33	Heroin	18	9	8
40 to 44	36	44	24	Analgesic except Heroin	47	33	50
45 to 54	39	54	37	- Non-Prescription Methadone	*	*	*
55 and Over	11	10	9	PCP, LSD, other Hallucinogen	*	*	*
GENDER				Tranquilizer	9	8	5
Male	292	288	238	Inhalant	0	0	*
Female	136	112	111	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	398	376	326	Average Age at First Use of Drug	17.8	17.5	16.7
African American	*	7	7	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	102	76	74
Asian / Pacific Islander	*	*	0	- Daily Injection Use	10	12	16
Hispanic	11	9	7	- Weekly Injection Use	20	19	26
Other Race / Two or More Races	17	9	10	- Less than Weekly Injection Use	72	45	32
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	153	130	120	0	258	201	185
High School Graduate or G.E.D.	189	175	157	1 or 2	123	119	108
Associate Degree or Some College	84	92	67	3 or More	47	80	56
Bachelor or Advanced Degree	*	*	5	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	293	99	108
Employed	152	131	96	School	*	*	*
Unemployed	146	162	148	Mental Health Provider	7	8	12
Not in Labor Force	130	107	105	Health Care Provider	7	10	9
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	80	264	199
Independent Living	349	336	272	Other Referral Source	33	18	20
Dependent Living	63	52	66	TREATMENT ACCOMMODATION			
Homeless	7	8	6	Pregnant when Admitted to any Episode	9	8	7
MARITAL / FAMILY STATUS				Military Veteran	9	25	21
Never Married	237	193	201	Special Education Services Needed	43	42	22
Married / Cohabiting	90	103	83	Co-Occurring Psychological Problem	130	142	108
Previously Married	101	104	65	Co-Occurring Developmental Problem	12	*	5

# CHRISTIAN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 10  
**CENSUS 2010** 77,422  
**2013 POPULATION ESTIMATE** 80,899

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	12	19	25
Anxiety Disorder	89	108	105
Dementia	*	*	*
Developmental Disorder	11	18	18
Impulse Control Disorder	39	53	62
Mood Disorder	161	181	184
Personality Disorder	37	46	41
Psychotic Disorder	91	100	89
Sexual Disorder	0	0	*
Other Diagnosis	41	38	29
Diagnosis Unknown	18	41	82

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	284	331	404	Less than High School Diploma	82	60	32
<b>AGE</b>				High School Grad or G.E.D.	*	56	56
Under 6	9	9	13	Associate Degree or Some College	0	22	29
6 to 9	15	28	44	Bachelor or Advanced Degree	0	8	*
10 to 13	22	30	36	Education Level Unknown	201	185	284
14 to 17	20	26	33	<b>EMPLOYMENT</b>			
18 to 24	12	12	25	Employed	7	16	11
25 to 29	21	21	30	Unemployed	6	105	104
30 to 34	31	33	34	Not in Labor Force	183	64	5
35 to 39	36	30	23	Employment Status Unknown	88	146	284
40 to 44	28	32	29	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	25	29	37	Independent Living	60	81	60
50 to 54	23	31	40	Dependent Living	126	114	97
55 to 59	17	25	30	Homeless	7	*	*
60 and Over	25	25	30	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	91	134	242
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	152	147	199	Self / Family / Friend	139	208	278
Female	132	184	205	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	21	19	19
<b>RACE / ETHNICITY</b>				Health Care Provider	48	27	18
Caucasian	263	311	368	Court / Criminal Justice	16	11	11
African American	*	*	6	Other	55	55	64
Native American / Alaskan	0	0	0	Referral Source Unknown	*	9	13
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	271	315	382
Other Race	12	13	24	Civil	6	*	6
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	7	9	7	Commitment Type Unknown	*	9	13
Past or Current Military Service	5	6	*				

# CHRISTIAN COUNTY


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	20.9	25.3	33.2	Alcohol (1 or 2 drinks daily)	67.0		
Cigarettes	17.2	16.2	20.7	Alcohol (Binge: 5+ drinks once or twice a week)	78.4		
Chewing Tobacco	9.2	9.0	9.4	Alcohol (any use)		74.9	75.5
Marijuana	10.3	10.4	12.0	Cigarettes (1+ packs per day)	90.4		
Inhalants	2.0	6.2	6.7	Cigarettes (any use)		84.5	79.2
Prescription medications not prescribed for student	5.2	7.1	10.1	Marijuana (once or twice a week)	76.0		
Over-the-counter medications for non-medical use	2.8	6.4	8.3	Marijuana (any use)		77.6	72.2
Methamphetamine	0.3	1.0	0.8	Other: Cocaine, LSD, Meth, Club Drug (any use)	93.8	94.0	89.1
Cocaine	0.1	1.3	1.5				
Heroin	0.0	0.6	0.8	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	0.5	2.1	3.5	Were very sad	18.7	17.4	16.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.4	1.5	2.4	Were grouchy, irritable, or in a bad mood	24.0	19.3	22.0
Steroids not prescribed for student	0.4	1.0	1.7	Felt hopeless about the future	9.8	8.8	11.0
Synthetic drugs (K2, bath salts, Spice, etc)	1.7	6.1		Felt like not eating or eating more than usual	15.8	15.3	16.3
				Slept a lot more or a lot less than usual	12.4	19.2	23.2
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	19.5	19.3	23.6
Alcohol	12.79	12.51	12.27				
Cigarettes	12.66	12.35	12.10	<i>Percent of students who, in past 12 months:</i>			
Marijuana	13.99	13.09	12.93	Seriously considered attempting suicide	9.6	11.1	11.2
Inhalants	12.24	11.39	11.79	Made plan about how they would attempt suicide	7.8	8.1	9.0
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide	4.1	5.4	5.3
Alcohol	7.6	9.2	13.3	Attempted suicide and resulting injury, poisoning, or overdose	1.7	1.7	2.5
Alcohol (Binge: 5+ drinks on one occasion)		5.5	6.3				
Cigarettes	7.4	7.1	10.7	<i>Percent of students who, in past 12 months:</i>			
Chewing Tobacco	3.2	4.3	4.8	Were threatened/injured with weapon at school	4.0	6.7	8.8
Marijuana	3.1	4.9	6.3	Were in a physical fight	16.0	19.6	27.2
Inhalants	1.6	2.2	2.9	Were in a fight and had to be treated by a doctor or nurse	3.6	3.8	3.7
Prescription medications not prescribed for student	3.0	3.2	5.3				
Over-the-counter medications for non-medical use	2.2	3.5	4.9	<i>Percent of students who, in past 3 months:</i>			
<i>Percent of students who, in past 2 weeks, used:</i>				Were victims of mean rumors or lies spread at school	50.4	47.7	57.6
Alcohol (Binge: 5+ drinks on one occasion)	2.7			Were made fun of by others	58.8	59.0	70.3
<i>Percent whose friends used in past 12 months:</i>				Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.2	21.6	20.4
Alcohol	32.3	40.0	52.2	Spread mean rumors or lies about other kids at school	24.7	24.1	35.7
Cigarettes	29.5	32.9	39.7	Made fun of other people	51.0	55.8	71.7
Marijuana	24.4	28.9	32.8	Posted something on the internet or sent a text that might embarrass or hurt another student	14.0	14.0	18.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.5	14.6	20.1				
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	13.4	17.7	25.5	Teachers notice and comment on student's good work	74.0	66.6	68.7
Cigarettes	8.4	8.8	12.3	School provides feedback to parents on positive student performance	45.2	36.3	33.3
Marijuana	7.6	9.2	12.2	Rules are enforced fairly	70.3	69.2	69.2
<i>Percent who say it would be wrong to use:</i>				Students of all races/ethnicities are treated equal	86.9	80.8	83.8
Alcohol	75.6	73.6	65.6				
Cigarettes	85.9	86.8	78.7	<i>Percent of students who agree that:</i>			
Marijuana	85.3	86.0	85.1	Parents notice and comment on student's good work	84.4	84.1	84.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.3	96.7	95.4	Parents involve student in making family decisions	68.2	71.9	73.5
<i>Percent whose parents would disapprove if they use:</i>				It is important to be honest with parents regardless of consequences	88.5	87.9	84.3
Alcohol	87.7	87.4	85.9	Student could ask parent for help with a personal problem	81.0	77.2	78.2
Cigarettes	95.6	95.1	93.9				
Marijuana	95.1	95.1	95.9				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	40.7	45.9	49.9				
Cigarettes	39.3	39.4	52.4				
Marijuana	24.6	28.1	29.8				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.6	12.9	16.8				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# CLARK COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	14
Adult Psychiatric	14
<b>POPULATION</b>	
Census 2010	7,139
2013 Estimate	6,910

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	103	68	76
Mother Reported Smoking while Pregnant	29	20	30

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	1
Hepatitis C Chronic and Acute	1	5	3
Tuberculosis Infection Cases	1	0	0

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	89	81	83
Suicides	0	2	0
Self-inflicted Injuries	3	3	1
Homicides	0	0	1
Assault Injuries	4	4	3
Alcohol Induced Deaths	0	0	1
Drug Induced Deaths	0	2	1
Smoking Attributable Deaths	18	16	21

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	20	17
Alcohol Primary Diagnosis	2	1	4
Drug Primary Diagnosis	2	2	3
Alcohol Related Diagnosis	8	11	20
Drug Related Diagnosis	15	14	11
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	1	2
Alcohol Primary Diagnosis	2	0	0
Drug Primary Diagnosis	2	1	0
Alcohol Related Diagnosis	4	1	5
Drug Related Diagnosis	2	1	1
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	17	7
Alcohol Primary Diagnosis	2	2	1
Drug Primary Diagnosis	2	3	0
Alcohol Related Diagnosis	5	4	5
Drug Related Diagnosis	8	1	3

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	8	3	2
Fatal Crashes	0	2	0
Injury Crashes	6	0	0
Property Damage Crashes	2	1	2
Crash Fatalities	0	2	0
Crash Injuries	8	0	0
Drug Involved Crashes--Total	2	0	0
Fatal Crashes	0	0	0
Injury Crashes	1	0	0
Property Damage Crashes	1	0	0
Crash Fatalities	0	0	0
Crash Injuries	1	0	0

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	3,374	3,481	3,540
Employed	3,127	3,231	3,223
Unemployed	247	250	317
Unemployment Rate	7.3%	7.2%	9.0%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	324	320	332
Drop-outs	4	4	8
Drop-out Rate	1.2%	1.3%	2.4%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	0	0	0
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	76	66	70
Liquor Law Arrests	31	10	28
Drug Arrests	73	68	65
Methamphetamine Lab Incidents	8	12	18
Violent Offenses	9	12	17
Property Offenses	42	31	66
Domestic Violence Reports	14	19	14

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	22	10	29
Violent Offenses	2	2	4
Alcohol Offenses	7	0	3
Drug Offenses	2	0	3
Status Offenses--Total	74	100	100
Truancy	16	11	18
Beyond Parental Control	5	3	6
Habitually Absent from Home	1	2	3
Injurious Behavior	52	84	73
Abuse/Neglect/Custody--Total	64	32	49
Abuse	0	0	2
Neglect	64	32	47
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	26	25	14
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	8	8	5
Parental Alcohol and Drug Use	2	2	0
Child Removed for Other Reason	16	15	9

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	36	38	32
Probation/Parole Admissions--Total	84	76	55
Probation/Parole Admissions--Drug	32	25	22
Probation/Parole Admissions--DWI	13	12	7
Prison Admissions--Total	45	50	41
Prison Admissions--Drug	18	14	13
Prison Admissions--DWI	7	9	4

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	11	12	14
Alcohol Package Carry-out Licenses	12	14	12

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# CLARK COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	5	*	*
CSTAR Adolescent	*	*	0
CSTAR Women and Children	*	*	*
CSTAR General Adult	27	35	14
CSTAR Opioid	0	0	0
Primary Recovery Treatment	5	26	34
Clinical SATOP (CIP, YCIP, SROP)	5	*	5
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	27	23	32
- Adolescent Diversion Education Program	*	*	0
- Offender Education Program	8	11	10
- Weekend Intervention Program	9	5	7
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	0
Compulsive Gambling	0	0	0
Recovery Supports	*	0	*
Early Intervention	9	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	40	53	50	Alcohol	16	9	22
AGE				Marijuana / Hashish	8	27	9
Under 18	*	*	0	Cocaine (total)	0	0	*
18 to 24	*	8	10	- Crack	0	0	0
25 to 29	6	11	7	Stimulant (total)	11	13	15
30 to 34	6	14	10	- Methamphetamine	11	13	15
35 to 39	9	5	6	Heroin	0	0	0
40 to 44	6	5	*	Analgesic except Heroin	*	*	*
45 to 54	6	*	10	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	5	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	24	37	32	Inhalant	0	0	0
Female	16	16	18	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	0
Caucasian	39	53	49	Average Age at First Use of Drug	17.6	18.2	17.8
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	5	*	*
Asian / Pacific Islander	*	0	0	- Daily Injection Use	0	0	0
Hispanic	0	0	0	- Weekly Injection Use	0	0	0
Other Race / Two or More Races	0	0	*	- Less than Weekly Injection Use	5	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	14	15	15	0	25	40	26
High School Graduate or G.E.D.	22	33	27	1 or 2	6	10	15
Associate Degree or Some College	*	5	8	3 or More	9	*	9
Bachelor or Advanced Degree	*	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	6	5	7
Employed	17	26	27	School	0	0	0
Unemployed	10	16	16	Mental Health Provider	0	*	0
Not in Labor Force	13	11	7	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	17	37	37
Independent Living	36	47	50	Other Referral Source	14	9	5
Dependent Living	*	5	0	TREATMENT ACCOMMODATION			
Homeless	*	0	0	Pregnant when Admitted to any Episode	*	*	0
MARITAL / FAMILY STATUS				Military Veteran	0	*	0
Never Married	19	30	26	Special Education Services Needed	8	*	7
Married / Cohabiting	13	12	11	Co-Occurring Psychological Problem	21	22	11
Previously Married	8	11	13	Co-Occurring Developmental Problem	*	*	*

# CLARK COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 14  
**CENSUS 2010** 7,139  
**2013 POPULATION ESTIMATE** 6,910

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	*	*	*
Anxiety Disorder	24	27	21
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	24	23	17
Mood Disorder	46	45	29
Personality Disorder	*	*	*
Psychotic Disorder	*	*	5
Sexual Disorder	*	0	0
Other Diagnosis	11	10	8
Diagnosis Unknown	*	5	5

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	62	68	56	Less than High School Diploma	35	15	8
<b>AGE</b>				High School Grad or G.E.D.	0	13	10
Under 6	0	*	*	Associate Degree or Some College	0	*	*
6 to 9	11	11	*	Bachelor or Advanced Degree	0	*	*
10 to 13	8	11	10	Education Level Unknown	27	37	34
14 to 17	15	14	10	<b>EMPLOYMENT</b>			
18 to 24	*	6	*	Employed	*	*	*
25 to 29	*	*	*	Unemployed	*	21	19
30 to 34	*	*	7	Not in Labor Force	50	10	0
35 to 39	*	5	5	Employment Status Unknown	9	34	34
40 to 44	*	*	*	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	5	*	5	Independent Living	25	26	19
50 to 54	5	*	*	Dependent Living	26	19	22
55 to 59	*	*	*	Homeless	0	0	0
60 and Over	*	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	11	23	15
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	26	23	22	Self / Family / Friend	19	21	12
Female	36	45	34	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	0	*	*
<b>RACE / ETHNICITY</b>				Health Care Provider	*	*	*
Caucasian	60	66	55	Court / Criminal Justice	*	*	*
African American	*	*	0	Other	35	38	39
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	*	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	0	0	Voluntary	60	68	56
Other Race	0	0	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	0	0
Hearing Impaired	0	0	0	Commitment Type Unknown	0	0	0
Past or Current Military Service	0	*	*				



# CLARK COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	49.4		53.5	Alcohol (1 or 2 drinks daily)	46.8		
Cigarettes	24.1		35.9	Alcohol (Binge: 5+ drinks once or twice a week)	64.1		
Chewing Tobacco	11.5		20.6	Alcohol (any use)			79.4
Marijuana	12.7		10.3	Cigarettes (1+ packs per day)	92.3		
Inhalants	3.8		9.1	Cigarettes (any use)			75.6
Prescription medications not prescribed for student	16.7		13.5	Marijuana (once or twice a week)	64.1		
Over-the-counter medications for non-medical use	6.4		11.0	Marijuana (any use)			65.2
Methamphetamine	0.0		0.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	97.5		92.8
Cocaine	0.0		0.7	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.0		0.0	Were very sad	13.2		17.5
Hallucinogens	5.1		1.3	Were grouchy, irritable, or in a bad mood	23.1		25.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0		0.6	Felt hopeless about the future	3.8		11.0
Steroids not prescribed for student	0.0		2.6	Felt like not eating or eating more than usual	9.0		20.0
Synthetic drugs (K2, bath salts, Spice, etc)	5.1			Slept a lot more or a lot less than usual	6.4		24.0
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	11.5		20.0
Alcohol	12.36		12.08	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	11.62		11.78	Seriously considered attempting suicide	7.7		15.4
Marijuana	13.21		14.19	Made plan about how they would attempt suicide	7.6		10.3
Inhalants	13.58		13.58	Attempted suicide	1.3		4.5
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.0		0.7
Alcohol	19.0		29.0	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occassion)			18.1	Were threatened/injured with weapon at school	3.8		4.5
Cigarettes	11.5		16.8	Were in a physical fight	12.8		25.6
Chewing Tobacco	6.3		12.3	Were in a fight and had to be treated by a doctor or nurse	1.3		3.2
Marijuana	1.3		5.1	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.3		2.6	Were victims of mean rumors or lies spread at school	59.5		61.5
Prescription medications not prescribed for student	3.8		9.7	Were made fun of by others	66.7		74.4
Over-the-counter medications for non-medical use	1.3		5.8	Were victims of an embarrassing or hurtful text message or something posted on the internet	23.1		17.6
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	38.5		30.1
Alcohol (Binge: 5+ drinks on one occassion)	10.3			Made fun of other people	67.9		78.8
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	24.1		14.2
Alcohol	64.1		65.6	<i>Percent of students who agree that:</i>			
Cigarettes	48.7		54.8	Teachers notice and comment on student's good work	69.6		72.4
Marijuana	29.5		25.8	School provides feedback to parents on positive student performance	26.9		42.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.5		9.7	Rules are enforced fairly	69.2		60.0
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	86.1		84.5
Alcohol	29.5		45.5	<i>Percent of students who agree that:</i>			
Cigarettes	15.2		18.6	Parents notice and comment on student's good work	89.7		79.5
Marijuana	10.1		7.7	Parents involve student in making family decisions	59.5		64.1
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	91.1		84.5
Alcohol	58.2		46.2	Student could ask parent for help with a personal problem	78.2		74.0
Cigarettes	79.7		74.2	<div>Page Notes:</div> <div>Similar affirmative response choices for individual questions are combined.</div> <div>Blank data cells indicate estimates are not available for item or geographic area.</div> <div>Survey is not conducted in every school district nor reported for every county.</div> <div>Estimates are not available for counties with small numbers of respondents.</div> <div>Percentages are estimates based on weighted data.</div> <div>Some year-to-year differences in percentages are not statistically significant.</div>			
Marijuana	83.3		85.9				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.7		94.3				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	80.8		63.6				
Cigarettes	96.2		90.3				
Marijuana	97.5		94.8				
<i>Percent who say it would be easy to obtain:</i>				Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Alcohol	55.1		63.5				
Cigarettes	53.8		58.7				
Marijuana	33.3		31.4				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.7		15.5				

# CLAY COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	6
Adult Psychiatric	6
<b>POPULATION</b>	
Census 2010	221,939
2013 Estimate	230,473

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	3,121	3,005	3,136
Mother Reported Smoking while Pregnant	446	440	450

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	19	17	21
Hepatitis B Chronic, Acute, Prenatal	1	5	7
Hepatitis C Chronic and Acute	1	38	45
Tuberculosis Infection Cases	1	25	32

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	1,580	1,535	1,542
Suicides	36	28	36
Self-inflicted Injuries	343	351	391
Homicides	11	10	5
Assault Injuries	750	740	758
Alcohol Induced Deaths	19	22	16
Drug Induced Deaths	30	21	25
Smoking Attributable Deaths	282	268	302

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	1,543	1,587
Alcohol Primary Diagnosis	2	132	144
Drug Primary Diagnosis	2	86	95
Alcohol Related Diagnosis		560	586
Drug Related Diagnosis		590	737
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	368	344
Alcohol Primary Diagnosis	2	156	154
Drug Primary Diagnosis	2	77	90
Alcohol Related Diagnosis		846	846
Drug Related Diagnosis		711	724
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	1,975	1,752
Alcohol Primary Diagnosis	2	594	629
Drug Primary Diagnosis	2	343	288
Alcohol Related Diagnosis		1,313	1,277
Drug Related Diagnosis		1,184	878

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	176	154	213
Fatal Crashes	1	3	7
Injury Crashes	71	55	87
Property Damage Crashes	104	96	119
Crash Fatalities	1	3	7
Crash Injuries	96	87	119
Drug Involved Crashes--Total	42	29	26
Fatal Crashes	1	0	0
Injury Crashes	18	12	11
Property Damage Crashes	23	17	15
Crash Fatalities	1	0	0
Crash Injuries	25	13	16

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	121,070	120,910	121,175
Employed	113,476	113,144	111,790
Unemployed	7,594	7,766	9,385
Unemployment Rate	6.3%	6.4%	7.7%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	11,788	11,424	11,325
Drop-outs	154	245	293
Drop-out Rate	1.3%	2.1%	2.6%
School Suspensions:			
Alcohol Incidents	0	16	9
Drug Incidents	128	101	109
Tobacco Incidents	0	6	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	985	1,049	1,029
Liquor Law Arrests	229	320	364
Drug Arrests	776	787	769
Methamphetamine Lab Incidents	8	3	4
Violent Offenses	244	235	214
Property Offenses	2,828	2,682	2,365
Domestic Violence Reports	640	572	772

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	674	648	736
Violent Offenses	151	133	170
Alcohol Offenses	33	35	27
Drug Offenses	89	91	113
Status Offenses--Total	73	55	63
Truancy	13	10	17
Beyond Parental Control	23	11	10
Habitually Absent from Home	25	24	29
Injurious Behavior	5	4	3
Abuse/Neglect/Custody--Total	264	219	189
Abuse	17	18	5
Neglect	230	188	176
Custody Disputes	17	13	8

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	44	34	47
Parental Alcohol Use Related	2	3	5
Parental Drug Use Related	11	7	13
Parental Alcohol and Drug Use	0	1	0
Child Removed for Other Reason	31	23	29

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	50	57	57
Probation/Parole Admissions--Total	807	783	728
Probation/Parole Admissions--Drug	219	231	216
Probation/Parole Admissions--DWI	72	70	51
Prison Admissions--Total	466	438	417
Prison Admissions--Drug	119	108	124
Prison Admissions--DWI	42	35	33

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	185	189	189
Alcohol Package Carry-out Licenses	146	151	150

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# CLAY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Detoxification	59	60	90
CSTAR Adolescent	52	37	48
CSTAR Women and Children	33	28	33
CSTAR General Adult	631	631	547
CSTAR Opioid	*	7	11
Primary Recovery Treatment	35	33	52
Clinical SATOP (CIP, YCIP, SROP)	200	205	156
Other Substance Abuse Treatment	*	*	*


<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Offender Management Unit	856	904	908
- Adolescent Diversion Education Program	6	18	12
- Offender Education Program	303	329	338
- Weekend Intervention Program	233	261	278
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	16	13	17
Compulsive Gambling	*	*	19
Recovery Supports	43	20	20
Early Intervention	5	12	8

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	988	969	859	Alcohol	424	472	436
<b>AGE</b>				Marijuana / Hashish	243	219	202
Under 18	57	44	49	Cocaine (total)	28	31	32
18 to 24	195	211	171	- Crack	14	23	20
25 to 29	171	163	123	Stimulant (total)	187	159	110
30 to 34	161	141	134	- Methamphetamine	184	158	105
35 to 39	90	125	93	Heroin	20	13	13
40 to 44	103	97	93	Analgesic except Heroin	64	60	53
45 to 54	163	147	156	- Non-Prescription Methadone	*	0	0
55 and Over	48	41	40	PCP, LSD, other Hallucinogen	*	7	5
<b>GENDER</b>				Tranquilizer	12	5	6
Male	692	650	601	Inhalant	0	0	0
Female	296	319	258	Sedative	0	0	0
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	7	*	*
Caucasian	873	862	774	Average Age at First Use of Drug	17.9	17.9	17.3
African American	52	50	43	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	94	68	54
Asian / Pacific Islander	8	*	*	- Daily Injection Use	12	24	22
Hispanic	38	42	33	- Weekly Injection Use	22	9	15
Other Race / Two or More Races	26	22	19	- Less than Weekly Injection Use	60	35	17
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	260	251	223	0	476	467	389
High School Graduate or G.E.D.	456	456	382	1 or 2	318	286	255
Associate Degree or Some College	265	245	227	3 or More	194	216	215
Bachelor or Advanced Degree	7	17	27	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	190	169	196
Employed	347	357	272	School	*	*	0
Unemployed	380	342	403	Mental Health Provider	90	93	77
Not in Labor Force	260	270	184	Health Care Provider	29	25	37
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	454	564	480
Independent Living	869	874	741	Other Referral Source	113	89	69
Dependent Living	68	54	75	<b>TREATMENT ACCOMMODATION</b>			
Homeless	32	30	34	Pregnant when Admitted to any Episode	16	17	*
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	33	58	39
Never Married	562	537	495	Special Education Services Needed	46	43	26
Married / Cohabiting	222	193	187	Co-Occurring Psychological Problem	319	313	300
Previously Married	204	239	177	Co-Occurring Developmental Problem	19	14	21

# CLAY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 6  
**CENSUS 2010** 221,939  
**2013 POPULATION ESTIMATE** 230,473

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	34	29	9
Anxiety Disorder	503	517	315
Dementia	*	*	*
Developmental Disorder	7	9	6
Impulse Control Disorder	274	250	128
Mood Disorder	1,796	1,763	1,148
Personality Disorder	32	31	20
Psychotic Disorder	344	341	250
Sexual Disorder	*	*	0
Other Diagnosis	43	39	33
Diagnosis Unknown	287	309	827

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	2,749	2,691	2,375	Less than High School Diploma	381	154	71
<b>AGE</b>				High School Grad or G.E.D.	0	140	138
Under 6	28	26	12	Associate Degree or Some College	0	60	48
6 to 9	133	98	69	Bachelor or Advanced Degree	0	20	11
10 to 13	141	123	102	Education Level Unknown	2,368	2,317	2,107
14 to 17	184	165	132	<b>EMPLOYMENT</b>			
18 to 24	215	252	210	Employed	191	80	24
25 to 29	228	256	227	Unemployed	201	290	240
30 to 34	284	280	265	Not in Labor Force	854	177	5
35 to 39	249	256	240	Employment Status Unknown	1,503	2,144	2,106
40 to 44	277	260	250	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	299	298	289	Independent Living	860	420	220
50 to 54	286	278	259	Dependent Living	365	160	148
55 to 59	227	211	167	Homeless	34	10	6
60 and Over	198	188	153	Other	0	6	10
Age Unknown	0	0	0	Housing Unknown	1,490	2,095	1,991
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	1,159	1,135	984	Self / Family / Friend	2,563	2,493	2,082
Female	1,590	1,556	1,391	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	38	47	53
<b>RACE / ETHNICITY</b>				Health Care Provider	49	51	58
Caucasian	2,351	2,329	2,076	Court / Criminal Justice	14	20	23
African American	164	156	117	Other	57	54	67
Native American / Alaskan	14	11	9	Referral Source Unknown	26	24	90
Asian / Pacific Islander	14	11	9	<b>TYPE OF COMMITMENT</b>			
Hispanic	88	83	54	Voluntary	2,715	2,661	2,283
Other Race	118	101	106	Civil	*	*	0
Race/Ethnicity Unknown	0	0	*	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	0
Hearing Impaired	46	53	37	Commitment Type Unknown	26	24	90
Past or Current Military Service	28	33	31				


# CLAY COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	28.0	35.6	37.9	Alcohol (1 or 2 drinks daily)	63.8		
Cigarettes	13.1	18.6	20.8	Alcohol (Binge: 5+ drinks once or twice a week)	75.6		
Chewing Tobacco	7.1	9.6	10.1	Alcohol (any use)		71.1	77.5
Marijuana	12.1	16.2	14.3	Cigarettes (1+ packs per day)	88.7		
Inhalants	2.5	5.5	6.9	Cigarettes (any use)		83.8	82.0
Prescription medications not prescribed for student	6.9	8.7	11.6	Marijuana (once or twice a week)	66.6		
Over-the-counter medications for non-medical use	2.4	6.6	8.5	Marijuana (any use)		73.1	72.7
Methamphetamine	0.5	1.1	1.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	93.1	94.1	93.8
Cocaine	0.7	1.7	1.8	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.2	0.8	0.7	Were very sad	19.0	18.4	20.2
Hallucinogens	1.8	3.2	3.2	Were grouchy, irritable, or in a bad mood	22.8	23.1	25.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	2.3	2.5	Felt hopeless about the future	11.8	11.3	12.3
Steroids not prescribed for student	0.8	1.0	1.2	Felt like not eating or eating more than usual	16.8	16.0	19.0
Synthetic drugs (K2, bath salts, Spice, etc)	2.5	6.4		Slept a lot more or a lot less than usual	17.1	20.1	25.3
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	24.1	22.5	23.2
Alcohol	13.31	13.00	12.75	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	13.30	13.06	12.55	Seriously considered attempting suicide	11.1	12.1	11.9
Marijuana	14.13	13.83	13.72	Made plan about how they would attempt suicide	7.9	8.5	8.0
Inhalants	11.53	11.90	11.77	Attempted suicide	4.7	4.5	5.3
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.5	1.6	2.0
Alcohol	11.8	16.0	17.3	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		8.7	9.5	Were threatened/injured with weapon at school	5.3	5.2	8.8
Cigarettes	5.3	8.3	11.5	Were in a physical fight	13.9	16.4	21.5
Chewing Tobacco	2.9	5.2	5.3	Were in a fight and had to be treated by a doctor or nurse	1.9	2.8	3.6
Marijuana	6.2	8.3	7.7	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.0	2.0	3.3	Were victims of mean rumors or lies spread at school	45.7	47.1	53.5
Prescription medications not prescribed for student	3.4	4.5	6.8	Were made fun of by others	58.7	61.3	68.8
Over-the-counter medications for non-medical use	1.6	3.8	5.7	Were victims of an embarrassing or hurtful text message or something posted on the internet	25.6	22.5	21.4
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	25.3	29.0	36.4
Alcohol (Binge: 5+ drinks on one occasion)	5.2			Made fun of other people	52.6	60.9	72.1
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	17.9	15.9	19.9
Alcohol	40.9	51.1	54.9	<i>Percent of students who agree that:</i>			
Cigarettes	29.6	39.8	42.9	Teachers notice and comment on student's good work	69.1	67.2	68.3
Marijuana	33.3	38.8	37.1	School provides feedback to parents on positive student performance	36.3	34.0	37.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.7	17.4	20.4	Rules are enforced fairly	68.2	69.0	69.9
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	83.2	79.0	78.3
Alcohol	21.8	27.2	29.0	<i>Percent of students who agree that:</i>			
Cigarettes	8.0	11.0	13.4	Parents notice and comment on student's good work	83.2	82.7	83.6
Marijuana	11.5	13.5	12.3	Parents involve student in making family decisions	72.4	69.0	70.5
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	87.6	83.0	80.9
Alcohol	68.8	64.9	63.2	Student could ask parent for help with a personal problem	79.5	76.0	75.5
Cigarettes	87.8	83.2	81.1	<div>Page Notes:</div> <div>Similar affirmative response choices for individual questions are combined.</div> <div>Blank data cells indicate estimates are not available for item or geographic area.</div> <div>Survey is not conducted in every school district nor reported for every county.</div> <div>Estimates are not available for counties with small numbers of respondents.</div> <div>Percentages are estimates based on weighted data.</div> <div>Some year-to-year differences in percentages are not statistically significant.</div>			
Marijuana	81.7	81.4	82.6				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.5	95.3	94.2				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	83.8	80.9	80.6				
Cigarettes	94.7	93.0	91.6				
Marijuana	94.4	93.9	94.5				
<i>Percent who say it would be easy to obtain:</i>				Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Alcohol	52.9	59.2	59.7				
Cigarettes	43.8	51.0	52.5				
Marijuana	33.6	37.9	35.9				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.9	17.7	18.3				



# CLINTON COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	1
Adult Psychiatric	1
<b>POPULATION</b>	
Census 2010	20,743
2013 Estimate	20,571

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	220	249	224
Mother Reported Smoking while Pregnant	49	59	64

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	1	16	4
Tuberculosis Infection Cases	1	7	4

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	239	254	227
Suicides	4	3	0
Self-inflicted Injuries	25	29	31
Homicides	2	2	0
Assault Injuries	60	51	28
Alcohol Induced Deaths	1	4	1
Drug Induced Deaths	5	3	0
Smoking Attributable Deaths	43	42	49

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	127	169
Alcohol Primary Diagnosis	2	13	3
Drug Primary Diagnosis	2	8	3
Alcohol Related Diagnosis	39	36	74
Drug Related Diagnosis	38	44	57
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	53	57
Alcohol Primary Diagnosis	2	8	12
Drug Primary Diagnosis	2	7	10
Alcohol Related Diagnosis	64	55	65
Drug Related Diagnosis	61	55	31
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	154	156
Alcohol Primary Diagnosis	2	22	16
Drug Primary Diagnosis	2	13	20
Alcohol Related Diagnosis	55	48	53
Drug Related Diagnosis	75	67	50

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	16	13	16
Fatal Crashes	1	1	0
Injury Crashes	10	9	4
Property Damage Crashes	5	3	12
Crash Fatalities	1	1	0
Crash Injuries	14	12	5
Drug Involved Crashes--Total	1	2	5
Fatal Crashes	0	1	0
Injury Crashes	1	0	1
Property Damage Crashes	0	1	4
Crash Fatalities	0	1	0
Crash Injuries	1	1	1

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	9,890	10,174	10,425
Employed	9,184	9,383	9,384
Unemployed	706	791	1,041
Unemployment Rate	7.1%	7.8%	10.0%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	1,022	1,010	1,028
Drop-outs	14	30	30
Drop-out Rate	1.4%	3.0%	2.9%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	1	0	2
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	117	187	145
Liquor Law Arrests	20	51	28
Drug Arrests	144	158	176
Methamphetamine Lab Incidents	0	0	1
Violent Offenses	71	92	65
Property Offenses	465	408	452
Domestic Violence Reports	296	298	340

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	123	138	79
Violent Offenses	32	28	24
Alcohol Offenses	11	11	11
Drug Offenses	3	13	9
Status Offenses--Total	127	106	57
Truancy	43	37	26
Beyond Parental Control	29	16	7
Habitually Absent from Home	28	22	7
Injurious Behavior	25	25	14
Abuse/Neglect/Custody--Total	28	17	27
Abuse	4	8	7
Neglect	24	9	20
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	21	18	20
Parental Alcohol Use Related	2	0	0
Parental Drug Use Related	9	6	7
Parental Alcohol and Drug Use	0	1	0
Child Removed for Other Reason	10	11	13

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	114	159	136
Probation/Parole Admissions--Drug	41	46	43
Probation/Parole Admissions--DWI	11	7	9
Prison Admissions--Total	84	88	102
Prison Admissions--Drug	35	29	36
Prison Admissions--DWI	4	5	6

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	18	19	19
Alcohol Package Carry-out Licenses	19	17	15

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# CLINTON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	5	8	5
CSTAR Adolescent	14	9	5
CSTAR Women and Children	*	0	*
CSTAR General Adult	44	42	58
CSTAR Opioid	0	0	0
Primary Recovery Treatment	39	30	9
Clinical SATOP (CIP, YCIP, SROP)	25	18	11
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	77	89	92
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	32	29	30
- Weekend Intervention Program	14	20	32
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	*
Compulsive Gambling	0	0	*
Recovery Supports	0	*	0
Early Intervention	8	12	*


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	119	101	86	Alcohol	53	48	44
AGE				Marijuana / Hashish	31	30	21
Under 18	14	10	5	Cocaine (total)	0	*	*
18 to 24	21	16	13	- Crack	0	*	*
25 to 29	23	19	18	Stimulant (total)	24	11	10
30 to 34	16	14	8	- Methamphetamine	23	10	10
35 to 39	6	6	12	Heroin	*	*	*
40 to 44	12	11	13	Analgesic except Heroin	7	6	5
45 to 54	24	19	14	- Non-Prescription Methadone	0	*	*
55 and Over	*	6	*	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	*	*	0
Male	82	73	57	Inhalant	0	0	0
Female	37	28	29	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	*
Caucasian	114	97	82	Average Age at First Use of Drug	16.5	17.3	18.0
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	9	7	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	0
Hispanic	*	*	0	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	*	0	*	- Less than Weekly Injection Use	5	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	39	39	22	0	65	46	48
High School Graduate or G.E.D.	61	45	46	1 or 2	31	31	24
Associate Degree or Some College	18	15	15	3 or More	23	24	14
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	28	17	20
Employed	38	44	37	School	0	0	0
Unemployed	34	29	33	Mental Health Provider	*	*	0
Not in Labor Force	47	28	16	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	55	72	56
Independent Living	98	87	77	Other Referral Source	15	7	8
Dependent Living	17	12	7	TREATMENT ACCOMMODATION			
Homeless	*	*	0	Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS				Military Veteran	10	7	*
Never Married	68	54	42	Special Education Services Needed	7	*	*
Married / Cohabiting	28	23	23	Co-Occurring Psychological Problem	30	15	15
Previously Married	23	24	21	Co-Occurring Developmental Problem	*	*	*



# CLINTON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 1  
**CENSUS 2010** 20,743  
**2013 POPULATION ESTIMATE** 20,571

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	*	16	8
Anxiety Disorder	73	76	50
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	37	38	38
Mood Disorder	86	92	85
Personality Disorder	15	15	14
Psychotic Disorder	21	17	12
Sexual Disorder	*	0	0
Other Diagnosis	16	16	16
Diagnosis Unknown	29	31	43

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	178	206	192	Less than High School Diploma	74	43	19
<b>AGE</b>				High School Grad or G.E.D.	*	25	12
Under 6	5	7	14	Associate Degree or Some College	0	16	16
6 to 9	24	30	21	Bachelor or Advanced Degree	0	*	*
10 to 13	23	36	28	Education Level Unknown	103	121	144
14 to 17	20	25	26	<b>EMPLOYMENT</b>			
18 to 24	16	20	20	Employed	10	12	*
25 to 29	12	14	8	Unemployed	16	59	45
30 to 34	24	19	21	Not in Labor Force	110	27	0
35 to 39	12	17	16	Employment Status Unknown	42	108	144
40 to 44	12	13	12	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	8	8	7	Independent Living	81	81	45
50 to 54	10	8	8	Dependent Living	51	32	40
55 to 59	8	7	6	Homeless	*	0	0
60 and Over	*	*	5	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	45	92	105
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	77	84	81	Self / Family / Friend	82	96	83
Female	101	122	111	School	6	12	5
Gender Unknown	0	0	0	Mental Health Provider	28	29	29
<b>RACE / ETHNICITY</b>				Health Care Provider	29	30	30
Caucasian	160	190	181	Court / Criminal Justice	7	11	10
African American	*	*	*	Other	24	26	33
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	8	6	*	Voluntary	168	203	190
Other Race	6	6	*	Civil	8	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	*	*				

# CLINTON COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	36.7	34.8	41.9	Alcohol (1 or 2 drinks daily)	59.5		
Cigarettes	21.9	15.3	27.3	Alcohol (Binge: 5+ drinks once or twice a week)	72.0		
Chewing Tobacco	11.8	12.3	13.8	Alcohol (any use)		64.7	82.9
Marijuana	15.2	8.2	9.1	Cigarettes (1+ packs per day)	86.9		
Inhalants	5.1	4.2	9.0	Cigarettes (any use)		76.4	81.9
Prescription medications not prescribed for student	7.6	5.1	16.1	Marijuana (once or twice a week)	66.5		
Over-the-counter medications for non-medical use	3.4	2.2	8.2	Marijuana (any use)		80.6	73.1
Methamphetamine	1.3	2.6	0.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	94.5	91.8	91.9
Cocaine	1.3	0.1	0.9				
Heroin	0.8	0.4	0.2	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	1.7	1.6	0.2	Were very sad	25.3	12.8	23.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.7	0.4	0.7	Were grouchy, irritable, or in a bad mood	26.6	26.5	25.2
Steroids not prescribed for student	1.3	0.3	1.5	Felt hopeless about the future	13.5	9.1	10.3
Synthetic drugs (K2, bath salts, Spice, etc)	5.1	6.7		Felt like not eating or eating more than usual	17.8	17.0	21.7
				Slept a lot more or a lot less than usual	18.1	22.4	23.1
				Had difficulty concentrating on school work	24.9	23.4	19.1
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	13.36	11.86	11.77	Seriously considered attempting suicide	12.7	10.5	17.4
Cigarettes	13.01	11.84	11.75	Made plan about how they would attempt suicide	9.3	9.9	8.1
Marijuana	14.44	13.35	13.52	Attempted suicide	5.1	3.3	5.1
Inhalants	11.91	10.24	11.41	Attempted suicide and resulting injury, poisoning, or overdose	0.9	2.5	1.7
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	17.3	14.7	17.1	Were threatened/injured with weapon at school	7.6	7.2	13.9
Alcohol (Binge: 5+ drinks on one occasion)		8.4	10.8	Were in a physical fight	19.7	20.0	29.2
Cigarettes	11.8	5.6	14.2	Were in a fight and had to be treated by a doctor or nurse	2.5	1.1	6.4
Chewing Tobacco	5.5	5.4	7.3				
Marijuana	9.3	3.7	5.9	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.7	1.5	3.4	Were victims of mean rumors or lies spread at school	53.2	51.4	56.1
Prescription medications not prescribed for student	3.8	3.2	9.9	Were made fun of by others	65.0	68.2	69.3
Over-the-counter medications for non-medical use	1.7	0.5	6.5	Were victims of an embarrassing or hurtful text message or something posted on the Internet	25.7	19.4	20.5
				Spread mean rumors or lies about other kids at school	26.1	26.1	34.3
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	57.4	58.1	68.6
Alcohol (Binge: 5+ drinks on one occasion)	9.3			Posted something on the internet or sent a text that might embarrass or hurt another student	17.2	10.8	17.2
<i>Percent whose friends used in past 12 months:</i>				<i>Percent of students who agree that:</i>			
Alcohol	47.5	50.2	54.1	Teachers notice and comment on student's good work	66.8	67.5	60.0
Cigarettes	38.7	38.0	47.7	School provides feedback to parents on positive student performance	26.1	38.4	34.3
Marijuana	33.1	27.8	29.0	Rules are enforced fairly	57.8	69.1	59.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.3	10.9	20.0	Students of all races/ethnicities are treated equal	83.1	84.6	75.2
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	29.7	27.9	32.0	Parents notice and comment on student's good work	80.6	84.7	84.8
Cigarettes	15.2	11.1	15.3	Parents involve student in making family decisions	68.2	70.1	63.9
Marijuana	13.1	8.0	9.4	It is important to be honest with parents regardless of consequences	86.4	86.2	79.9
				Student could ask parent for help with a personal problem	74.6	81.1	72.0
<i>Percent who say it would be wrong to use:</i>							
Alcohol	62.7	61.7	60.5				
Cigarettes	82.2	83.3	79.8				
Marijuana	81.0	90.0	87.2				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.7	98.1	93.3				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	78.9	84.7	78.5				
Cigarettes	90.3	97.6	89.9				
Marijuana	91.8	98.0	95.7				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	53.0	54.8	54.1				
Cigarettes	50.4	42.1	56.9				
Marijuana	37.9	24.6	31.3				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.7	12.8	19.6				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# COLE COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	11
Adult Psychiatric	11
<b>POPULATION</b>	
Census 2010	75,990
2013 Estimate	76,699

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	927	902	946
Mother Reported Smoking while Pregnant	169	172	163

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	6	5	3
Hepatitis B Chronic, Acute, Prenatal	1	5	8
Hepatitis C Chronic and Acute	1	56	76
Tuberculosis Infection Cases	1	30	38

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	608	593	598
Suicides	15	11	6
Self-inflicted Injuries	113	112	123
Homicides	1	1	1
Assault Injuries	304	334	376
Alcohol Induced Deaths	4	6	6
Drug Induced Deaths	9	8	12
Smoking Attributable Deaths	116	106	101

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	221	206
Alcohol Primary Diagnosis	2	20	19
Drug Primary Diagnosis	2	12	7
Alcohol Related Diagnosis	106	104	133
Drug Related Diagnosis	111	113	147
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	500	408
Alcohol Primary Diagnosis	2	98	129
Drug Primary Diagnosis	2	61	50
Alcohol Related Diagnosis	336	381	266
Drug Related Diagnosis	306	274	171
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	661	685
Alcohol Primary Diagnosis	2	157	172
Drug Primary Diagnosis	2	103	109
Alcohol Related Diagnosis	366	399	352
Drug Related Diagnosis	366	266	207

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	57	68	66
Fatal Crashes	1	2	2
Injury Crashes	18	31	24
Property Damage Crashes	38	35	40
Crash Fatalities	1	2	3
Crash Injuries	24	41	33
Drug Involved Crashes--Total	10	16	5
Fatal Crashes	0	2	0
Injury Crashes	4	5	1
Property Damage Crashes	6	9	4
Crash Fatalities	0	2	0
Crash Injuries	5	9	2

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	39,543	39,483	40,530
Employed	37,484	37,394	37,926
Unemployed	2,059	2,089	2,604
Unemployment Rate	5.2%	5.3%	6.4%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	3,516	3,518	3,510
Drop-outs	95	100	133
Drop-out Rate	2.7%	2.8%	3.8%
School Suspensions:			
Alcohol Incidents	2	5	4
Drug Incidents	25	32	39
Tobacco Incidents	1	1	2

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	356	485	388
Liquor Law Arrests	136	138	126
Drug Arrests	534	371	269
Methamphetamine Lab Incidents	5	2	3
Violent Offenses	319	306	263
Property Offenses	1,930	2,133	2,079
Domestic Violence Reports	540	617	711

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	434	518	491
Violent Offenses	95	138	146
Alcohol Offenses	17	33	17
Drug Offenses	36	51	40
Status Offenses--Total	275	289	264
Truancy	131	126	52
Beyond Parental Control	15	30	25
Habitually Absent from Home	64	54	53
Injurious Behavior	65	79	134
Abuse/Neglect/Custody--Total	369	241	278
Abuse	211	133	161
Neglect	158	108	117
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	98	77	64
Parental Alcohol Use Related	0	3	4
Parental Drug Use Related	33	33	13
Parental Alcohol and Drug Use	2	0	1
Child Removed for Other Reason	63	41	46

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	100	99	67
Probation/Parole Admissions--Total	467	404	376
Probation/Parole Admissions--Drug	179	130	128
Probation/Parole Admissions--DWI	36	53	43
Prison Admissions--Total	188	203	186
Prison Admissions--Drug	51	67	65
Prison Admissions--DWI	16	17	9

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	104	108	102
Alcohol Package Carry-out Licenses	71	67	67

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# COLE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Detoxification	53	49	67
CSTAR Adolescent	41	29	36
CSTAR Women and Children	34	42	44
CSTAR General Adult	419	358	288
CSTAR Opioid	*	0	0
Primary Recovery Treatment	47	55	84
Clinical SATOP (CIP, YCIP, SROP)	83	109	95
Other Substance Abuse Treatment	*	*	*


<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Offender Management Unit	306	381	343
- Adolescent Diversion Education Program	14	9	25
- Offender Education Program	100	117	113
- Weekend Intervention Program	61	93	79
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	*	9	11
Compulsive Gambling	*	*	*
Recovery Supports	5	*	*
Early Intervention	30	47	29

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	587	540	504	Alcohol	268	258	253
<b>AGE</b>				Marijuana / Hashish	158	147	124
Under 18	40	29	40	Cocaine (total)	21	22	24
18 to 24	112	100	104	- Crack	8	8	10
25 to 29	105	107	87	Stimulant (total)	54	55	28
30 to 34	92	95	71	- Methamphetamine	47	54	25
35 to 39	69	63	49	Heroin	42	34	41
40 to 44	52	41	51	Analgesic except Heroin	30	19	23
45 to 54	85	75	82	- Non-Prescription Methadone	*	0	0
55 and Over	32	30	20	PCP, LSD, other Hallucinogen	0	*	*
<b>GENDER</b>				Tranquilizer	*	*	7
Male	428	383	354	Inhalant	0	0	0
Female	159	157	150	Sedative	*	*	*
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	9	0	*
Caucasian	443	402	381	Average Age at First Use of Drug	17.8	17.2	16.6
African American	116	114	103	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	*	0	*	Any Injection Use at Admission	53	60	42
Asian / Pacific Islander	*	*	*	- Daily Injection Use	13	12	12
Hispanic	9	6	*	- Weekly Injection Use	12	16	15
Other Race / Two or More Races	20	16	14	- Less than Weekly Injection Use	28	32	15
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	174	169	171	0	326	265	243
High School Graduate or G.E.D.	260	218	212	1 or 2	167	163	170
Associate Degree or Some College	137	145	109	3 or More	94	112	91
Bachelor or Advanced Degree	14	8	12	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	177	109	147
Employed	199	204	162	School	0	0	0
Unemployed	223	163	173	Mental Health Provider	15	6	6
Not in Labor Force	165	173	169	Health Care Provider	17	18	15
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	326	378	279
Independent Living	485	472	427	Other Referral Source	50	28	56
Dependent Living	59	40	50	<b>TREATMENT ACCOMMODATION</b>			
Homeless	19	11	19	Pregnant when Admitted to any Episode	10	9	7
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	30	30	19
Never Married	351	329	303	Special Education Services Needed	39	59	44
Married / Cohabiting	118	98	88	Co-Occurring Psychological Problem	234	177	173
Previously Married	118	113	113	Co-Occurring Developmental Problem	20	17	12

# COLE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 11  
**CENSUS 2010** 75,990  
**2013 POPULATION ESTIMATE** 76,699

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	12	14	8
Anxiety Disorder	192	197	151
Dementia	0	0	0
Developmental Disorder	6	*	*
Impulse Control Disorder	46	40	44
Mood Disorder	342	319	254
Personality Disorder	37	32	30
Psychotic Disorder	163	154	140
Sexual Disorder	*	0	0
Other Diagnosis	25	24	16
Diagnosis Unknown	37	65	141

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	591	594	578	Less than High School Diploma	149	137	109
<b>AGE</b>				High School Grad or G.E.D.	*	158	167
Under 6	0	*	*	Associate Degree or Some College	*	61	54
6 to 9	10	11	10	Bachelor or Advanced Degree	0	17	16
10 to 13	24	32	32	Education Level Unknown	438	221	232
14 to 17	49	34	39	<b>EMPLOYMENT</b>			
18 to 24	37	37	40	Employed	31	52	57
25 to 29	46	46	45	Unemployed	40	298	279
30 to 34	47	51	43	Not in Labor Force	395	84	15
35 to 39	44	48	57	Employment Status Unknown	125	160	227
40 to 44	63	53	59	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	67	82	79	Independent Living	281	335	275
50 to 54	83	84	73	Dependent Living	182	125	117
55 to 59	61	53	49	Homeless	20	*	11
60 and Over	60	59	49	Other	0	9	*
Age Unknown	0	0	0	Housing Unknown	108	121	171
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	250	255	259	Self / Family / Friend	324	302	301
Female	341	339	319	School	*	0	*
Gender Unknown	0	0	0	Mental Health Provider	97	104	108
<b>RACE / ETHNICITY</b>				Health Care Provider	72	77	53
Caucasian	474	468	468	Court / Criminal Justice	17	24	25
African American	81	88	72	Other	79	86	89
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	13	16	14	Voluntary	577	580	564
Other Race	21	20	22	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	8	11	12
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	0	0
Hearing Impaired	39	37	33	Commitment Type Unknown	*	*	*
Past or Current Military Service	23	19	25				



# COLE COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	40.8	43.4	42.6	Alcohol (1 or 2 drinks daily)	56.0		
Cigarettes	22.0	25.1	25.5	Alcohol (Binge: 5+ drinks once or twice a week)	71.0		
Chewing Tobacco	11.6	9.5	10.6	Alcohol (any use)		69.2	75.9
Marijuana	18.6	16.8	16.1	Cigarettes (1+ packs per day)	86.9		
Inhalants	1.7	4.5	5.3	Cigarettes (any use)		83.6	83.1
Prescription medications not prescribed for student	8.6	9.6	11.2	Marijuana (once or twice a week)	64.3		
Over-the-counter medications for non-medical use	3.7	7.3	7.5	Marijuana (any use)		71.2	73.8
Methamphetamine	0.1	0.9	0.7	Other: Cocaine, LSD, Meth, Club Drug (any use)	91.4	94.8	94.6
Cocaine	0.9	1.7	2.0				
Heroin	0.2	0.5	0.6	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	2.5	3.6	3.8	Were very sad	22.9	20.9	28.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1	2.7	3.0	Were grouchy, irritable, or in a bad mood	24.7	25.2	27.9
Steroids not prescribed for student	0.2	1.8	0.7	Felt hopeless about the future	16.6	11.9	12.5
Synthetic drugs (K2, bath salts, Spice, etc)	2.6	7.6		Felt like not eating or eating more than usual	20.7	17.4	22.0
				Slept a lot more or a lot less than usual	21.4	19.5	26.8
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	26.1	23.7	20.6
Alcohol	13.26	12.64	12.64				
Cigarettes	13.66	12.48	12.54	<i>Percent of students who, in past 12 months:</i>			
Marijuana	14.00	13.59	13.44	Seriously considered attempting suicide	13.6	13.8	11.4
Inhalants	11.18	12.05	12.20	Made plan about how they would attempt suicide	9.9	10.4	8.2
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide	5.2	6.2	4.9
Alcohol	15.3	19.2	20.1	Attempted suicide and resulting injury, poisoning, or overdose	1.6	2.3	1.8
Alcohol (Binge: 5+ drinks on one occasion)		10.6	11.6				
Cigarettes	9.1	11.3	13.6	<i>Percent of students who, in past 12 months:</i>			
Chewing Tobacco	6.1	5.1	5.6	Were threatened/injured with weapon at school	9.1	7.0	10.2
Marijuana	7.7	8.2	7.6	Were in a physical fight	17.8	18.6	22.6
Inhalants	0.1	1.8	2.2	Were in a fight and had to be treated by a doctor or nurse	3.6	3.0	4.1
Prescription medications not prescribed for student	4.8	5.1	7.4				
Over-the-counter medications for non-medical use	2.1	4.7	4.0	<i>Percent of students who, in past 3 months:</i>			
<i>Percent of students who, in past 2 weeks, used:</i>				Were victims of mean rumors or lies spread at school	54.3	49.1	52.1
Alcohol (Binge: 5+ drinks on one occasion)	7.0			Were made fun of by others	62.4	62.0	68.2
<i>Percent whose friends used in past 12 months:</i>				Were victims of an embarrassing or hurtful text message or something posted on the Internet	26.8	21.9	18.3
Alcohol	52.1	62.6	62.7	Spread mean rumors or lies about other kids at school	24.1	31.9	33.7
Cigarettes	38.9	47.1	48.4	Made fun of other people	54.0	66.5	73.2
Marijuana	34.6	41.1	40.2	Posted something on the internet or sent a text that might embarrass or hurt another student	15.1	16.4	17.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.5	16.9	20.9				
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	30.1	32.8	33.9	Teachers notice and comment on student's good work	70.6	65.3	71.0
Cigarettes	12.6	14.7	14.5	School provides feedback to parents on positive student performance	39.2	33.4	35.3
Marijuana	14.9	14.3	13.6	Rules are enforced fairly	54.7	59.1	58.9
<i>Percent who say it would be wrong to use:</i>				Students of all races/ethnicities are treated equal	73.6	68.6	71.3
Alcohol	60.8	55.9	59.1				
Cigarettes	82.0	80.4	78.4	<i>Percent of students who agree that:</i>			
Marijuana	78.1	79.3	80.0	Parents notice and comment on student's good work	76.1	82.5	85.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.6	95.0	93.7	Parents involve student in making family decisions	66.2	67.6	72.0
<i>Percent whose parents would disapprove if they use:</i>				It is important to be honest with parents regardless of consequences	86.0	84.6	82.4
Alcohol	80.4	77.1	79.6	Student could ask parent for help with a personal problem	74.9	71.8	77.0
Cigarettes	93.5	91.1	91.3				
Marijuana	92.2	92.7	94.1				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	54.4	63.9	64.2				
Cigarettes	50.9	54.7	58.1				
Marijuana	36.2	40.4	40.4				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.4	19.0	22.6				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# COOPER COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	12
Adult Psychiatric	12
<b>POPULATION</b>	
Census 2010	17,601
2013 Estimate	17,647

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	8,570	8,434	8,674
Employed	8,031	7,857	7,927
Unemployed	539	577	747
Unemployment Rate	6.3%	6.8%	8.6%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	822	859	837
Drop-outs	10	12	18
Drop-out Rate	1.2%	1.4%	2.2%
School Suspensions:			
Alcohol Incidents	0	10	0
Drug Incidents	10	11	1
Tobacco Incidents	0	2	3

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	191	202	187
Mother Reported Smoking while Pregnant	38	53	41

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	1
Hepatitis C Chronic and Acute	1	17	22
Tuberculosis Infection Cases	1	8	3

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	186	209	177
Suicides	2	0	3
Self-inflicted Injuries	30	20	22
Homicides	1	0	0
Assault Injuries	72	48	58
Alcohol Induced Deaths	2	2	1
Drug Induced Deaths	3	0	1
Smoking Attributable Deaths	29	34	35

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	61	74
Alcohol Primary Diagnosis	2	4	7
Drug Primary Diagnosis	2	3	2
Alcohol Related Diagnosis	39	38	34
Drug Related Diagnosis	34	31	24
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	42	64
Alcohol Primary Diagnosis	2	13	19
Drug Primary Diagnosis	2	10	7
Alcohol Related Diagnosis	44	58	33
Drug Related Diagnosis	43	27	32
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	154	121
Alcohol Primary Diagnosis	2	8	20
Drug Primary Diagnosis	2	21	5
Alcohol Related Diagnosis	45	66	55
Drug Related Diagnosis	47	36	25

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	16	20	34
Fatal Crashes	0	0	0
Injury Crashes	7	6	16
Property Damage Crashes	9	14	18
Crash Fatalities	0	0	0
Crash Injuries	8	9	22
Drug Involved Crashes--Total	4	2	2
Fatal Crashes	0	0	0
Injury Crashes	2	1	1
Property Damage Crashes	2	1	1
Crash Fatalities	0	0	0
Crash Injuries	4	1	1

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	128	140	157
Liquor Law Arrests	42	53	51
Drug Arrests	188	164	150
Methamphetamine Lab Incidents	6	18	22
Violent Offenses	34	13	23
Property Offenses	455	451	438
Domestic Violence Reports	77	69	63

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	110	87	110
Violent Offenses	19	19	32
Alcohol Offenses	7	1	12
Drug Offenses	14	4	2
Status Offenses--Total	161	114	117
Truancy	9	1	8
Beyond Parental Control	26	24	13
Habitually Absent from Home	4	3	7
Injurious Behavior	92	71	83
Abuse/Neglect/Custody--Total	9	3	11
Abuse	4	1	1
Neglect	5	2	10
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	17	12	22
Parental Alcohol Use Related	0	4	0
Parental Drug Use Related	3	2	4
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	14	6	18

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	17	16	22
Probation/Parole Admissions--Total	167	151	146
Probation/Parole Admissions--Drug	52	46	47
Probation/Parole Admissions--DWI	16	15	19
Prison Admissions--Total	67	64	72
Prison Admissions--Drug	17	21	29
Prison Admissions--DWI	10	7	8

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	21	21	21
Alcohol Package Carry-out Licenses	21	24	24

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# COOPER COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	*	*	10
CSTAR Adolescent	9	5	6
CSTAR Women and Children	*	5	10
CSTAR General Adult	29	27	40
CSTAR Opioid	0	0	0
Primary Recovery Treatment	6	13	26
Clinical SATOP (CIP, YCIP, SROP)	14	14	11
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	65	78	56
- Adolescent Diversion Education Program	*	5	*
- Offender Education Program	22	34	23
- Weekend Intervention Program	17	13	13
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	8
Compulsive Gambling	0	0	*
Recovery Supports	*	*	*
Early Intervention	*	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	56	63	80	Alcohol	22	31	38
AGE				Marijuana / Hashish	15	13	22
Under 18	8	5	7	Cocaine (total)	*	*	5
18 to 24	9	7	11	- Crack	0	*	*
25 to 29	15	13	14	Stimulant (total)	10	11	13
30 to 34	8	11	18	- Methamphetamine	9	10	13
35 to 39	*	9	12	Heroin	0	*	0
40 to 44	*	7	6	Analgesic except Heroin	6	*	*
45 to 54	7	6	10	- Non-Prescription Methadone	*	0	0
55 and Over	*	5	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	*
Male	35	42	58	Inhalant	0	0	0
Female	21	21	22	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	0
Caucasian	48	52	71	Average Age at First Use of Drug	18.3	16.0	15.4
African American	7	7	7	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	10	8
Asian / Pacific Islander	*	0	0	- Daily Injection Use	*	*	*
Hispanic	*	*	*	- Weekly Injection Use	0	*	0
Other Race / Two or More Races	0	*	*	- Less than Weekly Injection Use	*	7	5
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	19	19	22	0	29	29	33
High School Graduate or G.E.D.	19	25	47	1 or 2	19	19	30
Associate Degree or Some College	18	19	11	3 or More	8	15	17
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	17	18	19
Employed	19	23	24	School	*	0	0
Unemployed	18	23	33	Mental Health Provider	0	*	*
Not in Labor Force	19	17	23	Health Care Provider	0	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	34	35	54
Independent Living	41	52	66	Other Referral Source	*	6	*
Dependent Living	12	6	10	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	0	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	5	5
Never Married	37	31	40	Special Education Services Needed	*	*	7
Married / Cohabiting	9	23	20	Co-Occurring Psychological Problem	15	18	20
Previously Married	10	9	20	Co-Occurring Developmental Problem	0	*	*

# COOPER COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 12  
**CENSUS 2010** 17,601  
**2013 POPULATION ESTIMATE** 17,647

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	10	5	*
Anxiety Disorder	67	78	57
Dementia	0	0	*
Developmental Disorder	*	*	*
Impulse Control Disorder	11	13	12
Mood Disorder	88	115	85
Personality Disorder	9	15	12
Psychotic Disorder	23	26	22
Sexual Disorder	*	0	0
Other Diagnosis	9	7	*
Diagnosis Unknown	8	9	10

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	137	152	120	Less than High School Diploma	43	37	16
<b>AGE</b>				High School Grad or G.E.D.	0	41	40
Under 6	*	0	0	Associate Degree or Some College	0	22	15
6 to 9	7	*	*	Bachelor or Advanced Degree	0	*	*
10 to 13	10	7	*	Education Level Unknown	94	50	48
14 to 17	9	10	5	<b>EMPLOYMENT</b>			
18 to 24	13	13	13	Employed	14	17	16
25 to 29	14	26	23	Unemployed	5	78	54
30 to 34	20	24	21	Not in Labor Force	83	21	*
35 to 39	11	8	7	Employment Status Unknown	35	36	49
40 to 44	8	12	5	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	13	12	5	Independent Living	59	95	63
50 to 54	11	13	10	Dependent Living	41	24	11
55 to 59	9	13	15	Homeless	*	*	0
60 and Over	11	10	9	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	34	31	42
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	63	62	50	Self / Family / Friend	84	94	68
Female	74	90	70	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	7	7	10
<b>RACE / ETHNICITY</b>				Health Care Provider	29	35	23
Caucasian	114	130	101	Court / Criminal Justice	6	*	7
African American	13	16	14	Other	11	13	12
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	135	150	116
Other Race	8	*	*	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

# COOPER COUNTY


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	44.9	54.6	49.1	Alcohol (1 or 2 drinks daily)	58.3		
Cigarettes	20.6	31.7	33.9	Alcohol (Binge: 5+ drinks once or twice a week)	67.6		
Chewing Tobacco	16.1	15.8	25.6	Alcohol (any use)		65.8	71.6
Marijuana	13.2	22.9	22.5	Cigarettes (1+ packs per day)	85.3		
Inhalants	2.0	8.1	9.2	Cigarettes (any use)		80.6	79.7
Prescription medications not prescribed for student	7.9	12.0	13.8	Marijuana (once or twice a week)	66.2		
Over-the-counter medications for non-medical use	2.5	8.8	9.5	Marijuana (any use)		68.7	68.7
Methamphetamine	0.5	1.1	1.3	Other: Cocaine, LSD, Meth, Club Drug (any use)	91.6	93.3	91.8
Cocaine	2.0	2.1	4.0				
Heroin	0.5	0.7	0.8	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	2.5	4.6	1.6	Were very sad	17.0	20.1	15.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.5	1.8	2.1	Were grouchy, irritable, or in a bad mood	23.0	29.6	22.1
Steroids not prescribed for student	1.0	1.1	1.1	Felt hopeless about the future	10.8	14.0	12.3
Synthetic drugs (K2, bath salts, Spice, etc)	2.9	10.2		Felt like not eating or eating more than usual	15.7	17.3	17.2
				Slept a lot more or a lot less than usual	17.6	21.6	27.6
				Had difficulty concentrating on school work	23.9	25.5	26.6
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	12.73	12.31	12.46	Seriously considered attempting suicide	7.4	14.1	9.2
Cigarettes	12.41	12.58	11.82	Made plan about how they would attempt suicide	5.4	13.4	7.6
Marijuana	14.10	13.39	13.55	Attempted suicide	2.9	5.3	3.2
Inhalants	12.06	13.46	11.60	Attempted suicide and resulting injury, poisoning, or overdose	0.5	2.2	1.4
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	20.3	27.2	28.4	Were threatened/injured with weapon at school	4.9	6.7	10.8
Alcohol (Binge: 5+ drinks on one occasion)		17.3	19.5	Were in a physical fight	18.0	23.2	30.5
Cigarettes	8.4	16.0	16.2	Were in a fight and had to be treated by a doctor or nurse	2.9	2.8	3.7
Chewing Tobacco	10.2	7.7	14.2				
Marijuana	4.9	13.0	12.4	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.0	3.5	3.9	Were victims of mean rumors or lies spread at school	48.1	50.7	63.8
Prescription medications not prescribed for student	4.4	6.3	6.9	Were made fun of by others	57.8	68.3	75.3
Over-the-counter medications for non-medical use	2.0	6.0	4.5	Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.5	25.9	25.4
				Spread mean rumors or lies about other kids at school	27.8	33.3	41.9
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	54.6	72.4	75.3
Alcohol (Binge: 5+ drinks on one occasion)	9.9			Posted something on the internet or sent a text that might embarrass or hurt another student	15.5	17.0	21.9
<i>Percent whose friends used in past 12 months:</i>				<i>Percent of students who agree that:</i>			
Alcohol	49.5	62.9	69.1	Teachers notice and comment on student's good work	73.8	62.9	68.9
Cigarettes	33.5	50.7	56.8	School provides feedback to parents on positive student performance	48.3	36.7	44.9
Marijuana	28.3	47.0	41.3	Rules are enforced fairly	63.6	52.6	59.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.8	21.6	20.8	Students of all races/ethnicities are treated equal	84.4	73.5	77.0
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	31.7	41.2	45.0	Parents notice and comment on student's good work	82.9	80.2	78.4
Cigarettes	10.7	16.0	17.1	Parents involve student in making family decisions	71.7	65.6	66.8
Marijuana	10.3	17.7	18.2	It is important to be honest with parents regardless of consequences	88.2	83.1	80.8
				Student could ask parent for help with a personal problem	80.8	72.2	75.1
<i>Percent who say it would be wrong to use:</i>							
Alcohol	56.7	50.2	49.5				
Cigarettes	82.8	77.7	76.6				
Marijuana	83.0	79.9	79.1				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.0	96.8	92.6				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	73.5	72.0	69.8				
Cigarettes	92.1	90.7	89.1				
Marijuana	93.0	93.8	94.1				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	55.1	61.6	64.6				
Cigarettes	49.8	57.3	58.4				
Marijuana	30.7	46.2	39.3				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.3	19.4	19.0				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# CRAWFORD COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	17
Adult Psychiatric	17A
<b>POPULATION</b>	
Census 2010	24,696
2013 Estimate	24,543

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	288	265	273
Mother Reported Smoking while Pregnant	78	81	79

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	1	0
Hepatitis B Chronic, Acute, Prenatal	1	2	0
Hepatitis C Chronic and Acute	1	26	17
Tuberculosis Infection Cases	1	4	1

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	268	298	281
Suicides	4	6	3
Self-inflicted Injuries	38	29	23
Homicides	0	0	0
Assault Injuries	93	90	97
Alcohol Induced Deaths	3	3	1
Drug Induced Deaths	3	5	8
Smoking Attributable Deaths	59	53	53

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	179	194
Alcohol Primary Diagnosis	2	6	13
Drug Primary Diagnosis	2	23	24
Alcohol Related Diagnosis	63	92	99
Drug Related Diagnosis	87	108	94
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	141	93
Alcohol Primary Diagnosis	2	12	10
Drug Primary Diagnosis	2	16	11
Alcohol Related Diagnosis	81	62	60
Drug Related Diagnosis	107	87	44
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	283	245
Alcohol Primary Diagnosis	2	35	39
Drug Primary Diagnosis	2	58	45
Alcohol Related Diagnosis	124	113	93
Drug Related Diagnosis	178	113	102

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	35	31	33
Fatal Crashes	3	0	5
Injury Crashes	18	14	16
Property Damage Crashes	14	17	12
Crash Fatalities	3	0	5
Crash Injuries	28	20	29
Drug Involved Crashes--Total	5	4	4
Fatal Crashes	0	0	1
Injury Crashes	2	2	3
Property Damage Crashes	3	2	0
Crash Fatalities	0	0	1
Crash Injuries	2	2	3

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	12,297	11,676	11,812
Employed	11,416	10,749	10,629
Unemployed	881	927	1,183
Unemployment Rate	7.2%	7.9%	10.0%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	994	984	977
Drop-outs	24	24	42
Drop-out Rate	2.4%	2.4%	4.3%
School Suspensions:			
Alcohol Incidents	13	4	1
Drug Incidents	9	15	9
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	227	299	185
Liquor Law Arrests	119	147	297
Drug Arrests	403	219	302
Methamphetamine Lab Incidents	51	54	37
Violent Offenses	64	60	63
Property Offenses	914	844	907
Domestic Violence Reports	306	347	352

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	78	62	134
Violent Offenses	23	17	42
Alcohol Offenses	6	3	11
Drug Offenses	7	10	18
Status Offenses--Total	63	54	81
Truancy	17	7	21
Beyond Parental Control	30	11	33
Habitually Absent from Home	2	1	1
Injurious Behavior	2	4	7
Abuse/Neglect/Custody--Total	22	37	20
Abuse	2	5	2
Neglect	20	32	18
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	17	43	22
Parental Alcohol Use Related	3	0	0
Parental Drug Use Related	4	16	8
Parental Alcohol and Drug Use	0	4	0
Child Removed for Other Reason	10	23	14

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	25	28	21
Probation/Parole Admissions--Total	338	255	257
Probation/Parole Admissions--Drug	128	117	105
Probation/Parole Admissions--DWI	23	19	16
Prison Admissions--Total	120	140	122
Prison Admissions--Drug	43	51	47
Prison Admissions--DWI	8	9	5

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	27	29	30
Alcohol Package Carry-out Licenses	30	30	30

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# CRAWFORD COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	11	13	13
CSTAR Adolescent	6	12	6
CSTAR Women and Children	5	6	6
CSTAR General Adult	132	81	78
CSTAR Opioid	*	*	*
Primary Recovery Treatment	51	174	210
Clinical SATOP (CIP, YCIP, SROP)	43	36	18
Other Substance Abuse Treatment	0	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	146	147	83
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	46	46	30
- Weekend Intervention Program	28	26	20
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	0	*	26
Early Intervention	*	11	8


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	212	288	311	Alcohol	94	116	135
AGE				Marijuana / Hashish	48	81	79
Under 18	8	13	7	Cocaine (total)	*	*	*
18 to 24	29	42	59	- Crack	*	*	*
25 to 29	51	53	64	Stimulant (total)	33	54	51
30 to 34	36	54	48	- Methamphetamine	32	53	50
35 to 39	26	34	30	Heroin	10	17	11
40 to 44	15	32	32	Analgesic except Heroin	22	15	25
45 to 54	35	50	57	- Non-Prescription Methadone	*	0	0
55 and Over	12	10	14	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	*	*	*
Male	137	212	229	Inhalant	0	*	0
Female	75	76	82	Sedative	0	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	*
Caucasian	202	279	304	Average Age at First Use of Drug	18.7	17.5	17.7
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	*	0	0	Any Injection Use at Admission	25	39	32
Asian / Pacific Islander	0	*	0	- Daily Injection Use	*	*	7
Hispanic	*	*	6	- Weekly Injection Use	6	5	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	17	30	21
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	73	108	129	0	118	152	188
High School Graduate or G.E.D.	100	136	144	1 or 2	61	85	87
Associate Degree or Some College	39	44	37	3 or More	33	51	36
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	54	42	63
Employed	66	110	82	School	0	0	0
Unemployed	86	119	154	Mental Health Provider	*	*	*
Not in Labor Force	60	59	75	Health Care Provider	*	6	6
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	123	223	221
Independent Living	191	257	288	Other Referral Source	28	16	19
Dependent Living	16	23	18	TREATMENT ACCOMMODATION			
Homeless	*	5	5	Pregnant when Admitted to any Episode	6	*	*
MARITAL / FAMILY STATUS				Military Veteran	10	19	12
Never Married	109	127	142	Special Education Services Needed	37	54	28
Married / Cohabiting	66	89	88	Co-Occurring Psychological Problem	95	101	51
Previously Married	37	72	81	Co-Occurring Developmental Problem	19	11	*



# CRAWFORD COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 17A  
**CENSUS 2010** 24,696  
**2013 POPULATION ESTIMATE** 24,543

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	17	14	6
Anxiety Disorder	237	191	131
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	60	70	37
Mood Disorder	359	303	223
Personality Disorder	12	14	13
Psychotic Disorder	58	47	45
Sexual Disorder	*	0	*
Other Diagnosis	17	12	5
Diagnosis Unknown	23	21	80

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	482	417	372	Less than High School Diploma	238	149	69
<b>AGE</b>				High School Grad or G.E.D.	24	53	65
Under 6	9	7	5	Associate Degree or Some College	14	29	15
6 to 9	29	30	22	Bachelor or Advanced Degree	0	0	*
10 to 13	34	33	25	Education Level Unknown	206	186	222
14 to 17	34	24	23	<b>EMPLOYMENT</b>			
18 to 24	31	27	27	Employed	34	32	32
25 to 29	59	57	46	Unemployed	67	174	111
30 to 34	47	40	40	Not in Labor Force	281	27	9
35 to 39	42	36	28	Employment Status Unknown	100	184	220
40 to 44	46	40	37	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	56	42	42	Independent Living	257	193	132
50 to 54	42	38	31	Dependent Living	128	70	58
55 to 59	26	25	25	Homeless	*	*	0
60 and Over	27	18	21	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	93	152	180
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	205	178	158	Self / Family / Friend	354	281	263
Female	277	239	214	School	8	12	*
Gender Unknown	0	0	0	Mental Health Provider	9	8	8
<b>RACE / ETHNICITY</b>				Health Care Provider	49	40	24
Caucasian	458	402	362	Court / Criminal Justice	6	11	12
African American	*	*	*	Other	56	65	59
Native American / Alaskan	*	*	0	Referral Source Unknown	0	0	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	11	8	6	Voluntary	479	412	363
Other Race	7	*	*	Civil	*	*	6
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	14	10	13	Commitment Type Unknown	0	0	*
Past or Current Military Service	10	7	10				



# CRAWFORD COUNTY


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	37.8	46.6	52.7	Alcohol (1 or 2 drinks daily)	60.9		
Cigarettes	25.9	30.8	36.0	Alcohol (Binge: 5+ drinks once or twice a week)	64.5		
Chewing Tobacco	14.7	17.5	19.3	Alcohol (any use)		67.1	71.0
Marijuana	15.9	20.0	17.8	Cigarettes (1+ packs per day)	81.0		
Inhalants	3.3	8.6	9.8	Cigarettes (any use)		76.9	73.6
Prescription medications not prescribed for student	9.6	12.6	16.4	Marijuana (once or twice a week)	65.5		
Over-the-counter medications for non-medical use	2.6	6.8	9.8	Marijuana (any use)		67.8	69.0
Methamphetamine	0.7	2.3	1.8	Other: Cocaine, LSD, Meth, Club Drug (any use)	93.7	90.6	92.0
Cocaine	1.1	2.6	1.8				
Heroin	0.0	1.5	0.8	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	1.5	4.8	3.7	Were very sad	20.9	25.1	8.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.7	3.3	1.8	Were grouchy, irritable, or in a bad mood	31.3	28.4	14.8
Steroids not prescribed for student	1.1	1.8	1.2	Felt hopeless about the future	12.0	12.9	7.4
Synthetic drugs (K2, bath salts, Spice, etc)	4.1	9.1		Felt like not eating or eating more than usual	20.0	19.8	12.9
				Slept a lot more or a lot less than usual	17.6	21.6	21.7
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	29.7	24.4	18.6
Alcohol	12.66	12.37	12.32	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.07	11.70	11.80	Seriously considered attempting suicide	10.8	14.5	14.3
Marijuana	14.08	13.07	13.41	Made plan about how they would attempt suicide	9.4	11.2	10.3
Inhalants	12.84	12.65	12.61	Attempted suicide	5.4	8.1	7.0
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose	2.6	3.4	1.8
Alcohol	15.3	19.4	24.0	had to be treated by doctor or nurse			
Alcohol (Binge: 5+ drinks on one occasion)		12.4	15.5	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	9.9	16.8	19.1	Were threatened/injured with weapon at school	6.9	7.9	11.1
Chewing Tobacco	8.1	8.9	8.8	Were in a physical fight	15.5	24.9	24.3
Marijuana	7.7	11.1	10.8	Were in a fight and had to be treated by a doctor or nurse	3.6	3.8	1.5
Inhalants	1.5	4.0	4.5	<i>Percent of students who, in past 3 months:</i>			
Prescription medications not prescribed for student	4.4	7.1	10.5	Were victims of mean rumors or lies spread at school	56.0	53.4	61.7
Over-the-counter medications for non-medical use	1.1	4.8	5.3	Were made fun of by others	61.4	62.9	72.0
<i>Percent of students who, in past 2 weeks, used:</i>				Were victims of an embarrassing or hurtful text message or something posted on the Internet	27.9	23.5	22.8
Alcohol (Binge: 5+ drinks on one occasion)	8.2			Spread mean rumors or lies about other kids at school	26.7	28.5	44.1
<i>Percent whose friends used in past 12 months:</i>				Made fun of other people	56.0	66.6	79.7
Alcohol	49.6	60.2	66.7	Posted something on the internet or sent a text that might embarrass or hurt another student	18.9	15.7	19.8
Cigarettes	36.1	55.2	54.1	<i>Percent of students who agree that:</i>			
Marijuana	32.1	40.4	38.3	Teachers notice and comment on student's good work	72.7	66.8	67.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.2	19.4	18.0	School provides feedback to parents on positive student performance	50.2	36.5	36.9
<i>Percent who would likely use, if offered by a best friend:</i>				Rules are enforced fairly	65.7	57.4	59.7
Alcohol	30.8	33.2	39.7	Students of all races/ethnicities are treated equal	85.3	78.4	79.4
Cigarettes	14.0	18.5	18.4	<i>Percent of students who agree that:</i>			
Marijuana	13.3	15.7	12.8	Parents notice and comment on student's good work	81.5	79.0	80.4
<i>Percent who say it would be wrong to use:</i>				Parents involve student in making family decisions	62.5	61.9	60.5
Alcohol	61.1	55.9	49.7	It is important to be honest with parents regardless of consequences	89.5	83.8	82.8
Cigarettes	80.0	71.9	71.5	Student could ask parent for help with a personal problem	77.4	69.3	72.8
Marijuana	79.8	77.2	79.6				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.3	93.7	94.1				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	73.5	74.7	72.4				
Cigarettes	87.1	86.5	85.7				
Marijuana	88.8	88.7	93.9				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	51.4	57.1	63.0				
Cigarettes	50.7	56.5	67.1				
Marijuana	35.6	38.5	40.0				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.7	20.9	21.8				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# DADE COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	10
Adult Psychiatric	8A
<b>POPULATION</b>	
Census 2010	7,883
2013 Estimate	7,578

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	60	73	74
Mother Reported Smoking while Pregnant	20	19	17
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	1	3	5
Tuberculosis Infection Cases	1	0	0
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	86	107	106
Suicides	1	1	1
Self-inflicted Injuries	13	10	10
Homicides	0	1	0
Assault Injuries	16	17	15
Alcohol Induced Deaths	0	0	2
Drug Induced Deaths	1	2	1
Smoking Attributable Deaths	11	15	21
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	33	51
Alcohol Primary Diagnosis	2	3	2
Drug Primary Diagnosis	2	8	5
Alcohol Related Diagnosis	7	15	18
Drug Related Diagnosis	18	18	14
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	20	26
Alcohol Primary Diagnosis	2	3	11
Drug Primary Diagnosis	2	7	6
Alcohol Related Diagnosis	22	32	21
Drug Related Diagnosis	32	27	8
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	55	48
Alcohol Primary Diagnosis	2	5	6
Drug Primary Diagnosis	2	19	9
Alcohol Related Diagnosis	25	18	30
Drug Related Diagnosis	46	21	28
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	6	10	2
Fatal Crashes	0	0	0
Injury Crashes	3	7	2
Property Damage Crashes	3	3	0
Crash Fatalities	0	0	0
Crash Injuries	4	8	3
Drug Involved Crashes--Total	3	1	0
Fatal Crashes	0	0	0
Injury Crashes	1	1	0
Property Damage Crashes	2	0	0
Crash Fatalities	0	0	0
Crash Injuries	1	2	0

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	3,625	3,472	3,558
Employed	3,400	3,222	3,237
Unemployed	225	250	321
Unemployment Rate	6.2%	7.2%	9.0%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	344	342	375
Drop-outs	1	9	7
Drop-out Rate	0.3%	2.6%	1.9%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	0	7	0
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	24	28	27
Liquor Law Arrests	0	2	5
Drug Arrests	36	21	49
Methamphetamine Lab Incidents	4	2	2
Violent Offenses	10	14	10
Property Offenses	67	79	67
Domestic Violence Reports	17	19	5

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	22	16	12
Violent Offenses	7	3	4
Alcohol Offenses	0	0	1
Drug Offenses	2	1	2
Status Offenses--Total	20	25	21
Truancy	6	6	9
Beyond Parental Control	1	4	2
Habitually Absent from Home	0	2	0
Injurious Behavior	13	13	10
Abuse/Neglect/Custody--Total	53	46	26
Abuse	14	6	5
Neglect	39	38	21
Custody Disputes	0	2	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	1	5	6
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	0	4
Parental Alcohol and Drug Use	0	3	0
Child Removed for Other Reason	1	2	2

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	29	45	34
Probation/Parole Admissions--Drug	6	13	15
Probation/Parole Admissions--DWI	3	0	0
Prison Admissions--Total	13	17	16
Prison Admissions--Drug	5	5	7
Prison Admissions--DWI	2	0	2

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	3	3	3
Alcohol Package Carry-out Licenses	11	12	12

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# DADE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	5	5	8
CSTAR Adolescent	*	0	*
CSTAR Women and Children	*	*	5
CSTAR General Adult	9	8	5
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	5	*
Clinical SATOP (CIP, YCIP, SROP)	6	*	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	20	20	18
- Adolescent Diversion Education Program	*	0	0
- Offender Education Program	5	13	8
- Weekend Intervention Program	5	*	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	0
Recovery Supports	6	0	*
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	27	15	19	Alcohol	10	7	7
AGE				Marijuana / Hashish	5	*	*
Under 18	*	0	*	Cocaine (total)	0	0	0
18 to 24	9	*	*	- Crack	0	0	0
25 to 29	*	*	*	Stimulant (total)	6	*	*
30 to 34	0	*	*	- Methamphetamine	6	*	*
35 to 39	*	*	*	Heroin	0	*	*
40 to 44	*	*	*	Analgesic except Heroin	5	*	*
45 to 54	*	*	*	- Non-Prescription Methadone	0	0	0
55 and Over	*	0	0	PCP, LSD, other Hallucinogen	0	*	0
GENDER				Tranquilizer	0	0	0
Male	17	11	9	Inhalant	0	0	0
Female	10	*	10	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	0
Caucasian	25	14	18	Average Age at First Use of Drug	18.0	18.3	16.3
African American	*	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	6	*	5
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	*
Hispanic	0	0	0	- Weekly Injection Use	*	*	0
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	*	0	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	7	*	8	0	18	8	10
High School Graduate or G.E.D.	12	7	7	1 or 2	5	6	7
Associate Degree or Some College	7	*	*	3 or More	*	*	*
Bachelor or Advanced Degree	*	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	16	8	6
Employed	9	*	*	School	0	0	0
Unemployed	5	*	7	Mental Health Provider	0	0	*
Not in Labor Force	13	8	8	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	9	5	6
Independent Living	23	15	13	Other Referral Source	*	*	*
Dependent Living	*	0	*	TREATMENT ACCOMMODATION			
Homeless	0	0	*	Pregnant when Admitted to any Episode	0	*	0
MARITAL / FAMILY STATUS				Military Veteran	0	0	*
Never Married	11	5	10	Special Education Services Needed	0	*	*
Married / Cohabiting	8	6	6	Co-Occurring Psychological Problem	12	8	5
Previously Married	8	*	*	Co-Occurring Developmental Problem	*	*	0

# DADE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 8A  
**CENSUS 2010** 7,883  
**2013 POPULATION ESTIMATE** 7,578

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	*	0	0
Anxiety Disorder	7	7	7
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	*	5	5
Mood Disorder	14	14	13
Personality Disorder	*	*	*
Psychotic Disorder	6	*	*
Sexual Disorder	0	0	0
Other Diagnosis	5	5	*
Diagnosis Unknown	*	6	8

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	30	29	30	Less than High School Diploma	9	5	*
<b>AGE</b>				High School Grad or G.E.D.	0	*	*
Under 6	0	0	0	Associate Degree or Some College	0	*	*
6 to 9	*	*	0	Bachelor or Advanced Degree	0	0	0
10 to 13	*	*	*	Education Level Unknown	21	20	23
14 to 17	8	7	5	<b>EMPLOYMENT</b>			
18 to 24	*	5	*	Employed	0	0	*
25 to 29	*	*	*	Unemployed	0	5	6
30 to 34	*	*	*	Not in Labor Force	12	*	0
35 to 39	0	*	*	Employment Status Unknown	18	20	23
40 to 44	*	*	*	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	*	*	*	Independent Living	*	7	7
50 to 54	*	*	*	Dependent Living	10	5	7
55 to 59	*	0	0	Homeless	*	0	0
60 and Over	*	*	*	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	17	17	15
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	18	16	14	Self / Family / Friend	9	7	13
Female	12	13	16	School	*	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	*	*
<b>RACE / ETHNICITY</b>				Health Care Provider	*	7	7
Caucasian	25	26	27	Court / Criminal Justice	*	0	*
African American	*	*	*	Other	10	13	5
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	0	Voluntary	30	29	28
Other Race	*	0	*	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	0	0	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	0	0	0				

# DADE COUNTY

## MISSOURI STUDENT SURVEY


	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	28.7	36.7	37.3	Alcohol (1 or 2 drinks daily)	62.8		
Cigarettes	15.1	22.3	22.5	Alcohol (Binge: 5+ drinks once or twice a week)	74.5		
Chewing Tobacco	7.4	10.8	16.3	Alcohol (any use)		76.3	78.8
Marijuana	7.6	10.8	13.9	Cigarettes (1+ packs per day)	87.1		
Inhalants	2.1	7.9	4.1	Cigarettes (any use)		85.7	82.8
Prescription medications not prescribed for student	10.8	6.5	10.6	Marijuana (once or twice a week)	73.4		
Over-the-counter medications for non-medical use	1.1	7.2	6.1	Marijuana (any use)		79.1	74.0
Methamphetamine	1.1	0.7	0.7	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.5	96.4	91.4
Cocaine	1.1	2.9	0.7				
Heroin	0.0	0.0	0.0	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	1.1	1.4	1.4	Were very sad	19.4	17.1	11.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1	2.2	2.0	Were grouchy, irritable, or in a bad mood	24.7	27.3	19.3
Steroids not prescribed for student	0.0	0.7	0.0	Felt hopeless about the future	12.8	13.0	10.1
Synthetic drugs (K2, bath salts, Spice, etc)	2.1	5.7		Felt like not eating or eating more than usual	16.0	14.6	17.4
				Slept a lot more or a lot less than usual	14.0	18.0	19.9
				Had difficulty concentrating on school work	25.5	25.2	24.8
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	13.28	12.70	12.89	Seriously considered attempting suicide	10.5	10.8	7.3
Cigarettes	12.70	12.11	12.56	Made plan about how they would attempt suicide	8.5	7.9	6.0
Marijuana	14.09	13.72	13.61	Attempted suicide	4.3	4.3	3.3
Inhalants	11.76	12.36	13.90	Attempted suicide and resulting injury, poisoning, or overdose	2.2	1.5	1.4
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	12.9	17.3	14.7	Were threatened/injured with weapon at school	7.5	7.9	7.9
Alcohol (Binge: 5+ drinks on one occasion)		10.1	13.9	Were in a physical fight	19.1	20.9	23.8
Cigarettes	8.6	10.0	12.8	Were in a fight and had to be treated by a doctor or nurse	4.3	2.9	2.6
Chewing Tobacco	4.2	5.8	8.2				
Marijuana	5.4	4.3	7.3	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.1	3.6	2.7	Were victims of mean rumors or lies spread at school	57.4	53.6	62.2
Prescription medications not prescribed for student	5.4	4.3	8.0	Were made fun of by others	65.6	66.2	75.5
Over-the-counter medications for non-medical use	0.0	2.2	4.1	Were victims of an embarrassing or hurtful text message or something posted on the Internet	25.5	22.1	23.5
				Spread mean rumors or lies about other kids at school	23.2	31.4	39.7
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	52.1	67.9	73.5
Alcohol (Binge: 5+ drinks on one occasion)	6.4			Posted something on the internet or sent a text that might embarrass or hurt another student	13.8	13.7	20.0
<i>Percent whose friends used in past 12 months:</i>				<i>Percent of students who agree that:</i>			
Alcohol	35.1	43.9	52.3	Teachers notice and comment on student's good work	69.5	72.9	72.5
Cigarettes	29.0	33.8	40.4	School provides feedback to parents on positive student performance	42.6	38.1	50.3
Marijuana	22.3	23.0	30.0	Rules are enforced fairly	69.1	56.5	68.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.3	14.3	17.9	Students of all races/ethnicities are treated equal	85.1	78.3	85.3
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	19.4	22.3	30.2	Parents notice and comment on student's good work	79.8	87.1	88.6
Cigarettes	10.9	10.8	14.7	Parents involve student in making family decisions	71.3	74.8	73.0
Marijuana	10.6	6.5	9.4	It is important to be honest with parents regardless of consequences	88.3	90.6	85.9
				Student could ask parent for help with a personal problem	78.7	81.3	84.0
<i>Percent who say it would be wrong to use:</i>							
Alcohol	71.0	69.8	65.8				
Cigarettes	89.2	86.3	80.1				
Marijuana	88.0	87.8	86.0				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.7	97.1	94.7				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	82.8	81.2	83.3				
Cigarettes	94.6	92.8	90.5				
Marijuana	95.7	95.6	93.9				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	46.2	55.0	53.6				
Cigarettes	47.3	50.7	54.0				
Marijuana	29.0	29.5	38.4				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.6	15.8	22.5				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys



# DALLAS COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	10
Adult Psychiatric	10
<b>POPULATION</b>	
Census 2010	16,777
2013 Estimate	16,535

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	192	206	192
Mother Reported Smoking while Pregnant	41	39	42

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	1	0
Hepatitis B Chronic, Acute, Prenatal	1	0	1
Hepatitis C Chronic and Acute	1	8	13
Tuberculosis Infection Cases	1	5	4

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	162	149	180
Suicides	1	3	2
Self-inflicted Injuries	8	22	26
Homicides	1	0	0
Assault Injuries	64	35	43
Alcohol Induced Deaths	4	0	2
Drug Induced Deaths	1	3	3
Smoking Attributable Deaths	35	22	34

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	89	99
Alcohol Primary Diagnosis	2	3	0
Drug Primary Diagnosis	2	8	0
Alcohol Related Diagnosis	17	15	28
Drug Related Diagnosis	40	28	34
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	69	57
Alcohol Primary Diagnosis	2	15	16
Drug Primary Diagnosis	2	20	13
Alcohol Related Diagnosis	62	64	36
Drug Related Diagnosis	51	65	22
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	119	143
Alcohol Primary Diagnosis	2	18	30
Drug Primary Diagnosis	2	33	32
Alcohol Related Diagnosis	51	60	33
Drug Related Diagnosis	129	87	64

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	10	11	13
Fatal Crashes	1	0	4
Injury Crashes	6	5	6
Property Damage Crashes	3	6	3
Crash Fatalities	1	0	4
Crash Injuries	7	6	9
Drug Involved Crashes--Total	2	0	4
Fatal Crashes	0	0	0
Injury Crashes	2	0	3
Property Damage Crashes	0	0	1
Crash Fatalities	0	0	0
Crash Injuries	5	0	3

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	7,106	7,201	7,395
Employed	6,584	6,623	6,642
Unemployed	522	578	753
Unemployment Rate	7.3%	8.0%	10.2%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	496	556	589
Drop-outs	19	28	19
Drop-out Rate	3.8%	5.0%	3.2%
School Suspensions:			
Alcohol Incidents	1	1	1
Drug Incidents	6	11	8
Tobacco Incidents	0	3	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	116	76	75
Liquor Law Arrests	83	82	217
Drug Arrests	132	94	165
Methamphetamine Lab Incidents	12	2	0
Violent Offenses	34	40	38
Property Offenses	401	325	316
Domestic Violence Reports	128	115	96

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	87	102	110
Violent Offenses	27	28	28
Alcohol Offenses	2	2	4
Drug Offenses	10	8	14
Status Offenses--Total	43	44	41
Truancy	14	6	7
Beyond Parental Control	14	14	16
Habitually Absent from Home	6	14	9
Injurious Behavior	7	6	9
Abuse/Neglect/Custody--Total	124	120	129
Abuse	42	58	37
Neglect	82	62	92
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	22	6	14
Parental Alcohol Use Related	4	0	0
Parental Drug Use Related	4	1	4
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	14	5	10

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	86	79	81
Probation/Parole Admissions--Drug	30	24	21
Probation/Parole Admissions--DWI	5	8	9
Prison Admissions--Total	59	41	58
Prison Admissions--Drug	18	18	13
Prison Admissions--DWI	8	2	8

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	10	10	11
Alcohol Package Carry-out Licenses	19	17	19

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# DALLAS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	10	5	*
CSTAR Adolescent	*	8	*
CSTAR Women and Children	6	5	*
CSTAR General Adult	42	43	43
CSTAR Opioid	*	0	0
Primary Recovery Treatment	9	9	9
Clinical SATOP (CIP, YCIP, SROP)	9	6	12
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	42	55	57
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	20	27	18
- Weekend Intervention Program	8	8	17
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	6	*
Early Intervention	6	7	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	71	70	69	Alcohol	30	23	31
AGE				Marijuana / Hashish	13	23	18
Under 18	*	8	*	Cocaine (total)	0	*	0
18 to 24	9	12	13	- Crack	0	*	0
25 to 29	16	9	10	Stimulant (total)	21	11	14
30 to 34	6	12	11	- Methamphetamine	21	11	14
35 to 39	12	7	7	Heroin	*	0	0
40 to 44	11	5	10	Analgesic except Heroin	*	10	*
45 to 54	10	15	11	- Non-Prescription Methadone	0	0	0
55 and Over	5	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	*
Male	46	48	50	Inhalant	0	0	0
Female	25	22	19	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	70	68	65	Average Age at First Use of Drug	17.6	15.8	16.2
African American	0	*	0	INJECTION DRUG USE			
Native American / Alaskan	*	0	*	Any Injection Use at Admission	12	12	7
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	*
Hispanic	0	*	*	- Weekly Injection Use	5	*	*
Other Race / Two or More Races	0	0	*	- Less than Weekly Injection Use	6	9	5
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	22	30	23	0	39	36	38
High School Graduate or G.E.D.	34	30	33	1 or 2	23	22	18
Associate Degree or Some College	15	10	12	3 or More	9	12	13
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	24	13	6
Employed	19	20	17	School	0	0	0
Unemployed	15	24	38	Mental Health Provider	*	0	0
Not in Labor Force	37	26	14	Health Care Provider	5	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	27	48	59
Independent Living	61	57	61	Other Referral Source	13	7	*
Dependent Living	6	12	5	TREATMENT ACCOMMODATION			
Homeless	*	*	0	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	5
Never Married	26	33	24	Special Education Services Needed	10	13	*
Married / Cohabiting	20	22	24	Co-Occurring Psychological Problem	33	33	19
Previously Married	25	15	21	Co-Occurring Developmental Problem	7	*	*

# DALLAS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 10  
**CENSUS 2010** 16,777  
**2013 POPULATION ESTIMATE** 16,535

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	5	*	12
Anxiety Disorder	27	33	25
Dementia	*	*	*
Developmental Disorder	*	*	*
Impulse Control Disorder	8	7	11
Mood Disorder	43	57	62
Personality Disorder	16	13	10
Psychotic Disorder	24	23	21
Sexual Disorder	0	0	0
Other Diagnosis	8	12	17
Diagnosis Unknown	7	14	23

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	75	95	118	Less than High School Diploma	9	18	13
<b>AGE</b>				High School Grad or G.E.D.	0	20	19
Under 6	*	*	*	Associate Degree or Some College	*	6	*
6 to 9	6	*	8	Bachelor or Advanced Degree	0	*	*
10 to 13	*	5	14	Education Level Unknown	65	49	81
14 to 17	5	9	18	<b>EMPLOYMENT</b>			
18 to 24	*	5	6	Employed	*	0	*
25 to 29	5	5	*	Unemployed	*	37	33
30 to 34	5	8	*	Not in Labor Force	26	14	*
35 to 39	8	11	11	Employment Status Unknown	45	44	81
40 to 44	10	10	9	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	10	11	13	Independent Living	19	33	23
50 to 54	6	8	9	Dependent Living	8	18	27
55 to 59	6	8	10	Homeless	0	*	0
60 and Over	6	10	11	Other	*	*	0
Age Unknown	0	0	0	Housing Unknown	47	42	68
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	38	49	64	Self / Family / Friend	39	49	72
Female	37	46	54	School	0	*	*
Gender Unknown	0	0	0	Mental Health Provider	5	5	*
<b>RACE / ETHNICITY</b>				Health Care Provider	8	13	10
Caucasian	73	91	114	Court / Criminal Justice	*	8	5
African American	0	0	0	Other	20	18	25
Native American / Alaskan	0	0	0	Referral Source Unknown	0	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	*	0	Voluntary	74	90	114
Other Race	*	*	*	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	*	*
Past or Current Military Service	*	*	*				

# DALLAS COUNTY


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol		39.5	38.8	Alcohol (1 or 2 drinks daily)			
Cigarettes		30.3	27.1	Alcohol (Binge: 5+ drinks once or twice a week)			
Chewing Tobacco		17.5	21.6	Alcohol (any use)		76.7	85.1
Marijuana		13.2	11.2	Cigarettes (1+ packs per day)			
Inhalants		4.9	5.6	Cigarettes (any use)		81.1	83.4
Prescription medications not prescribed for student		8.0	13.3	Marijuana (once or twice a week)			
Over-the-counter medications for non-medical use		6.3	6.5	Marijuana (any use)		76.8	80.5
Methamphetamine		1.8	0.8	Other: Cocaine, LSD, Meth, Club Drug (any use)		92.6	97.3
Cocaine		2.1	0.8				
Heroin		1.1	0.0	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens		2.5	1.4	Were very sad		20.9	13.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		2.5	1.1	Were grouchy, irritable, or in a bad mood		27.3	21.9
Steroids not prescribed for student		2.8	0.5	Felt hopeless about the future		12.6	9.1
Synthetic drugs (K2, bath salts, Spice, etc)		5.9		Felt like not eating or eating more than usual		19.0	11.9
				Slept a lot more or a lot less than usual		19.6	21.1
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work		24.8	19.0
Alcohol		12.58	12.10				
Cigarettes		12.05	11.72	<i>Percent of students who, in past 12 months:</i>			
Marijuana		13.17	12.98	Seriously considered attempting suicide		14.7	11.3
Inhalants		12.10	12.45	Made plan about how they would attempt suicide		9.5	9.8
				Attempted suicide		6.7	3.7
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose			
Alcohol		13.3	15.4	had to be treated by doctor or nurse		3.2	0.5
Alcohol (Binge: 5+ drinks on one occasion)		7.0	8.9				
Cigarettes		13.6	8.8	<i>Percent of students who, in past 12 months:</i>			
Chewing Tobacco		9.8	12.7	Were threatened/injured with weapon at school		6.6	12.4
Marijuana		5.6	4.0	Were in a physical fight		21.3	21.6
Inhalants		1.4	3.2	Were in a fight and had to be treated by a doctor or nurse		3.5	2.7
Prescription medications not prescribed for student		4.9	7.1				
Over-the-counter medications for non-medical use		4.5	3.8	<i>Percent of students who, in past 3 months:</i>			
				Were victims of mean rumors or lies spread at school		51.2	59.6
<i>Percent of students who, in past 2 weeks, used:</i>				Were made fun of by others		61.1	67.1
Alcohol (Binge: 5+ drinks on one occasion)				Were victims of an embarrassing or hurtful text message or something posted on the Internet		18.9	18.3
				Spread mean rumors or lies about other kids at school		21.8	28.4
<i>Percent whose friends used in past 12 months:</i>				Made fun of other people		60.7	68.6
Alcohol		47.6	56.2	Posted something on the internet or sent a text that might embarrass or hurt another student		8.4	16.6
Cigarettes		42.9	42.2				
Marijuana		28.7	25.0	<i>Percent of students who agree that:</i>			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		12.3	11.9	Teachers notice and comment on student's good work		58.7	61.3
				School provides feedback to parents on positive student performance		26.8	33.9
<i>Percent who would likely use, if offered by a best friend:</i>				Rules are enforced fairly		54.1	61.5
Alcohol		22.7	26.5	Students of all races/ethnicities are treated equal		72.7	78.0
Cigarettes		11.3	10.4				
Marijuana		11.2	6.1	<i>Percent of students who agree that:</i>			
				Parents notice and comment on student's good work		78.5	84.5
<i>Percent who say it would be wrong to use:</i>				Parents involve student in making family decisions		67.0	66.7
Alcohol		66.0	64.2	It is important to be honest with parents regardless of consequences		87.0	91.1
Cigarettes		81.1	82.5	Student could ask parent for help with a personal problem		77.5	71.8
Marijuana		83.2	90.1				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		95.8	98.7				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol		81.6	80.8				
Cigarettes		90.2	91.0				
Marijuana		92.6	95.9				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol		47.3	52.4				
Cigarettes		49.1	53.7				
Marijuana		32.0	27.9				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		18.0	16.4				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# DAVIESS COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	13
Adult Psychiatric	13
<b>POPULATION</b>	
Census 2010	8,433
2013 Estimate	8,294

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	3,972	3,931	4,000
Employed	3,735	3,656	3,645
Unemployed	237	275	355
Unemployment Rate	6.0%	7.0%	8.9%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	348	350	338
Drop-outs	0	5	4
Drop-out Rate	0.0%	1.4%	1.2%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	2	0	0
Tobacco Incidents	0	0	1

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	38	47	35
Liquor Law Arrests	1	7	4
Drug Arrests	44	53	38
Methamphetamine Lab Incidents	0	0	0
Violent Offenses	6	7	10
Property Offenses	97	89	80
Domestic Violence Reports	15	18	20

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	39	14	12
Violent Offenses	6	2	0
Alcohol Offenses	2	0	2
Drug Offenses	0	0	0
Status Offenses--Total	53	3	20
Truancy	24	1	10
Beyond Parental Control	9	1	5
Habitually Absent from Home	6	0	3
Injurious Behavior	14	1	1
Abuse/Neglect/Custody--Total	5	9	6
Abuse	0	4	3
Neglect	5	3	3
Custody Disputes	0	2	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	17	6	7
Parental Alcohol Use Related	0	0	3
Parental Drug Use Related	7	1	0
Parental Alcohol and Drug Use	3	1	0
Child Removed for Other Reason	7	4	4

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	110	96	94
Probation/Parole Admissions--Drug	45	40	24
Probation/Parole Admissions--DWI	7	8	13
Prison Admissions--Total	65	67	60
Prison Admissions--Drug	22	27	22
Prison Admissions--DWI	5	6	7

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	5	6	5
Alcohol Package Carry-out Licenses	10	12	11

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	106	110	126
Mother Reported Smoking while Pregnant	23	20	25

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	1	4	2
Tuberculosis Infection Cases	1	0	0

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	90	84	89
Suicides	2	3	3
Self-inflicted Injuries	9	11	9
Homicides	0	0	0
Assault Injuries	11	21	9
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	1	0	1
Smoking Attributable Deaths	19	17	13

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	45	35
Alcohol Primary Diagnosis	2	2	7
Drug Primary Diagnosis	2	2	2
Alcohol Related Diagnosis	13	14	16
Drug Related Diagnosis	11	15	15
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	18	13
Alcohol Primary Diagnosis	2	2	3
Drug Primary Diagnosis	2	2	1
Alcohol Related Diagnosis	17	9	6
Drug Related Diagnosis	12	10	5
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	44	47
Alcohol Primary Diagnosis	2	14	9
Drug Primary Diagnosis	2	6	4
Alcohol Related Diagnosis	25	25	15
Drug Related Diagnosis	18	16	12

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	10	2	2
Fatal Crashes	1	0	0
Injury Crashes	5	1	1
Property Damage Crashes	4	1	1
Crash Fatalities	1	0	0
Crash Injuries	6	1	1
Drug Involved Crashes--Total	3	3	2
Fatal Crashes	0	0	0
Injury Crashes	1	2	1
Property Damage Crashes	2	1	1
Crash Fatalities	0	0	0
Crash Injuries	1	2	1

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# DAVIESS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	*	0	*
CSTAR Adolescent	*	*	*
CSTAR Women and Children	0	0	*
CSTAR General Adult	25	31	30
CSTAR Opioid	0	0	0
Primary Recovery Treatment	11	*	*
Clinical SATOP (CIP, YCIP, SROP)	5	7	6
Other Substance Abuse Treatment	*	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	32	19	29
- Adolescent Diversion Education Program	*	0	*
- Offender Education Program	9	6	9
- Weekend Intervention Program	11	5	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	0	0
Early Intervention	*	5	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	39	43	44	Alcohol	18	20	20
AGE				Marijuana / Hashish	11	13	10
Under 18	*	*	*	Cocaine (total)	0	0	0
18 to 24	13	6	6	- Crack	0	0	0
25 to 29	*	6	6	Stimulant (total)	9	9	10
30 to 34	7	9	6	- Methamphetamine	9	9	10
35 to 39	5	*	6	Heroin	0	0	*
40 to 44	*	8	5	Analgesic except Heroin	*	0	*
45 to 54	9	7	11	- Non-Prescription Methadone	0	0	0
55 and Over	0	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	*	0
Male	27	31	24	Inhalant	0	0	0
Female	12	12	20	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	39	42	42	Average Age at First Use of Drug	16.6	16.9	17.5
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	5	*	5
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	0
Hispanic	0	*	0	- Weekly Injection Use	0	0	*
Other Race / Two or More Races	0	0	*	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	15	12	19	0	18	27	30
High School Graduate or G.E.D.	19	25	18	1 or 2	13	9	9
Associate Degree or Some College	5	6	7	3 or More	8	7	5
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	*	*	11
Employed	10	14	18	School	0	0	*
Unemployed	23	22	18	Mental Health Provider	0	*	0
Not in Labor Force	6	7	8	Health Care Provider	*	0	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	14	27	24
Independent Living	36	39	41	Other Referral Source	20	11	7
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	0	0	0	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	6	*
Never Married	18	19	15	Special Education Services Needed	*	*	*
Married / Cohabiting	11	12	9	Co-Occurring Psychological Problem	16	9	12
Previously Married	10	12	20	Co-Occurring Developmental Problem	*	0	*

# DAVISS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 13  
**CENSUS 2010** 8,433  
**2013 POPULATION ESTIMATE** 8,294

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	*	*	*
Anxiety Disorder	29	41	32
Dementia	0	0	0
Developmental Disorder	5	5	*
Impulse Control Disorder	23	28	19
Mood Disorder	55	64	55
Personality Disorder	6	7	5
Psychotic Disorder	7	6	8
Sexual Disorder	0	0	0
Other Diagnosis	11	7	*
Diagnosis Unknown	*	*	16

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	78	88	87	Less than High School Diploma	38	6	6
<b>AGE</b>				High School Grad or G.E.D.	5	11	9
Under 6	0	0	0	Associate Degree or Some College	*	*	*
6 to 9	9	9	6	Bachelor or Advanced Degree	0	0	*
10 to 13	6	7	12	Education Level Unknown	33	67	68
14 to 17	22	15	15	<b>EMPLOYMENT</b>			
18 to 24	*	8	*	Employed	11	6	5
25 to 29	6	6	*	Unemployed	5	11	13
30 to 34	*	6	*	Not in Labor Force	50	9	*
35 to 39	6	5	6	Employment Status Unknown	12	62	68
40 to 44	*	7	16	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	6	8	7	Independent Living	32	22	19
50 to 54	5	9	7	Dependent Living	34	5	14
55 to 59	*	*	*	Homeless	0	0	0
60 and Over	*	5	6	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	12	61	54
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	36	35	37	Self / Family / Friend	32	37	30
Female	42	53	50	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	8	13	21
<b>RACE / ETHNICITY</b>				Health Care Provider	9	15	14
Caucasian	76	86	85	Court / Criminal Justice	10	8	7
African American	0	*	*	Other	17	13	11
Native American / Alaskan	0	0	0	Referral Source Unknown	0	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	0	0	Voluntary	78	87	86
Other Race	*	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	0	0	*	Commitment Type Unknown	0	*	*
Past or Current Military Service	*	*	*				



# DAVISS COUNTY


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	34.7	31.0	49.5	Alcohol (1 or 2 drinks daily)	49.0		
Cigarettes	26.7	30.3	29.3	Alcohol (Binge: 5+ drinks once or twice a week)	61.4		
Chewing Tobacco	14.9	19.3	23.4	Alcohol (any use)		68.3	82.6
Marijuana	11.9	13.0	14.8	Cigarettes (1+ packs per day)	80.0		
Inhalants	5.0	9.6	7.1	Cigarettes (any use)		76.7	79.3
Prescription medications not prescribed for student	8.0	12.3	19.2	Marijuana (once or twice a week)	69.0		
Over-the-counter medications for non-medical use	3.0	8.3	9.5	Marijuana (any use)		80.0	77.0
Methamphetamine	0.0	2.8	1.7	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.0	91.7	93.9
Cocaine	1.0	2.8	4.9				
Heroin	0.0	2.8	2.2	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	1.0	5.5	3.3	Were very sad	14.9	24.0	7.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.0	5.5	3.3	Were grouchy, irritable, or in a bad mood	24.0	31.0	12.6
Steroids not prescribed for student	1.0	3.4	3.8	Felt hopeless about the future	7.9	13.7	4.3
Synthetic drugs (K2, bath salts, Spice, etc)	5.9	11.6		Felt like not eating or eating more than usual	16.8	9.7	6.7
				Slept a lot more or a lot less than usual	15.0	19.9	10.4
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	20.8	23.4	14.2
Alcohol	12.99	12.57	12.77	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	13.38	12.17	12.61	Seriously considered attempting suicide	9.9	12.6	10.3
Marijuana	14.27	13.48	13.94	Made plan about how they would attempt suicide	8.0	9.7	6.5
Inhalants	12.75	12.17	12.55	Attempted suicide	4.0	7.6	3.8
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.0	5.0	2.2
Alcohol	14.9	13.8	21.3	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		9.0	13.5	Were threatened/injured with weapon at school	3.0	5.5	8.2
Cigarettes	13.9	16.8	14.1	Were in a physical fight	16.8	16.4	24.5
Chewing Tobacco	7.9	11.6	12.0	Were in a fight and had to be treated by a doctor or nurse	2.0	3.4	3.8
Marijuana	4.0	5.5	7.7	<i>Percent of students who, in past 3 months:</i>			
Inhalants	2.0	4.1	3.3	Were victims of mean rumors or lies spread at school	47.5	46.2	55.0
Prescription medications not prescribed for student	2.0	6.8	9.9	Were made fun of by others	55.0	66.2	69.7
Over-the-counter medications for non-medical use	1.0	7.5	6.1	Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.0	24.1	23.2
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	23.8	22.8	35.9
Alcohol (Binge: 5+ drinks on one occasion)	6.9			Made fun of other people	52.5	56.2	77.8
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	17.0	13.7	26.8
Alcohol	44.0	45.9	51.1	<i>Percent of students who agree that:</i>			
Cigarettes	40.6	43.2	48.4	Teachers notice and comment on student's good work	74.3	72.4	75.4
Marijuana	24.0	23.8	26.9	School provides feedback to parents on positive student performance	52.5	48.6	42.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.0	12.3	11.1	Rules are enforced fairly	66.3	67.6	67.8
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	87.1	77.4	82.2
Alcohol	26.7	27.4	27.1	<i>Percent of students who agree that:</i>			
Cigarettes	17.0	21.2	16.9	Parents notice and comment on student's good work	82.2	81.4	88.0
Marijuana	8.9	12.4	9.4	Parents involve student in making family decisions	71.3	73.8	70.1
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	89.0	92.5	83.7
Alcohol	61.4	65.5	63.0	Student could ask parent for help with a personal problem	80.2	72.6	76.5
Cigarettes	78.0	76.6	79.2				
Marijuana	85.0	84.8	86.8				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.0	93.8	95.1				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	78.0	89.0	77.7				
Cigarettes	89.0	92.4	88.0				
Marijuana	93.9	97.3	97.3				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	50.0	39.3	54.9				
Cigarettes	49.5	44.1	59.9				
Marijuana	25.3	25.5	28.7				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.1	16.1	13.2				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# DE KALB COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	1
Adult Psychiatric	1
<b>POPULATION</b>	
Census 2010	12,892
2013 Estimate	12,840

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	100	116	110
Mother Reported Smoking while Pregnant	28	25	24
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	1
Hepatitis C Chronic and Acute	1	17	21
Tuberculosis Infection Cases	1	22	50
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	131	117	124
Suicides	2	1	3
Self-inflicted Injuries	17	5	6
Homicides	0	0	0
Assault Injuries	20	25	26
Alcohol Induced Deaths	2	0	1
Drug Induced Deaths	0	2	0
Smoking Attributable Deaths	25	20	21
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	51	40
Alcohol Primary Diagnosis	2	0	1
Drug Primary Diagnosis	2	2	0
Alcohol Related Diagnosis	9	8	14
Drug Related Diagnosis	13	10	25
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	33	26
Alcohol Primary Diagnosis	2	1	2
Drug Primary Diagnosis	2	3	3
Alcohol Related Diagnosis	21	19	6
Drug Related Diagnosis	21	18	4
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	72	69
Alcohol Primary Diagnosis	2	7	6
Drug Primary Diagnosis	2	1	6
Alcohol Related Diagnosis	17	15	13
Drug Related Diagnosis	18	22	15
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	8	14	5
Fatal Crashes	0	1	0
Injury Crashes	5	6	3
Property Damage Crashes	3	7	2
Crash Fatalities	0	1	0
Crash Injuries	5	8	4
Drug Involved Crashes--Total	1	0	2
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	1	0	2
Crash Fatalities	0	0	0
Crash Injuries	0	0	0

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	5,676	5,631	5,686
Employed	5,327	5,281	5,215
Unemployed	349	350	471
Unemployment Rate	6.1%	6.2%	8.3%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	328	332	328
Drop-outs	5	1	3
Drop-out Rate	1.5%	0.3%	0.9%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	1	1	0
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	41	40	32
Liquor Law Arrests	3	9	19
Drug Arrests	48	50	72
Methamphetamine Lab Incidents	0	0	0
Violent Offenses	7	8	7
Property Offenses	84	70	98
Domestic Violence Reports	18	28	51

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	51	36	13
Violent Offenses	18	10	4
Alcohol Offenses	1	2	0
Drug Offenses	1	0	2
Status Offenses--Total	49	25	14
Truancy	10	7	6
Beyond Parental Control	10	5	3
Habitually Absent from Home	10	2	1
Injurious Behavior	19	11	3
Abuse/Neglect/Custody--Total	20	6	0
Abuse	1	5	0
Neglect	17	1	0
Custody Disputes	2	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	17	1	5
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	7	0	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	10	1	5

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	104	108	91
Probation/Parole Admissions--Drug	30	18	22
Probation/Parole Admissions--DWI	6	8	7
Prison Admissions--Total	72	74	72
Prison Admissions--Drug	16	18	13
Prison Admissions--DWI	10	5	4

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	11	11	9
Alcohol Package Carry-out Licenses	12	12	11

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# DE KALB COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	*	*	5
CSTAR Adolescent	*	*	*
CSTAR Women and Children	0	0	0
CSTAR General Adult	18	13	14
CSTAR Opioid	0	0	0
Primary Recovery Treatment	15	14	8
Clinical SATOP (CIP, YCIP, SROP)	*	6	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	21	38	34
- Adolescent Diversion Education Program	0	*	0
- Offender Education Program	10	14	19
- Weekend Intervention Program	5	9	10
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	*	6	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	37	34	26	Alcohol	12	14	13
AGE				Marijuana / Hashish	11	9	7
Under 18	*	*	*	Cocaine (total)	0	*	*
18 to 24	6	10	5	- Crack	0	*	*
25 to 29	8	7	*	Stimulant (total)	9	6	*
30 to 34	9	*	0	- Methamphetamine	9	6	*
35 to 39	*	*	5	Heroin	*	0	0
40 to 44	*	*	*	Analgesic except Heroin	*	*	*
45 to 54	*	*	*	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	19	24	18	Inhalant	0	0	0
Female	18	10	8	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	0
Caucasian	35	33	25	Average Age at First Use of Drug	18.6	17.2	16.4
African American	0	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	*	0	*	- Weekly Injection Use	*	*	0
Other Race / Two or More Races	*	0	0	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	10	10	10	0	24	18	12
High School Graduate or G.E.D.	15	15	11	1 or 2	11	10	8
Associate Degree or Some College	12	8	*	3 or More	*	6	6
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	11	7	7
Employed	12	10	9	School	0	0	0
Unemployed	14	17	11	Mental Health Provider	0	0	0
Not in Labor Force	11	7	6	Health Care Provider	*	0	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	17	20	14
Independent Living	33	29	22	Other Referral Source	7	7	*
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	*	0	0	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	16	17	11	Special Education Services Needed	*	*	*
Married / Cohabiting	13	11	8	Co-Occurring Psychological Problem	15	10	8
Previously Married	8	6	7	Co-Occurring Developmental Problem	*	*	*

# DE KALB COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 1  
**CENSUS 2010** 12,892  
**2013 POPULATION ESTIMATE** 12,840

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	*	5	6
Anxiety Disorder	22	28	24
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	11	11	10
Mood Disorder	38	43	37
Personality Disorder	9	7	*
Psychotic Disorder	10	16	12
Sexual Disorder	*	*	*
Other Diagnosis	6	9	7
Diagnosis Unknown	8	12	17

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	67	86	86	Less than High School Diploma	25	16	8
<b>AGE</b>				High School Grad or G.E.D.	*	19	9
Under 6	0	0	*	Associate Degree or Some College	0	5	6
6 to 9	8	9	5	Bachelor or Advanced Degree	0	0	0
10 to 13	7	10	17	Education Level Unknown	40	46	63
14 to 17	6	14	16	<b>EMPLOYMENT</b>			
18 to 24	6	*	*	Employed	*	*	0
25 to 29	*	5	*	Unemployed	5	35	23
30 to 34	*	*	6	Not in Labor Force	49	7	*
35 to 39	*	8	6	Employment Status Unknown	12	42	62
40 to 44	7	7	*	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	*	5	6	Independent Living	31	36	22
50 to 54	7	8	7	Dependent Living	22	16	16
55 to 59	6	8	6	Homeless	0	0	0
60 and Over	5	*	7	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	14	34	48
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	29	39	38	Self / Family / Friend	32	39	40
Female	38	47	48	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	10	15	13
<b>RACE / ETHNICITY</b>				Health Care Provider	9	8	7
Caucasian	60	77	71	Court / Criminal Justice	*	7	5
African American	*	*	*	Other	10	15	15
Native American / Alaskan	*	*	7	Referral Source Unknown	0	0	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	*	*	Voluntary	63	85	83
Other Race	*	*	5	Civil	*	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	*	*	5	Commitment Type Unknown	0	0	*
Past or Current Military Service	*	*	*				

# DE KALB COUNTY

## MISSOURI STUDENT SURVEY


	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	25.8	39.5	31.2	Alcohol (1 or 2 drinks daily)	60.0		
Cigarettes	21.0	27.1	28.9	Alcohol (Binge: 5+ drinks once or twice a week)	79.0		
Chewing Tobacco	12.8	20.5	10.3	Alcohol (any use)		63.5	87.3
Marijuana	6.4	9.6	5.0	Cigarettes (1+ packs per day)	86.1		
Inhalants	3.2	2.4	4.5	Cigarettes (any use)		75.6	89.2
Prescription medications not prescribed for student	3.2	3.0	7.1	Marijuana (once or twice a week)	80.0		
Over-the-counter medications for non-medical use	0.0	2.4	2.5	Marijuana (any use)		78.9	89.0
Methamphetamine	0.0	0.6	0.5	Other: Cocaine, LSD, Meth, Club Drug (any use)	97.6	87.2	95.0
Cocaine	0.8	0.6	0.5				
Heroin	0.0	1.2	0.0	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	0.8	1.2	1.0	Were very sad	17.6	22.9	7.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8	0.6	0.0	Were grouchy, irritable, or in a bad mood	20.8	21.7	14.6
Steroids not prescribed for student	0.0	0.6	0.5	Felt hopeless about the future	8.9	7.8	2.5
Synthetic drugs (K2, bath salts, Spice, etc)	0.8	1.8		Felt like not eating or eating more than usual	15.2	12.7	12.2
				Slept a lot more or a lot less than usual	15.2	11.6	11.4
				Had difficulty concentrating on school work	21.6	10.8	14.3
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	12.80	13.09	12.04	Seriously considered attempting suicide	5.6	7.9	13.2
Cigarettes	13.74	13.15	10.89	Made plan about how they would attempt suicide	3.2	4.2	11.7
Marijuana	15.24	14.65	14.33	Attempted suicide	0.8	3.0	1.5
Inhalants	11.28		10.32	Attempted suicide and resulting injury, poisoning, or overdose	0.8	3.7	0.0
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	11.3	15.6	9.1	Were threatened/injured with weapon at school	2.4	7.8	10.8
Alcohol (Binge: 5+ drinks on one occasion)		6.6	5.4	Were in a physical fight	17.6	27.1	23.0
Cigarettes	10.5	12.0	15.6	Were in a fight and had to be treated by a doctor or nurse	3.2	1.8	9.3
Chewing Tobacco	7.2	12.0	7.8				
Marijuana	0.0	1.8	2.5	<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.8	1.8	2.5	Were victims of mean rumors or lies spread at school	55.2	51.8	47.8
Prescription medications not prescribed for student	0.0	1.8	3.5	Were made fun of by others	68.0	63.3	64.4
Over-the-counter medications for non-medical use	0.0	1.8	2.5	Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.2	21.2	14.1
				Spread mean rumors or lies about other kids at school	26.4	31.9	20.6
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	56.8	67.1	60.0
Alcohol (Binge: 5+ drinks on one occasion)	5.6			Posted something on the internet or sent a text that might embarrass or hurt another student	12.1	13.3	8.9
				<i>Percent of students who agree that:</i>			
<i>Percent whose friends used in past 12 months:</i>				Teachers notice and comment on student's good work	74.4	75.3	76.1
Alcohol	31.0	54.8	28.1	School provides feedback to parents on positive student performance	42.1	38.9	51.2
Cigarettes	32.0	50.0	34.8	Rules are enforced fairly	61.6	65.9	56.2
Marijuana	12.8	27.7	14.9	Students of all races/ethnicities are treated equal	76.0	79.4	95.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	1.6	7.8	9.3				
				<i>Percent of students who agree that:</i>			
<i>Percent who would likely use, if offered by a best friend:</i>				Parents notice and comment on student's good work	78.6	82.5	83.3
Alcohol	18.3	28.5	19.9	Parents involve student in making family decisions	69.6	66.3	80.4
Cigarettes	13.5	13.9	9.0	It is important to be honest with parents regardless of consequences	92.8	89.2	91.5
Marijuana	2.4	4.8	4.1	Student could ask parent for help with a personal problem	79.8	79.6	85.0
<i>Percent who say it would be wrong to use:</i>							
Alcohol	74.8	61.1	69.8				
Cigarettes	82.3	82.4	86.1				
Marijuana	90.2	91.0	90.7				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	99.2	97.0	98.0				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	81.6	79.4	88.8				
Cigarettes	88.6	93.4	93.0				
Marijuana	92.8	97.6	97.0				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	46.4	59.0	39.9				
Cigarettes	42.4	56.0	46.8				
Marijuana	13.0	27.9	16.1				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	3.2	12.3	6.1				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys



# DENT COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	17
Adult Psychiatric	17A
<b>POPULATION</b>	
Census 2010	15,657
2013 Estimate	15,730

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	173	173	173
Mother Reported Smoking while Pregnant	49	52	56

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	1	0	1
Hepatitis B Chronic, Acute, Prenatal	1	0	2
Hepatitis C Chronic and Acute	1	15	19
Tuberculosis Infection Cases	1	0	3

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	185	185	205
Suicides	2	2	4
Self-inflicted Injuries	26	34	34
Homicides	0	4	1
Assault Injuries	59	53	49
Alcohol Induced Deaths	0	0	1
Drug Induced Deaths	6	1	8
Smoking Attributable Deaths	37	34	39

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	142	136
Alcohol Primary Diagnosis	2	12	7
Drug Primary Diagnosis	2	20	8
Alcohol Related Diagnosis	57	44	63
Drug Related Diagnosis	59	52	65
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	44	44
Alcohol Primary Diagnosis	2	8	6
Drug Primary Diagnosis	2	6	9
Alcohol Related Diagnosis	42	39	34
Drug Related Diagnosis	33	43	31
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	175	180
Alcohol Primary Diagnosis	2	52	38
Drug Primary Diagnosis	2	33	40
Alcohol Related Diagnosis	70	61	74
Drug Related Diagnosis	73	53	67

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	23	15	16
Fatal Crashes	1	0	0
Injury Crashes	9	9	10
Property Damage Crashes	13	6	6
Crash Fatalities	1	0	0
Crash Injuries	12	16	14
Drug Involved Crashes--Total	3	2	10
Fatal Crashes	0	0	1
Injury Crashes	2	1	4
Property Damage Crashes	1	1	5
Crash Fatalities	0	0	1
Crash Injuries	2	1	8

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	7,076	6,345	6,669
Employed	6,623	5,860	6,040
Unemployed	453	485	629
Unemployment Rate	6.4%	7.6%	9.4%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	631	629	622
Drop-outs	7	10	18
Drop-out Rate	1.1%	1.6%	2.9%
School Suspensions:			
Alcohol Incidents	5	2	0
Drug Incidents	5	4	8
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	100	71	81
Liquor Law Arrests	12	11	13
Drug Arrests	79	49	122
Methamphetamine Lab Incidents	5	1	3
Violent Offenses	33	30	32
Property Offenses	296	288	320
Domestic Violence Reports	31	25	29

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	56	58	64
Violent Offenses	26	24	18
Alcohol Offenses	0	1	2
Drug Offenses	2	4	3
Status Offenses--Total	50	26	25
Truancy	21	1	11
Beyond Parental Control	10	10	5
Habitually Absent from Home	4	4	3
Injurious Behavior	14	11	6
Abuse/Neglect/Custody--Total	15	14	57
Abuse	2	2	19
Neglect	13	12	37
Custody Disputes	0	0	1

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	18	13	24
Parental Alcohol Use Related	0	0	4
Parental Drug Use Related	4	4	15
Parental Alcohol and Drug Use	3	0	0
Child Removed for Other Reason	11	9	5

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	27	19	19
Probation/Parole Admissions--Total	130	138	148
Probation/Parole Admissions--Drug	49	54	64
Probation/Parole Admissions--DWI	7	5	11
Prison Admissions--Total	58	74	61
Prison Admissions--Drug	26	34	32
Prison Admissions--DWI	2	4	4

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	13	14	14
Alcohol Package Carry-out Licenses	15	18	19

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# DENT COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	28	23	28
CSTAR Adolescent	5	7	*
CSTAR Women and Children	5	*	5
CSTAR General Adult	118	64	79
CSTAR Opioid	*	0	*
Primary Recovery Treatment	36	106	139
Clinical SATOP (CIP, YCIP, SROP)	22	14	8
Other Substance Abuse Treatment	*	*	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	67	50	50
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	19	15	14
- Weekend Intervention Program	9	12	10
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	0	0
Early Intervention	*	17	9

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	151	174	197	Alcohol	55	55	71
AGE				Marijuana / Hashish	27	50	51
Under 18	6	8	*	Cocaine (total)	*	*	*
18 to 24	33	44	43	- Crack	*	0	0
25 to 29	32	41	43	Stimulant (total)	18	21	18
30 to 34	24	24	32	- Methamphetamine	18	21	17
35 to 39	17	14	21	Heroin	13	9	12
40 to 44	15	12	19	Analgesic except Heroin	36	33	38
45 to 54	18	24	31	- Non-Prescription Methadone	*	0	0
55 and Over	6	7	6	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	*	*	*
Male	94	112	136	Inhalant	0	*	*
Female	57	62	61	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	147	169	193	Average Age at First Use of Drug	18.1	17.8	18.3
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	42	31	31
Asian / Pacific Islander	0	0	0	- Daily Injection Use	9	*	7
Hispanic	*	*	*	- Weekly Injection Use	14	9	8
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	19	20	16
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	65	70	74	0	79	94	108
High School Graduate or G.E.D.	57	80	93	1 or 2	54	57	64
Associate Degree or Some College	27	24	30	3 or More	18	23	25
Bachelor or Advanced Degree	*	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	106	44	47
Employed	38	53	63	School	0	0	0
Unemployed	72	73	91	Mental Health Provider	*	*	*
Not in Labor Force	41	48	43	Health Care Provider	6	7	7
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	32	105	124
Independent Living	135	160	188	Other Referral Source	6	16	17
Dependent Living	7	10	*	TREATMENT ACCOMMODATION			
Homeless	6	*	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	7	11	12
Never Married	60	70	77	Special Education Services Needed	12	23	25
Married / Cohabiting	48	73	77	Co-Occurring Psychological Problem	67	71	64
Previously Married	43	31	43	Co-Occurring Developmental Problem	20	13	25

# DENT COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 17A  
**CENSUS 2010** 15,657  
**2013 POPULATION ESTIMATE** 15,730

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	5	*	5
Anxiety Disorder	170	125	111
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	46	42	30
Mood Disorder	174	145	136
Personality Disorder	12	8	9
Psychotic Disorder	33	30	28
Sexual Disorder	0	*	0
Other Diagnosis	15	12	10
Diagnosis Unknown	9	12	32

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.


<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	258	223	227	Less than High School Diploma	80	18	28
<b>AGE</b>				High School Grad or G.E.D.	*	18	47
Under 6	*	*	*	Associate Degree or Some College	*	*	18
6 to 9	16	13	12	Bachelor or Advanced Degree	0	*	0
10 to 13	20	17	18	Education Level Unknown	173	184	134
14 to 17	29	30	23	<b>EMPLOYMENT</b>			
18 to 24	27	26	31	Employed	6	*	10
25 to 29	21	17	13	Unemployed	12	27	83
30 to 34	23	22	19	Not in Labor Force	121	13	*
35 to 39	26	20	23	Employment Status Unknown	119	181	131
40 to 44	28	19	22	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	23	20	30	Independent Living	78	32	94
50 to 54	22	18	18	Dependent Living	61	27	39
55 to 59	13	12	9	Homeless	0	0	0
60 and Over	8	6	8	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	119	163	90
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	123	97	100	Self / Family / Friend	202	163	160
Female	135	126	127	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	*	*
<b>RACE / ETHNICITY</b>				Health Care Provider	29	21	26
Caucasian	247	213	220	Court / Criminal Justice	7	16	12
African American	0	0	0	Other	17	20	24
Native American / Alaskan	*	*	*	Referral Source Unknown	0	0	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	7	8	5	Voluntary	256	220	221
Other Race	*	*	*	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	*	*
Hearing Impaired	9	7	6	Commitment Type Unknown	0	0	*
Past or Current Military Service	10	5	*				

# DENT COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	12.4	28.2	40.5	Alcohol (1 or 2 drinks daily)	59.5		
Cigarettes	14.1	22.4	30.8	Alcohol (Binge: 5+ drinks once or twice a week)	69.8		
Chewing Tobacco	35.6	22.9	23.7	Alcohol (any use)		57.7	78.5
Marijuana	1.9	13.9	12.8	Cigarettes (1+ packs per day)	85.7		
Inhalants	1.8	12.6	5.8	Cigarettes (any use)		76.2	76.7
Prescription medications not prescribed for student	4.3	8.6	11.7	Marijuana (once or twice a week)	73.5		
Over-the-counter medications for non-medical use	1.2	9.8	8.4	Marijuana (any use)		73.2	74.4
Methamphetamine	0.0	0.8	1.6	Other: Cocaine, LSD, Meth, Club Drug (any use)	89.6	96.1	92.3
Cocaine	0.6	1.2	1.6	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.6	0.8	0.3	Were very sad	8.6	28.5	9.3
Hallucinogens	0.6	3.3	2.9	Were grouchy, irritable, or in a bad mood	15.2	26.0	14.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.6	0.0	2.3	Felt hopeless about the future	6.7	21.2	6.4
Steroids not prescribed for student	1.9	5.7	0.6	Felt like not eating or eating more than usual	13.5	8.6	10.6
Synthetic drugs (K2, bath salts, Spice, etc)	0.6	8.2		Slept a lot more or a lot less than usual	10.4	12.6	18.1
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	24.2	27.8	14.3
Alcohol	9.90	10.50	11.58	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	10.97	10.78	11.55	Seriously considered attempting suicide	1.8	13.5	13.7
Marijuana	12.27	13.30	12.30	Made plan about how they would attempt suicide	1.2	4.9	8.9
Inhalants	9.57	9.89	11.39	Attempted suicide	0.6	2.0	6.4
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.6	0.4	2.7
Alcohol	1.9	17.1	15.3	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occassion)		9.8	8.9	Were threatened/injured with weapon at school	8.5	13.5	7.9
Cigarettes	3.1	13.5	16.5	Were in a physical fight	27.8	32.9	27.6
Chewing Tobacco	19.0	11.4	14.3	Were in a fight and had to be treated by a doctor or nurse	3.7	2.4	2.9
Marijuana	0.6	6.9	6.5	<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.6	9.4	2.6	Were victims of mean rumors or lies spread at school	30.7	47.8	59.1
Prescription medications not prescribed for student	2.5	2.0	7.8	Were made fun of by others	38.0	66.5	72.1
Over-the-counter medications for non-medical use	1.2	3.3	5.2	Were victims of an embarrassing or hurtful text message or something posted on the Internet	13.4	17.3	17.2
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	12.4	24.9	36.7
Alcohol (Binge: 5+ drinks on one occassion)	0.0			Made fun of other people	49.7	59.0	72.7
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	8.6	19.6	12.4
Alcohol	25.9	36.7	49.4	<i>Percent of students who agree that:</i>			
Cigarettes	26.4	34.7	44.8	Teachers notice and comment on student's good work	79.8	61.9	71.9
Marijuana	16.6	19.3	28.1	School provides feedback to parents on positive student performance	47.2	43.5	39.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	1.9	4.9	11.9	Rules are enforced fairly	72.8	64.6	68.6
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	93.3	84.4	80.6
Alcohol	29.4	17.1	27.2	<i>Percent of students who agree that:</i>			
Cigarettes	9.2	10.2	17.0	Parents notice and comment on student's good work	78.7	86.1	84.9
Marijuana	3.1	9.3	9.6	Parents involve student in making family decisions	69.1	78.0	68.6
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	82.7	87.4	84.4
Alcohol	73.6	71.2	67.0	Student could ask parent for help with a personal problem	74.8	80.7	75.6
Cigarettes	78.3	82.7	76.1	<div>Page Notes: Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</div>			
Marijuana	94.5	83.5	85.5				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.7	96.5	94.6				
<i>Percent whose parents would disapprove if they use:</i>				Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Alcohol	70.7	76.3	79.6				
Cigarettes	74.8	83.3	91.3				
Marijuana	87.0	99.1	95.2				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	33.1	40.2	49.4				
Cigarettes	30.1	37.1	53.0				
Marijuana	8.1	23.4	26.5				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.3	7.8	16.3				

# DOUGLAS COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	18
Adult Psychiatric	18
<b>POPULATION</b>	
Census 2010	13,684
2013 Estimate	13,515

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	143	167	137
Mother Reported Smoking while Pregnant	35	40	31
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	2	1	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	1	13	8
Tuberculosis Infection Cases	1	2	1
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	140	163	141
Suicides	3	1	2
Self-inflicted Injuries	4	11	11
Homicides	0	0	0
Assault Injuries	18	10	13
Alcohol Induced Deaths	0	0	1
Drug Induced Deaths	1	0	1
Smoking Attributable Deaths	25	39	32
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	43	54
Alcohol Primary Diagnosis	2	9	4
Drug Primary Diagnosis	2	6	2
Alcohol Related Diagnosis	18	18	25
Drug Related Diagnosis	23	20	22
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	34	30
Alcohol Primary Diagnosis	2	13	13
Drug Primary Diagnosis	2	9	8
Alcohol Related Diagnosis	30	46	36
Drug Related Diagnosis	37	28	21
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	52	42
Alcohol Primary Diagnosis	2	23	8
Drug Primary Diagnosis	2	18	12
Alcohol Related Diagnosis	34	16	23
Drug Related Diagnosis	42	34	27
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	16	18	22
Fatal Crashes	2	0	0
Injury Crashes	11	9	15
Property Damage Crashes	3	9	7
Crash Fatalities	2	0	0
Crash Injuries	15	9	23
Drug Involved Crashes--Total	1	2	3
Fatal Crashes	0	0	0
Injury Crashes	0	2	1
Property Damage Crashes	1	0	2
Crash Fatalities	0	0	0
Crash Injuries	0	2	1

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	6,254	6,156	6,289
Employed	5,798	5,649	5,743
Unemployed	456	507	546
Unemployment Rate	7.3%	8.2%	8.7%
<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	450	446	456
Drop-outs	0	3	3
Drop-out Rate	0.0%	0.7%	0.7%
School Suspensions:			
Alcohol Incidents	4	2	1
Drug Incidents	1	6	5
Tobacco Incidents	0	1	0
<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	44	76	84
Liquor Law Arrests	23	25	8
Drug Arrests	69	56	82
Methamphetamine Lab Incidents	5	9	9
Violent Offenses	24	38	30
Property Offenses	229	186	180
Domestic Violence Reports	0	0	3
<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	66	31	34
Violent Offenses	25	4	10
Alcohol Offenses	3	2	2
Drug Offenses	4	3	3
Status Offenses--Total	19	15	29
Truancy	5	9	8
Beyond Parental Control	11	6	17
Habitually Absent from Home	2	0	1
Injurious Behavior	1	0	3
Abuse/Neglect/Custody--Total	28	27	12
Abuse	7	2	1
Neglect	16	22	10
Custody Disputes	5	3	1
<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	9	18	12
Parental Alcohol Use Related	0	2	1
Parental Drug Use Related	0	5	2
Parental Alcohol and Drug Use	1	0	2
Child Removed for Other Reason	8	11	7
<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	29	29	26
Probation/Parole Admissions--Total	76	91	95
Probation/Parole Admissions--Drug	28	39	38
Probation/Parole Admissions--DWI	8	10	4
Prison Admissions--Total	44	45	43
Prison Admissions--Drug	15	15	14
Prison Admissions--DWI	3	3	5
<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	5	4	4
Alcohol Package Carry-out Licenses	12	11	11

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.  
 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# DOUGLAS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	5	14	16
CSTAR Adolescent	*	*	5
CSTAR Women and Children	*	*	*
CSTAR General Adult	15	13	10
CSTAR Opioid	0	0	0
Primary Recovery Treatment	22	45	40
Clinical SATOP (CIP, YCIP, SROP)	12	8	5
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	43	47	40
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	18	15	13
- Weekend Intervention Program	5	14	6
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	0
Compulsive Gambling	0	0	0
Recovery Supports	6	*	*
Early Intervention	0	*	*


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	52	76	61	Alcohol	24	32	33
AGE				Marijuana / Hashish	8	12	11
Under 18	*	*	5	Cocaine (total)	0	0	0
18 to 24	10	17	13	- Crack	0	0	0
25 to 29	9	12	10	Stimulant (total)	9	19	10
30 to 34	9	10	6	- Methamphetamine	9	18	9
35 to 39	5	6	5	Heroin	*	*	0
40 to 44	6	10	*	Analgesic except Heroin	7	7	7
45 to 54	10	12	15	- Non-Prescription Methadone	*	0	0
55 and Over	*	5	5	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	0
Male	38	53	44	Inhalant	0	*	0
Female	14	23	17	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	49	74	61	Average Age at First Use of Drug	18.2	17.8	15.7
African American	*	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	10	13	6
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	*	*
Hispanic	0	*	0	- Weekly Injection Use	6	*	*
Other Race / Two or More Races	*	*	0	- Less than Weekly Injection Use	*	10	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	18	25	24	0	26	40	36
High School Graduate or G.E.D.	27	39	27	1 or 2	14	24	15
Associate Degree or Some College	7	11	10	3 or More	12	12	10
Bachelor or Advanced Degree	0	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	16	16	17
Employed	10	9	7	School	0	0	0
Unemployed	30	41	33	Mental Health Provider	*	*	0
Not in Labor Force	12	26	21	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	26	52	36
Independent Living	43	67	51	Other Referral Source	6	5	6
Dependent Living	6	6	7	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	0	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	26	32	30	Special Education Services Needed	*	0	*
Married / Cohabiting	18	23	13	Co-Occurring Psychological Problem	11	21	16
Previously Married	8	21	18	Co-Occurring Developmental Problem	*	0	*



# DOUGLAS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 18  
**CENSUS 2010** 13,684  
**2013 POPULATION ESTIMATE** 13,515

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	*	*	0
Anxiety Disorder	30	24	22
Dementia	*	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	10	9	10
Mood Disorder	51	45	36
Personality Disorder	7	*	*
Psychotic Disorder	7	5	*
Sexual Disorder	0	0	0
Other Diagnosis	*	*	*
Diagnosis Unknown	*	8	12

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	73	64	61	Less than High School Diploma	31	12	*
<b>AGE</b>				High School Grad or G.E.D.	0	6	8
Under 6	0	*	*	Associate Degree or Some College	0	*	*
6 to 9	7	*	*	Bachelor or Advanced Degree	0	*	*
10 to 13	5	*	7	Education Level Unknown	42	43	47
14 to 17	6	*	*	<b>EMPLOYMENT</b>			
18 to 24	13	11	6	Employed	7	*	0
25 to 29	*	6	*	Unemployed	9	13	13
30 to 34	*	9	5	Not in Labor Force	53	6	*
35 to 39	6	*	7	Employment Status Unknown	*	42	47
40 to 44	5	7	5	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	7	5	6	Independent Living	40	13	11
50 to 54	*	*	*	Dependent Living	18	6	13
55 to 59	9	6	8	Homeless	*	*	*
60 and Over	5	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	14	43	36
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	30	34	26	Self / Family / Friend	38	27	30
Female	43	30	35	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	5	*
<b>RACE / ETHNICITY</b>				Health Care Provider	24	19	22
Caucasian	72	62	58	Court / Criminal Justice	*	9	*
African American	0	0	0	Other	8	*	*
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	0	*	Voluntary	72	62	61
Other Race	0	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				



# DOUGLAS COUNTY


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	34.5	43.3	46.1	Alcohol (1 or 2 drinks daily)	52.8		
Cigarettes	25.6	29.3	39.5	Alcohol (Binge: 5+ drinks once or twice a week)	69.9		
Chewing Tobacco	17.0	25.0	26.9	Alcohol (any use)		66.2	74.7
Marijuana	8.0	14.5	13.5	Cigarettes (1+ packs per day)	84.9		
Inhalants	3.4	3.4	9.8	Cigarettes (any use)		76.4	71.6
Prescription medications not prescribed for student	6.3	7.2	13.5	Marijuana (once or twice a week)	74.9		
Over-the-counter medications for non-medical use	0.6	1.9	9.4	Marijuana (any use)		72.6	70.5
Methamphetamine	0.0	1.4	0.7	Other: Cocaine, LSD, Meth, Club Drug (any use)	94.3	93.7	90.6
Cocaine	0.6	2.0	1.4				
Heroin	0.0	0.5	1.0	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	1.1	0.5	2.7	Were very sad	16.8	25.6	22.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1	0.5	2.7	Were grouchy, irritable, or in a bad mood	24.7	30.9	33.0
Steroids not prescribed for student	0.6	2.9	0.7	Felt hopeless about the future	10.8	15.2	19.5
Synthetic drugs (K2, bath salts, Spice, etc)	2.9	7.7		Felt like not eating or eating more than usual	16.6	20.2	16.3
				Slept a lot more or a lot less than usual	17.8	22.7	28.8
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	24.0	25.6	30.4
Alcohol	12.59	12.95	12.02				
Cigarettes	12.86	12.19	12.64	<i>Percent of students who, in past 12 months:</i>			
Marijuana	13.92	13.19	13.83	Seriously considered attempting suicide	7.4	10.6	11.8
Inhalants	12.91	12.41	12.78	Made plan about how they would attempt suicide	6.8	8.7	9.5
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide	5.7	3.8	6.1
Alcohol	12.1	22.1	22.1	Attempted suicide and resulting injury, poisoning, or overdose	1.7	2.0	1.4
Alcohol (Binge: 5+ drinks on one occasion)		13.5	12.8				
Cigarettes	9.1	11.1	20.3	<i>Percent of students who, in past 12 months:</i>			
Chewing Tobacco	7.4	16.4	15.9	Were threatened/injured with weapon at school	2.3	7.2	10.8
Marijuana	2.3	7.7	6.1	Were in a physical fight	13.8	21.7	30.6
Inhalants	0.6	1.9	4.7	Were in a fight and had to be treated by a doctor or nurse	1.1	5.3	4.7
Prescription medications not prescribed for student	4.0	1.4	6.8				
Over-the-counter medications for non-medical use	0.0	1.4	5.1	<i>Percent of students who, in past 3 months:</i>			
<i>Percent of students who, in past 2 weeks, used:</i>				Were victims of mean rumors or lies spread at school	41.1	52.4	54.8
Alcohol (Binge: 5+ drinks on one occasion)	8.6			Were made fun of by others	46.6	63.6	66.9
<i>Percent whose friends used in past 12 months:</i>				Were victims of an embarrassing or hurtful text message or something posted on the Internet	19.9	25.7	19.9
Alcohol	39.7	62.5	62.2	Spread mean rumors or lies about other kids at school	13.1	17.4	29.5
Cigarettes	37.5	53.4	54.1	Made fun of other people	38.9	58.2	64.3
Marijuana	21.1	35.9	33.7	Posted something on the internet or sent a text that might embarrass or hurt another student	9.1	17.5	18.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.1	13.9	16.8				
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	25.0	35.7	40.3	Teachers notice and comment on student's good work	72.7	72.5	70.0
Cigarettes	9.1	19.3	23.2	School provides feedback to parents on positive student performance	48.9	38.6	40.3
Marijuana	4.6	11.3	11.6	Rules are enforced fairly	70.1	57.2	59.7
<i>Percent who say it would be wrong to use:</i>				Students of all races/ethnicities are treated equal	83.5	75.5	72.1
Alcohol	68.4	60.3	53.4				
Cigarettes	81.6	68.9	66.7	<i>Percent of students who agree that:</i>			
Marijuana	87.5	79.7	82.1	Parents notice and comment on student's good work	84.1	81.6	78.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.8	95.7	92.9	Parents involve student in making family decisions	72.0	68.8	63.1
<i>Percent whose parents would disapprove if they use:</i>				It is important to be honest with parents regardless of consequences	90.9	89.5	84.1
Alcohol	83.3	75.2	79.4	Student could ask parent for help with a personal problem	82.1	76.9	74.7
Cigarettes	90.3	84.6	88.6				
Marijuana	95.3	92.7	95.9				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	51.2	64.4	63.9				
Cigarettes	50.0	65.5	65.5				
Marijuana	22.7	35.8	38.4				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.7	15.2	22.3				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# DUNKLIN COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	20
Adult Psychiatric	19
<b>POPULATION</b>	
Census 2010	31,953
2013 Estimate	31,712

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	444	480	473
Mother Reported Smoking while Pregnant	149	140	132
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	1
Hepatitis B Chronic, Acute, Prenatal	1	0	2
Hepatitis C Chronic and Acute	1	29	25
Tuberculosis Infection Cases	1	2	4
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	453	433	443
Suicides	6	9	5
Self-inflicted Injuries	89	111	121
Homicides	0	2	1
Assault Injuries	183	199	193
Alcohol Induced Deaths	5	2	2
Drug Induced Deaths	15	6	4
Smoking Attributable Deaths	88	98	78
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	505	534
Alcohol Primary Diagnosis	2	21	40
Drug Primary Diagnosis	2	42	50
Alcohol Related Diagnosis	151	170	115
Drug Related Diagnosis	181	217	224
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	155	171
Alcohol Primary Diagnosis	2	13	11
Drug Primary Diagnosis	2	20	14
Alcohol Related Diagnosis	96	94	103
Drug Related Diagnosis	70	84	168
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	543	595
Alcohol Primary Diagnosis	2	71	75
Drug Primary Diagnosis	2	62	75
Alcohol Related Diagnosis	125	150	175
Drug Related Diagnosis	117	160	230
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	35	26	38
Fatal Crashes	2	1	2
Injury Crashes	19	12	21
Property Damage Crashes	14	13	15
Crash Fatalities	2	1	2
Crash Injuries	32	17	33
Drug Involved Crashes--Total	5	16	21
Fatal Crashes	0	0	2
Injury Crashes	3	8	11
Property Damage Crashes	2	8	8
Crash Fatalities	0	0	2
Crash Injuries	3	13	16

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	14,829	14,254	14,207
Employed	13,648	13,041	12,725
Unemployed	1,181	1,213	1,482
Unemployment Rate	8.0%	8.5%	10.4%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	1,619	1,518	1,585
Drop-outs	18	33	35
Drop-out Rate	1.1%	2.2%	2.2%
School Suspensions:			
Alcohol Incidents	0	1	0
Drug Incidents	4	12	23
Tobacco Incidents	0	1	1

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	191	266	373
Liquor Law Arrests	79	33	60
Drug Arrests	204	294	269
Methamphetamine Lab Incidents	4	8	17
Violent Offenses	121	115	121
Property Offenses	1,254	1,016	888
Domestic Violence Reports	158	122	92

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	162	205	243
Violent Offenses	21	48	58
Alcohol Offenses	11	9	22
Drug Offenses	0	13	17
Status Offenses--Total	103	64	70
Truancy	59	15	17
Beyond Parental Control	30	30	32
Habitually Absent from Home	3	8	10
Injurious Behavior	8	3	6
Abuse/Neglect/Custody--Total	584	508	695
Abuse	150	158	205
Neglect	422	346	488
Custody Disputes	12	4	2

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	77	97	120
Parental Alcohol Use Related	1	5	6
Parental Drug Use Related	59	55	60
Parental Alcohol and Drug Use	1	4	7
Child Removed for Other Reason	16	33	47

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	80	55	54
Probation/Parole Admissions--Total	514	502	459
Probation/Parole Admissions--Drug	112	135	114
Probation/Parole Admissions--DWI	38	48	40
Prison Admissions--Total	295	298	295
Prison Admissions--Drug	68	69	84
Prison Admissions--DWI	22	27	30

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	26	29	27
Alcohol Package Carry-out Licenses	45	45	42

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# DUNKLIN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	74	89	93
CSTAR Adolescent	26	31	38
CSTAR Women and Children	30	21	41
CSTAR General Adult	102	96	68
CSTAR Opioid	0	0	0
Primary Recovery Treatment	172	272	296
Clinical SATOP (CIP, YCIP, SROP)	23	21	21
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	110	126	117
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	29	52	53
- Weekend Intervention Program	22	25	15
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	8	5	5
Early Intervention	0	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	348	408	438	Alcohol	121	121	129
AGE				Marijuana / Hashish	115	151	172
Under 18	28	34	38	Cocaine (total)	20	30	31
18 to 24	68	79	91	- Crack	11	14	19
25 to 29	61	81	93	Stimulant (total)	48	47	42
30 to 34	57	75	70	- Methamphetamine	48	44	39
35 to 39	37	40	41	Heroin	*	*	*
40 to 44	32	30	27	Analgesic except Heroin	27	40	41
45 to 54	48	54	59	- Non-Prescription Methadone	0	0	0
55 and Over	17	15	19	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	11	11	15
Male	243	277	304	Inhalant	0	*	*
Female	105	131	134	Sedative	*	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	282	328	336	Average Age at First Use of Drug	17.8	17.6	17.2
African American	55	69	91	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	25	19	18
Asian / Pacific Islander	*	0	0	- Daily Injection Use	*	*	*
Hispanic	9	8	6	- Weekly Injection Use	7	6	*
Other Race / Two or More Races	*	*	8	- Less than Weekly Injection Use	16	10	10
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	159	195	227	0	224	284	307
High School Graduate or G.E.D.	146	179	178	1 or 2	86	95	91
Associate Degree or Some College	42	32	32	3 or More	38	29	40
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	52	53	44
Employed	80	92	96	School	*	*	*
Unemployed	90	128	176	Mental Health Provider	*	8	*
Not in Labor Force	178	188	166	Health Care Provider	22	23	15
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	234	283	315
Independent Living	255	307	341	Other Referral Source	33	40	58
Dependent Living	78	91	86	TREATMENT ACCOMMODATION			
Homeless	5	*	9	Pregnant when Admitted to any Episode	7	*	12
MARITAL / FAMILY STATUS				Military Veteran	13	15	9
Never Married	182	197	225	Special Education Services Needed	40	36	52
Married / Cohabiting	87	120	125	Co-Occurring Psychological Problem	84	110	77
Previously Married	79	91	88	Co-Occurring Developmental Problem	8	13	7

# DUNKLIN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 19  
**CENSUS 2010** 31,953  
**2013 POPULATION ESTIMATE** 31,712

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	26	11	23
Anxiety Disorder	45	28	24
Dementia	0	0	0
Developmental Disorder	*	*	0
Impulse Control Disorder	51	33	16
Mood Disorder	316	242	204
Personality Disorder	*	*	5
Psychotic Disorder	80	70	47
Sexual Disorder	0	0	0
Other Diagnosis	8	10	11
Diagnosis Unknown	78	100	108

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	585	469	415	Less than High School Diploma	132	86	58
<b>AGE</b>				High School Grad or G.E.D.	*	78	81
Under 6	*	*	0	Associate Degree or Some College	0	9	8
6 to 9	28	19	18	Bachelor or Advanced Degree	0	*	*
10 to 13	44	33	19	Education Level Unknown	452	292	265
14 to 17	42	27	30	<b>EMPLOYMENT</b>			
18 to 24	53	53	46	Employed	*	5	7
25 to 29	58	39	32	Unemployed	6	146	141
30 to 34	48	43	37	Not in Labor Force	261	65	*
35 to 39	59	54	44	Employment Status Unknown	314	253	265
40 to 44	63	52	47	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	52	43	38	Independent Living	178	168	128
50 to 54	52	34	32	Dependent Living	85	43	39
55 to 59	39	29	35	Homeless	*	*	*
60 and Over	45	40	37	Other	0	10	*
Age Unknown	0	0	0	Housing Unknown	320	246	246
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	252	234	175	Self / Family / Friend	155	102	88
Female	333	235	240	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	66	52	68
<b>RACE / ETHNICITY</b>				Health Care Provider	146	129	93
Caucasian	485	385	346	Court / Criminal Justice	122	109	81
African American	85	69	57	Other	78	56	50
Native American / Alaskan	0	0	0	Referral Source Unknown	14	19	31
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	9	6	5	Voluntary	568	447	375
Other Race	6	9	7	Civil	*	*	6
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	10	10	9	Commitment Type Unknown	14	19	31
Past or Current Military Service	9	13	12				

# DUNKLIN COUNTY

## MISSOURI STUDENT SURVEY


	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	49.3	42.2	42.9	Alcohol (1 or 2 drinks daily)	52.5		
Cigarettes	41.1	31.7	34.5	Alcohol (Binge: 5+ drinks once or twice a week)	55.9		
Chewing Tobacco	24.1	17.4	15.6	Alcohol (any use)		74.4	77.5
Marijuana	20.5	17.9	15.4	Cigarettes (1+ packs per day)	77.6		
Inhalants	2.6	7.2	7.4	Cigarettes (any use)		82.8	80.3
Prescription medications not prescribed for student	13.9	12.7	14.3	Marijuana (once or twice a week)	59.9		
Over-the-counter medications for non-medical use	5.0	6.6	7.5	Marijuana (any use)		74.5	76.5
Methamphetamine	0.0	1.8	1.1	Other: Cocaine, LSD, Meth, Club Drug (any use)	91.1	93.1	92.5
Cocaine	1.8	2.5	1.3				
Heroin	0.5	1.5	0.3	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	0.0	2.2	1.7	Were very sad	21.9	18.5	13.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8	2.4	1.1	Were grouchy, irritable, or in a bad mood	36.4	27.6	19.7
Steroids not prescribed for student	0.8	2.2	1.9	Felt hopeless about the future	10.8	11.0	8.3
Synthetic drugs (K2, bath salts, Spice, etc)	1.8	10.2		Felt like not eating or eating more than usual	17.6	17.3	12.4
				Slept a lot more or a lot less than usual	17.1	21.5	20.2
				Had difficulty concentrating on school work	19.4	22.1	21.4
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	12.79	12.95	12.76	Seriously considered attempting suicide	15.9	11.8	13.1
Cigarettes	12.22	12.11	12.24	Made plan about how they would attempt suicide	7.0	9.0	10.6
Marijuana	13.34	13.41	13.67	Attempted suicide	6.6	5.4	7.0
Inhalants	10.81	12.95	12.26	Attempted suicide and resulting injury, poisoning, or overdose	0.8	1.9	2.9
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	18.9	18.8	17.9	Were threatened/injured with weapon at school	5.8	4.9	8.1
Alcohol (Binge: 5+ drinks on one occasion)		10.8	11.2	Were in a physical fight	35.6	25.3	25.6
Cigarettes	19.8	16.8	17.2	Were in a fight and had to be treated by a doctor or nurse	5.0	3.2	4.2
Chewing Tobacco	20.7	9.1	6.7				
Marijuana	4.7	7.9	6.1	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.1	3.0	3.4	Were victims of mean rumors or lies spread at school	55.9	58.0	60.1
Prescription medications not prescribed for student	8.4	7.2	9.0	Were made fun of by others	67.3	65.5	71.3
Over-the-counter medications for non-medical use	2.4	3.8	4.4	Were victims of an embarrassing or hurtful text message or something posted on the Internet	20.6	23.9	19.2
				Spread mean rumors or lies about other kids at school	23.6	24.4	33.8
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	51.4	67.4	75.8
Alcohol (Binge: 5+ drinks on one occasion)	10.0			Posted something on the internet or sent a text that might embarrass or hurt another student	17.2	14.3	20.5
<i>Percent whose friends used in past 12 months:</i>				<i>Percent of students who agree that:</i>			
Alcohol	53.4	56.8	58.7	Teachers notice and comment on student's good work	73.0	69.5	74.1
Cigarettes	55.1	50.6	54.8	School provides feedback to parents on positive student performance	40.7	37.3	44.0
Marijuana	38.5	36.9	35.4	Rules are enforced fairly	62.3	65.6	64.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.6	15.5	16.2	Students of all races/ethnicities are treated equal	83.6	73.8	71.4
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	32.5	33.9	33.4	Parents notice and comment on student's good work	87.1	85.0	85.0
Cigarettes	18.4	17.7	17.5	Parents involve student in making family decisions	67.5	70.0	69.4
Marijuana	13.9	13.1	11.0	It is important to be honest with parents regardless of consequences	92.4	86.7	84.0
				Student could ask parent for help with a personal problem	73.9	75.5	77.3
<i>Percent who say it would be wrong to use:</i>							
Alcohol	62.2	60.5	61.6				
Cigarettes	75.1	76.7	75.6				
Marijuana	70.1	81.8	83.9				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.6	96.2	94.5				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	81.4	82.8	82.9				
Cigarettes	88.7	90.2	90.1				
Marijuana	94.4	94.0	94.9				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	44.4	53.5	55.5				
Cigarettes	63.9	59.6	58.6				
Marijuana	53.0	37.8	35.7				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	22.5	18.1	19.9				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys



# FRANKLIN COUNTY



<b>DBH REGION</b>	Eastern
<b>DBH SERVICE AREAS</b>	
Substance Abuse	16
Adult Psychiatric	16
<b>POPULATION</b>	
Census 2010	101,492
2013 Estimate	101,816

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	1,247	1,274	1,271
Mother Reported Smoking while Pregnant	308	286	312

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	2	0	1
Hepatitis B Chronic, Acute, Prenatal	1 2	1	2
Hepatitis C Chronic and Acute	1 62	72	77
Tuberculosis Infection Cases	1 10	12	20

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	968	1,000	966
Suicides	25	23	21
Self-inflicted Injuries	162	149	139
Homicides	4	5	3
Assault Injuries	371	366	344
Alcohol Induced Deaths	7	2	6
Drug Induced Deaths	18	27	23
Smoking Attributable Deaths	168	192	164

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 636	601	
Alcohol Primary Diagnosis	2 60	50	
Drug Primary Diagnosis	2 92	96	
Alcohol Related Diagnosis	232	225	351
Drug Related Diagnosis	357	300	400
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 641	485	
Alcohol Primary Diagnosis	2 60	58	
Drug Primary Diagnosis	2 58	67	
Alcohol Related Diagnosis	411	371	195
Drug Related Diagnosis	485	350	187
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 1,082	1,024	
Alcohol Primary Diagnosis	2 175	202	
Drug Primary Diagnosis	2 220	221	
Alcohol Related Diagnosis	485	457	369
Drug Related Diagnosis	730	838	521

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	129	127	136
Fatal Crashes	8	5	8
Injury Crashes	46	44	58
Property Damage Crashes	75	78	70
Crash Fatalities	8	5	8
Crash Injuries	70	57	82
Drug Involved Crashes--Total	44	28	25
Fatal Crashes	1	1	4
Injury Crashes	22	9	11
Property Damage Crashes	21	18	10
Crash Fatalities	1	1	4
Crash Injuries	42	7	18

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	51,661	52,500	53,498
Employed	48,061	48,311	48,503
Unemployed	3,600	4,189	4,995
Unemployment Rate	7.0%	8.0%	9.3%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	4,916	4,870	5,083
Drop-outs	95	128	155
Drop-out Rate	1.9%	2.6%	3.0%
School Suspensions:			
Alcohol Incidents	14	8	17
Drug Incidents	54	43	79
Tobacco Incidents	3	2	6

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	644	712	547
Liquor Law Arrests	113	154	105
Drug Arrests	619	487	507
Methamphetamine Lab Incidents	102	97	106
Violent Offenses	178	219	185
Property Offenses	2,180	1,936	2,029
Domestic Violence Reports	553	544	539

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	426	353	345
Violent Offenses	96	76	80
Alcohol Offenses	38	27	29
Drug Offenses	33	31	27
Status Offenses--Total	212	181	223
Truancy	79	38	69
Beyond Parental Control	19	28	20
Habitually Absent from Home	48	18	40
Injurious Behavior	52	74	70
Abuse/Neglect/Custody--Total	133	105	103
Abuse	5	8	5
Neglect	127	96	98
Custody Disputes	1	1	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	134	108	104
Parental Alcohol Use Related	4	11	0
Parental Drug Use Related	86	53	73
Parental Alcohol and Drug Use	6	5	8
Child Removed for Other Reason	38	39	23

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	111	108	100
Probation/Parole Admissions--Total	579	498	444
Probation/Parole Admissions--Drug	188	132	131
Probation/Parole Admissions--DWI	72	57	39
Prison Admissions--Total	206	216	184
Prison Admissions--Drug	53	55	52
Prison Admissions--DWI	24	18	13

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	122	128	120
Alcohol Package Carry-out Licenses	97	94	95

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# FRANKLIN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Detoxification	54	47	52
CSTAR Adolescent	47	47	57
CSTAR Women and Children	31	45	60
CSTAR General Adult	175	178	82
CSTAR Opioid	*	0	*
Primary Recovery Treatment	44	72	192
Clinical SATOP (CIP, YCIP, SROP)	147	142	99
Other Substance Abuse Treatment	*	*	*


<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Offender Management Unit	556	546	482
- Adolescent Diversion Education Program	*	*	5
- Offender Education Program	208	200	175
- Weekend Intervention Program	164	138	138
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	5	9	9
Compulsive Gambling	*	*	*
Recovery Supports	*	0	0
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	444	449	460	Alcohol	183	207	187
<b>AGE</b>				Marijuana / Hashish	85	94	105
Under 18	47	48	58	Cocaine (total)	*	6	*
18 to 24	87	90	97	- Crack	*	*	*
25 to 29	92	91	77	Stimulant (total)	57	48	60
30 to 34	64	63	73	- Methamphetamine	57	44	58
35 to 39	48	48	48	Heroin	79	59	64
40 to 44	32	37	31	Analgesic except Heroin	29	23	28
45 to 54	54	56	55	- Non-Prescription Methadone	*	0	0
55 and Over	20	16	21	PCP, LSD, other Hallucinogen	0	0	*
<b>GENDER</b>				Tranquilizer	5	8	5
Male	296	315	311	Inhalant	0	*	*
Female	148	134	149	Sedative	*	*	*
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	*	*	*
Caucasian	431	433	447	Average Age at First Use of Drug	18.1	16.8	17.7
African American	*	7	8	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	*	*	0	Any Injection Use at Admission	96	73	90
Asian / Pacific Islander	0	0	0	- Daily Injection Use	26	21	28
Hispanic	*	*	5	- Weekly Injection Use	24	22	26
Other Race / Two or More Races	8	6	*	- Less than Weekly Injection Use	46	30	36
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	165	171	192	0	204	193	255
High School Graduate or G.E.D.	175	171	190	1 or 2	157	162	124
Associate Degree or Some College	96	104	75	3 or More	83	94	81
Bachelor or Advanced Degree	8	*	*	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	117	115	111
Employed	126	144	111	School	*	*	7
Unemployed	179	160	191	Mental Health Provider	*	*	9
Not in Labor Force	139	145	158	Health Care Provider	12	7	16
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	251	270	274
Independent Living	373	362	362	Other Referral Source	48	51	43
Dependent Living	53	59	77	<b>TREATMENT ACCOMMODATION</b>			
Homeless	11	8	12	Pregnant when Admitted to any Episode	10	7	8
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	13	18	22
Never Married	259	257	272	Special Education Services Needed	37	35	34
Married / Cohabiting	108	106	101	Co-Occurring Psychological Problem	143	152	165
Previously Married	77	86	87	Co-Occurring Developmental Problem	17	19	17

# FRANKLIN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Eastern  
**PSYCHIATRIC SERVICE AREA** 16  
**CENSUS 2010** 101,492  
**2013 POPULATION ESTIMATE** 101,816

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	24	21	19
Anxiety Disorder	429	406	304
Dementia	*	*	*
Developmental Disorder	46	47	27
Impulse Control Disorder	251	259	180
Mood Disorder	710	726	587
Personality Disorder	95	83	72
Psychotic Disorder	137	120	111
Sexual Disorder	0	0	0
Other Diagnosis	58	64	53
Diagnosis Unknown	70	128	229

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	1,081	1,106	1,016	Less than High School Diploma	538	236	171
<b>AGE</b>				High School Grad or G.E.D.	18	122	158
Under 6	14	8	*	Associate Degree or Some College	10	72	80
6 to 9	117	102	81	Bachelor or Advanced Degree	0	10	14
10 to 13	138	141	122	Education Level Unknown	515	666	593
14 to 17	135	131	109	<b>EMPLOYMENT</b>			
18 to 24	95	102	103	Employed	61	55	82
25 to 29	93	93	91	Unemployed	45	259	315
30 to 34	72	95	82	Not in Labor Force	727	168	34
35 to 39	72	79	82	Employment Status Unknown	248	624	585
40 to 44	76	94	88	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	91	86	85	Independent Living	418	365	403
50 to 54	88	83	77	Dependent Living	402	172	218
55 to 59	44	41	48	Homeless	11	7	*
60 and Over	46	51	44	Other	0	6	8
Age Unknown	0	0	0	Housing Unknown	250	556	383
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	559	575	538	Self / Family / Friend	170	143	123
Female	522	531	478	School	166	114	62
Gender Unknown	0	0	0	Mental Health Provider	75	85	100
<b>RACE / ETHNICITY</b>				Health Care Provider	146	90	57
Caucasian	1,033	1,057	972	Court / Criminal Justice	42	35	31
African American	11	17	15	Other	474	628	627
Native American / Alaskan	*	0	0	Referral Source Unknown	8	11	16
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	15	11	11	Voluntary	1,061	1,085	989
Other Race	18	18	17	Civil	*	*	5
Race/Ethnicity Unknown	0	0	0	Criminal	9	7	6
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	36	27	15	Commitment Type Unknown	8	12	16
Past or Current Military Service	9	14	15				

# FRANKLIN COUNTY


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	32.9	43.2	44.7	Alcohol (1 or 2 drinks daily)	59.6		
Cigarettes	19.2	21.0	24.3	Alcohol (Binge: 5+ drinks once or twice a week)	74.2		
Chewing Tobacco	11.2	12.5	14.9	Alcohol (any use)		67.9	76.5
Marijuana	11.7	13.6	15.9	Cigarettes (1+ packs per day)	86.2		
Inhalants	3.2	5.0	8.5	Cigarettes (any use)		83.0	80.0
Prescription medications not prescribed for student	4.9	8.1	12.8	Marijuana (once or twice a week)	66.4		
Over-the-counter medications for non-medical use	2.7	4.8	8.1	Marijuana (any use)		75.4	69.4
Methamphetamine	0.8	0.8	1.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	94.3	93.7	92.2
Cocaine	0.7	0.9	1.6				
Heroin	0.3	0.5	0.6	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	1.7	2.2	4.1	Were very sad	20.5	19.7	18.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.3	1.7	2.1	Were grouchy, irritable, or in a bad mood	24.5	26.1	21.9
Steroids not prescribed for student	0.7	1.1	1.1	Felt hopeless about the future	12.6	11.0	10.7
Synthetic drugs (K2, bath salts, Spice, etc)	3.4	4.9		Felt like not eating or eating more than usual	20.5	18.9	18.2
				Slept a lot more or a lot less than usual	19.2	20.8	27.5
				Had difficulty concentrating on school work	23.8	24.8	20.0
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	12.81	12.53	12.29	Seriously considered attempting suicide	11.8	11.9	10.9
Cigarettes	12.77	12.14	11.87	Made plan about how they would attempt suicide	9.6	9.8	8.5
Marijuana	13.61	13.16	13.25	Attempted suicide	5.8	5.4	5.7
Inhalants	12.06	12.24	12.36	Attempted suicide and resulting injury, poisoning, or overdose	1.0	1.6	2.2
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	11.5	18.1	20.2	Were threatened/injured with weapon at school	7.5	6.8	9.8
Alcohol (Binge: 5+ drinks on one occasion)		10.1	12.7	Were in a physical fight	17.8	21.8	24.2
Cigarettes	8.0	9.6	13.5	Were in a fight and had to be treated by a doctor or nurse	2.6	3.3	4.3
Chewing Tobacco	4.1	7.6	9.1				
Marijuana	5.8	6.2	8.1	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.2	2.3	3.7	Were victims of mean rumors or lies spread at school	48.8	51.8	55.1
Prescription medications not prescribed for student	2.9	3.6	7.7	Were made fun of by others	60.0	63.0	68.7
Over-the-counter medications for non-medical use	1.2	2.8	4.7	Were victims of an embarrassing or hurtful text message or something posted on the Internet	21.6	20.0	19.5
				Spread mean rumors or lies about other kids at school	23.3	27.2	34.3
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	50.1	61.4	70.8
Alcohol (Binge: 5+ drinks on one occasion)	4.6			Posted something on the internet or sent a text that might embarrass or hurt another student	13.5	13.6	18.3
				<i>Percent of students who agree that:</i>			
<i>Percent whose friends used in past 12 months:</i>				Teachers notice and comment on student's good work	75.0	65.7	71.2
Alcohol	41.7	55.0	57.1	School provides feedback to parents on positive student performance	41.4	38.9	46.5
Cigarettes	34.2	39.5	44.5	Rules are enforced fairly	68.8	61.2	67.6
Marijuana	29.3	32.3	33.3	Students of all races/ethnicities are treated equal	85.4	79.0	80.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.5	13.2	16.7				
				<i>Percent of students who agree that:</i>			
<i>Percent who would likely use, if offered by a best friend:</i>				Parents notice and comment on student's good work	84.1	82.4	84.2
Alcohol	21.9	32.1	33.9	Parents involve student in making family decisions	67.5	65.8	68.7
Cigarettes	9.1	11.2	14.4	It is important to be honest with parents regardless of consequences	89.0	86.4	82.8
Marijuana	10.7	10.5	11.8	Student could ask parent for help with a personal problem	80.1	76.0	77.1
<i>Percent who say it would be wrong to use:</i>							
Alcohol	69.5	58.1	58.1				
Cigarettes	88.9	84.1	80.1				
Marijuana	83.9	84.0	83.6				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.1	96.1	95.3				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	82.6	78.3	76.4				
Cigarettes	94.5	93.0	89.3				
Marijuana	93.9	94.3	92.5				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	47.9	58.4	58.3				
Cigarettes	44.1	51.8	53.7				
Marijuana	29.3	35.4	34.8				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.8	15.5	17.9				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# GASCONADE COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	17
Adult Psychiatric	17A
<b>POPULATION</b>	
Census 2010	15,222
2013 Estimate	14,901

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	7,439	7,220	7,380
Employed	6,978	6,695	6,702
Unemployed	461	525	678
Unemployment Rate	6.2%	7.3%	9.2%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	906	952	966
Drop-outs	13	9	20
Drop-out Rate	1.4%	0.9%	2.1%
School Suspensions:			
Alcohol Incidents	3	0	3
Drug Incidents	6	7	10
Tobacco Incidents	0	0	0

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	133	153	156
Mother Reported Smoking while Pregnant	29	37	48

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	1	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	1	9	15
Tuberculosis Infection Cases	1	3	0

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	205	218	175
Suicides	4	3	1
Self-inflicted Injuries	19	10	12
Homicides	0	0	0
Assault Injuries	37	28	56
Alcohol Induced Deaths	2	2	1
Drug Induced Deaths	6	1	4
Smoking Attributable Deaths	30	34	28

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	84	70
Alcohol Primary Diagnosis	2	3	3
Drug Primary Diagnosis	2	4	5
Alcohol Related Diagnosis		41	25
Drug Related Diagnosis		23	22
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	67	55
Alcohol Primary Diagnosis	2	12	7
Drug Primary Diagnosis	2	8	3
Alcohol Related Diagnosis		73	52
Drug Related Diagnosis		41	40
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	123	116
Alcohol Primary Diagnosis	2	28	39
Drug Primary Diagnosis	2	23	12
Alcohol Related Diagnosis		70	79
Drug Related Diagnosis		61	48

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	26	25	22
Fatal Crashes	1	6	0
Injury Crashes	12	8	10
Property Damage Crashes	13	11	12
Crash Fatalities	1	6	0
Crash Injuries	18	14	16
Drug Involved Crashes--Total	5	3	2
Fatal Crashes	0	0	1
Injury Crashes	3	1	0
Property Damage Crashes	2	2	1
Crash Fatalities	0	0	1
Crash Injuries	5	1	1

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	63	71	64
Liquor Law Arrests	5	24	29
Drug Arrests	10	41	46
Methamphetamine Lab Incidents	7	6	16
Violent Offenses	22	35	34
Property Offenses	281	263	241
Domestic Violence Reports	12	26	9

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	84	100	88
Violent Offenses	15	39	22
Alcohol Offenses	1	9	7
Drug Offenses	10	8	19
Status Offenses--Total	21	18	25
Truancy	5	4	5
Beyond Parental Control	1	5	4
Habitually Absent from Home	3	6	3
Injurious Behavior	12	2	13
Abuse/Neglect/Custody--Total	16	5	3
Abuse	0	0	0
Neglect	16	5	3
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	21	7	5
Parental Alcohol Use Related	2	0	0
Parental Drug Use Related	7	5	2
Parental Alcohol and Drug Use	0	2	0
Child Removed for Other Reason	12	0	3

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	13	13	9
Probation/Parole Admissions--Total	60	85	64
Probation/Parole Admissions--Drug	20	31	18
Probation/Parole Admissions--DWI	4	4	2
Prison Admissions--Total	26	31	31
Prison Admissions--Drug	10	8	12
Prison Admissions--DWI	0	2	0

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	58	55	57
Alcohol Package Carry-out Licenses	19	19	22

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# GASCONADE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	11	8	6
CSTAR Adolescent	*	*	5
CSTAR Women and Children	6	*	*
CSTAR General Adult	51	53	19
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	15	50
Clinical SATOP (CIP, YCIP, SROP)	8	18	12
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	48	90	72
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	14	36	37
- Weekend Intervention Program	16	25	19
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	*
Recovery Supports	*	0	*
Early Intervention	*	*	*


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	70	81	74	Alcohol	25	29	31
AGE				Marijuana / Hashish	17	22	22
Under 18	*	*	6	Cocaine (total)	*	0	*
18 to 24	15	18	14	- Crack	0	0	0
25 to 29	12	15	16	Stimulant (total)	9	18	13
30 to 34	12	14	11	- Methamphetamine	9	18	13
35 to 39	*	8	*	Heroin	6	5	*
40 to 44	7	8	6	Analgesic except Heroin	11	5	*
45 to 54	12	11	9	- Non-Prescription Methadone	0	*	0
55 and Over	*	5	8	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	*	0
Male	40	54	57	Inhalant	*	0	0
Female	30	27	17	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	69	78	72	Average Age at First Use of Drug	18.6	18.1	17.4
African American	0	*	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	8	5	7
Asian / Pacific Islander	0	*	*	- Daily Injection Use	*	*	0
Hispanic	*	*	0	- Weekly Injection Use	*	0	*
Other Race / Two or More Races	*	0	0	- Less than Weekly Injection Use	*	*	6
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	28	29	24	0	36	37	42
High School Graduate or G.E.D.	28	39	36	1 or 2	23	31	22
Associate Degree or Some College	13	12	11	3 or More	11	13	10
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	25	22	14
Employed	16	31	32	School	0	0	0
Unemployed	29	38	21	Mental Health Provider	0	0	0
Not in Labor Force	25	12	21	Health Care Provider	7	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	30	49	55
Independent Living	58	72	64	Other Referral Source	8	8	*
Dependent Living	7	*	6	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	6	8	5
Never Married	35	41	44	Special Education Services Needed	*	6	*
Married / Cohabiting	22	21	18	Co-Occurring Psychological Problem	27	26	25
Previously Married	13	19	12	Co-Occurring Developmental Problem	*	*	0



# GASCONADE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 17A  
**CENSUS 2010** 15,222  
**2013 POPULATION ESTIMATE** 14,901

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	7	*	5
Anxiety Disorder	76	76	68
Dementia	0	0	0
Developmental Disorder	5	*	*
Impulse Control Disorder	36	28	20
Mood Disorder	105	109	90
Personality Disorder	23	18	12
Psychotic Disorder	21	21	14
Sexual Disorder	0	0	0
Other Diagnosis	7	8	*
Diagnosis Unknown	*	9	25

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	154	152	140	Less than High School Diploma	60	28	8
<b>AGE</b>				High School Grad or G.E.D.	6	20	8
Under 6	*	0	*	Associate Degree or Some College	*	8	*
6 to 9	12	9	7	Bachelor or Advanced Degree	0	*	*
10 to 13	14	11	11	Education Level Unknown	86	95	120
14 to 17	11	13	16	<b>EMPLOYMENT</b>			
18 to 24	10	8	9	Employed	11	12	6
25 to 29	15	11	6	Unemployed	23	35	15
30 to 34	15	18	14	Not in Labor Force	74	15	0
35 to 39	13	9	13	Employment Status Unknown	46	90	119
40 to 44	8	16	13	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	19	19	13	Independent Living	62	48	19
50 to 54	18	18	21	Dependent Living	46	18	23
55 to 59	9	10	11	Homeless	*	0	0
60 and Over	7	10	5	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	45	84	97
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	69	58	54	Self / Family / Friend	76	61	50
Female	85	94	86	School	*	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	5	6
<b>RACE / ETHNICITY</b>				Health Care Provider	19	14	7
Caucasian	151	146	134	Court / Criminal Justice	*	*	*
African American	*	*	*	Other	52	71	74
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	*
Asian / Pacific Islander	0	0	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	*	*	Voluntary	154	152	138
Other Race	*	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	5	7	5	Commitment Type Unknown	0	0	*
Past or Current Military Service	*	5	*				



# GASCONADE COUNTY


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	39.5	44.7	52.4	Alcohol (1 or 2 drinks daily)	56.8		
Cigarettes	16.7	20.3	28.5	Alcohol (Binge: 5+ drinks once or twice a week)	69.1		
Chewing Tobacco	8.0	15.1	16.6	Alcohol (any use)		68.5	78.0
Marijuana	8.6	10.1	17.3	Cigarettes (1+ packs per day)	87.7		
Inhalants	1.8	6.7	7.7	Cigarettes (any use)		81.5	79.7
Prescription medications not prescribed for student	6.8	10.5	13.7	Marijuana (once or twice a week)	72.8		
Over-the-counter medications for non-medical use	1.8	5.9	6.4	Marijuana (any use)		82.2	71.2
Methamphetamine	0.0	1.3	1.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	93.2	92.7	93.3
Cocaine	0.0	1.7	2.6				
Heroin	0.0	0.4	0.6	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	0.6	2.6	4.8	Were very sad	22.7	22.8	10.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.6	1.3	2.2	Were grouchy, irritable, or in a bad mood	25.8	23.3	18.9
Steroids not prescribed for student	1.2	1.3	1.3	Felt hopeless about the future	14.8	11.0	8.2
Synthetic drugs (K2, bath salts, Spice, etc)	1.9	3.8		Felt like not eating or eating more than usual	19.6	19.6	11.4
				Slept a lot more or a lot less than usual	19.6	22.5	19.9
				Had difficulty concentrating on school work	22.7	21.9	18.9
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	13.05	11.79	12.44	Seriously considered attempting suicide	10.4	13.6	12.6
Cigarettes	13.22	11.45	12.43	Made plan about how they would attempt suicide	8.0	10.2	8.8
Marijuana	14.44	12.15	14.00	Attempted suicide	4.3	5.9	4.7
Inhalants	10.38	11.31	13.60	Attempted suicide and resulting injury, poisoning, or overdose	1.9	2.6	0.7
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	15.5	17.7	28.6	Were threatened/injured with weapon at school	6.1	8.4	6.3
Alcohol (Binge: 5+ drinks on one occasion)		8.0	18.3	Were in a physical fight	15.3	24.5	21.8
Cigarettes	6.8	9.7	13.9	Were in a fight and had to be treated by a doctor or nurse	1.8	5.0	3.5
Chewing Tobacco	4.3	9.7	10.3				
Marijuana	2.5	6.8	7.7	<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.6	2.9	2.9	Were victims of mean rumors or lies spread at school	51.2	55.3	54.7
Prescription medications not prescribed for student	2.5	5.9	7.6	Were made fun of by others	62.0	67.2	73.6
Over-the-counter medications for non-medical use	0.6	2.9	3.2	Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.7	27.1	19.6
				Spread mean rumors or lies about other kids at school	29.6	30.8	31.3
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	59.5	66.2	75.4
Alcohol (Binge: 5+ drinks on one occasion)	7.5			Posted something on the internet or sent a text that might embarrass or hurt another student	13.5	14.4	13.1
<i>Percent whose friends used in past 12 months:</i>				<i>Percent of students who agree that:</i>			
Alcohol	51.2	53.0	67.9	Teachers notice and comment on student's good work	72.4	65.8	77.5
Cigarettes	37.4	37.6	47.5	School provides feedback to parents on positive student performance	40.4	32.8	45.6
Marijuana	28.8	26.9	34.9	Rules are enforced fairly	69.8	70.9	69.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.4	14.4	17.8	Students of all races/ethnicities are treated equal	88.3	82.7	88.3
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	32.9	31.9	43.7	Parents notice and comment on student's good work	79.0	84.4	83.8
Cigarettes	10.5	11.8	15.9	Parents involve student in making family decisions	67.7	68.5	68.8
Marijuana	8.0	11.4	12.5	It is important to be honest with parents regardless of consequences	87.1	87.4	85.4
<i>Percent who say it would be wrong to use:</i>				Student could ask parent for help with a personal problem	75.2	74.4	78.1
Alcohol	57.4	55.9	50.8				
Cigarettes	85.8	84.3	75.0				
Marijuana	86.3	86.1	84.8				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.0	95.8	96.2				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	72.2	70.4	65.7				
Cigarettes	92.6	94.1	86.6				
Marijuana	94.4	95.8	93.6				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	59.3	62.9	66.6				
Cigarettes	50.9	47.3	60.8				
Marijuana	27.2	28.4	36.3				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.6	14.3	18.0				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# GENTRY COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	1
Adult Psychiatric	1
<b>POPULATION</b>	
Census 2010	6,738
2013 Estimate	6,775

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	3,673	3,564	3,625
Employed	3,497	3,381	3,383
Unemployed	176	183	242
Unemployment Rate	4.8%	5.1%	6.7%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	336	338	345
Drop-outs	0	2	3
Drop-out Rate	0.0%	0.6%	0.9%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	0	0	0
Tobacco Incidents	0	0	0

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	104	71	99
Mother Reported Smoking while Pregnant	28	15	25

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	2	0
Hepatitis C Chronic and Acute	1	2	6
Tuberculosis Infection Cases	1	0	1

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	94	74	87
Suicides	2	0	1
Self-inflicted Injuries	14	5	13
Homicides	0	0	0
Assault Injuries	24	15	18
Alcohol Induced Deaths	1	0	2
Drug Induced Deaths	1	0	0
Smoking Attributable Deaths	16	13	12

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	51	62
Alcohol Primary Diagnosis	2	2	2
Drug Primary Diagnosis	2	3	1
Alcohol Related Diagnosis	18	13	19
Drug Related Diagnosis	11	16	19
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	35	18
Alcohol Primary Diagnosis	2	1	1
Drug Primary Diagnosis	2	2	1
Alcohol Related Diagnosis	13	9	12
Drug Related Diagnosis	21	8	8
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	75	59
Alcohol Primary Diagnosis	2	6	5
Drug Primary Diagnosis	2	3	5
Alcohol Related Diagnosis	16	19	22
Drug Related Diagnosis	31	29	24

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	4	7	4
Fatal Crashes	0	0	1
Injury Crashes	3	7	2
Property Damage Crashes	1	0	1
Crash Fatalities	0	0	1
Crash Injuries	3	9	3
Drug Involved Crashes--Total	0	0	1
Fatal Crashes	0	0	1
Injury Crashes	0	0	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	1
Crash Injuries	0	0	1

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	23	22	18
Liquor Law Arrests	5	9	9
Drug Arrests	2	6	1
Methamphetamine Lab Incidents	1	1	0
Violent Offenses	0	1	3
Property Offenses	46	33	32
Domestic Violence Reports	0	1	2

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	19	32	27
Violent Offenses	1	1	7
Alcohol Offenses	2	5	3
Drug Offenses	0	4	1
Status Offenses--Total	10	14	17
Truancy	1	0	2
Beyond Parental Control	2	12	6
Habitually Absent from Home	0	1	1
Injurious Behavior	7	1	8
Abuse/Neglect/Custody--Total	22	10	31
Abuse	0	0	0
Neglect	22	10	30
Custody Disputes	0	0	1

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	4	3	14
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	3	0	3
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	1	3	11

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	0	1	1
Probation/Parole Admissions--Total	12	20	21
Probation/Parole Admissions--Drug	0	1	2
Probation/Parole Admissions--DWI	0	1	1
Prison Admissions--Total	8	13	12
Prison Admissions--Drug	1	2	0
Prison Admissions--DWI	1	1	0

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	6	4	6
Alcohol Package Carry-out Licenses	10	12	11

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# GENTRY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	5	*	*
CSTAR Adolescent	*	0	*
CSTAR Women and Children	*	0	*
CSTAR General Adult	9	6	6
CSTAR Opioid	0	0	0
Primary Recovery Treatment	7	12	11
Clinical SATOP (CIP, YCIP, SROP)	6	*	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	32	34	17
- Adolescent Diversion Education Program	5	11	0
- Offender Education Program	14	8	6
- Weekend Intervention Program	6	6	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	6	11	9

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	21	18	22	Alcohol	10	7	12
AGE				Marijuana / Hashish	*	*	*
Under 18	0	0	*	Cocaine (total)	0	*	*
18 to 24	8	5	*	- Crack	0	*	*
25 to 29	*	*	5	Stimulant (total)	*	*	*
30 to 34	*	*	*	- Methamphetamine	*	*	*
35 to 39	*	*	*	Heroin	*	0	*
40 to 44	*	*	*	Analgesic except Heroin	6	0	*
45 to 54	*	*	*	- Non-Prescription Methadone	0	0	0
55 and Over	*	0	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	*
Male	12	11	14	Inhalant	0	0	0
Female	9	7	8	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	21	18	21	Average Age at First Use of Drug	17.5	15.8	17.2
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	9	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	0
Hispanic	0	0	0	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	5	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	*	6	5	0	10	11	9
High School Graduate or G.E.D.	12	8	8	1 or 2	7	6	9
Associate Degree or Some College	8	*	8	3 or More	*	*	*
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	5	*	6
Employed	10	6	8	School	0	0	0
Unemployed	8	9	10	Mental Health Provider	0	0	0
Not in Labor Force	*	*	*	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	14	11	12
Independent Living	19	16	20	Other Referral Source	*	*	*
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	*	0	*	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	0	*
Never Married	11	8	10	Special Education Services Needed	0	*	0
Married / Cohabiting	*	5	6	Co-Occurring Psychological Problem	5	8	10
Previously Married	6	5	6	Co-Occurring Developmental Problem	0	0	0

# GENTRY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 1  
**CENSUS 2010** 6,738  
**2013 POPULATION ESTIMATE** 6,775

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	*	*	*
Anxiety Disorder	13	14	10
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	*	*	*
Mood Disorder	16	23	17
Personality Disorder	*	*	0
Psychotic Disorder	*	*	5
Sexual Disorder	0	0	0
Other Diagnosis	0	*	*
Diagnosis Unknown	*	6	10

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	27	35	34	Less than High School Diploma	5	*	*
<b>AGE</b>				High School Grad or G.E.D.	*	9	*
Under 6	*	0	0	Associate Degree or Some College	0	*	*
6 to 9	*	*	*	Bachelor or Advanced Degree	*	0	*
10 to 13	*	*	5	Education Level Unknown	20	22	26
14 to 17	*	6	*	<b>EMPLOYMENT</b>			
18 to 24	6	*	*	Employed	*	*	0
25 to 29	0	*	*	Unemployed	6	11	7
30 to 34	*	*	*	Not in Labor Force	10	0	*
35 to 39	5	6	6	Employment Status Unknown	10	21	26
40 to 44	*	*	*	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	*	*	*	Independent Living	13	13	5
50 to 54	*	*	*	Dependent Living	8	7	*
55 to 59	0	*	*	Homeless	0	0	0
60 and Over	*	*	*	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	6	15	24
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	11	15	14	Self / Family / Friend	5	8	8
Female	16	20	20	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	7	8	9
<b>RACE / ETHNICITY</b>				Health Care Provider	7	9	5
Caucasian	27	35	33	Court / Criminal Justice	6	5	5
African American	0	0	0	Other	*	*	6
Native American / Alaskan	0	0	0	Referral Source Unknown	0	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	0	0	Voluntary	25	30	30
Other Race	0	0	*	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	*	*
Past or Current Military Service	*	0	*				


# GENTRY COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	2.2	29.1		Alcohol (1 or 2 drinks daily)	82.2		
Cigarettes	28.9	18.1		Alcohol (Binge: 5+ drinks once or twice a week)	88.9		
Chewing Tobacco	0.0	12.9		Alcohol (any use)		76.9	
Marijuana	0.0	6.8		Cigarettes (1+ packs per day)	95.6		
Inhalants	0.0	8.5		Cigarettes (any use)		89.7	
Prescription medications not prescribed for student	3.3	6.9		Marijuana (once or twice a week)	65.6		
Over-the-counter medications for non-medical use	28.9	11.1		Marijuana (any use)		78.6	
Methamphetamine	0.0	3.5		Other: Cocaine, LSD, Meth, Club Drug (any use)	67.8	88.0	
Cocaine	0.0	3.5		<i>Percent of students who, in past 30 days:</i>			
Heroin	0.0	3.4		Were very sad	38.9	16.2	
Hallucinogens	0.0	3.4		Were grouchy, irritable, or in a bad mood	40.0	21.6	
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	3.4		Felt hopeless about the future	6.7	11.2	
Steroids not prescribed for student	0.0	0.0		Felt like not eating or eating more than usual	9.9	12.3	
Synthetic drugs (K2, bath salts, Spice, etc)	0.0	3.4		Slept a lot more or a lot less than usual	36.7	14.7	
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	32.2	8.5	
Alcohol	10.88	12.59		<i>Percent of students who, in past 12 months:</i>			
Cigarettes	9.00	14.10		Seriously considered attempting suicide	3.3	9.5	
Marijuana		13.27		Made plan about how they would attempt suicide	3.4	9.4	
Inhalants	8.88	11.50		Attempted suicide	2.2	3.4	
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.0	0.0	
Alcohol	0.0	14.7		<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occassion)		8.5		Were threatened/injured with weapon at school	4.4	6.0	
Cigarettes	0.0	9.4		Were in a physical fight	11.1	14.7	
Chewing Tobacco	0.0	6.9		Were in a fight and had to be treated by a doctor or nurse	28.9	1.7	
Marijuana	0.0	3.4		<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.0	0.0		Were victims of mean rumors or lies spread at school	23.3	40.2	
Prescription medications not prescribed for student	2.2	0.0		Were made fun of by others	58.9	52.1	
Over-the-counter medications for non-medical use	28.9	0.0		Were victims of an embarrassing or hurtful text message or something posted on the internet	8.9	16.5	
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	6.7	19.5	
Alcohol (Binge: 5+ drinks on one occassion)	0.0			Made fun of other people	56.7	50.9	
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	4.4	6.0	
Alcohol	4.4	43.6		<i>Percent of students who agree that:</i>			
Cigarettes	2.2	34.2		Teachers notice and comment on student's good work	97.8	69.8	
Marijuana	28.9	21.4		School provides feedback to parents on positive student performance	82.2	34.2	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	0.0	3.4		Rules are enforced fairly	94.4	75.2	
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	97.8	98.3	
Alcohol	1.1	19.8		<i>Percent of students who agree that:</i>			
Cigarettes	0.0	12.8		Parents notice and comment on student's good work	96.7	81.2	
Marijuana	0.0	7.7		Parents involve student in making family decisions	36.7	76.1	
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	42.7	90.5	
Alcohol	68.9	76.1		Student could ask parent for help with a personal problem	68.5	73.5	
Cigarettes	100.0	83.8		<div>Page Notes:</div> <div>Similar affirmative response choices for individual questions are combined.</div> <div>Blank data cells indicate estimates are not available for item or geographic area.</div> <div>Survey is not conducted in every school district nor reported for every county.</div> <div>Estimates are not available for counties with small numbers of respondents.</div> <div>Percentages are estimates based on weighted data.</div> <div>Some year-to-year differences in percentages are not statistically significant.</div>			
Marijuana	100.0	100.0					
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	98.9	85.5					
Cigarettes	100.0	100.0					
Marijuana	100.0	100.0					
<i>Percent who say it would be easy to obtain:</i>				Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Alcohol	44.4	53.8					
Cigarettes	42.2	53.0					
Marijuana	1.1	6.8					
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	0.0	2.6					



# GREENE COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	10
Adult Psychiatric	10
<b>POPULATION</b>	
Census 2010	275,174
2013 Estimate	283,870

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	3,574	3,553	3,530
Mother Reported Smoking while Pregnant	633	658	640
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	26	18	23
Hepatitis B Chronic, Acute, Prenatal	1 26	32	28
Hepatitis C Chronic and Acute	1 395	403	269
Tuberculosis Infection Cases	1 110	158	269
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	2,530	2,533	2,531
Suicides	35	42	36
Self-inflicted Injuries	504	495	467
Homicides	16	11	10
Assault Injuries	1,153	1,231	1,170
Alcohol Induced Deaths	30	25	32
Drug Induced Deaths	50	63	86
Smoking Attributable Deaths	413	415	441
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 1,368	1,334	
Alcohol Primary Diagnosis	2 97	77	
Drug Primary Diagnosis	2 153	87	
Alcohol Related Diagnosis	393	367	689
Drug Related Diagnosis	674	565	901
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 1,959	1,872	
Alcohol Primary Diagnosis	2 772	658	
Drug Primary Diagnosis	2 533	402	
Alcohol Related Diagnosis	1,929	1,665	1,303
Drug Related Diagnosis	1,896	1,655	1,079
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 2,955	3,145	
Alcohol Primary Diagnosis	2 1,490	1,378	
Drug Primary Diagnosis	2 938	898	
Alcohol Related Diagnosis	2,535	2,189	2,001
Drug Related Diagnosis	2,383	1,815	1,600
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	304	334	334
Fatal Crashes	6	6	6
Injury Crashes	123	134	113
Property Damage Crashes	175	194	215
Crash Fatalities	6	6	8
Crash Injuries	178	206	167
Drug Involved Crashes--Total	83	80	85
Fatal Crashes	2	3	0
Injury Crashes	42	34	37
Property Damage Crashes	39	43	48
Crash Fatalities	3	3	0
Crash Injuries	66	36	55

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	142,013	142,285	143,782
Employed	134,370	133,902	133,087
Unemployed	7,643	8,383	10,695
Unemployment Rate	5.4%	5.9%	7.4%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	11,322	11,120	11,362
Drop-outs	247	253	256
Drop-out Rate	2.2%	2.3%	2.3%
School Suspensions:			
Alcohol Incidents	22	20	32
Drug Incidents	135	124	200
Tobacco Incidents	6	47	21

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	1,979	2,017	1,778
Liquor Law Arrests	171	282	489
Drug Arrests	1,414	1,325	1,106
Methamphetamine Lab Incidents	94	115	79
Violent Offenses	1,761	1,503	1,562
Property Offenses	17,189	17,174	17,954
Domestic Violence Reports	3,428	3,190	3,341

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	1,362	1,419	1,341
Violent Offenses	422	505	539
Alcohol Offenses	53	63	50
Drug Offenses	127	138	110
Status Offenses--Total	384	432	478
Truancy	10	9	5
Beyond Parental Control	1	4	12
Habitually Absent from Home	72	94	68
Injurious Behavior	301	325	393
Abuse/Neglect/Custody--Total	378	526	606
Abuse	50	87	82
Neglect	261	347	465
Custody Disputes	67	92	59

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	301	482	490
Parental Alcohol Use Related	6	32	24
Parental Drug Use Related	131	152	181
Parental Alcohol and Drug Use	7	14	31
Child Removed for Other Reason	157	284	254

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	888	770	674
Probation/Parole Admissions--Total	1,830	1,739	1,626
Probation/Parole Admissions--Drug	587	579	560
Probation/Parole Admissions--DWI	164	146	114
Prison Admissions--Total	1,004	953	944
Prison Admissions--Drug	364	324	327
Prison Admissions--DWI	57	54	41

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	328	342	336
Alcohol Package Carry-out Licenses	173	235	220

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# GREENE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Detoxification	447	473	468
CSTAR Adolescent	135	141	159
CSTAR Women and Children	246	197	242
CSTAR General Adult	638	563	517
CSTAR Opioid	*	0	*
Primary Recovery Treatment	424	514	612
Clinical SATOP (CIP, YCIP, SROP)	270	244	213
Other Substance Abuse Treatment	6	*	*

<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Offender Management Unit	1,468	1,447	1,248
- Adolescent Diversion Education Program	29	33	33
- Offender Education Program	600	619	506
- Weekend Intervention Program	324	270	270
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	88	113	78
Compulsive Gambling	0	*	*
Recovery Supports	837	730	312
Early Intervention	112	218	201


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	1,971	1,944	1,959
<b>AGE</b>			
Under 18	140	142	159
18 to 24	289	351	367
25 to 29	370	357	332
30 to 34	322	288	279
35 to 39	211	192	209
40 to 44	209	220	210
45 to 54	322	311	336
55 and Over	108	83	66
<b>GENDER</b>			
Male	1,345	1,360	1,292
Female	626	583	665
<b>RACE / ETHNICITY</b>			
Caucasian	1,729	1,687	1,650
African American	147	166	212
Native American / Alaskan	11	11	6
Asian / Pacific Islander	7	8	5
Hispanic	55	42	51
Other Race / Two or More Races	47	50	57
<b>EDUCATION</b>			
Less than High School Diploma	683	656	753
High School Graduate or G.E.D.	774	797	802
Associate Degree or Some College	500	472	369
Bachelor or Advanced Degree	14	19	34
<b>EMPLOYMENT</b>			
Employed	511	522	450
Unemployed	621	650	791
Not in Labor Force	839	772	717
<b>HOUSING / LIVING ARRANGEMENT</b>			
Independent Living	1,487	1,471	1,466
Dependent Living	264	275	294
Homeless	186	174	163
<b>MARITAL / FAMILY STATUS</b>			
Never Married	1,046	1,054	1,045
Married / Cohabiting	424	408	435
Previously Married	501	482	478

<b>PRIMARY DRUG PROBLEM</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Alcohol	808	762	829
Marijuana / Hashish	383	434	488
Cocaine (total)	32	64	68
- Crack	12	39	38
Stimulant (total)	478	404	332
- Methamphetamine	464	396	321
Heroin	51	64	34
Analgesic except Heroin	160	153	155
- Non-Prescription Methadone	9	*	*
PCP, LSD, other Hallucinogen	12	11	8
Tranquilizer	27	31	30
Inhalant	*	*	*
Sedative	*	*	5
Other Medication or Illicit Drug	13	15	5
Average Age at First Use of Drug	17.4	17.4	16.5
<b>INJECTION DRUG USE</b>			
Any Injection Use at Admission	372	343	295
- Daily Injection Use	88	65	66
- Weekly Injection Use	115	82	84
- Less than Weekly Injection Use	169	196	145
<b>LIFETIME DUI / DWI ARRESTS</b>			
0	968	988	1,063
1 or 2	625	617	594
3 or More	378	339	301
<b>TREATMENT REFERRAL SOURCE</b>			
Self / Family / Friend	750	590	563
School	12	*	13
Mental Health Provider	44	20	58
Health Care Provider	106	103	111
Court / Criminal Justice	885	1,082	1,064
Other Referral Source	161	139	149
<b>TREATMENT ACCOMMODATION</b>			
Pregnant when Admitted to any Episode	30	32	35
Military Veteran	94	98	102
Special Education Services Needed	167	147	139
Co-Occurring Psychological Problem	769	688	635
Co-Occurring Developmental Problem	103	55	39

# GREENE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 10  
**CENSUS 2010** 275,174  
**2013 POPULATION ESTIMATE** 283,870

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	83	113	172
Anxiety Disorder	939	898	898
Dementia	9	8	7
Developmental Disorder	58	60	68
Impulse Control Disorder	226	266	338
Mood Disorder	1,430	1,395	1,459
Personality Disorder	309	330	325
Psychotic Disorder	590	611	614
Sexual Disorder	6	*	6
Other Diagnosis	208	206	208
Diagnosis Unknown	210	349	557

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	2,340	2,479	2,959	Less than High School Diploma	630	477	278
<b>AGE</b>				High School Grad or G.E.D.	*	444	428
Under 6	68	87	122	Associate Degree or Some College	0	234	208
6 to 9	132	191	249	Bachelor or Advanced Degree	0	57	60
10 to 13	101	126	195	Education Level Unknown	1,709	1,267	1,985
14 to 17	79	138	211	<b>EMPLOYMENT</b>			
18 to 24	150	129	185	Employed	67	114	102
25 to 29	175	164	176	Unemployed	101	929	840
30 to 34	247	228	240	Not in Labor Force	1,473	427	42
35 to 39	244	226	249	Employment Status Unknown	699	1,009	1,975
40 to 44	226	240	271	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	294	306	367	Independent Living	937	1,083	825
50 to 54	279	280	299	Dependent Living	632	366	336
55 to 59	196	188	196	Homeless	89	48	32
60 and Over	149	176	199	Other	0	29	25
Age Unknown	0	0	0	Housing Unknown	682	953	1,741
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	1,127	1,152	1,421	Self / Family / Friend	1,361	1,645	2,070
Female	1,213	1,327	1,538	School	12	17	15
Gender Unknown	0	0	0	Mental Health Provider	87	82	95
<b>RACE / ETHNICITY</b>				Health Care Provider	304	237	158
Caucasian	2,044	2,199	2,627	Court / Criminal Justice	138	56	57
African American	113	98	107	Other	379	383	464
Native American / Alaskan	6	11	10	Referral Source Unknown	59	59	100
Asian / Pacific Islander	5	6	5	<b>TYPE OF COMMITMENT</b>			
Hispanic	60	47	50	Voluntary	2,250	2,387	2,807
Other Race	112	118	160	Civil	10	10	25
Race/Ethnicity Unknown	0	0	0	Criminal	18	19	21
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	78	76	75	Commitment Type Unknown	60	61	103
Past or Current Military Service	74	70	79				

# GREENE COUNTY


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	32.0	33.1	38.0	Alcohol (1 or 2 drinks daily)	64.6		
Cigarettes	20.1	22.9	27.0	Alcohol (Binge: 5+ drinks once or twice a week)	74.4		
Chewing Tobacco	7.7	9.7	11.0	Alcohol (any use)		73.0	71.3
Marijuana	16.5	18.0	20.3	Cigarettes (1+ packs per day)	86.5		
Inhalants	3.4	5.6	7.1	Cigarettes (any use)		82.4	80.8
Prescription medications not prescribed for student	8.7	9.4	13.3	Marijuana (once or twice a week)	64.2		
Over-the-counter medications for non-medical use	2.8	7.2	9.4	Marijuana (any use)		70.2	74.8
Methamphetamine	1.0	1.7	1.3	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.2	93.0	93.2
Cocaine	1.6	2.6	2.5				
Heroin	0.5	1.1	0.9	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	4.0	4.5	4.6	Were very sad	24.2	19.0	18.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.9	3.0	3.1	Were grouchy, irritable, or in a bad mood	24.4	24.3	24.3
Steroids not prescribed for student	0.8	1.5	1.0	Felt hopeless about the future	13.1	11.4	11.9
Synthetic drugs (K2, bath salts, Spice, etc)	4.8	8.3		Felt like not eating or eating more than usual	18.4	18.4	18.8
				Slept a lot more or a lot less than usual	18.8	20.1	26.3
				Had difficulty concentrating on school work	24.4	22.4	26.0
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	13.12	12.63	12.55	Seriously considered attempting suicide	13.3	13.0	11.7
Cigarettes	12.69	12.39	12.24	Made plan about how they would attempt suicide	10.0	9.2	8.6
Marijuana	13.52	13.19	13.46	Attempted suicide	6.2	5.8	5.2
Inhalants	12.27	12.20	12.32	Attempted suicide and resulting injury, poisoning, or overdose	2.7	1.9	2.4
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	12.9	13.9	16.6	Were threatened/injured with weapon at school	7.7	7.0	10.5
Alcohol (Binge: 5+ drinks on one occasion)		8.1	9.7	Were in a physical fight	16.4	18.9	21.7
Cigarettes	9.2	11.3	14.5	Were in a fight and had to be treated by a doctor or nurse	2.8	3.7	3.8
Chewing Tobacco	4.1	5.1	5.6				
Marijuana	8.9	9.8	11.5	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.1	2.6	2.8	Were victims of mean rumors or lies spread at school	51.8	47.0	51.2
Prescription medications not prescribed for student	3.8	5.1	7.4	Were made fun of by others	61.4	58.1	65.8
Over-the-counter medications for non-medical use	1.6	4.4	5.8	Were victims of an embarrassing or hurtful text message or something posted on the Internet	26.7	21.6	18.4
				Spread mean rumors or lies about other kids at school	26.3	26.2	33.1
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	53.1	57.6	68.4
Alcohol (Binge: 5+ drinks on one occasion)	6.5			Posted something on the internet or sent a text that might embarrass or hurt another student	18.0	14.5	17.5
<i>Percent whose friends used in past 12 months:</i>				<i>Percent of students who agree that:</i>			
Alcohol	42.7	47.5	54.3	Teachers notice and comment on student's good work	72.9	68.8	69.6
Cigarettes	36.7	40.9	48.0	School provides feedback to parents on positive student performance	39.9	38.9	38.2
Marijuana	35.6	38.6	42.5	Rules are enforced fairly	65.9	64.2	65.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.8	19.2	23.8	Students of all races/ethnicities are treated equal	80.0	77.6	79.5
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	21.6	25.5	29.4	Parents notice and comment on student's good work	83.2	82.0	83.4
Cigarettes	12.3	14.4	16.2	Parents involve student in making family decisions	69.7	69.8	70.5
Marijuana	16.3	16.8	17.2	It is important to be honest with parents regardless of consequences	85.7	83.9	80.8
				Student could ask parent for help with a personal problem	78.8	77.3	78.1
<i>Percent who say it would be wrong to use:</i>							
Alcohol	69.0	66.1	62.4				
Cigarettes	83.7	79.7	75.6				
Marijuana	77.3	77.9	76.5				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.0	93.5	92.4				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	84.8	81.9	81.6				
Cigarettes	93.5	90.9	89.4				
Marijuana	92.1	92.0	91.1				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	49.2	54.2	57.3				
Cigarettes	47.2	52.0	57.8				
Marijuana	38.4	41.1	41.9				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	18.6	21.8	23.4				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# GRUNDY COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	13
Adult Psychiatric	13
<b>POPULATION</b>	
Census 2010	10,261
2013 Estimate	10,355

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	153	118	145
Mother Reported Smoking while Pregnant	47	32	36

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	1	10	8
Tuberculosis Infection Cases	1	3	1

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	117	126	142
Suicides	0	1	1
Self-inflicted Injuries	11	13	7
Homicides	1	0	0
Assault Injuries	27	24	27
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	2	0	0
Smoking Attributable Deaths	23	24	26

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	71	83
Alcohol Primary Diagnosis	2	2	5
Drug Primary Diagnosis	2	6	2
Alcohol Related Diagnosis	23	31	37
Drug Related Diagnosis	31	39	33
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	20	18
Alcohol Primary Diagnosis	2	1	5
Drug Primary Diagnosis	2	9	2
Alcohol Related Diagnosis	22	19	7
Drug Related Diagnosis	24	30	6
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	98	91
Alcohol Primary Diagnosis	2	15	16
Drug Primary Diagnosis	2	13	9
Alcohol Related Diagnosis	38	47	55
Drug Related Diagnosis	55	52	52

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	5	9	8
Fatal Crashes	0	0	0
Injury Crashes	1	3	5
Property Damage Crashes	4	6	3
Crash Fatalities	0	0	0
Crash Injuries	2	3	5
Drug Involved Crashes--Total	2	2	0
Fatal Crashes	0	0	0
Injury Crashes	1	0	0
Property Damage Crashes	1	2	0
Crash Fatalities	0	0	0
Crash Injuries	2	0	0

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	5,022	4,822	4,868
Employed	4,750	4,513	4,516
Unemployed	272	309	352
Unemployment Rate	5.4%	6.4%	7.2%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	447	486	456
Drop-outs	8	10	5
Drop-out Rate	1.8%	2.1%	1.1%
School Suspensions:			
Alcohol Incidents	0	0	1
Drug Incidents	5	3	2
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	32	35	31
Liquor Law Arrests	13	39	35
Drug Arrests	27	45	59
Methamphetamine Lab Incidents	0	1	3
Violent Offenses	17	22	15
Property Offenses	248	220	225
Domestic Violence Reports	141	137	105

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	49	50	64
Violent Offenses	14	10	24
Alcohol Offenses	0	0	2
Drug Offenses	0	3	1
Status Offenses--Total	41	72	43
Truancy	8	37	8
Beyond Parental Control	10	14	13
Habitually Absent from Home	9	5	9
Injurious Behavior	14	16	13
Abuse/Neglect/Custody--Total	62	71	79
Abuse	30	17	18
Neglect	32	54	61
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	23	16	7
Parental Alcohol Use Related	4	2	0
Parental Drug Use Related	6	6	2
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	13	8	5

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	14	12	16
Probation/Parole Admissions--Total	88	71	83
Probation/Parole Admissions--Drug	19	7	22
Probation/Parole Admissions--DWI	5	3	2
Prison Admissions--Total	53	38	41
Prison Admissions--Drug	14	5	8
Prison Admissions--DWI	3	2	2

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	11	9	9
Alcohol Package Carry-out Licenses	11	12	11

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# GRUNDY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	9	8	7
CSTAR Adolescent	10	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	80	93	88
CSTAR Opioid	0	0	0
Primary Recovery Treatment	7	8	6
Clinical SATOP (CIP, YCIP, SROP)	12	8	10
Other Substance Abuse Treatment	*	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	28	39	28
- Adolescent Diversion Education Program	*	0	0
- Offender Education Program	*	12	10
- Weekend Intervention Program	9	11	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	*	5	7


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	114	106	103	Alcohol	43	44	46
AGE				Marijuana / Hashish	26	15	26
Under 18	6	*	*	Cocaine (total)	0	0	*
18 to 24	21	18	19	- Crack	0	0	0
25 to 29	25	21	21	Stimulant (total)	28	26	16
30 to 34	18	29	17	- Methamphetamine	28	26	14
35 to 39	12	7	9	Heroin	*	*	*
40 to 44	11	13	17	Analgesic except Heroin	14	15	7
45 to 54	17	12	13	- Non-Prescription Methadone	0	*	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	*	*	*
Male	74	67	80	Inhalant	0	0	0
Female	40	39	23	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	112	103	98	Average Age at First Use of Drug	17.8	17.9	16.8
African American	0	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	21	25	13
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	*	0	*	- Weekly Injection Use	*	8	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	15	15	8
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	47	35	35	0	68	66	63
High School Graduate or G.E.D.	55	58	53	1 or 2	33	24	24
Associate Degree or Some College	11	13	15	3 or More	13	16	16
Bachelor or Advanced Degree	*	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	18	27	20
Employed	29	34	43	School	*	0	0
Unemployed	66	59	47	Mental Health Provider	0	0	0
Not in Labor Force	19	13	13	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	23	58	70
Independent Living	98	96	96	Other Referral Source	70	19	9
Dependent Living	12	8	5	TREATMENT ACCOMMODATION			
Homeless	*	*	0	Pregnant when Admitted to any Episode	0	*	0
MARITAL / FAMILY STATUS				Military Veteran	5	8	*
Never Married	61	52	58	Special Education Services Needed	8	12	6
Married / Cohabiting	25	31	25	Co-Occurring Psychological Problem	54	50	31
Previously Married	28	23	20	Co-Occurring Developmental Problem	*	*	*



# GRUNDY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 13  
**CENSUS 2010** 10,261  
**2013 POPULATION ESTIMATE** 10,355

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	8	7	*
Anxiety Disorder	109	139	121
Dementia	*	*	*
Developmental Disorder	12	11	6
Impulse Control Disorder	57	57	33
Mood Disorder	195	214	183
Personality Disorder	26	33	27
Psychotic Disorder	31	34	25
Sexual Disorder	*	0	*
Other Diagnosis	29	29	16
Diagnosis Unknown	8	20	68

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	267	301	303	Less than High School Diploma	114	44	23
<b>AGE</b>				High School Grad or G.E.D.	22	54	58
Under 6	*	*	*	Associate Degree or Some College	*	15	16
6 to 9	21	17	12	Bachelor or Advanced Degree	0	*	*
10 to 13	33	32	32	Education Level Unknown	127	184	205
14 to 17	28	26	27	<b>EMPLOYMENT</b>			
18 to 24	25	20	27	Employed	19	13	7
25 to 29	9	19	18	Unemployed	53	91	89
30 to 34	17	20	25	Not in Labor Force	156	32	*
35 to 39	24	27	24	Employment Status Unknown	39	165	205
40 to 44	25	32	33	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	21	25	26	Independent Living	121	100	88
50 to 54	18	29	29	Dependent Living	101	48	47
55 to 59	17	25	23	Homeless	*	*	0
60 and Over	26	26	26	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	41	151	166
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	101	115	117	Self / Family / Friend	151	158	152
Female	166	186	186	School	5	*	*
Gender Unknown	0	0	0	Mental Health Provider	16	30	34
<b>RACE / ETHNICITY</b>				Health Care Provider	43	54	46
Caucasian	256	291	290	Court / Criminal Justice	6	11	12
African American	*	*	*	Other	42	39	47
Native American / Alaskan	0	0	0	Referral Source Unknown	*	7	8
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	6	6	5	Voluntary	262	294	294
Other Race	*	*	5	Civil	*	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	7	*	*	Commitment Type Unknown	*	7	8
Past or Current Military Service	*	*	8				



# GRUNDY COUNTY


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	36.9	45.7	43.1	Alcohol (1 or 2 drinks daily)	56.6		
Cigarettes	23.8	30.5	24.8	Alcohol (Binge: 5+ drinks once or twice a week)	72.7		
Chewing Tobacco	22.3	11.0	14.4	Alcohol (any use)		69.1	89.8
Marijuana	13.2	13.4	3.0	Cigarettes (1+ packs per day)	82.2		
Inhalants	5.3	6.7	11.3	Cigarettes (any use)		74.7	82.2
Prescription medications not prescribed for student	9.3	14.6	7.9	Marijuana (once or twice a week)	69.5		
Over-the-counter medications for non-medical use	7.7	9.1	7.9	Marijuana (any use)		73.3	76.2
Methamphetamine	0.8	2.4	2.1	Other: Cocaine, LSD, Meth, Club Drug (any use)	93.9	92.6	98.5
Cocaine	2.3	3.0	2.0				
Heroin	0.0	2.5	2.0	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	3.1	3.7	0.0	Were very sad	25.2	21.3	16.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	3.1	0.5	Were grouchy, irritable, or in a bad mood	24.2	25.0	22.4
Steroids not prescribed for student	0.8	3.1	0.0	Felt hopeless about the future	12.3	15.2	13.0
Synthetic drugs (K2, bath salts, Spice, etc)	3.9	6.7		Felt like not eating or eating more than usual	21.4	15.9	13.5
				Slept a lot more or a lot less than usual	22.5	20.7	27.0
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	24.0	24.1	22.8
Alcohol	12.61	13.13	11.34	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	11.18	12.52	11.16	Seriously considered attempting suicide	15.3	14.0	14.9
Marijuana	13.25	13.32	10.30	Made plan about how they would attempt suicide	11.5	10.4	11.4
Inhalants	11.12	12.27	12.26	Attempted suicide	9.4	5.5	9.5
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose	3.1	0.6	2.0
Alcohol	11.8	25.2	17.9	had to be treated by doctor or nurse			
Alcohol (Binge: 5+ drinks on one occasion)		14.5	9.0	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	14.6	15.9	14.9	Were threatened/injured with weapon at school	8.4	5.5	12.4
Chewing Tobacco	9.9	4.9	6.5	Were in a physical fight	19.7	26.4	21.8
Marijuana	3.9	6.7	1.0	Were in a fight and had to be treated by a doctor or nurse	3.8	1.9	6.9
Inhalants	1.5	4.3	8.2	<i>Percent of students who, in past 3 months:</i>			
Prescription medications not prescribed for student	6.2	7.3	3.5	Were victims of mean rumors or lies spread at school	53.4	59.1	54.3
Over-the-counter medications for non-medical use	4.6	6.7	5.0	Were made fun of by others	69.2	69.5	61.7
<i>Percent of students who, in past 2 weeks, used:</i>				Were victims of an embarrassing or hurtful text message or something posted on the Internet	31.5	29.4	19.3
Alcohol (Binge: 5+ drinks on one occasion)	4.7			Spread mean rumors or lies about other kids at school	26.2	34.8	48.3
<i>Percent whose friends used in past 12 months:</i>				Made fun of other people	58.8	69.5	78.6
Alcohol	38.2	59.5	59.2	Posted something on the internet or sent a text that might embarrass or hurt another student	16.4	17.2	26.6
Cigarettes	31.3	51.2	46.0	<i>Percent of students who agree that:</i>			
Marijuana	16.8	38.9	27.1	Teachers notice and comment on student's good work	71.8	63.6	68.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.9	15.3	9.5	School provides feedback to parents on positive student performance	48.9	39.0	36.6
<i>Percent who would likely use, if offered by a best friend:</i>				Rules are enforced fairly	72.5	60.4	65.2
Alcohol	30.0	39.6	35.6	Students of all races/ethnicities are treated equal	87.6	78.0	86.1
Cigarettes	17.6	14.7	14.9	<i>Percent of students who agree that:</i>			
Marijuana	10.0	13.4	7.5	Parents notice and comment on student's good work	78.3	78.5	82.6
<i>Percent who say it would be wrong to use:</i>				Parents involve student in making family decisions	66.2	61.0	73.8
Alcohol	68.7	55.2	62.4	It is important to be honest with parents regardless of consequences	86.3	82.9	85.6
Cigarettes	84.7	77.2	85.4	Student could ask parent for help with a personal problem	73.3	72.6	68.8
Marijuana	89.2	82.7	88.5				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.5	92.5	98.5				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	81.5	86.0	81.7				
Cigarettes	96.2	93.2	95.0				
Marijuana	96.9	95.0	99.5				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	42.3	60.4	67.2				
Cigarettes	42.0	59.1	64.9				
Marijuana	26.7	34.4	23.3				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.5	16.0	11.4				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# HARRISON COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	13
Adult Psychiatric	13
<b>POPULATION</b>	
Census 2010	8,957
2013 Estimate	8,741

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	115	116	106
Mother Reported Smoking while Pregnant	27	39	40
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	1	4	3
Tuberculosis Infection Cases	1	0	0
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	112	118	99
Suicides	3	3	2
Self-inflicted Injuries	13	16	11
Homicides	2	1	0
Assault Injuries	9	10	12
Alcohol Induced Deaths	0	1	0
Drug Induced Deaths	2	2	2
Smoking Attributable Deaths	22	22	15
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	85	71
Alcohol Primary Diagnosis	2	3	7
Drug Primary Diagnosis	2	2	1
Alcohol Related Diagnosis	25	30	30
Drug Related Diagnosis	31	21	26
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	20	19
Alcohol Primary Diagnosis	2	3	2
Drug Primary Diagnosis	2	2	3
Alcohol Related Diagnosis	15	17	11
Drug Related Diagnosis	15	10	4
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	110	84
Alcohol Primary Diagnosis	2	14	10
Drug Primary Diagnosis	2	8	6
Alcohol Related Diagnosis	31	29	18
Drug Related Diagnosis	34	23	12
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	13	16	9
Fatal Crashes	1	0	0
Injury Crashes	8	7	5
Property Damage Crashes	4	9	4
Crash Fatalities	1	0	0
Crash Injuries	12	10	5
Drug Involved Crashes--Total	3	1	2
Fatal Crashes	0	0	0
Injury Crashes	1	0	0
Property Damage Crashes	2	1	2
Crash Fatalities	0	0	0
Crash Injuries	1	0	0

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	4,398	4,262	4,347
Employed	4,122	3,979	4,005
Unemployed	276	283	342
Unemployment Rate	6.3%	6.6%	7.9%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	386	356	381
Drop-outs	4	9	12
Drop-out Rate	1.0%	2.5%	3.1%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	0	0	0
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	73	65	67
Liquor Law Arrests	12	35	17
Drug Arrests	81	71	99
Methamphetamine Lab Incidents	0	0	0
Violent Offenses	12	13	12
Property Offenses	111	108	93
Domestic Violence Reports	12	11	18

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	141	38	19
Violent Offenses	0	6	6
Alcohol Offenses	2	9	2
Drug Offenses	0	0	0
Status Offenses--Total	17	18	5
Truancy	13	0	0
Beyond Parental Control	0	9	2
Habitually Absent from Home	0	4	2
Injurious Behavior	4	4	1
Abuse/Neglect/Custody--Total	50	59	41
Abuse	8	43	16
Neglect	42	16	24
Custody Disputes	0	0	1

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	18	15	4
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	8	0	2
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	10	15	2

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	13	12	8
Probation/Parole Admissions--Total	94	81	75
Probation/Parole Admissions--Drug	34	33	31
Probation/Parole Admissions--DWI	6	4	3
Prison Admissions--Total	49	48	41
Prison Admissions--Drug	15	20	15
Prison Admissions--DWI	3	4	4

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	6	7	8
Alcohol Package Carry-out Licenses	16	14	13

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# HARRISON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	*	*	3
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	26	37	26
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	6
Clinical SATOP (CIP, YCIP, SROP)	*	7	6
Other Substance Abuse Treatment	*	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	22	28	37
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	7	13	18
- Weekend Intervention Program	7	5	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	*
Early Intervention	*	*	6

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	33	50	32	Alcohol	11	21	20
AGE				Marijuana / Hashish	14	12	6
Under 18	*	*	*	Cocaine (total)	*	*	*
18 to 24	9	15	9	- Crack	0	*	0
25 to 29	8	9	*	Stimulant (total)	*	13	5
30 to 34	*	*	*	- Methamphetamine	*	13	5
35 to 39	*	9	6	Heroin	0	0	0
40 to 44	*	*	5	Analgesic except Heroin	*	*	0
45 to 54	5	7	*	- Non-Prescription Methadone	0	0	0
55 and Over	0	*	0	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	*	0
Male	25	33	22	Inhalant	0	0	0
Female	8	17	10	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	32	48	31	Average Age at First Use of Drug	16.5	18.6	16.1
African American	0	0	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	8	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	0
Hispanic	*	*	0	- Weekly Injection Use	0	0	*
Other Race / Two or More Races	*	*	0	- Less than Weekly Injection Use	*	7	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	11	15	9	0	22	24	16
High School Graduate or G.E.D.	18	30	19	1 or 2	7	17	11
Associate Degree or Some College	*	*	*	3 or More	*	9	5
Bachelor or Advanced Degree	0	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	7	8	5
Employed	9	17	15	School	0	*	0
Unemployed	20	26	11	Mental Health Provider	0	0	0
Not in Labor Force	*	7	6	Health Care Provider	0	*	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	6	32	22
Independent Living	29	46	29	Other Referral Source	19	8	5
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	0	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	0
Never Married	18	27	16	Special Education Services Needed	*	*	*
Married / Cohabiting	6	10	8	Co-Occurring Psychological Problem	15	26	6
Previously Married	9	13	8	Co-Occurring Developmental Problem	*	0	*

# HARRISON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 13  
**CENSUS 2010** 8,957  
**2013 POPULATION ESTIMATE** 8,741

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	*	*	0
Anxiety Disorder	57	61	39
Dementia	*	*	*
Developmental Disorder	0	0	0
Impulse Control Disorder	22	16	16
Mood Disorder	72	89	78
Personality Disorder	18	17	13
Psychotic Disorder	17	18	17
Sexual Disorder	0	0	0
Other Diagnosis	9	5	7
Diagnosis Unknown	*	*	20

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	102	111	116	Less than High School Diploma	40	15	8
<b>AGE</b>				High School Grad or G.E.D.	*	17	26
Under 6	*	*	0	Associate Degree or Some College	0	7	10
6 to 9	6	5	5	Bachelor or Advanced Degree	0	0	0
10 to 13	7	*	6	Education Level Unknown	60	72	72
14 to 17	*	6	12	<b>EMPLOYMENT</b>			
18 to 24	17	12	12	Employed	14	7	8
25 to 29	9	9	8	Unemployed	11	31	34
30 to 34	5	7	9	Not in Labor Force	61	14	*
35 to 39	*	8	8	Employment Status Unknown	16	59	72
40 to 44	10	11	9	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	14	14	13	Independent Living	60	44	42
50 to 54	7	9	8	Dependent Living	26	9	17
55 to 59	7	11	11	Homeless	*	0	0
60 and Over	12	14	15	Other	0	*	0
Age Unknown	0	0	0	Housing Unknown	15	57	57
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	50	48	58	Self / Family / Friend	32	34	35
Female	52	63	58	School	*	0	0
Gender Unknown	0	0	0	Mental Health Provider	13	18	27
<b>RACE / ETHNICITY</b>				Health Care Provider	38	43	32
Caucasian	97	104	113	Court / Criminal Justice	13	11	9
African American	*	*	0	Other	5	5	13
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	101	111	116
Other Race	*	*	*	Civil	*	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	6	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

# HARRISON COUNTY

## MISSOURI STUDENT SURVEY


	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	40.6	43.6	40.2	Alcohol (1 or 2 drinks daily)	52.9		
Cigarettes	32.0	32.3	32.4	Alcohol (Binge: 5+ drinks once or twice a week)	70.0		
Chewing Tobacco	21.4	28.4	20.2	Alcohol (any use)		75.2	84.2
Marijuana	5.2	15.7	9.4	Cigarettes (1+ packs per day)	88.2		
Inhalants	6.3	3.7	3.8	Cigarettes (any use)		73.7	78.0
Prescription medications not prescribed for student	2.1	2.2	12.6	Marijuana (once or twice a week)	80.8		
Over-the-counter medications for non-medical use	1.0	0.8	7.1	Marijuana (any use)		82.7	76.4
Methamphetamine	1.1	0.0	0.5	Other: Cocaine, LSD, Meth, Club Drug (any use)	93.0	91.7	92.3
Cocaine	1.1	0.0	1.1				
Heroin	0.0	0.0	1.1	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	1.0	0.0	1.1	Were very sad	22.5	6.8	21.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	0.0	1.6	Were grouchy, irritable, or in a bad mood	20.8	14.3	23.5
Steroids not prescribed for student	0.0	0.0	1.1	Felt hopeless about the future	12.9	7.8	8.7
Synthetic drugs (K2, bath salts, Spice, etc)	4.2	3.0		Felt like not eating or eating more than usual	16.0	18.0	19.6
				Slept a lot more or a lot less than usual	17.0	14.5	25.8
				Had difficulty concentrating on school work	18.8	14.9	19.7
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	13.91	12.49	12.63	Seriously considered attempting suicide	14.9	3.8	8.7
Cigarettes	13.33	13.49	12.36	Made plan about how they would attempt suicide	11.0	3.8	8.6
Marijuana	13.78	13.64	14.32	Attempted suicide	8.0	1.5	4.3
Inhalants	9.31	11.98	12.18	Attempted suicide and resulting injury, poisoning, or overdose	3.1	0.0	0.6
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	14.6	27.6	16.2	Were threatened/injured with weapon at school	4.0	4.5	7.1
Alcohol (Binge: 5+ drinks on one occasion)		15.8	12.0	Were in a physical fight	13.9	20.3	20.1
Cigarettes	15.3	15.7	15.5	Were in a fight and had to be treated by a doctor or nurse	3.0	1.5	2.2
Chewing Tobacco	11.2	14.9	13.2				
Marijuana	2.1	11.2	3.3	<i>Percent of students who, in past 3 months:</i>			
Inhalants	3.1	0.0	2.2	Were victims of mean rumors or lies spread at school	45.0	46.3	50.3
Prescription medications not prescribed for student	1.0	2.2	5.5	Were made fun of by others	56.6	56.4	72.3
Over-the-counter medications for non-medical use	1.0	0.8	4.4	Were victims of an embarrassing or hurtful text message or something posted on the Internet	26.0	20.3	16.2
				Spread mean rumors or lies about other kids at school	18.8	25.6	34.8
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	45.5	61.2	72.3
Alcohol (Binge: 5+ drinks on one occasion)	5.2			Posted something on the internet or sent a text that might embarrass or hurt another student	12.9	14.2	21.7
<i>Percent whose friends used in past 12 months:</i>				<i>Percent of students who agree that:</i>			
Alcohol	41.6	61.2	53.0	Teachers notice and comment on student's good work	82.2	83.6	65.4
Cigarettes	37.6	59.0	55.4	School provides feedback to parents on positive student performance	56.4	64.7	47.0
Marijuana	13.9	18.8	20.2	Rules are enforced fairly	72.0	68.4	59.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.0	0.0	11.1	Students of all races/ethnicities are treated equal	84.2	93.2	82.6
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	29.2	35.4	29.0	Parents notice and comment on student's good work	87.5	81.2	82.0
Cigarettes	16.3	16.4	17.7	Parents involve student in making family decisions	76.0	74.6	67.6
Marijuana	6.1	6.8	6.7	It is important to be honest with parents regardless of consequences	95.0	87.3	83.9
				Student could ask parent for help with a personal problem	80.0	70.7	76.5
<i>Percent who say it would be wrong to use:</i>							
Alcohol	65.3	43.9	62.5				
Cigarettes	83.0	72.3	71.6				
Marijuana	86.7	88.1	89.6				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.0	100.0	95.7				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	83.0	70.2	76.6				
Cigarettes	93.6	82.2	85.8				
Marijuana	95.7	94.8	97.8				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	40.8	45.7	62.0				
Cigarettes	47.5	56.7	65.4				
Marijuana	15.5	14.3	28.2				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.2	6.0	13.7				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys



# HENRY COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	8
Adult Psychiatric	8B
<b>POPULATION</b>	
Census 2010	22,272
2013 Estimate	22,059

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	275	273	260
Mother Reported Smoking while Pregnant	84	79	79

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	1
Hepatitis B Chronic, Acute, Prenatal	1	0	2
Hepatitis C Chronic and Acute	1	21	16
Tuberculosis Infection Cases	1	3	4

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	322	312	300
Suicides	3	6	4
Self-inflicted Injuries	31	60	39
Homicides	1	2	0
Assault Injuries	71	82	77
Alcohol Induced Deaths	1	1	2
Drug Induced Deaths	2	1	6
Smoking Attributable Deaths	61	70	57

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	266	258
Alcohol Primary Diagnosis	2	9	17
Drug Primary Diagnosis	2	18	10
Alcohol Related Diagnosis	82	88	105
Drug Related Diagnosis	129	105	84
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	35	31
Alcohol Primary Diagnosis	2	14	25
Drug Primary Diagnosis	2	11	8
Alcohol Related Diagnosis	72	77	48
Drug Related Diagnosis	65	61	29
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	277	197
Alcohol Primary Diagnosis	2	40	37
Drug Primary Diagnosis	2	33	33
Alcohol Related Diagnosis	92	82	77
Drug Related Diagnosis	92	84	164

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	29	32	31
Fatal Crashes	1	1	1
Injury Crashes	14	15	18
Property Damage Crashes	14	16	12
Crash Fatalities	1	1	1
Crash Injuries	21	17	28
Drug Involved Crashes--Total	6	6	5
Fatal Crashes	1	0	0
Injury Crashes	2	0	5
Property Damage Crashes	3	6	0
Crash Fatalities	1	0	0
Crash Injuries	2	0	8

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	10,743	10,246	10,449
Employed	10,059	9,486	9,470
Unemployed	684	760	979
Unemployment Rate	6.4%	7.4%	9.4%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	883	843	887
Drop-outs	19	46	32
Drop-out Rate	2.2%	5.5%	3.6%
School Suspensions:			
Alcohol Incidents	5	1	3
Drug Incidents	14	8	11
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	105	139	111
Liquor Law Arrests	72	63	70
Drug Arrests	154	179	140
Methamphetamine Lab Incidents	7	1	0
Violent Offenses	87	78	93
Property Offenses	802	796	785
Domestic Violence Reports	151	219	151

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	115	87	114
Violent Offenses	38	29	24
Alcohol Offenses	15	9	20
Drug Offenses	11	7	13
Status Offenses--Total	78	119	101
Truancy	5	12	13
Beyond Parental Control	6	22	23
Habitually Absent from Home	2	3	7
Injurious Behavior	65	82	58
Abuse/Neglect/Custody--Total	169	183	170
Abuse	39	57	30
Neglect	119	118	115
Custody Disputes	11	8	25

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	38	64	72
Parental Alcohol Use Related	3	3	2
Parental Drug Use Related	24	17	19
Parental Alcohol and Drug Use	0	4	0
Child Removed for Other Reason	11	40	51

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	13	12	12
Probation/Parole Admissions--Total	307	242	217
Probation/Parole Admissions--Drug	77	40	42
Probation/Parole Admissions--DWI	15	19	13
Prison Admissions--Total	143	135	117
Prison Admissions--Drug	36	25	27
Prison Admissions--DWI	7	11	9

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	25	28	32
Alcohol Package Carry-out Licenses	31	35	34

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# HENRY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	7	14	31
CSTAR Adolescent	13	8	13
CSTAR Women and Children	12	*	5
CSTAR General Adult	140	213	205
CSTAR Opioid	0	0	*
Primary Recovery Treatment	*	19	72
Clinical SATOP (CIP, YCIP, SROP)	16	21	21
Other Substance Abuse Treatment	0	*	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	76	79	96
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	28	37	24
- Weekend Intervention Program	15	8	26
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	6	13	11
Compulsive Gambling	0	0	0
Recovery Supports	124	20	50
Early Intervention	*	11	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	265	262	319	Alcohol	74	103	115
AGE				Marijuana / Hashish	82	63	95
Under 18	15	8	17	Cocaine (total)	*	*	*
18 to 24	52	69	76	- Crack	*	*	*
25 to 29	40	37	54	Stimulant (total)	90	77	78
30 to 34	58	44	51	- Methamphetamine	87	75	78
35 to 39	28	30	30	Heroin	*	*	0
40 to 44	26	29	38	Analgesic except Heroin	9	13	24
45 to 54	34	37	39	- Non-Prescription Methadone	0	0	0
55 and Over	12	8	14	PCP, LSD, other Hallucinogen	*	0	*
GENDER				Tranquilizer	*	0	*
Male	174	179	233	Inhalant	*	*	0
Female	91	83	86	Sedative	0	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	0
Caucasian	254	251	305	Average Age at First Use of Drug	17.1	17.2	17.4
African American	*	*	5	INJECTION DRUG USE			
Native American / Alaskan	0	*	*	Any Injection Use at Admission	49	39	39
Asian / Pacific Islander	0	*	0	- Daily Injection Use	10	*	*
Hispanic	7	5	9	- Weekly Injection Use	11	7	8
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	28	29	28
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	87	74	112	0	154	149	186
High School Graduate or G.E.D.	139	142	160	1 or 2	79	66	88
Associate Degree or Some College	37	44	47	3 or More	32	47	45
Bachelor or Advanced Degree	*	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	79	87	92
Employed	69	81	90	School	0	0	0
Unemployed	74	77	149	Mental Health Provider	*	*	*
Not in Labor Force	122	104	80	Health Care Provider	5	6	7
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	72	59	187
Independent Living	203	216	285	Other Referral Source	105	108	30
Dependent Living	18	15	25	TREATMENT ACCOMMODATION			
Homeless	10	5	*	Pregnant when Admitted to any Episode	*	*	5
MARITAL / FAMILY STATUS				Military Veteran	6	9	18
Never Married	138	140	171	Special Education Services Needed	9	9	14
Married / Cohabiting	62	58	80	Co-Occurring Psychological Problem	40	23	103
Previously Married	65	64	68	Co-Occurring Developmental Problem	5	*	*

# HENRY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 8B  
**CENSUS 2010** 22,272  
**2013 POPULATION ESTIMATE** 22,059

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	32	46	31
Anxiety Disorder	255	251	211
Dementia	0	0	0
Developmental Disorder	6	8	5
Impulse Control Disorder	46	64	63
Mood Disorder	373	357	324
Personality Disorder	45	46	38
Psychotic Disorder	74	72	71
Sexual Disorder	0	0	0
Other Diagnosis	38	54	36
Diagnosis Unknown	44	48	107

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	533	546	558	Less than High School Diploma	212	119	84
<b>AGE</b>				High School Grad or G.E.D.	0	101	141
Under 6	*	7	5	Associate Degree or Some College	0	26	22
6 to 9	26	30	34	Bachelor or Advanced Degree	0	7	9
10 to 13	36	48	38	Education Level Unknown	321	293	302
14 to 17	19	33	44	<b>EMPLOYMENT</b>			
18 to 24	51	43	49	Employed	33	35	45
25 to 29	39	37	51	Unemployed	37	175	209
30 to 34	66	49	50	Not in Labor Force	341	88	*
35 to 39	42	39	45	Employment Status Unknown	122	248	301
40 to 44	45	60	58	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	61	74	71	Independent Living	267	224	223
50 to 54	66	47	48	Dependent Living	130	96	80
55 to 59	49	44	37	Homeless	9	7	*
60 and Over	29	35	28	Other	0	5	5
Age Unknown	0	0	0	Housing Unknown	127	214	247
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	227	229	235	Self / Family / Friend	323	383	426
Female	306	317	323	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	17	23	23
<b>RACE / ETHNICITY</b>				Health Care Provider	33	29	18
Caucasian	515	527	538	Court / Criminal Justice	16	9	14
African American	5	*	7	Other	137	94	69
Native American / Alaskan	*	*	*	Referral Source Unknown	7	8	8
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	5	7	5	Voluntary	523	535	543
Other Race	7	8	7	Civil	*	*	7
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	8	7	10	Commitment Type Unknown	7	8	8
Past or Current Military Service	16	15	13				

# HENRY COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	41.6	39.8	51.1	Alcohol (1 or 2 drinks daily)	52.9		
Cigarettes	27.3	22.5	34.4	Alcohol (Binge: 5+ drinks once or twice a week)	61.5		
Chewing Tobacco	20.9	11.8	12.8	Alcohol (any use)		72.7	77.8
Marijuana	11.9	11.0	22.0	Cigarettes (1+ packs per day)	82.4		
Inhalants	4.9	3.3	5.6	Cigarettes (any use)		79.2	80.0
Prescription medications not prescribed for student	5.3	7.4	11.5	Marijuana (once or twice a week)	75.3		
Over-the-counter medications for non-medical use	4.1	5.0	8.6	Marijuana (any use)		82.4	76.4
Methamphetamine	0.8	0.3	1.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	94.2	96.1	95.4
Cocaine	1.7	0.6	2.5	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.4	0.3	0.5	Were very sad	23.3	23.7	22.8
Hallucinogens	1.6	0.6	3.4	Were grouchy, irritable, or in a bad mood	26.7	24.5	21.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	3.7	1.2	4.0	Felt hopeless about the future	14.8	9.0	11.8
Steroids not prescribed for student	0.4	1.2	0.5	Felt like not eating or eating more than usual	22.5	20.0	19.1
Synthetic drugs (K2, bath salts, Spice, etc)	5.1	3.6		Slept a lot more or a lot less than usual	16.9	20.4	24.4
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	21.6	20.1	21.1
Alcohol	12.81	12.55	12.89	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.49	12.29	12.49	Seriously considered attempting suicide	14.8	9.8	9.3
Marijuana	12.45	13.38	13.94	Made plan about how they would attempt suicide	10.2	5.3	4.4
Inhalants	11.53	12.05	13.04	Attempted suicide	7.8	3.9	3.9
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.7	1.2	1.0
Alcohol	21.0	12.5	23.7	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occassion)		5.3	14.1	Were threatened/injured with weapon at school	6.9	4.5	13.2
Cigarettes	13.1	8.3	17.3	Were in a physical fight	24.5	21.1	19.4
Chewing Tobacco	14.7	4.7	5.8	Were in a fight and had to be treated by a doctor or nurse	2.9	2.7	1.9
Marijuana	4.1	3.6	10.7	<i>Percent of students who, in past 3 months:</i>			
Inhalants	2.0	1.2	2.2	Were victims of mean rumors or lies spread at school	55.8	57.6	57.4
Prescription medications not prescribed for student	2.1	2.7	7.2	Were made fun of by others	61.2	69.9	71.8
Over-the-counter medications for non-medical use	2.0	3.3	6.2	Were victims of an embarrassing or hurtful text message or something posted on the internet	26.9	24.7	22.5
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	27.6	30.1	36.8
Alcohol (Binge: 5+ drinks on one occassion)	6.7			Made fun of other people	54.3	65.8	79.7
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	18.0	15.5	17.5
Alcohol	46.9	52.8	68.3	<i>Percent of students who agree that:</i>			
Cigarettes	42.9	35.1	57.3	Teachers notice and comment on student's good work	82.0	72.0	70.5
Marijuana	27.0	21.5	38.7	School provides feedback to parents on positive student performance	55.7	41.5	38.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.9	8.3	17.9	Rules are enforced fairly	61.5	66.8	53.9
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	91.0	84.2	80.9
Alcohol	30.2	25.0	42.6	<i>Percent of students who agree that:</i>			
Cigarettes	13.6	9.9	17.1	Parents notice and comment on student's good work	84.9	83.6	77.4
Marijuana	6.5	6.3	15.7	Parents involve student in making family decisions	67.3	70.6	64.0
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	90.1	89.3	84.9
Alcohol	66.4	62.3	59.7	Student could ask parent for help with a personal problem	82.4	79.0	74.7
Cigarettes	83.8	84.5	75.7	<div>Page Notes: Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</div>			
Marijuana	88.9	89.6	82.7				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.5	96.4	93.0				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	81.4	80.3	75.1				
Cigarettes	92.2	92.1	86.2	<div>Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys</div>			
Marijuana	95.1	95.1	91.1				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	46.9	56.4	65.5				
Cigarettes	46.1	50.7	66.5				
Marijuana	17.1	26.6	46.4				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.4	11.4	26.7				

# HICKORY COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	8
Adult Psychiatric	8B
<b>POPULATION</b>	
Census 2010	9,627
2013 Estimate	9,305

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	3,540	3,521	3,433
Employed	3,186	3,088	3,008
Unemployed	354	433	425
Unemployment Rate	10.0%	12.3%	12.4%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	505	500	564
Drop-outs	0	3	4
Drop-out Rate	0.0%	0.6%	0.7%
School Suspensions:			
Alcohol Incidents	4	0	0
Drug Incidents	6	12	1
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	18	38	44
Liquor Law Arrests	3	2	7
Drug Arrests	11	19	21
Methamphetamine Lab Incidents	0	0	0
Violent Offenses	1	2	4
Property Offenses	143	132	146
Domestic Violence Reports	13	17	12

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	17	15	20
Violent Offenses	2	4	4
Alcohol Offenses	3	0	0
Drug Offenses	0	1	1
Status Offenses--Total	15	17	10
Truancy	2	4	1
Beyond Parental Control	4	5	5
Habitually Absent from Home	2	0	1
Injurious Behavior	6	8	3
Abuse/Neglect/Custody--Total	37	31	15
Abuse	14	10	2
Neglect	23	21	13
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	5	2	7
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	1	0	2
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	4	2	5

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	38	44	52
Probation/Parole Admissions--Drug	5	11	10
Probation/Parole Admissions--DWI	3	2	4
Prison Admissions--Total	19	27	26
Prison Admissions--Drug	3	6	3
Prison Admissions--DWI	1	1	0

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	13	13	13
Alcohol Package Carry-out Licenses	11	11	11

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	71	81	81
Mother Reported Smoking while Pregnant	20	21	19

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	1
Hepatitis C Chronic and Acute	1	7	3
Tuberculosis Infection Cases	1	0	3

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	141	163	141
Suicides	1	1	0
Self-inflicted Injuries	20	10	12
Homicides	0	0	0
Assault Injuries	20	13	16
Alcohol Induced Deaths	1	1	1
Drug Induced Deaths	2	1	2
Smoking Attributable Deaths	30	31	29

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	66	60
Alcohol Primary Diagnosis	2	4	4
Drug Primary Diagnosis	2	5	1
Alcohol Related Diagnosis	17	25	29
Drug Related Diagnosis	30	18	18
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	30	17
Alcohol Primary Diagnosis	2	3	8
Drug Primary Diagnosis	2	3	5
Alcohol Related Diagnosis	27	41	18
Drug Related Diagnosis	28	16	18
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	64	48
Alcohol Primary Diagnosis	2	10	8
Drug Primary Diagnosis	2	13	11
Alcohol Related Diagnosis	33	27	32
Drug Related Diagnosis	59	39	28

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	6	11	14
Fatal Crashes	0	2	1
Injury Crashes	4	6	7
Property Damage Crashes	2	3	6
Crash Fatalities	0	3	1
Crash Injuries	5	6	15
Drug Involved Crashes--Total	1	0	0
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	1	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	0

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# HICKORY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	*	*	6
CSTAR Adolescent	0	0	0
CSTAR Women and Children	7	0	*
CSTAR General Adult	12	16	9
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	13
Clinical SATOP (CIP, YCIP, SROP)	5	*	*
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	18	28	26
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	8	13	8
- Weekend Intervention Program	*	*	11
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	*
Compulsive Gambling	0	0	0
Recovery Supports	*	0	5
Early Intervention	0	0	*


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	25	24	30	Alcohol	14	15	13
AGE				Marijuana / Hashish	*	*	*
Under 18	0	0	0	Cocaine (total)	0	0	*
18 to 24	*	*	5	- Crack	0	0	*
25 to 29	*	*	5	Stimulant (total)	5	*	5
30 to 34	5	*	*	- Methamphetamine	5	*	5
35 to 39	0	*	*	Heroin	0	0	0
40 to 44	5	*	5	Analgesic except Heroin	*	*	*
45 to 54	6	7	7	- Non-Prescription Methadone	0	0	0
55 and Over	*	5	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	*
Male	15	15	19	Inhalant	0	0	0
Female	10	9	11	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	*
Caucasian	25	24	30	Average Age at First Use of Drug	19.7	15.4	18.8
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	5	*	5
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	*
Hispanic	0	0	0	- Weekly Injection Use	*	*	0
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	9	*	10	0	11	12	13
High School Graduate or G.E.D.	11	12	9	1 or 2	8	6	11
Associate Degree or Some College	5	8	11	3 or More	6	6	6
Bachelor or Advanced Degree	0	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	8	12	9
Employed	8	*	6	School	0	0	0
Unemployed	6	8	11	Mental Health Provider	0	0	*
Not in Labor Force	11	13	13	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	10	8	13
Independent Living	23	21	26	Other Referral Source	5	*	*
Dependent Living	*	0	*	TREATMENT ACCOMMODATION			
Homeless	0	*	*	Pregnant when Admitted to any Episode	0	0	*
MARITAL / FAMILY STATUS				Military Veteran	0	*	*
Never Married	9	5	10	Special Education Services Needed	*	0	0
Married / Cohabiting	7	7	12	Co-Occurring Psychological Problem	8	8	7
Previously Married	9	12	8	Co-Occurring Developmental Problem	0	0	0



# HICKORY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 8B  
**CENSUS 2010** 9,627  
**2013 POPULATION ESTIMATE** 9,305

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	*	*	*
Anxiety Disorder	11	14	15
Dementia	*	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	0	*	*
Mood Disorder	22	23	22
Personality Disorder	*	*	*
Psychotic Disorder	*	*	*
Sexual Disorder	0	0	0
Other Diagnosis	*	*	*
Diagnosis Unknown	*	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	29	28	29	Less than High School Diploma	8	*	*
<b>AGE</b>				High School Grad or G.E.D.	0	8	8
Under 6	0	0	0	Associate Degree or Some College	0	5	5
6 to 9	0	0	0	Bachelor or Advanced Degree	0	0	0
10 to 13	*	*	*	Education Level Unknown	21	13	14
14 to 17	*	*	*	<b>EMPLOYMENT</b>			
18 to 24	*	*	0	Employed	*	*	*
25 to 29	6	5	*	Unemployed	0	12	14
30 to 34	*	0	*	Not in Labor Force	21	*	0
35 to 39	*	*	6	Employment Status Unknown	7	11	14
40 to 44	*	*	*	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	5	*	6	Independent Living	16	15	15
50 to 54	*	5	*	Dependent Living	6	*	*
55 to 59	*	*	*	Homeless	0	0	0
60 and Over	0	0	0	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	7	10	11
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	11	13	14	Self / Family / Friend	17	15	16
Female	18	15	15	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	*	*
<b>RACE / ETHNICITY</b>				Health Care Provider	6	8	8
Caucasian	29	28	29	Court / Criminal Justice	*	*	*
African American	0	0	0	Other	*	*	*
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	0	0	Voluntary	24	26	28
Other Race	0	0	0	Civil	*	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	0	0	0	Commitment Type Unknown	0	0	0
Past or Current Military Service	0	*	*				




# HICKORY COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	36.5	39.5	47.6	Alcohol (1 or 2 drinks daily)	52.9		
Cigarettes	20.0	29.5	30.8	Alcohol (Binge: 5+ drinks once or twice a week)	64.7		
Chewing Tobacco	28.6	17.8	27.6	Alcohol (any use)		59.7	77.4
Marijuana	7.1	6.2	13.0	Cigarettes (1+ packs per day)	87.1		
Inhalants	1.2	6.2	3.4	Cigarettes (any use)		77.5	76.9
Prescription medications not prescribed for student	7.1	7.0	9.0	Marijuana (once or twice a week)	73.5		
Over-the-counter medications for non-medical use	2.4	5.4	6.1	Marijuana (any use)		77.5	76.7
Methamphetamine	0.0	0.0	0.7	Other: Cocaine, LSD, Meth, Club Drug (any use)	95.3	91.3	93.8
Cocaine	0.0	0.8	1.4	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.0	0.8	0.7	Were very sad	14.1	7.0	17.8
Hallucinogens	1.2	0.0	2.1	Were grouchy, irritable, or in a bad mood	27.1	22.5	24.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	0.0	1.4	Felt hopeless about the future	9.4	7.8	11.6
Steroids not prescribed for student	0.0	0.0	1.4	Felt like not eating or eating more than usual	21.2	14.7	20.0
Synthetic drugs (K2, bath salts, Spice, etc)	1.2	0.8		Slept a lot more or a lot less than usual	20.0	15.5	24.0
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	21.4	18.6	18.6
Alcohol	12.10	12.79	12.51	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	13.11	12.07	12.19	Seriously considered attempting suicide	8.2	10.2	5.4
Marijuana	12.65	13.66	13.05	Made plan about how they would attempt suicide	5.9	8.7	4.1
Inhalants		11.93	11.45	Attempted suicide	3.6	3.1	4.0
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.0	1.6	1.4
Alcohol	21.2	14.0	20.7	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		7.0	14.3	Were threatened/injured with weapon at school	6.0	5.4	6.2
Cigarettes	3.5	10.1	13.7	Were in a physical fight	10.6	27.1	24.3
Chewing Tobacco	20.0	6.2	14.6	Were in a fight and had to be treated by a doctor or nurse	3.6	3.9	3.4
Marijuana	7.1	1.6	6.2	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.2	3.1	1.4	Were victims of mean rumors or lies spread at school	50.0	47.3	56.9
Prescription medications not prescribed for student	1.2	4.7	2.8	Were made fun of by others	61.2	59.7	68.0
Over-the-counter medications for non-medical use	2.4	3.9	2.7	Were victims of an embarrassing or hurtful text message or something posted on the internet	18.8	20.2	18.6
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	18.8	31.0	26.7
Alcohol (Binge: 5+ drinks on one occasion)	13.1			Made fun of other people	71.8	65.9	71.4
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	18.8	10.9	15.9
Alcohol	51.8	45.0	60.3	<i>Percent of students who agree that:</i>			
Cigarettes	28.2	39.5	51.0	Teachers notice and comment on student's good work	72.9	75.2	76.6
Marijuana	21.2	24.0	27.9	School provides feedback to parents on positive student performance	42.4	39.8	51.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.9	11.8	12.2	Rules are enforced fairly	48.2	61.2	66.4
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	78.6	89.1	85.0
Alcohol	31.8	31.3	33.8	<i>Percent of students who agree that:</i>			
Cigarettes	4.8	12.4	16.0	Parents notice and comment on student's good work	79.5	90.7	88.3
Marijuana	7.1	6.9	8.8	Parents involve student in making family decisions	69.9	68.2	76.0
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	92.9	85.8	86.4
Alcohol	62.4	58.9	61.9	Student could ask parent for help with a personal problem	78.3	82.0	80.0
Cigarettes	89.3	82.2	77.6	<div>Page Notes: Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</div>			
Marijuana	90.5	89.1	86.4				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.6	96.9	97.3				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	85.7	81.9	75.5				
Cigarettes	95.2	96.0	87.0				
Marijuana	95.2	96.1	93.1	Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	49.4	54.3	55.5				
Cigarettes	45.2	51.2	53.7				
Marijuana	27.1	24.8	26.0				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.3	11.7	15.0				

# HOLT COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	1
Adult Psychiatric	1
<b>POPULATION</b>	
Census 2010	4,912
2013 Estimate	4,568

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	47	49	61
Mother Reported Smoking while Pregnant	12	17	17

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	1	3	4
Tuberculosis Infection Cases	1	0	0

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	69	61	70
Suicides	1	0	1
Self-inflicted Injuries	3	3	9
Homicides	0	0	0
Assault Injuries	7	12	7
Alcohol Induced Deaths	0	1	2
Drug Induced Deaths	0	0	1
Smoking Attributable Deaths	10	9	13

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	29	23
Alcohol Primary Diagnosis	2	1	2
Drug Primary Diagnosis	2	3	1
Alcohol Related Diagnosis	3	4	14
Drug Related Diagnosis	8	7	11
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	10	15
Alcohol Primary Diagnosis	2	3	6
Drug Primary Diagnosis	2	5	0
Alcohol Related Diagnosis	13	14	6
Drug Related Diagnosis	15	7	6
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	26	24
Alcohol Primary Diagnosis	2	2	4
Drug Primary Diagnosis	2	4	3
Alcohol Related Diagnosis	10	13	11
Drug Related Diagnosis	11	9	7

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	6	10	9
Fatal Crashes	0	0	1
Injury Crashes	3	5	7
Property Damage Crashes	3	5	1
Crash Fatalities	0	0	1
Crash Injuries	7	8	9
Drug Involved Crashes--Total	1	0	2
Fatal Crashes	0	0	0
Injury Crashes	1	0	2
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	2	0	3

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	2,877	2,710	2,818
Employed	2,738	2,572	2,625
Unemployed	139	138	193
Unemployment Rate	4.8%	5.1%	6.8%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	166	178	196
Drop-outs	3	4	2
Drop-out Rate	1.8%	2.3%	1.0%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	0	0	0
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	23	20	42
Liquor Law Arrests	9	4	11
Drug Arrests	22	25	34
Methamphetamine Lab Incidents	0	0	0
Violent Offenses	9	9	4
Property Offenses	101	94	119
Domestic Violence Reports	24	16	19

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	15	11	15
Violent Offenses	1	3	2
Alcohol Offenses	0	1	0
Drug Offenses	0	0	2
Status Offenses--Total	16	20	25
Truancy	4	4	3
Beyond Parental Control	8	11	13
Habitually Absent from Home	0	0	1
Injurious Behavior	2	5	8
Abuse/Neglect/Custody--Total	30	10	26
Abuse	2	0	0
Neglect	23	10	26
Custody Disputes	5	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	1	10	5
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	0	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	1	10	5

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	3	3	1
Probation/Parole Admissions--Total	46	39	33
Probation/Parole Admissions--Drug	17	11	9
Probation/Parole Admissions--DWI	3	6	5
Prison Admissions--Total	38	25	29
Prison Admissions--Drug	12	8	6
Prison Admissions--DWI	2	4	5

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	12	10	11
Alcohol Package Carry-out Licenses	8	10	8

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# HOLT COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	*	*	*
CSTAR Adolescent	*	0	*
CSTAR Women and Children	0	0	0
CSTAR General Adult	5	7	*
CSTAR Opioid	0	0	0
Primary Recovery Treatment	8	13	9
Clinical SATOP (CIP, YCIP, SROP)	*	*	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	18	18	22
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	7	7	12
- Weekend Intervention Program	7	*	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	*	0
Recovery Supports	0	0	0
Early Intervention	*	*	5

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	16	19	19	Alcohol	7	8	7
AGE				Marijuana / Hashish	6	*	5
Under 18	*	0	*	Cocaine (total)	0	*	0
18 to 24	5	7	*	- Crack	0	0	0
25 to 29	*	*	*	Stimulant (total)	*	6	5
30 to 34	*	*	*	- Methamphetamine	*	6	5
35 to 39	*	*	*	Heroin	0	0	0
40 to 44	*	*	5	Analgesic except Heroin	0	0	*
45 to 54	0	*	*	- Non-Prescription Methadone	0	0	0
55 and Over	0	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	13	16	10	Inhalant	0	0	0
Female	*	*	9	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	16	18	19	Average Age at First Use of Drug	16.1	18.5	19.5
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	*
Asian / Pacific Islander	0	*	0	- Daily Injection Use	0	0	*
Hispanic	0	0	0	- Weekly Injection Use	0	*	0
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	*	*	6	0	9	11	11
High School Graduate or G.E.D.	8	15	11	1 or 2	5	6	5
Associate Degree or Some College	*	*	*	3 or More	*	*	*
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	*	0	*
Employed	6	5	7	School	0	0	0
Unemployed	5	10	8	Mental Health Provider	*	*	*
Not in Labor Force	5	*	*	Health Care Provider	0	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	11	16	12
Independent Living	14	18	18	Other Referral Source	0	0	*
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	0	0	0	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	0	*
Never Married	9	12	8	Special Education Services Needed	*	*	*
Married / Cohabiting	*	*	6	Co-Occurring Psychological Problem	8	*	*
Previously Married	*	6	5	Co-Occurring Developmental Problem	0	0	0

# HOLT COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 1  
**CENSUS 2010** 4,912  
**2013 POPULATION ESTIMATE** 4,568

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	*	*	*
Anxiety Disorder	8	7	*
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	*	5	6
Mood Disorder	15	15	11
Personality Disorder	*	*	*
Psychotic Disorder	*	*	*
Sexual Disorder	0	0	0
Other Diagnosis	*	*	*
Diagnosis Unknown	0	*	6

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	17	21	21	Less than High School Diploma	*	*	*
<b>AGE</b>				High School Grad or G.E.D.	*	*	0
Under 6	0	0	0	Associate Degree or Some College	0	*	*
6 to 9	0	*	6	Bachelor or Advanced Degree	0	*	0
10 to 13	*	*	*	Education Level Unknown	12	9	15
14 to 17	*	*	*	<b>EMPLOYMENT</b>			
18 to 24	*	*	0	Employed	*	0	*
25 to 29	*	*	*	Unemployed	*	12	5
30 to 34	*	*	0	Not in Labor Force	10	0	0
35 to 39	0	0	0	Employment Status Unknown	*	9	15
40 to 44	*	*	*	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	*	*	*	Independent Living	10	12	6
50 to 54	*	*	*	Dependent Living	*	*	0
55 to 59	*	*	*	Homeless	0	0	0
60 and Over	*	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	*	6	15
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	7	9	12	Self / Family / Friend	6	7	11
Female	10	12	9	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	0	*	0
<b>RACE / ETHNICITY</b>				Health Care Provider	*	5	5
Caucasian	17	21	19	Court / Criminal Justice	*	*	*
African American	0	0	0	Other	*	*	*
Native American / Alaskan	0	0	0	Referral Source Unknown	0	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	0	*	Voluntary	17	20	20
Other Race	0	0	0	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	*	*
Past or Current Military Service	*	*	*				

# HOLT COUNTY

## MISSOURI STUDENT SURVEY


	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	20.9	49.2	18.4	Alcohol (1 or 2 drinks daily)	72.7		
Cigarettes	7.0	31.3	7.1	Alcohol (Binge: 5+ drinks once or twice a week)	77.3		
Chewing Tobacco	9.3	23.4	0.0	Alcohol (any use)		76.6	87.6
Marijuana	2.3	13.8	0.0	Cigarettes (1+ packs per day)	90.9		
Inhalants	2.3	6.2	4.2	Cigarettes (any use)		75.4	85.7
Prescription medications not prescribed for student	2.3	13.8	6.3	Marijuana (once or twice a week)	88.6		
Over-the-counter medications for non-medical use	2.3	10.8	0.0	Marijuana (any use)		86.2	87.8
Methamphetamine	2.3	1.6	0.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	93.0	95.3	94.7
Cocaine	2.3	1.5	0.0				
Heroin	2.3	1.6	0.0	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	2.3	1.5	0.0	Were very sad	11.6	18.5	20.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	4.6	0.0	Were grouchy, irritable, or in a bad mood	18.2	26.2	26.5
Steroids not prescribed for student	0.0	4.6	0.0	Felt hopeless about the future	4.7	12.5	17.3
Synthetic drugs (K2, bath salts, Spice, etc)	0.0	6.2		Felt like not eating or eating more than usual	11.4	16.9	24.5
				Slept a lot more or a lot less than usual	9.3	17.2	35.1
				Had difficulty concentrating on school work	14.0	13.8	24.2
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	14.02	12.40	12.93	Seriously considered attempting suicide	9.3	9.4	5.1
Cigarettes	14.57	12.72	15.00	Made plan about how they would attempt suicide	9.1	6.3	5.1
Marijuana		14.58		Attempted suicide	4.5	4.6	1.0
Inhalants	13.29		9.82	Attempted suicide and resulting injury, poisoning, or overdose	0.0	0.0	0.0
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	4.7	21.5	3.1	Were threatened/injured with weapon at school	0.0	6.2	2.1
Alcohol (Binge: 5+ drinks on one occasion)		15.4	0.0	Were in a physical fight	11.6	20.0	13.3
Cigarettes	0.0	16.9	0.0	Were in a fight and had to be treated by a doctor or nurse	0.0	1.5	0.0
Chewing Tobacco	4.7	18.5	0.0				
Marijuana	0.0	7.7	0.0	<i>Percent of students who, in past 3 months:</i>			
Inhalants	2.3	4.6	1.1	Were victims of mean rumors or lies spread at school	41.9	49.2	44.9
Prescription medications not prescribed for student	0.0	9.2	5.3	Were made fun of by others	55.8	64.6	73.5
Over-the-counter medications for non-medical use	2.3	6.2	0.0	Were victims of an embarrassing or hurtful text message or something posted on the Internet	11.6	21.5	23.5
				Spread mean rumors or lies about other kids at school	20.5	30.8	29.6
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	50.0	70.8	78.6
Alcohol (Binge: 5+ drinks on one occasion)	2.3			Posted something on the internet or sent a text that might embarrass or hurt another student	11.4	20.3	18.4
<i>Percent whose friends used in past 12 months:</i>				<i>Percent of students who agree that:</i>			
Alcohol	20.9	64.1	17.3	Teachers notice and comment on student's good work	90.7	85.9	92.6
Cigarettes	9.1	56.9	17.3	School provides feedback to parents on positive student performance	65.9	57.8	79.6
Marijuana	4.7	41.5	10.2	Rules are enforced fairly	86.4	71.4	90.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.5	12.3	3.1	Students of all races/ethnicities are treated equal	95.5	79.7	99.0
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	13.6	34.4	9.6	Parents notice and comment on student's good work	88.6	83.1	98.9
Cigarettes	0.0	17.5	0.0	Parents involve student in making family decisions	81.8	69.2	75.8
Marijuana	0.0	7.8	6.3	It is important to be honest with parents regardless of consequences	95.3	87.5	96.9
				Student could ask parent for help with a personal problem	86.0	80.0	94.7
<i>Percent who say it would be wrong to use:</i>							
Alcohol	81.4	56.3	82.7				
Cigarettes	100.0	73.8	96.9				
Marijuana	97.7	88.9	92.9				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.7	95.4	100.0				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	93.0	71.4	100.0				
Cigarettes	100.0	87.7	97.9				
Marijuana	100.0	95.3	100.0				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	39.5	63.1	42.6				
Cigarettes	30.2	58.5	29.6				
Marijuana	9.1	36.9	15.3				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.5	13.8	1.0				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys



# HOWARD COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	12
Adult Psychiatric	12
<b>POPULATION</b>	
Census 2010	10,144
2013 Estimate	10,257

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	115	123	120
Mother Reported Smoking while Pregnant	30	25	34

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	1	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	1	2	3
Tuberculosis Infection Cases	1	0	4

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	81	107	101
Suicides	2	0	1
Self-inflicted Injuries	10	8	10
Homicides	0	1	0
Assault Injuries	20	24	15
Alcohol Induced Deaths	1	0	1
Drug Induced Deaths	1	0	0
Smoking Attributable Deaths	11	19	14

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	20	35
Alcohol Primary Diagnosis	2	2	1
Drug Primary Diagnosis	2	1	1
Alcohol Related Diagnosis	23	10	25
Drug Related Diagnosis	10	7	17
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	40	41
Alcohol Primary Diagnosis	2	10	3
Drug Primary Diagnosis	2	1	1
Alcohol Related Diagnosis	37	17	22
Drug Related Diagnosis	20	11	18
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	50	45
Alcohol Primary Diagnosis	2	8	9
Drug Primary Diagnosis	2	8	1
Alcohol Related Diagnosis	21	30	22
Drug Related Diagnosis	21	11	9

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	13	8	13
Fatal Crashes	2	0	2
Injury Crashes	6	3	5
Property Damage Crashes	5	5	6
Crash Fatalities	2	0	2
Crash Injuries	11	3	10
Drug Involved Crashes--Total	2	1	1
Fatal Crashes	0	0	0
Injury Crashes	2	0	0
Property Damage Crashes	0	1	1
Crash Fatalities	0	0	0
Crash Injuries	3	0	0

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	5,155	5,193	5,243
Employed	4,865	4,878	4,848
Unemployed	290	315	395
Unemployment Rate	5.6%	6.1%	7.5%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	418	425	439
Drop-outs	10	11	7
Drop-out Rate	2.4%	2.6%	1.6%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	3	0	1
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	63	64	42
Liquor Law Arrests	47	32	24
Drug Arrests	45	37	31
Methamphetamine Lab Incidents	2	6	2
Violent Offenses	14	16	14
Property Offenses	71	74	70
Domestic Violence Reports	27	26	29

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	35	23	29
Violent Offenses	16	4	11
Alcohol Offenses	2	1	0
Drug Offenses	3	2	1
Status Offenses--Total	61	30	26
Truancy	19	14	10
Beyond Parental Control	6	4	1
Habitually Absent from Home	1	1	1
Injurious Behavior	35	11	14
Abuse/Neglect/Custody--Total	32	14	8
Abuse	9	4	4
Neglect	23	10	4
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	22	9	5
Parental Alcohol Use Related	2	0	2
Parental Drug Use Related	8	1	1
Parental Alcohol and Drug Use	0	0	1
Child Removed for Other Reason	12	8	1

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	70	62	65
Probation/Parole Admissions--Drug	20	23	24
Probation/Parole Admissions--DWI	5	1	3
Prison Admissions--Total	41	46	47
Prison Admissions--Drug	12	17	14
Prison Admissions--DWI	3	6	3

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	10	11	11
Alcohol Package Carry-out Licenses	11	13	9

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# HOWARD COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	6	6	*
CSTAR Adolescent	6	0	*
CSTAR Women and Children	*	11	5
CSTAR General Adult	19	12	23
CSTAR Opioid	0	0	0
Primary Recovery Treatment	10	13	13
Clinical SATOP (CIP, YCIP, SROP)	8	7	6
Other Substance Abuse Treatment	0	*	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	33	41	39
- Adolescent Diversion Education Program	*	0	*
- Offender Education Program	16	28	13
- Weekend Intervention Program	*	5	8
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	0	*	*
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	43	43	49	Alcohol	18	17	30
AGE				Marijuana / Hashish	9	10	10
Under 18	7	*	0	Cocaine (total)	*	*	*
18 to 24	5	8	8	- Crack	0	0	*
25 to 29	5	*	6	Stimulant (total)	12	14	7
30 to 34	8	6	11	- Methamphetamine	12	14	7
35 to 39	*	8	9	Heroin	0	0	0
40 to 44	*	7	*	Analgesic except Heroin	*	0	*
45 to 54	7	9	10	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	0	0	0
Male	32	27	37	Inhalant	0	0	0
Female	11	16	12	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	40	37	42	Average Age at First Use of Drug	17.0	17.3	16.3
African American	*	6	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	*	5	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	0
Hispanic	0	0	*	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	*	0	*	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	22	11	20	0	21	23	15
High School Graduate or G.E.D.	14	21	19	1 or 2	12	13	21
Associate Degree or Some College	6	9	9	3 or More	10	7	13
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	19	10	12
Employed	8	14	16	School	0	0	0
Unemployed	13	12	19	Mental Health Provider	*	0	*
Not in Labor Force	22	17	14	Health Care Provider	0	*	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	18	24	35
Independent Living	30	34	44	Other Referral Source	*	8	*
Dependent Living	9	5	*	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	20	16	22	Special Education Services Needed	*	*	6
Married / Cohabiting	13	15	16	Co-Occurring Psychological Problem	15	15	18
Previously Married	10	12	11	Co-Occurring Developmental Problem	0	*	5

# HOWARD COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 12  
**CENSUS 2010** 10,144  
**2013 POPULATION ESTIMATE** 10,257

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	*	*	*
Anxiety Disorder	23	31	23
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	8	9	8
Mood Disorder	50	52	37
Personality Disorder	6	*	5
Psychotic Disorder	25	25	21
Sexual Disorder	0	0	0
Other Diagnosis	*	*	*
Diagnosis Unknown	22	22	26

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.


<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	91	96	83	Less than High School Diploma	30	27	14
<b>AGE</b>				High School Grad or G.E.D.	0	25	28
Under 6	0	0	0	Associate Degree or Some College	0	14	8
6 to 9	*	*	*	Bachelor or Advanced Degree	0	*	*
10 to 13	0	*	*	Education Level Unknown	61	28	32
14 to 17	5	*	*	<b>EMPLOYMENT</b>			
18 to 24	11	11	14	Employed	10	20	11
25 to 29	9	5	*	Unemployed	7	47	38
30 to 34	13	12	5	Not in Labor Force	53	11	*
35 to 39	5	5	10	Employment Status Unknown	21	18	32
40 to 44	9	12	5	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	11	17	12	Independent Living	30	39	27
50 to 54	12	14	10	Dependent Living	44	39	27
55 to 59	8	6	6	Homeless	0	0	0
60 and Over	7	8	9	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	17	15	28
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	61	61	54	Self / Family / Friend	40	48	36
Female	30	35	29	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	18	19	17
<b>RACE / ETHNICITY</b>				Health Care Provider	23	19	17
Caucasian	69	75	70	Court / Criminal Justice	6	*	*
African American	17	16	10	Other	*	*	7
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	*	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	0	Voluntary	85	92	79
Other Race	*	*	*	Civil	*	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	0	Commitment Type Unknown	*	*	*
Past or Current Military Service	7	8	*				

# HOWARD COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	37.6	44.1	51.6	Alcohol (1 or 2 drinks daily)	53.2		
Cigarettes	24.0	26.3	30.0	Alcohol (Binge: 5+ drinks once or twice a week)	57.1		
Chewing Tobacco	11.9	19.6	10.9	Alcohol (any use)		62.4	77.5
Marijuana	11.2	15.1	14.1	Cigarettes (1+ packs per day)	88.8		
Inhalants	4.0	6.1	2.3	Cigarettes (any use)		67.0	88.7
Prescription medications not prescribed for student	5.6	7.8	7.3	Marijuana (once or twice a week)	65.9		
Over-the-counter medications for non-medical use	1.6	6.1	5.9	Marijuana (any use)		73.0	68.2
Methamphetamine	1.6	1.7	0.9	Other: Cocaine, LSD, Meth, Club Drug (any use)	94.4	91.5	95.9
Cocaine	0.8	2.2	2.7				
Heroin	0.8	1.7	0.0	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	3.2	1.7	2.7	Were very sad	12.7	19.0	12.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	1.7	1.4	Were grouchy, irritable, or in a bad mood	22.4	21.9	15.8
Steroids not prescribed for student	2.4	2.3	0.9	Felt hopeless about the future	7.2	10.1	6.3
Synthetic drugs (K2, bath salts, Spice, etc)	4.8	7.8		Felt like not eating or eating more than usual	12.8	13.5	17.6
				Slept a lot more or a lot less than usual	8.7	17.9	20.5
				Had difficulty concentrating on school work	20.0	16.9	15.0
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	13.01	12.54	13.04	Seriously considered attempting suicide	4.8	7.8	7.7
Cigarettes	12.64	13.13	12.91	Made plan about how they would attempt suicide	5.6	3.9	6.3
Marijuana	14.48	14.43	13.82	Attempted suicide	1.6	2.8	3.6
Inhalants	11.02	11.37	12.40	Attempted suicide and resulting injury, poisoning, or overdose	0.0	0.0	0.9
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	14.4	20.2	21.5	Were threatened/injured with weapon at school	3.2	3.9	5.0
Alcohol (Binge: 5+ drinks on one occasion)		11.2	11.3	Were in a physical fight	19.8	19.0	17.6
Cigarettes	14.4	15.7	11.7	Were in a fight and had to be treated by a doctor or nurse	2.4	3.4	2.3
Chewing Tobacco	4.0	11.8	6.4				
Marijuana	5.6	8.4	6.4	<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.0	2.2	0.9	Were victims of mean rumors or lies spread at school	46.8	41.3	61.5
Prescription medications not prescribed for student	0.0	5.0	5.0	Were made fun of by others	56.0	52.0	76.5
Over-the-counter medications for non-medical use	1.6	2.2	5.0	Were victims of an embarrassing or hurtful text message or something posted on the Internet	21.0	12.2	23.1
				Spread mean rumors or lies about other kids at school	24.0	26.3	35.1
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	60.0	59.4	84.2
Alcohol (Binge: 5+ drinks on one occasion)	6.6			Posted something on the internet or sent a text that might embarrass or hurt another student	16.7	12.9	21.0
<i>Percent whose friends used in past 12 months:</i>				<i>Percent of students who agree that:</i>			
Alcohol	49.2	49.4	77.4	Teachers notice and comment on student's good work	85.7	75.0	63.2
Cigarettes	38.1	44.1	48.9	School provides feedback to parents on positive student performance	59.5	50.0	50.2
Marijuana	22.2	21.3	32.9	Rules are enforced fairly	84.9	73.1	58.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.3	3.9	9.0	Students of all races/ethnicities are treated equal	95.2	82.7	80.9
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	25.4	28.5	48.0	Parents notice and comment on student's good work	92.0	88.8	82.0
Cigarettes	13.5	12.8	14.1	Parents involve student in making family decisions	84.8	81.4	67.4
Marijuana	9.8	8.6	13.2	It is important to be honest with parents regardless of consequences	89.7	85.5	86.5
				Student could ask parent for help with a personal problem	88.8	83.1	76.4
<i>Percent who say it would be wrong to use:</i>							
Alcohol	65.9	57.1	47.5	Page Notes: Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.			
Cigarettes	79.2	74.3	82.8				
Marijuana	86.4	84.7	82.3				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.6	96.6	98.2				
<i>Percent whose parents would disapprove if they use:</i>				<i>Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys</i>			
Alcohol	73.6	76.0	73.3				
Cigarettes	94.4	92.7	92.8				
Marijuana	95.1	93.7	96.8				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	53.2	45.8	76.6				
Cigarettes	46.8	41.1	69.4				
Marijuana	21.6	21.8	28.5				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.2	8.4	12.7				

# HOWELL COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	18
Adult Psychiatric	18
<b>POPULATION</b>	
Census 2010	40,400
2013 Estimate	40,393

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	515	546	537
Mother Reported Smoking while Pregnant	129	130	159

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	1	1	1
Hepatitis B Chronic, Acute, Prenatal	1	4	1
Hepatitis C Chronic and Acute	1	56	54
Tuberculosis Infection Cases	1	28	16

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	479	508	451
Suicides	9	9	8
Self-inflicted Injuries	116	116	91
Homicides	3	2	2
Assault Injuries	115	169	133
Alcohol Induced Deaths	3	3	1
Drug Induced Deaths	4	5	5
Smoking Attributable Deaths	99	101	87

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	627	570
Alcohol Primary Diagnosis	2	65	59
Drug Primary Diagnosis	2	98	67
Alcohol Related Diagnosis		289	276
Drug Related Diagnosis		397	336
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	31	28
Alcohol Primary Diagnosis	2	11	10
Drug Primary Diagnosis	2	6	4
Alcohol Related Diagnosis		34	36
Drug Related Diagnosis		29	23
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	481	483
Alcohol Primary Diagnosis	2	74	70
Drug Primary Diagnosis	2	67	62
Alcohol Related Diagnosis		197	198
Drug Related Diagnosis		189	199

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	56	46	55
Fatal Crashes	2	1	1
Injury Crashes	26	21	32
Property Damage Crashes	28	24	22
Crash Fatalities	2	1	1
Crash Injuries	34	36	44
Drug Involved Crashes--Total	12	7	14
Fatal Crashes	0	0	1
Injury Crashes	6	5	6
Property Damage Crashes	6	2	7
Crash Fatalities	0	0	1
Crash Injuries	7	7	7

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	19,762	18,719	18,968
Employed	18,550	17,410	17,371
Unemployed	1,212	1,309	1,597
Unemployment Rate	6.1%	7.0%	8.4%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	1,979	1,950	1,890
Drop-outs	17	27	56
Drop-out Rate	0.9%	1.4%	3.0%
School Suspensions:			
Alcohol Incidents	3	2	7
Drug Incidents	20	24	25
Tobacco Incidents	0	2	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	295	341	224
Liquor Law Arrests	26	47	38
Drug Arrests	348	317	328
Methamphetamine Lab Incidents	19	36	26
Violent Offenses	131	113	118
Property Offenses	1,461	1,464	1,461
Domestic Violence Reports	330	262	259

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	197	177	120
Violent Offenses	24	23	31
Alcohol Offenses	13	22	9
Drug Offenses	18	18	13
Status Offenses--Total	383	459	370
Truancy	169	205	106
Beyond Parental Control	75	61	68
Habitually Absent from Home	24	35	40
Injurious Behavior	64	92	118
Abuse/Neglect/Custody--Total	186	138	153
Abuse	56	33	19
Neglect	111	94	110
Custody Disputes	19	11	24

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	11	18	29
Parental Alcohol Use Related	1	0	0
Parental Drug Use Related	0	1	6
Parental Alcohol and Drug Use	0	0	3
Child Removed for Other Reason	10	17	20

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	30	19	25
Probation/Parole Admissions--Total	331	283	228
Probation/Parole Admissions--Drug	105	91	58
Probation/Parole Admissions--DWI	15	16	11
Prison Admissions--Total	160	140	134
Prison Admissions--Drug	49	39	37
Prison Admissions--DWI	7	7	2

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	30	34	32
Alcohol Package Carry-out Licenses	42	42	41

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# HOWELL COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Detoxification	79	77	59
CSTAR Adolescent	27	22	45
CSTAR Women and Children	12	14	23
CSTAR General Adult	126	74	82
CSTAR Opioid	0	0	0
Primary Recovery Treatment	22	127	129
Clinical SATOP (CIP, YCIP, SROP)	45	54	29
Other Substance Abuse Treatment	0	*	0

<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Offender Management Unit	170	209	137
- Adolescent Diversion Education Program	*	0	0
- Offender Education Program	69	88	54
- Weekend Intervention Program	33	37	30
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	10	5	12
Compulsive Gambling	0	0	0
Recovery Supports	10	*	*
Early Intervention	6	0	*


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	235	292	315	Alcohol	101	136	120
<b>AGE</b>				Marijuana / Hashish	42	78	85
Under 18	27	25	50	Cocaine (total)	0	*	*
18 to 24	52	57	73	- Crack	0	0	*
25 to 29	38	36	48	Stimulant (total)	46	33	44
30 to 34	30	42	37	- Methamphetamine	46	33	43
35 to 39	27	41	36	Heroin	*	*	*
40 to 44	19	39	26	Analgesic except Heroin	33	30	49
45 to 54	31	38	33	- Non-Prescription Methadone	0	0	0
55 and Over	11	14	12	PCP, LSD, other Hallucinogen	0	0	0
<b>GENDER</b>				Tranquilizer	*	*	*
Male	146	195	208	Inhalant	0	*	*
Female	89	97	107	Sedative	0	*	*
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	9	*	*
Caucasian	228	278	303	Average Age at First Use of Drug	17.4	17.4	16.1
African American	*	7	*	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	*	*	0	Any Injection Use at Admission	45	33	47
Asian / Pacific Islander	0	0	*	- Daily Injection Use	15	8	10
Hispanic	*	*	7	- Weekly Injection Use	14	9	17
Other Race / Two or More Races	5	*	6	- Less than Weekly Injection Use	16	16	20
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	87	92	137	0	112	141	194
High School Graduate or G.E.D.	108	147	133	1 or 2	88	109	77
Associate Degree or Some College	40	49	39	3 or More	35	42	44
Bachelor or Advanced Degree	0	*	6	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	108	72	80
Employed	19	26	17	School	*	5	*
Unemployed	102	141	176	Mental Health Provider	*	*	*
Not in Labor Force	114	125	122	Health Care Provider	9	9	9
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	78	175	184
Independent Living	189	237	235	Other Referral Source	33	28	36
Dependent Living	34	33	64	<b>TREATMENT ACCOMMODATION</b>			
Homeless	9	17	11	Pregnant when Admitted to any Episode	*	6	*
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	*	8	5
Never Married	116	130	156	Special Education Services Needed	18	15	18
Married / Cohabiting	58	92	80	Co-Occurring Psychological Problem	78	82	86
Previously Married	61	70	79	Co-Occurring Developmental Problem	8	*	*



# HOWELL COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 18  
**CENSUS 2010** 40,400  
**2013 POPULATION ESTIMATE** 40,393

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	102	53	24
Anxiety Disorder	561	410	200
Dementia	9	*	0
Developmental Disorder	5	*	*
Impulse Control Disorder	170	103	43
Mood Disorder	835	634	371
Personality Disorder	34	25	10
Psychotic Disorder	107	87	46
Sexual Disorder	*	0	0
Other Diagnosis	41	33	13
Diagnosis Unknown	46	95	171

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	1,216	975	672	Less than High School Diploma	303	128	70
<b>AGE</b>				High School Grad or G.E.D.	*	156	178
Under 6	*	*	*	Associate Degree or Some College	0	32	24
6 to 9	33	23	13	Bachelor or Advanced Degree	0	7	6
10 to 13	42	36	22	Education Level Unknown	912	652	394
14 to 17	59	33	23	<b>EMPLOYMENT</b>			
18 to 24	177	134	97	Employed	163	57	19
25 to 29	139	122	89	Unemployed	248	295	256
30 to 34	155	126	72	Not in Labor Force	587	117	*
35 to 39	111	81	53	Employment Status Unknown	218	506	394
40 to 44	127	112	73	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	116	103	80	Independent Living	749	359	233
50 to 54	129	99	70	Dependent Living	157	76	51
55 to 59	71	54	43	Homeless	54	30	29
60 and Over	56	48	33	Other	*	*	*
Age Unknown	0	0	0	Housing Unknown	255	507	358
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	565	447	298	Self / Family / Friend	739	432	195
Female	651	528	374	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	30	41	48
<b>RACE / ETHNICITY</b>				Health Care Provider	256	229	191
Caucasian	1,178	944	656	Court / Criminal Justice	5	24	22
African American	10	*	*	Other	184	245	215
Native American / Alaskan	*	*	*	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	14	13	7	Voluntary	1,213	971	669
Other Race	13	12	7	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	0	0
Hearing Impaired	27	36	36	Commitment Type Unknown	0	*	0
Past or Current Military Service	34	26	19				



# HOWELL COUNTY


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	39.9	41.4	43.9	Alcohol (1 or 2 drinks daily)	51.9		
Cigarettes	31.0	30.7	33.5	Alcohol (Binge: 5+ drinks once or twice a week)	59.5		
Chewing Tobacco	27.1	26.5	21.9	Alcohol (any use)		70.8	78.6
Marijuana	7.2	10.4	17.1	Cigarettes (1+ packs per day)	86.2		
Inhalants	0.2	7.7	7.4	Cigarettes (any use)		79.4	79.9
Prescription medications not prescribed for student	2.2	7.7	12.6	Marijuana (once or twice a week)	71.0		
Over-the-counter medications for non-medical use	0.2	5.1	8.2	Marijuana (any use)		84.1	74.7
Methamphetamine	0.0	1.5	1.1	Other: Cocaine, LSD, Meth, Club Drug (any use)	91.1	94.7	94.5
Cocaine	0.0	2.1	1.3				
Heroin	0.0	1.6	0.6	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	0.0	2.8	3.3	Were very sad	12.6	17.1	19.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.2	3.4	2.0	Were grouchy, irritable, or in a bad mood	20.6	19.0	19.8
Steroids not prescribed for student	0.0	2.9	1.1	Felt hopeless about the future	9.6	10.6	10.9
Synthetic drugs (K2, bath salts, Spice, etc)	2.4	8.0		Felt like not eating or eating more than usual	13.1	13.5	17.3
				Slept a lot more or a lot less than usual	14.6	16.9	22.8
				Had difficulty concentrating on school work	22.9	17.3	20.7
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	13.26	12.33	12.49	Seriously considered attempting suicide	4.6	8.5	11.9
Cigarettes	13.53	12.33	12.00	Made plan about how they would attempt suicide	4.0	8.7	9.0
Marijuana	14.19	12.66	13.85	Attempted suicide	1.3	4.8	5.2
Inhalants	10.27	12.66	12.26	Attempted suicide and resulting injury, poisoning, or overdose	1.1	1.6	2.5
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	19.9	16.2	19.8	Were threatened/injured with weapon at school	4.8	7.2	9.3
Alcohol (Binge: 5+ drinks on one occasion)		10.1	12.7	Were in a physical fight	20.9	21.4	24.6
Cigarettes	13.6	14.4	17.9	Were in a fight and had to be treated by a doctor or nurse	0.8	2.2	3.1
Chewing Tobacco	21.0	16.1	12.0				
Marijuana	1.3	2.2	7.7	<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.0	3.1	3.3	Were victims of mean rumors or lies spread at school	55.2	51.9	57.9
Prescription medications not prescribed for student	0.4	2.6	8.0	Were made fun of by others	56.6	62.4	67.1
Over-the-counter medications for non-medical use	0.2	2.5	5.5	Were victims of an embarrassing or hurtful text message or something posted on the Internet	21.4	18.5	17.1
				Spread mean rumors or lies about other kids at school	20.2	25.7	27.2
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	50.1	54.8	67.7
Alcohol (Binge: 5+ drinks on one occasion)	11.0			Posted something on the internet or sent a text that might embarrass or hurt another student	13.7	11.5	14.5
<i>Percent whose friends used in past 12 months:</i>				<i>Percent of students who agree that:</i>			
Alcohol	51.6	50.9	55.2	Teachers notice and comment on student's good work	75.1	70.3	73.1
Cigarettes	44.2	41.7	50.2	School provides feedback to parents on positive student performance	41.0	36.9	36.7
Marijuana	19.7	21.8	33.5	Rules are enforced fairly	59.9	65.3	61.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.4	9.8	17.0	Students of all races/ethnicities are treated equal	84.7	78.1	82.0
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	31.2	33.4	31.8	Parents notice and comment on student's good work	85.2	83.4	83.2
Cigarettes	18.1	17.3	18.1	Parents involve student in making family decisions	77.5	65.9	70.8
Marijuana	7.8	6.9	12.7	It is important to be honest with parents regardless of consequences	92.3	86.1	84.8
<i>Percent who say it would be wrong to use:</i>				Student could ask parent for help with a personal problem	86.3	77.3	77.0
Alcohol	62.6	58.0	59.7				
Cigarettes	71.3	75.1	75.2				
Marijuana	87.0	87.4	83.3				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.9	96.6	94.4				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	75.8	76.8	77.3				
Cigarettes	82.4	84.9	87.1				
Marijuana	93.4	96.2	93.5				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	48.2	51.4	55.2				
Cigarettes	47.7	53.9	55.7				
Marijuana	28.9	29.1	36.5				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.4	17.0	20.6				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# IRON COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	17
Adult Psychiatric	17B
<b>POPULATION</b>	
Census 2010	10,630
2013 Estimate	10,344

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	114	118	112
Mother Reported Smoking while Pregnant	47	43	41
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	1
Hepatitis B Chronic, Acute, Prenatal	1	1	2
Hepatitis C Chronic and Acute	1	12	11
Tuberculosis Infection Cases	1	0	0
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	133	133	143
Suicides	4	0	1
Self-inflicted Injuries	18	27	14
Homicides	1	0	1
Assault Injuries	43	48	30
Alcohol Induced Deaths	0	1	1
Drug Induced Deaths	1	0	1
Smoking Attributable Deaths	32	32	30
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	274	244
Alcohol Primary Diagnosis	2	7	1
Drug Primary Diagnosis	2	8	5
Alcohol Related Diagnosis	55	51	38
Drug Related Diagnosis	83	70	45
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	55	49
Alcohol Primary Diagnosis	2	2	5
Drug Primary Diagnosis	2	6	3
Alcohol Related Diagnosis	28	23	24
Drug Related Diagnosis	32	25	20
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	189	212
Alcohol Primary Diagnosis	2	22	13
Drug Primary Diagnosis	2	41	22
Alcohol Related Diagnosis	73	69	27
Drug Related Diagnosis	113	97	71
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	6	25	15
Fatal Crashes	0	1	0
Injury Crashes	5	15	7
Property Damage Crashes	1	9	8
Crash Fatalities	0	1	0
Crash Injuries	9	22	14
Drug Involved Crashes--Total	3	1	3
Fatal Crashes	0	0	1
Injury Crashes	3	1	0
Property Damage Crashes	0	0	2
Crash Fatalities	0	0	1
Crash Injuries	3	1	1

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	5,370	5,357	4,970
Employed	4,979	4,933	4,459
Unemployed	391	424	511
Unemployment Rate	7.3%	7.9%	10.3%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	575	552	582
Drop-outs	1	9	21
Drop-out Rate	0.2%	1.6%	3.6%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	0	3	0
Tobacco Incidents	0	2	4

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	39	66	42
Liquor Law Arrests	3	20	4
Drug Arrests	21	48	32
Methamphetamine Lab Incidents	5	7	3
Violent Offenses	47	32	25
Property Offenses	118	99	120
Domestic Violence Reports	19	14	24

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	20	40	20
Violent Offenses	5	8	7
Alcohol Offenses	0	2	6
Drug Offenses	1	3	0
Status Offenses--Total	112	63	64
Truancy	28	15	3
Beyond Parental Control	7	11	8
Habitually Absent from Home	1	1	1
Injurious Behavior	69	26	40
Abuse/Neglect/Custody--Total	163	138	110
Abuse	64	56	35
Neglect	99	82	75
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	31	13	13
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	9	3	6
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	22	10	7

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	14	13	16
Probation/Parole Admissions--Total	74	84	95
Probation/Parole Admissions--Drug	26	24	27
Probation/Parole Admissions--DWI	3	6	4
Prison Admissions--Total	43	39	49
Prison Admissions--Drug	12	8	16
Prison Admissions--DWI	2	2	2

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	10	12	12
Alcohol Package Carry-out Licenses	8	10	8

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# IRON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	9	5	5
CSTAR Adolescent	*	*	5
CSTAR Women and Children	*	*	0
CSTAR General Adult	52	22	33
CSTAR Opioid	0	*	0
Primary Recovery Treatment	23	61	65
Clinical SATOP (CIP, YCIP, SROP)	5	5	9
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	40	35	28
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	16	12	11
- Weekend Intervention Program	18	13	7
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	0
Compulsive Gambling	0	0	*
Recovery Supports	*	0	0
Early Intervention	*	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	82	103	114	Alcohol	21	31	42
AGE				Marijuana / Hashish	12	27	35
Under 18	*	*	6	Cocaine (total)	*	*	*
18 to 24	18	25	26	- Crack	*	*	*
25 to 29	19	24	21	Stimulant (total)	12	13	14
30 to 34	11	9	21	- Methamphetamine	12	12	14
35 to 39	9	12	9	Heroin	10	*	*
40 to 44	6	6	10	Analgesic except Heroin	22	21	15
45 to 54	14	19	18	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	*	*
GENDER				Tranquilizer	*	*	0
Male	51	74	83	Inhalant	*	*	0
Female	31	29	31	Sedative	0	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	0
Caucasian	81	98	111	Average Age at First Use of Drug	19.3	18.3	17.6
African American	*	5	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	19	5	8
Asian / Pacific Islander	0	0	0	- Daily Injection Use	12	*	*
Hispanic	0	*	0	- Weekly Injection Use	*	*	0
Other Race / Two or More Races	0	0	*	- Less than Weekly Injection Use	*	*	5
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	30	37	50	0	52	70	70
High School Graduate or G.E.D.	40	53	49	1 or 2	22	21	30
Associate Degree or Some College	12	13	15	3 or More	8	12	14
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	37	34	30
Employed	13	24	23	School	0	0	0
Unemployed	50	59	64	Mental Health Provider	0	0	*
Not in Labor Force	19	20	27	Health Care Provider	*	5	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	31	59	70
Independent Living	76	89	103	Other Referral Source	8	*	9
Dependent Living	*	7	10	TREATMENT ACCOMMODATION			
Homeless	*	7	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	6	11	5
Never Married	36	56	63	Special Education Services Needed	7	7	*
Married / Cohabiting	28	26	28	Co-Occurring Psychological Problem	21	26	36
Previously Married	18	21	23	Co-Occurring Developmental Problem	11	5	30

# IRON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 17B  
**CENSUS 2010** 10,630  
**2013 POPULATION ESTIMATE** 10,344

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	*	*	*
Anxiety Disorder	35	35	29
Dementia	*	*	*
Developmental Disorder	5	5	*
Impulse Control Disorder	15	14	15
Mood Disorder	85	80	80
Personality Disorder	10	11	8
Psychotic Disorder	39	32	36
Sexual Disorder	*	0	*
Other Diagnosis	*	*	*
Diagnosis Unknown	22	31	29

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	177	180	180	Less than High School Diploma	62	47	24
<b>AGE</b>				High School Grad or G.E.D.	0	36	28
Under 6	*	0	*	Associate Degree or Some College	0	6	5
6 to 9	8	8	8	Bachelor or Advanced Degree	0	*	*
10 to 13	9	16	17	Education Level Unknown	115	89	122
14 to 17	19	20	16	<b>EMPLOYMENT</b>			
18 to 24	19	13	17	Employed	*	6	*
25 to 29	14	12	12	Unemployed	7	75	55
30 to 34	15	15	9	Not in Labor Force	100	19	*
35 to 39	16	14	16	Employment Status Unknown	66	80	121
40 to 44	22	17	19	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	13	19	20	Independent Living	37	68	41
50 to 54	14	17	14	Dependent Living	71	36	35
55 to 59	11	10	11	Homeless	*	0	*
60 and Over	16	19	19	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	67	76	101
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	88	83	82	Self / Family / Friend	55	56	58
Female	89	97	98	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	28	30	36
<b>RACE / ETHNICITY</b>				Health Care Provider	43	34	28
Caucasian	170	173	172	Court / Criminal Justice	*	*	5
African American	*	*	*	Other	46	55	51
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	0	0	Voluntary	173	176	173
Other Race	*	*	*	Civil	0	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	0	*
Hearing Impaired	9	9	11	Commitment Type Unknown	0	0	0
Past or Current Military Service	5	*	7				

# IRON COUNTY

## MISSOURI STUDENT SURVEY


	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	29.5	44.8	55.6	Alcohol (1 or 2 drinks daily)	84.0		
Cigarettes	31.1	30.3	45.7	Alcohol (Binge: 5+ drinks once or twice a week)	91.7		
Chewing Tobacco	14.4	23.2	22.7	Alcohol (any use)		70.1	72.3
Marijuana	1.5	14.6	22.9	Cigarettes (1+ packs per day)	93.2		
Inhalants	16.7	2.4	9.1	Cigarettes (any use)		75.6	70.8
Prescription medications not prescribed for student	3.8	8.5	24.4	Marijuana (once or twice a week)	72.0		
Over-the-counter medications for non-medical use	1.5	5.5	16.3	Marijuana (any use)		73.2	62.6
Methamphetamine	0.0	0.6	1.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.4	93.9	91.0
Cocaine	0.0	0.6	1.9				
Heroin	0.0	0.6	0.0	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	0.0	1.2	4.8	Were very sad	8.3	23.0	13.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	1.8	2.4	Were grouchy, irritable, or in a bad mood	9.8	25.6	23.0
Steroids not prescribed for student	0.0	1.8	2.9	Felt hopeless about the future	6.1	10.4	14.6
Synthetic drugs (K2, bath salts, Spice, etc)	0.0	5.5		Felt like not eating or eating more than usual	5.3	22.0	12.7
				Slept a lot more or a lot less than usual	8.3	20.7	22.2
				Had difficulty concentrating on school work	14.5	16.4	23.1
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	10.42	12.25	11.53	Seriously considered attempting suicide	3.8	9.8	15.5
Cigarettes	10.80	11.72	11.24	Made plan about how they would attempt suicide	1.5	8.5	14.1
Marijuana	12.00	13.25	13.08	Attempted suicide	0.0	3.7	7.9
Inhalants	10.58		12.85	Attempted suicide and resulting injury, poisoning, or overdose	0.0	1.2	3.9
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	1.5	17.6	24.6	Were threatened/injured with weapon at school	3.8	6.7	14.2
Alcohol (Binge: 5+ drinks on one occasion)		12.8	20.1	Were in a physical fight	6.8	26.2	32.4
Cigarettes	1.5	10.3	23.0	Were in a fight and had to be treated by a doctor or nurse	1.5	3.0	9.8
Chewing Tobacco	6.8	12.7	17.4				
Marijuana	1.5	7.3	11.0	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.5	1.8	2.4	Were victims of mean rumors or lies spread at school	66.2	55.8	63.4
Prescription medications not prescribed for student	2.3	5.5	14.4	Were made fun of by others	50.8	66.5	72.8
Over-the-counter medications for non-medical use	1.5	3.6	9.6	Were victims of an embarrassing or hurtful text message or something posted on the Internet	37.2	24.2	20.7
				Spread mean rumors or lies about other kids at school	6.1	27.3	31.1
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	40.2	67.9	68.1
Alcohol (Binge: 5+ drinks on one occasion)	0.0			Posted something on the internet or sent a text that might embarrass or hurt another student	3.8	14.0	17.0
				<i>Percent of students who agree that:</i>			
<i>Percent whose friends used in past 12 months:</i>				Teachers notice and comment on student's good work	69.7	75.8	76.6
Alcohol	20.5	54.9	70.0	School provides feedback to parents on positive student performance	34.4	39.4	36.2
Cigarettes	12.9	41.8	54.5	Rules are enforced fairly	66.7	61.6	57.1
Marijuana	1.5	27.3	39.8	Students of all races/ethnicities are treated equal	81.1	77.0	82.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	0.0	9.7	15.9				
				<i>Percent of students who agree that:</i>			
<i>Percent who would likely use, if offered by a best friend:</i>				Parents notice and comment on student's good work	77.9	84.8	83.2
Alcohol	5.3	38.7	41.8	Parents involve student in making family decisions	88.5	68.1	68.6
Cigarettes	4.5	14.5	23.8	It is important to be honest with parents regardless of consequences	94.7	85.5	82.5
Marijuana	1.5	8.5	15.8	Student could ask parent for help with a personal problem	68.2	75.3	70.0
<i>Percent who say it would be wrong to use:</i>							
Alcohol	87.1	55.2	50.7				
Cigarettes	90.7	75.6	68.5				
Marijuana	96.2	85.5	79.2				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	100.0	95.2	93.9				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	92.2	77.3	74.5				
Cigarettes	94.7	87.7	80.6				
Marijuana	98.5	93.9	92.7				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	31.8	57.3	63.2				
Cigarettes	35.6	52.1	60.1				
Marijuana	9.8	30.1	37.6				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.1	15.3	20.8				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys



# JACKSON COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	2-5 (JC)
Adult Psychiatric	2, 3, 4, 5
<b>POPULATION</b>	
Census 2010	674,158
2013 Estimate	679,996

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	9,630	9,583	9,763
Mother Reported Smoking while Pregnant	1,503	1,485	1,529

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	125	149	129
Hepatitis B Chronic, Acute, Prenatal	1 83	73	71
Hepatitis C Chronic and Acute	1 589	644	655
Tuberculosis Infection Cases	1 462	390	344

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	6,022	5,981	5,883
Suicides	108	127	93
Self-inflicted Injuries	1,150	1,120	1,133
Homicides	112	112	121
Assault Injuries	4,567	4,490	4,370
Alcohol Induced Deaths	82	65	72
Drug Induced Deaths	113	105	123
Smoking Attributable Deaths	1,013	974	942

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 6,293	7,059	
Alcohol Primary Diagnosis	2 726	732	
Drug Primary Diagnosis	2 379	385	
Alcohol Related Diagnosis	2,946	3,170	3,297
Drug Related Diagnosis	3,441	3,619	3,955
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 2,112	1,549	
Alcohol Primary Diagnosis	2 660	492	
Drug Primary Diagnosis	2 330	265	
Alcohol Related Diagnosis	3,399	3,133	3,213
Drug Related Diagnosis	3,027	2,683	2,605
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 5,886	5,955	
Alcohol Primary Diagnosis	2 4,113	3,963	
Drug Primary Diagnosis	2 1,643	1,539	
Alcohol Related Diagnosis	8,317	7,134	6,975
Drug Related Diagnosis	5,794	5,025	4,108

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	650	648	716
Fatal Crashes	11	13	9
Injury Crashes	251	307	289
Property Damage Crashes	388	328	418
Crash Fatalities	12	14	9
Crash Injuries	362	500	428
Drug Involved Crashes--Total	149	148	165
Fatal Crashes	1	3	2
Injury Crashes	75	77	79
Property Damage Crashes	73	68	84
Crash Fatalities	1	3	2
Crash Injuries	115	85	109

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	330,287	333,027	339,740
Employed	305,538	307,454	307,179
Unemployed	24,749	25,573	32,561
Unemployment Rate	7.5%	7.7%	9.6%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	28,682	28,672	29,317
Drop-outs	1,113	1,515	1,592
Drop-out Rate	3.9%	5.3%	5.4%
School Suspensions:			
Alcohol Incidents	41	38	56
Drug Incidents	286	418	406
Tobacco Incidents	8	10	12

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	3,386	3,096	3,522
Liquor Law Arrests	809	824	895
Drug Arrests	3,507	3,446	3,799
Methamphetamine Lab Incidents	56	26	24
Violent Offenses	6,979	6,672	6,729
Property Offenses	40,982	39,947	41,921
Domestic Violence Reports	6,986	6,469	7,721

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	1,519	1,621	1,210
Violent Offenses	408	475	505
Alcohol Offenses	0	4	19
Drug Offenses	47	70	79
Status Offenses--Total	81	95	83
Truancy	7	3	21
Beyond Parental Control	32	10	22
Habitually Absent from Home	6	18	18
Injurious Behavior	22	10	11
Abuse/Neglect/Custody--Total	1,597	1,312	1,581
Abuse	323	142	197
Neglect	1,035	839	991
Custody Disputes	239	331	393

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	1,176	994	1,084
Parental Alcohol Use Related	36	51	27
Parental Drug Use Related	413	294	303
Parental Alcohol and Drug Use	48	20	41
Child Removed for Other Reason	679	629	713

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	848	871	870
Probation/Parole Admissions--Total	2,691	2,829	2,969
Probation/Parole Admissions--Drug	822	940	995
Probation/Parole Admissions--DWI	177	187	147
Prison Admissions--Total	1,062	1,165	1,357
Prison Admissions--Drug	224	249	320
Prison Admissions--DWI	76	95	106

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	821	804	784
Alcohol Package Carry-out Licenses	463	463	445

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# JACKSON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	822	1,134	1,392
CSTAR Adolescent	267	260	284
CSTAR Women and Children	698	713	733
CSTAR General Adult	1,430	1,287	1,442
CSTAR Opioid	82	69	83
Primary Recovery Treatment	863	838	1,092
Clinical SATOP (CIP, YCIP, SROP)	620	460	379
Other Substance Abuse Treatment	359	469	515

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	2,570	2,643	2,650
- Adolescent Diversion Education Program	11	20	21
- Offender Education Program	1,000	1,044	1,125
- Weekend Intervention Program	538	611	639
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	177	216	228
Compulsive Gambling	10	17	31
Recovery Supports	1,873	2,043	1,284
Early Intervention	32	42	26


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011
Total Individuals	4,558	4,727	5,017
AGE			
Under 18	265	270	290
18 to 24	585	641	706
25 to 29	689	635	763
30 to 34	714	701	680
35 to 39	532	539	602
40 to 44	481	553	594
45 to 54	959	1,085	1,080
55 and Over	333	303	302
GENDER			
Male	3,099	3,264	3,495
Female	1,459	1,463	1,522
RACE / ETHNICITY			
Caucasian	2,563	2,522	2,629
African American	1,671	1,858	2,051
Native American / Alaskan	16	26	23
Asian / Pacific Islander	15	17	15
Hispanic	191	190	206
Other Race / Two or More Races	155	171	153
EDUCATION			
Less than High School Diploma	1,522	1,587	1,737
High School Graduate or G.E.D.	1,937	2,019	2,147
Associate Degree or Some College	1,054	1,069	1,054
Bachelor or Advanced Degree	45	52	79
EMPLOYMENT			
Employed	1,006	886	964
Unemployed	1,893	2,163	2,449
Not in Labor Force	1,658	1,678	1,604
HOUSING / LIVING ARRANGEMENT			
Independent Living	3,123	3,178	3,288
Dependent Living	710	743	892
Homeless	576	662	686
MARITAL / FAMILY STATUS			
Never Married	2,904	2,828	3,057
Married / Cohabiting	785	848	884
Previously Married	869	1,051	1,076

PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Alcohol	1,878	1,906	1,991
Marijuana / Hashish	1,081	1,140	1,270
Cocaine (total)	422	602	690
- Crack	313	462	562
Stimulant (total)	674	576	564
- Methamphetamine	647	556	541
Heroin	103	77	79
Analgesic except Heroin	189	158	163
- Non-Prescription Methadone	0	7	5
PCP, LSD, other Hallucinogen	166	203	205
Tranquilizer	32	46	36
Inhalant	*	*	*
Sedative	*	*	9
Other Medication or Illicit Drug	10	14	6
Average Age at First Use of Drug	17.8	17.9	17.7
INJECTION DRUG USE			
Any Injection Use at Admission	328	283	257
- Daily Injection Use	95	65	58
- Weekly Injection Use	90	85	78
- Less than Weekly Injection Use	143	133	121
LIFETIME DUI / DWI ARRESTS			
0	2,662	2,816	3,068
1 or 2	1,161	1,161	1,138
3 or More	735	750	811
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	1,750	1,821	1,772
School	29	40	27
Mental Health Provider	85	102	102
Health Care Provider	197	230	281
Court / Criminal Justice	1,777	2,057	2,392
Other Referral Source	435	426	441
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	66	86	78
Military Veteran	192	239	288
Special Education Services Needed	323	353	307
Co-Occurring Psychological Problem	1,767	1,894	1,884
Co-Occurring Developmental Problem	135	168	153

# JACKSON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 2, 3, 4, 5  
**CENSUS 2010** 674,158  
**2013 POPULATION ESTIMATE** 679,996

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	748	736	494
Anxiety Disorder	4,404	4,090	3,024
Dementia	27	26	19
Developmental Disorder	156	134	116
Impulse Control Disorder	2,307	2,136	1,728
Mood Disorder	8,148	7,606	5,874
Personality Disorder	552	498	410
Psychotic Disorder	3,097	3,067	2,515
Sexual Disorder	25	6	23
Other Diagnosis	1,045	973	886
Diagnosis Unknown	2,223	2,706	3,483

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.


<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	14,911	14,664	13,031	Less than High School Diploma	2,603	1,401	917
<b>AGE</b>				High School Grad or G.E.D.	15	1,304	1,221
Under 6	130	169	164	Associate Degree or Some College	*	505	476
6 to 9	807	867	760	Bachelor or Advanced Degree	0	154	172
10 to 13	1,030	1,054	913	Education Level Unknown	12,289	11,300	10,245
14 to 17	1,021	1,104	1,063	<b>EMPLOYMENT</b>			
18 to 24	1,357	1,322	1,123	Employed	606	379	309
25 to 29	1,269	1,134	1,030	Unemployed	869	2,610	2,425
30 to 34	1,421	1,336	1,165	Not in Labor Force	4,834	1,082	71
35 to 39	1,258	1,177	1,062	Employment Status Unknown	8,602	10,593	10,226
40 to 44	1,276	1,292	1,177	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	1,513	1,569	1,448	Independent Living	3,060	2,752	2,138
50 to 54	1,693	1,666	1,411	Dependent Living	2,753	1,143	847
55 to 59	1,183	1,074	962	Homeless	426	256	162
60 and Over	953	900	753	Other	*	117	191
Age Unknown	0	0	0	Housing Unknown	8,671	10,396	9,693
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	7,339	7,232	6,550	Self / Family / Friend	7,437	7,149	5,492
Female	7,572	7,432	6,481	School	170	185	176
Gender Unknown	0	0	0	Mental Health Provider	1,282	1,305	1,451
<b>RACE / ETHNICITY</b>				Health Care Provider	2,219	2,080	1,641
Caucasian	7,163	6,820	6,203	Court / Criminal Justice	688	824	882
African American	6,219	6,497	5,440	Other	3,027	3,022	3,221
Native American / Alaskan	54	58	64	Referral Source Unknown	88	99	168
Asian / Pacific Islander	62	56	51	<b>TYPE OF COMMITMENT</b>			
Hispanic	438	437	384	Voluntary	14,676	14,380	12,660
Other Race	975	795	888	Civil	39	84	91
Race/Ethnicity Unknown	0	*	*	Criminal	112	113	123
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	10	6	8
Hearing Impaired	248	225	206	Commitment Type Unknown	74	81	149
Past or Current Military Service	299	303	293				

# JACKSON COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	30.5	36.7	37.7	Alcohol (1 or 2 drinks daily)	60.3		
Cigarettes	17.3	21.1	24.7	Alcohol (Binge: 5+ drinks once or twice a week)	73.1		
Chewing Tobacco	7.1	7.8	6.3	Alcohol (any use)		71.4	71.5
Marijuana	16.6	19.6	19.7	Cigarettes (1+ packs per day)	83.2		
Inhalants	3.4	5.0	5.8	Cigarettes (any use)		81.9	78.3
Prescription medications not prescribed for student	8.5	8.0	9.9	Marijuana (once or twice a week)	56.4		
Over-the-counter medications for non-medical use	3.7	5.9	7.3	Marijuana (any use)		67.2	71.9
Methamphetamine	0.6	1.3	0.9	Other: Cocaine, LSD, Meth, Club Drug (any use)	88.2	91.8	89.7
Cocaine	1.5	2.1	1.8	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.5	1.0	0.6	Were very sad	20.8	19.9	17.1
Hallucinogens	1.8	3.0	2.5	Were grouchy, irritable, or in a bad mood	27.6	25.5	23.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.9	2.4	2.1	Felt hopeless about the future	12.2	11.8	11.1
Steroids not prescribed for student	1.1	1.6	1.0	Felt like not eating or eating more than usual	17.8	17.4	17.2
Synthetic drugs (K2, bath salts, Spice, etc)	3.3	6.4		Slept a lot more or a lot less than usual	20.1	21.6	24.5
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	24.7	23.3	22.8
Alcohol	12.99	12.94	12.46	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.76	12.65	12.12	Seriously considered attempting suicide	13.3	12.5	11.4
Marijuana	13.73	13.61	13.33	Made plan about how they would attempt suicide	9.6	8.8	8.6
Inhalants	11.00	11.55	11.21	Attempted suicide	5.9	5.6	6.2
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.4	1.8	2.5
Alcohol	11.5	14.9	16.3	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		7.8	9.1	Were threatened/injured with weapon at school	6.6	6.5	9.9
Cigarettes	6.7	9.2	12.4	Were in a physical fight	18.6	19.9	26.5
Chewing Tobacco	3.5	3.8	3.1	Were in a fight and had to be treated by a doctor or nurse	2.9	3.0	4.9
Marijuana	8.1	10.2	10.5	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.4	2.0	2.7	Were victims of mean rumors or lies spread at school	48.7	44.7	48.6
Prescription medications not prescribed for student	3.9	4.5	6.2	Were made fun of by others	57.9	58.0	63.7
Over-the-counter medications for non-medical use	2.2	3.5	4.6	Were victims of an embarrassing or hurtful text message or something posted on the internet	24.1	18.3	17.2
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	23.8	25.4	30.6
Alcohol (Binge: 5+ drinks on one occasion)	5.1			Made fun of other people	52.7	62.0	68.7
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	16.7	13.8	17.3
Alcohol	40.8	51.5	50.9	<i>Percent of students who agree that:</i>			
Cigarettes	30.9	41.0	42.5	Teachers notice and comment on student's good work	70.6	65.8	70.7
Marijuana	35.2	42.9	39.6	School provides feedback to parents on positive student performance	39.3	36.7	42.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.0	15.1	17.0	Rules are enforced fairly	63.6	62.3	64.4
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	74.1	71.7	76.3
Alcohol	23.7	29.3	29.3	<i>Percent of students who agree that:</i>			
Cigarettes	9.7	12.4	13.5	Parents notice and comment on student's good work	80.8	80.9	82.2
Marijuana	16.0	17.0	15.4	Parents involve student in making family decisions	68.8	67.0	69.1
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	85.6	84.6	82.2
Alcohol	66.5	61.1	62.8	Student could ask parent for help with a personal problem	75.8	73.8	75.7
Cigarettes	86.1	81.3	79.3	<div>Page Notes: Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</div>			
Marijuana	76.0	76.9	78.0				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.0	93.9	93.6				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	83.3	79.3	80.4				
Cigarettes	93.5	90.6	90.0				
Marijuana	90.7	91.5	92.0	Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	48.3	56.9	52.7				
Cigarettes	44.3	54.4	51.7				
Marijuana	37.4	43.6	39.4				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.7	18.7	19.8				

# JASPER COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	9
Adult Psychiatric	9
<b>POPULATION</b>	
Census 2010	117,404
2013 Estimate	116,398

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	1,745	1,688	1,779
Mother Reported Smoking while Pregnant	314	362	368

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	6	6	8
Hepatitis B Chronic, Acute, Prenatal	1 11	11	4
Hepatitis C Chronic and Acute	1 112	141	120
Tuberculosis Infection Cases	1 76	94	48

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	1,108	1,215	1,114
Suicides	14	17	15
Self-inflicted Injuries	152	186	173
Homicides	4	3	3
Assault Injuries	400	442	494
Alcohol Induced Deaths	7	2	5
Drug Induced Deaths	10	17	25
Smoking Attributable Deaths	221	202	197

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 881	1,225	
Alcohol Primary Diagnosis	2 147	175	
Drug Primary Diagnosis	2 81	105	
Alcohol Related Diagnosis	444	726	796
Drug Related Diagnosis	437	687	760
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 689	285	
Alcohol Primary Diagnosis	2 206	151	
Drug Primary Diagnosis	2 123	71	
Alcohol Related Diagnosis	572	329	359
Drug Related Diagnosis	501	240	325
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 1,420	1,496	
Alcohol Primary Diagnosis	2 403	308	
Drug Primary Diagnosis	2 238	191	
Alcohol Related Diagnosis	914	756	897
Drug Related Diagnosis	725	681	737

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	113	101	106
Fatal Crashes	1	3	0
Injury Crashes	49	34	45
Property Damage Crashes	63	64	61
Crash Fatalities	2	3	0
Crash Injuries	66	54	58
Drug Involved Crashes--Total	42	41	41
Fatal Crashes	0	0	1
Injury Crashes	12	19	15
Property Damage Crashes	30	22	25
Crash Fatalities	0	0	1
Crash Injuries	18	21	21

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	57,039	57,547	58,457
Employed	53,783	54,125	53,977
Unemployed	3,256	3,422	4,480
Unemployment Rate	5.7%	5.9%	7.7%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	5,852	5,643	5,961
Drop-outs	164	198	185
Drop-out Rate	2.8%	3.5%	3.1%
School Suspensions:			
Alcohol Incidents	7	10	6
Drug Incidents	34	38	65
Tobacco Incidents	0	1	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	1,078	1,283	1,302
Liquor Law Arrests	252	231	172
Drug Arrests	433	419	543
Methamphetamine Lab Incidents	78	86	93
Violent Offenses	520	475	534
Property Offenses	6,084	5,213	5,261
Domestic Violence Reports	1,431	1,112	1,054

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	762	644	726
Violent Offenses	161	140	166
Alcohol Offenses	19	33	34
Drug Offenses	66	57	74
Status Offenses--Total	215	288	372
Truancy	42	92	134
Beyond Parental Control	50	58	87
Habitually Absent from Home	40	40	51
Injurious Behavior	78	90	90
Abuse/Neglect/Custody--Total	740	700	896
Abuse	9	5	27
Neglect	727	695	867
Custody Disputes	4	0	2

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	303	307	323
Parental Alcohol Use Related	13	10	7
Parental Drug Use Related	124	136	116
Parental Alcohol and Drug Use	6	16	15
Child Removed for Other Reason	160	145	185

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	35	32	30
Probation/Parole Admissions--Total	725	738	725
Probation/Parole Admissions--Drug	211	261	241
Probation/Parole Admissions--DWI	95	109	80
Prison Admissions--Total	324	338	365
Prison Admissions--Drug	121	103	135
Prison Admissions--DWI	27	30	37

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	114	112	116
Alcohol Package Carry-out Licenses	107	121	115

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# JASPER COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	263	149	143
CSTAR Adolescent	61	80	79
CSTAR Women and Children	176	180	182
CSTAR General Adult	583	533	462
CSTAR Opioid	0	0	0
Primary Recovery Treatment	30	36	290
Clinical SATOP (CIP, YCIP, SROP)	124	134	126
Other Substance Abuse Treatment	*	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	638	780	692
- Adolescent Diversion Education Program	42	45	49
- Offender Education Program	252	291	249
- Weekend Intervention Program	109	148	99
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	56	52	63
Compulsive Gambling	*	*	*
Recovery Supports	385	415	183
Early Intervention	62	61	30


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	1,141	1,134	1,205	Alcohol	479	487	519
AGE				Marijuana / Hashish	223	237	262
Under 18	65	83	80	Cocaine (total)	18	26	24
18 to 24	167	174	195	- Crack	10	14	14
25 to 29	182	193	247	Stimulant (total)	301	288	291
30 to 34	195	200	170	- Methamphetamine	297	283	265
35 to 39	158	128	142	Heroin	7	*	7
40 to 44	125	116	119	Analgesic except Heroin	89	66	84
45 to 54	183	182	208	- Non-Prescription Methadone	*	*	0
55 and Over	66	58	44	PCP, LSD, other Hallucinogen	*	*	0
GENDER				Tranquilizer	12	17	11
Male	738	722	773	Inhalant	*	*	*
Female	403	412	432	Sedative	*	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	5	5	*
Caucasian	1,028	1,013	1,080	Average Age at First Use of Drug	18.2	17.3	17.3
African American	63	55	59	INJECTION DRUG USE			
Native American / Alaskan	*	*	5	Any Injection Use at Admission	182	148	172
Asian / Pacific Islander	*	*	5	- Daily Injection Use	33	15	24
Hispanic	32	42	39	- Weekly Injection Use	58	35	45
Other Race / Two or More Races	22	28	25	- Less than Weekly Injection Use	91	98	103
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	422	411	476	0	555	515	571
High School Graduate or G.E.D.	425	464	491	1 or 2	369	386	404
Associate Degree or Some College	282	249	224	3 or More	217	233	230
Bachelor or Advanced Degree	12	10	14	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	662	439	366
Employed	340	345	330	School	*	*	*
Unemployed	486	464	491	Mental Health Provider	*	7	12
Not in Labor Force	315	325	384	Health Care Provider	111	42	70
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	263	477	569
Independent Living	868	888	955	Other Referral Source	94	165	186
Dependent Living	131	148	156	TREATMENT ACCOMMODATION			
Homeless	103	57	73	Pregnant when Admitted to any Episode	13	19	20
MARITAL / FAMILY STATUS				Military Veteran	60	45	49
Never Married	504	518	546	Special Education Services Needed	167	129	134
Married / Cohabiting	318	309	338	Co-Occurring Psychological Problem	715	598	538
Previously Married	319	307	321	Co-Occurring Developmental Problem	29	25	38



# JASPER COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 9  
**CENSUS 2010** 117,404  
**2013 POPULATION ESTIMATE** 116,398

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	148	186	159
Anxiety Disorder	947	828	674
Dementia	*	5	5
Developmental Disorder	37	25	15
Impulse Control Disorder	510	519	438
Mood Disorder	1,502	1,445	1,331
Personality Disorder	300	173	118
Psychotic Disorder	223	252	237
Sexual Disorder	16	0	6
Other Diagnosis	188	131	93
Diagnosis Unknown	485	393	543

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	3,042	3,107	3,038	Less than High School Diploma	625	271	188
<b>AGE</b>				High School Grad or G.E.D.	10	236	246
Under 6	60	57	48	Associate Degree or Some College	*	127	97
6 to 9	224	213	198	Bachelor or Advanced Degree	0	32	29
10 to 13	242	254	239	Education Level Unknown	2,404	2,441	2,478
14 to 17	246	244	242	<b>EMPLOYMENT</b>			
18 to 24	285	325	315	Employed	175	116	75
25 to 29	296	294	280	Unemployed	176	501	470
30 to 34	286	321	306	Not in Labor Force	1,010	181	15
35 to 39	262	268	292	Employment Status Unknown	1,681	2,309	2,478
40 to 44	282	279	257	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	279	278	292	Independent Living	677	575	469
50 to 54	300	289	294	Dependent Living	524	182	219
55 to 59	165	165	149	Homeless	59	39	42
60 and Over	115	120	126	Other	*	22	21
Age Unknown	0	0	0	Housing Unknown	1,781	2,289	2,287
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	1,382	1,420	1,320	Self / Family / Friend	2,489	2,398	2,385
Female	1,660	1,687	1,718	School	*	5	*
Gender Unknown	0	0	0	Mental Health Provider	60	91	96
<b>RACE / ETHNICITY</b>				Health Care Provider	115	121	100
Caucasian	2,775	2,846	2,816	Court / Criminal Justice	159	230	171
African American	92	75	60	Other	201	241	246
Native American / Alaskan	6	13	12	Referral Source Unknown	16	21	37
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	91	94	69	Voluntary	2,885	2,869	2,839
Other Race	74	76	76	Civil	127	211	150
Race/Ethnicity Unknown	0	0	*	Criminal	8	5	10
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	0	0
Hearing Impaired	35	47	44	Commitment Type Unknown	18	22	39
Past or Current Military Service	51	67	57				




# JASPER COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	30.0	31.5	39.4	Alcohol (1 or 2 drinks daily)	61.9		
Cigarettes	20.2	22.3	28.4	Alcohol (Binge: 5+ drinks once or twice a week)	75.3		
Chewing Tobacco	14.3	9.1	12.7	Alcohol (any use)		75.3	75.9
Marijuana	9.6	13.3	16.8	Cigarettes (1+ packs per day)	86.6		
Inhalants	2.4	5.2	7.5	Cigarettes (any use)		81.2	80.4
Prescription medications not prescribed for student	5.5	6.5	11.7	Marijuana (once or twice a week)	76.6		
Over-the-counter medications for non-medical use	2.0	5.7	8.2	Marijuana (any use)		73.5	76.9
Methamphetamine	0.5	1.2	1.3	Other: Cocaine, LSD, Meth, Club Drug (any use)	94.3	93.8	93.2
Cocaine	0.3	1.6	2.0	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.5	0.8	0.5	Were very sad	21.6	17.3	20.9
Hallucinogens	0.8	2.8	3.4	Were grouchy, irritable, or in a bad mood	20.2	20.8	23.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1	1.6	2.5	Felt hopeless about the future	11.8	10.5	10.5
Steroids not prescribed for student	0.9	1.0	1.2	Felt like not eating or eating more than usual	16.2	16.2	18.7
Synthetic drugs (K2, bath salts, Spice, etc)	2.4	6.4		Slept a lot more or a lot less than usual	17.0	18.7	25.0
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	19.4	21.7	22.8
Alcohol	13.05	12.70	12.62	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.68	12.48	12.42	Seriously considered attempting suicide	11.8	9.7	10.3
Marijuana	14.41	13.66	13.66	Made plan about how they would attempt suicide	8.1	7.0	7.7
Inhalants	11.32	12.06	12.44	Attempted suicide	3.7	4.6	4.7
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.0	1.4	2.0
Alcohol	12.0	12.8	16.9	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		7.9	10.6	Were threatened/injured with weapon at school	6.4	6.6	8.8
Cigarettes	8.1	10.4	14.9	Were in a physical fight	17.3	18.7	22.6
Chewing Tobacco	8.7	4.4	6.8	Were in a fight and had to be treated by a doctor or nurse	3.4	3.4	4.1
Marijuana	3.6	5.6	7.9	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.3	1.9	3.8	Were victims of mean rumors or lies spread at school	50.7	47.3	50.0
Prescription medications not prescribed for student	2.2	3.5	6.5	Were made fun of by others	57.3	57.6	61.6
Over-the-counter medications for non-medical use	0.8	3.3	4.9	Were victims of an embarrassing or hurtful text message or something posted on the internet	24.0	20.7	17.5
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	23.6	23.9	27.8
Alcohol (Binge: 5+ drinks on one occasion)	4.8			Made fun of other people	48.2	54.4	64.1
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	15.6	12.3	14.9
Alcohol	37.1	44.0	51.1	<i>Percent of students who agree that:</i>			
Cigarettes	26.8	39.1	44.7	Teachers notice and comment on student's good work	69.9	68.1	67.4
Marijuana	16.6	30.3	35.0	School provides feedback to parents on positive student performance	46.5	36.8	39.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.4	13.3	17.2	Rules are enforced fairly	59.6	61.0	65.7
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	79.2	77.0	77.2
Alcohol	22.2	22.4	28.4	<i>Percent of students who agree that:</i>			
Cigarettes	11.7	12.0	15.7	Parents notice and comment on student's good work	83.1	82.0	84.5
Marijuana	6.6	10.0	12.7	Parents involve student in making family decisions	70.5	69.1	71.7
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	89.3	87.8	83.6
Alcohol	70.0	68.5	64.4	Student could ask parent for help with a personal problem	80.2	77.9	78.8
Cigarettes	86.6	82.9	77.1	<div>Page Notes: Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</div>			
Marijuana	88.1	83.9	81.4				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.9	95.2	93.9				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	83.9	81.7	81.0				
Cigarettes	94.3	91.0	88.4	Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Marijuana	94.2	93.8	93.0				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	45.7	47.4	52.2				
Cigarettes	42.3	46.7	55.6				
Marijuana	22.7	31.3	37.3				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.2	15.6	19.8				

# JEFFERSON COUNTY



<b>DBH REGION</b>	Eastern
<b>DBH SERVICE AREAS</b>	
Substance Abuse	22
Adult Psychiatric	22
<b>POPULATION</b>	
Census 2010	218,733
2013 Estimate	221,396

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	2,702	2,662	2,758
Mother Reported Smoking while Pregnant	603	602	613

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	4	4	11
Hepatitis B Chronic, Acute, Prenatal	1	7	13
Hepatitis C Chronic and Acute	1	113	122
Tuberculosis Infection Cases	1	39	51

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	1,839	1,822	1,823
Suicides	46	41	37
Self-inflicted Injuries	251	279	260
Homicides	7	4	9
Assault Injuries	491	523	563
Alcohol Induced Deaths	9	12	4
Drug Induced Deaths	61	54	57
Smoking Attributable Deaths	376	355	373

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	1,691	1,659
Alcohol Primary Diagnosis	2	52	33
Drug Primary Diagnosis	2	98	132
Alcohol Related Diagnosis		442	392
Drug Related Diagnosis		544	584
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	1,134	960
Alcohol Primary Diagnosis	2	109	82
Drug Primary Diagnosis	2	107	119
Alcohol Related Diagnosis		803	735
Drug Related Diagnosis		814	766
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	1,328	1,299
Alcohol Primary Diagnosis	2	237	197
Drug Primary Diagnosis	2	367	421
Alcohol Related Diagnosis		508	460
Drug Related Diagnosis		788	743

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	236	240	221
Fatal Crashes	6	7	8
Injury Crashes	101	102	97
Property Damage Crashes	129	131	116
Crash Fatalities	7	8	8
Crash Injuries	141	142	139
Drug Involved Crashes--Total	52	33	35
Fatal Crashes	5	1	5
Injury Crashes	22	18	11
Property Damage Crashes	25	14	19
Crash Fatalities	6	1	5
Crash Injuries	31	23	22

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	115,155	115,338	117,800
Employed	107,194	106,839	107,369
Unemployed	7,961	8,499	10,431
Unemployment Rate	6.9%	7.4%	8.9%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	10,525	10,668	10,877
Drop-outs	195	247	234
Drop-out Rate	1.9%	2.3%	2.2%
School Suspensions:			
Alcohol Incidents	7	26	24
Drug Incidents	106	109	110
Tobacco Incidents	1	4	1

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	1,778	1,609	1,950
Liquor Law Arrests	677	826	730
Drug Arrests	1,614	1,563	1,574
Methamphetamine Lab Incidents	346	253	228
Violent Offenses	448	548	568
Property Offenses	4,390	4,462	4,222
Domestic Violence Reports	1,333	1,423	1,404

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	1,380	1,186	1,111
Violent Offenses	376	395	377
Alcohol Offenses	84	60	65
Drug Offenses	121	131	113
Status Offenses--Total	298	355	444
Truancy	143	172	237
Beyond Parental Control	32	38	47
Habitually Absent from Home	64	69	93
Injurious Behavior	59	76	65
Abuse/Neglect/Custody--Total	881	473	504
Abuse	242	40	54
Neglect	430	56	51
Custody Disputes	209	377	399

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	368	284	307
Parental Alcohol Use Related	16	8	9
Parental Drug Use Related	215	150	125
Parental Alcohol and Drug Use	6	12	16
Child Removed for Other Reason	131	114	157

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	105	100	99
Probation/Parole Admissions--Total	1,125	984	923
Probation/Parole Admissions--Drug	401	338	271
Probation/Parole Admissions--DWI	150	120	99
Prison Admissions--Total	454	437	369
Prison Admissions--Drug	168	141	105
Prison Admissions--DWI	51	63	41

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	181	183	174
Alcohol Package Carry-out Licenses	146	148	147

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# JEFFERSON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Detoxification	124	113	136
CSTAR Adolescent	164	178	162
CSTAR Women and Children	66	66	84
CSTAR General Adult	734	563	591
CSTAR Opioid	13	18	17
Primary Recovery Treatment	73	123	172
Clinical SATOP (CIP, YCIP, SROP)	345	301	237
Other Substance Abuse Treatment	12	6	*


<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Offender Management Unit	1,093	1,261	1,049
- Adolescent Diversion Education Program	11	5	11
- Offender Education Program	431	490	409
- Weekend Intervention Program	208	262	234
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	17	18	18
Compulsive Gambling	*	7	*
Recovery Supports	17	5	*
Early Intervention	55	63	125

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	1,407	1,220	1,265	Alcohol	528	480	480
<b>AGE</b>				Marijuana / Hashish	294	281	292
Under 18	169	184	164	Cocaine (total)	20	24	40
18 to 24	272	235	278	- Crack	8	14	25
25 to 29	257	180	207	Stimulant (total)	166	132	126
30 to 34	219	199	190	- Methamphetamine	155	126	118
35 to 39	133	119	118	Heroin	289	229	241
40 to 44	120	115	99	Analgesic except Heroin	69	56	54
45 to 54	183	155	175	- Non-Prescription Methadone	0	*	*
55 and Over	54	33	34	PCP, LSD, other Hallucinogen	5	*	*
<b>GENDER</b>				Tranquilizer	19	6	23
Male	949	785	826	Inhalant	*	0	*
Female	458	435	439	Sedative	*	*	*
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	14	7	*
Caucasian	1,350	1,174	1,221	Average Age at First Use of Drug	18.5	18.2	18.0
African American	24	22	25	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	362	266	260
Asian / Pacific Islander	*	*	*	- Daily Injection Use	108	74	95
Hispanic	8	9	7	- Weekly Injection Use	77	73	72
Other Race / Two or More Races	26	16	13	- Less than Weekly Injection Use	177	119	93
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	468	438	486	0	738	671	718
High School Graduate or G.E.D.	603	537	534	1 or 2	426	346	353
Associate Degree or Some College	328	239	228	3 or More	243	203	194
Bachelor or Advanced Degree	8	6	17	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	386	321	357
Employed	385	337	338	School	*	*	*
Unemployed	633	499	537	Mental Health Provider	*	5	20
Not in Labor Force	389	384	390	Health Care Provider	31	22	33
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	812	724	720
Independent Living	1,109	907	963	Other Referral Source	145	143	133
Dependent Living	191	202	201	<b>TREATMENT ACCOMMODATION</b>			
Homeless	34	29	30	Pregnant when Admitted to any Episode	22	31	20
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	58	43	50
Never Married	905	779	811	Special Education Services Needed	87	52	56
Married / Cohabiting	269	232	230	Co-Occurring Psychological Problem	569	480	467
Previously Married	233	209	224	Co-Occurring Developmental Problem	46	40	39

# JEFFERSON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Eastern  
**PSYCHIATRIC SERVICE AREA** 22  
**CENSUS 2010** 218,733  
**2013 POPULATION ESTIMATE** 221,396

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	34	38	28
Anxiety Disorder	1,003	960	886
Dementia	10	12	13
Developmental Disorder	49	52	45
Impulse Control Disorder	335	348	297
Mood Disorder	1,496	1,459	1,414
Personality Disorder	381	403	409
Psychotic Disorder	293	296	289
Sexual Disorder	5	*	0
Other Diagnosis	156	152	124
Diagnosis Unknown	99	127	295

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	1,916	1,934	2,066	Less than High School Diploma	442	353	177
<b>AGE</b>				High School Grad or G.E.D.	*	357	232
Under 6	5	7	7	Associate Degree or Some College	0	174	82
6 to 9	36	34	33	Bachelor or Advanced Degree	0	31	26
10 to 13	70	76	73	Education Level Unknown	1,473	1,019	1,549
14 to 17	106	119	113	<b>EMPLOYMENT</b>			
18 to 24	168	175	194	Employed	191	200	87
25 to 29	182	210	243	Unemployed	121	687	423
30 to 34	223	220	223	Not in Labor Force	864	153	10
35 to 39	178	179	203	Employment Status Unknown	740	894	1,546
40 to 44	206	202	213	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	238	238	261	Independent Living	797	904	447
50 to 54	227	218	244	Dependent Living	395	167	139
55 to 59	160	137	135	Homeless	12	8	*
60 and Over	117	119	124	Other	0	9	9
Age Unknown	0	0	0	Housing Unknown	712	846	1,469
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	816	839	909	Self / Family / Friend	765	841	1,020
Female	1,100	1,095	1,157	School	6	7	6
Gender Unknown	0	0	0	Mental Health Provider	162	168	167
<b>RACE / ETHNICITY</b>				Health Care Provider	388	310	208
Caucasian	1,823	1,840	1,976	Court / Criminal Justice	108	102	107
African American	44	44	43	Other	460	475	523
Native American / Alaskan	*	*	*	Referral Source Unknown	27	31	35
Asian / Pacific Islander	9	7	8	<b>TYPE OF COMMITMENT</b>			
Hispanic	13	12	10	Voluntary	1,874	1,888	2,003
Other Race	25	27	26	Civil	*	8	17
Race/Ethnicity Unknown	0	0	0	Criminal	10	7	11
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	13	15	14	Commitment Type Unknown	27	30	34
Past or Current Military Service	38	39	46				


# JEFFERSON COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	40.0	43.9	49.4	Alcohol (1 or 2 drinks daily)	58.8		
Cigarettes	22.0	25.8	27.6	Alcohol (Binge: 5+ drinks once or twice a week)	71.2		
Chewing Tobacco	9.8	10.5	11.2	Alcohol (any use)		68.3	72.6
Marijuana	20.3	20.2	20.1	Cigarettes (1+ packs per day)	87.5		
Inhalants	3.6	6.1	6.4	Cigarettes (any use)		81.2	81.1
Prescription medications not prescribed for student	9.4	9.7	13.4	Marijuana (once or twice a week)	57.6		
Over-the-counter medications for non-medical use	3.7	7.2	9.5	Marijuana (any use)		69.3	71.6
Methamphetamine	0.6	1.2	0.8	Other: Cocaine, LSD, Meth, Club Drug (any use)	93.3	93.5	94.4
Cocaine	1.5	2.1	1.9	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.5	1.1	0.7	Were very sad	23.9	21.0	20.5
Hallucinogens	3.1	3.6	3.8	Were grouchy, irritable, or in a bad mood	28.0	24.2	28.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.1	2.6	2.6	Felt hopeless about the future	13.5	11.3	11.0
Steroids not prescribed for student	1.1	1.7	1.2	Felt like not eating or eating more than usual	20.6	18.5	20.1
Synthetic drugs (K2, bath salts, Spice, etc)	5.4	8.3		Slept a lot more or a lot less than usual	21.9	20.6	25.5
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	29.7	26.1	23.4
Alcohol	12.89	12.75	12.69	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.83	12.85	12.44	Seriously considered attempting suicide	14.4	12.2	11.5
Marijuana	13.79	13.79	13.68	Made plan about how they would attempt suicide	10.0	8.6	8.1
Inhalants	12.53	12.48	12.20	Attempted suicide	5.9	5.3	5.2
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.2	1.6	1.6
Alcohol	18.1	20.0	25.1	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occassion)		11.8	15.6	Were threatened/injured with weapon at school	6.5	5.9	8.8
Cigarettes	10.3	13.3	14.2	Were in a physical fight	18.3	20.8	23.9
Chewing Tobacco	5.1	6.2	5.8	Were in a fight and had to be treated by a doctor or nurse	3.3	3.2	4.1
Marijuana	11.4	11.1	11.3	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.3	2.7	3.1	Were victims of mean rumors or lies spread at school	48.8	48.5	50.7
Prescription medications not prescribed for student	4.6	5.8	7.9	Were made fun of by others	60.6	59.9	67.1
Over-the-counter medications for non-medical use	2.2	4.7	5.4	Were victims of an embarrassing or hurtful text message or something posted on the internet	28.7	21.8	19.1
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	25.4	27.4	31.5
Alcohol (Binge: 5+ drinks on one occassion)	8.5			Made fun of other people	55.6	61.8	72.2
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	20.3	15.4	18.2
Alcohol	51.8	57.1	64.4	<i>Percent of students who agree that:</i>			
Cigarettes	43.8	47.7	51.4	Teachers notice and comment on student's good work	67.1	65.6	70.0
Marijuana	43.3	43.1	44.1	School provides feedback to parents on positive student performance	34.6	34.2	39.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.4	18.5	21.2	Rules are enforced fairly	63.6	62.9	66.4
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	80.9	78.8	79.9
Alcohol	30.5	34.0	39.0	<i>Percent of students who agree that:</i>			
Cigarettes	12.2	13.9	15.8	Parents notice and comment on student's good work	79.4	81.8	83.1
Marijuana	19.2	15.9	15.6	Parents involve student in making family decisions	66.1	67.2	67.6
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	86.9	85.7	82.6
Alcohol	61.9	59.1	54.6	Student could ask parent for help with a personal problem	74.6	76.3	76.9
Cigarettes	84.5	80.6	78.8	<div>Page Notes: Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</div>			
Marijuana	72.9	77.7	78.3				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.2	95.0	94.9				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	79.4	77.1	75.3				
Cigarettes	93.6	91.2	89.9				
Marijuana	90.0	92.8	92.0	Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	58.0	59.6	63.0				
Cigarettes	53.6	57.1	61.6				
Marijuana	44.8	44.5	44.1				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	20.7	21.6	21.2				



# JOHNSON COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	7
Adult Psychiatric	7
<b>POPULATION</b>	
Census 2010	52,595
2013 Estimate	54,572

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	25,887	25,036	25,416
Employed	24,301	23,303	23,280
Unemployed	1,586	1,733	2,136
Unemployment Rate	6.1%	6.9%	8.4%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	2,128	2,174	2,220
Drop-outs	29	30	34
Drop-out Rate	1.4%	1.4%	1.5%
School Suspensions:			
Alcohol Incidents	0	3	4
Drug Incidents	8	11	14
Tobacco Incidents	1	0	0

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	722	712	737
Mother Reported Smoking while Pregnant	91	120	137

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	2	2	1
Hepatitis B Chronic, Acute, Prenatal	1	3	2
Hepatitis C Chronic and Acute	1	14	26
Tuberculosis Infection Cases	1	6	16

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	375	404	384
Suicides	1	11	8
Self-inflicted Injuries	70	52	49
Homicides	2	2	0
Assault Injuries	96	141	144
Alcohol Induced Deaths	1	1	1
Drug Induced Deaths	1	8	5
Smoking Attributable Deaths	62	67	66

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	375	431
Alcohol Primary Diagnosis	2	27	29
Drug Primary Diagnosis	2	18	19
Alcohol Related Diagnosis	119	148	179
Drug Related Diagnosis	125	139	140

Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	56	45
Alcohol Primary Diagnosis	2	26	20
Drug Primary Diagnosis	2	14	9
Alcohol Related Diagnosis	121	103	84
Drug Related Diagnosis	70	85	46

Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	403	312
Alcohol Primary Diagnosis	2	61	81
Drug Primary Diagnosis	2	33	34
Alcohol Related Diagnosis	144	170	191
Drug Related Diagnosis	107	113	110

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	63	68	84
Fatal Crashes	4	1	3
Injury Crashes	18	20	30
Property Damage Crashes	41	47	51
Crash Fatalities	4	1	3
Crash Injuries	28	24	35
Drug Involved Crashes--Total	8	7	7
Fatal Crashes	0	0	0
Injury Crashes	3	3	3
Property Damage Crashes	5	4	4
Crash Fatalities	0	0	0
Crash Injuries	3	3	7

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	241	270	326
Liquor Law Arrests	326	328	341
Drug Arrests	320	184	261
Methamphetamine Lab Incidents	0	1	1
Violent Offenses	77	76	86
Property Offenses	1,392	1,366	1,320
Domestic Violence Reports	390	365	401

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	117	124	145
Violent Offenses	27	29	45
Alcohol Offenses	0	1	10
Drug Offenses	7	12	8
Status Offenses--Total	182	174	207
Truancy	4	12	6
Beyond Parental Control	47	44	66
Habitually Absent from Home	20	30	36
Injurious Behavior	110	86	97
Abuse/Neglect/Custody--Total	162	123	204
Abuse	4	3	25
Neglect	149	117	166
Custody Disputes	9	3	13

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	31	18	37
Parental Alcohol Use Related	0	0	3
Parental Drug Use Related	6	4	18
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	25	14	16

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	313	293	282
Probation/Parole Admissions--Drug	74	76	78
Probation/Parole Admissions--DWI	23	35	25
Prison Admissions--Total	138	142	154
Prison Admissions--Drug	33	33	44
Prison Admissions--DWI	13	12	24

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	48	48	52
Alcohol Package Carry-out Licenses	44	42	39

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# JOHNSON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Detoxification	12	9	21
CSTAR Adolescent	17	20	29
CSTAR Women and Children	*	*	5
CSTAR General Adult	128	155	159
CSTAR Opioid	0	0	*
Primary Recovery Treatment	11	6	23
Clinical SATOP (CIP, YCIP, SROP)	53	38	30
Other Substance Abuse Treatment	*	0	0


<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Offender Management Unit	206	240	255
- Adolescent Diversion Education Program	*	0	*
- Offender Education Program	83	119	129
- Weekend Intervention Program	44	60	69
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	8	15	21
Compulsive Gambling	0	0	0
Recovery Supports	146	136	137
Early Intervention	*	13	18

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	217	237	267	Alcohol	100	120	115
<b>AGE</b>				Marijuana / Hashish	55	57	83
Under 18	18	21	30	Cocaine (total)	0	*	7
18 to 24	49	56	57	- Crack	0	*	*
25 to 29	43	43	53	Stimulant (total)	50	47	49
30 to 34	27	36	38	- Methamphetamine	50	45	46
35 to 39	16	20	25	Heroin	*	*	*
40 to 44	16	23	24	Analgesic except Heroin	8	7	9
45 to 54	38	32	29	- Non-Prescription Methadone	*	0	0
55 and Over	10	6	11	PCP, LSD, other Hallucinogen	0	0	*
<b>GENDER</b>				Tranquilizer	0	0	0
Male	154	160	181	Inhalant	0	0	0
Female	63	77	86	Sedative	0	0	0
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	*	*	*
Caucasian	197	211	235	Average Age at First Use of Drug	17.1	17.2	16.6
African American	9	13	17	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	24	22	18
Asian / Pacific Islander	*	0	0	- Daily Injection Use	5	*	*
Hispanic	*	6	9	- Weekly Injection Use	6	8	7
Other Race / Two or More Races	6	8	6	- Less than Weekly Injection Use	13	11	9
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	50	64	81	0	106	120	144
High School Graduate or G.E.D.	88	96	109	1 or 2	69	74	77
Associate Degree or Some College	78	72	68	3 or More	42	43	46
Bachelor or Advanced Degree	*	5	9	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	126	153	177
Employed	65	77	71	School	0	0	0
Unemployed	70	62	76	Mental Health Provider	*	*	*
Not in Labor Force	82	98	120	Health Care Provider	5	*	*
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	63	45	69
Independent Living	182	188	221	Other Referral Source	21	31	13
Dependent Living	22	26	33	<b>TREATMENT ACCOMMODATION</b>			
Homeless	*	6	5	Pregnant when Admitted to any Episode	*	*	*
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	14	9	16
Never Married	120	138	153	Special Education Services Needed	5	7	10
Married / Cohabiting	51	48	66	Co-Occurring Psychological Problem	72	44	73
Previously Married	46	51	48	Co-Occurring Developmental Problem	*	*	*

# JOHNSON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 7  
**CENSUS 2010** 52,595  
**2013 POPULATION ESTIMATE** 54,572

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	33	39	26
Anxiety Disorder	240	228	166
Dementia	0	*	0
Developmental Disorder	14	13	13
Impulse Control Disorder	82	94	81
Mood Disorder	330	343	279
Personality Disorder	10	8	14
Psychotic Disorder	81	83	69
Sexual Disorder	*	*	*
Other Diagnosis	41	35	24
Diagnosis Unknown	48	36	81

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	491	513	479	Less than High School Diploma	141	65	51
<b>AGE</b>				High School Grad or G.E.D.	*	72	65
Under 6	10	7	5	Associate Degree or Some College	0	25	30
6 to 9	23	28	29	Bachelor or Advanced Degree	0	8	*
10 to 13	45	62	49	Education Level Unknown	347	343	329
14 to 17	51	48	59	<b>EMPLOYMENT</b>			
18 to 24	50	51	40	Employed	25	31	24
25 to 29	30	39	38	Unemployed	32	110	124
30 to 34	51	46	47	Not in Labor Force	239	50	*
35 to 39	52	44	48	Employment Status Unknown	195	322	329
40 to 44	46	47	47	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	37	52	41	Independent Living	150	139	131
50 to 54	45	41	29	Dependent Living	139	79	94
55 to 59	25	25	24	Homeless	5	*	*
60 and Over	26	23	23	Other	0	*	6
Age Unknown	0	0	0	Housing Unknown	197	288	246
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	229	236	228	Self / Family / Friend	397	421	397
Female	262	277	251	School	*	0	0
Gender Unknown	0	0	0	Mental Health Provider	10	9	11
<b>RACE / ETHNICITY</b>				Health Care Provider	33	29	19
Caucasian	448	470	437	Court / Criminal Justice	7	12	10
African American	19	16	19	Other	41	38	36
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	6
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	6	7	9	Voluntary	485	502	470
Other Race	14	14	10	Civil	*	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	6	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	*	*
Hearing Impaired	16	15	15	Commitment Type Unknown	*	*	6
Past or Current Military Service	17	12	13				

# JOHNSON COUNTY


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	39.3	38.3	45.4	Alcohol (1 or 2 drinks daily)	57.5		
Cigarettes	24.6	23.0	29.1	Alcohol (Binge: 5+ drinks once or twice a week)	69.4		
Chewing Tobacco	16.3	10.9	11.9	Alcohol (any use)		71.7	75.5
Marijuana	17.9	14.5	15.3	Cigarettes (1+ packs per day)	84.4		
Inhalants	4.0	5.4	9.2	Cigarettes (any use)		83.7	80.9
Prescription medications not prescribed for student	9.9	7.8	12.5	Marijuana (once or twice a week)	64.1		
Over-the-counter medications for non-medical use	4.0	4.8	7.9	Marijuana (any use)		72.6	72.2
Methamphetamine	0.9	0.6	1.2	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.0	95.3	92.2
Cocaine	2.8	1.2	2.2				
Heroin	0.6	0.4	0.4	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	4.1	2.8	3.8	Were very sad	23.3	16.7	24.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	3.8	2.2	2.5	Were grouchy, irritable, or in a bad mood	28.0	23.6	29.6
Steroids not prescribed for student	1.6	0.8	1.3	Felt hopeless about the future	15.7	10.0	14.1
Synthetic drugs (K2, bath salts, Spice, etc)	6.7	4.9		Felt like not eating or eating more than usual	17.9	16.7	21.4
				Slept a lot more or a lot less than usual	18.6	19.5	27.9
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	25.5	19.8	23.9
Alcohol	13.14	13.08	12.72				
Cigarettes	12.85	12.82	12.60	<i>Percent of students who, in past 12 months:</i>			
Marijuana	14.24	13.79	13.77	Seriously considered attempting suicide	14.7	10.6	11.7
Inhalants	13.64	12.54	12.62	Made plan about how they would attempt suicide	12.8	8.6	8.8
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide	6.5	4.8	5.1
Alcohol	20.1	17.1	20.1	Attempted suicide and resulting injury, poisoning, or overdose	1.4	1.1	2.3
Alcohol (Binge: 5+ drinks on one occasion)		9.7	11.3				
Cigarettes	10.6	11.6	15.3	<i>Percent of students who, in past 12 months:</i>			
Chewing Tobacco	9.5	6.1	5.9	Were threatened/injured with weapon at school	7.1	3.9	9.3
Marijuana	9.6	5.9	7.5	Were in a physical fight	18.3	16.7	21.1
Inhalants	1.2	2.0	3.3	Were in a fight and had to be treated by a doctor or nurse	3.2	2.5	3.3
Prescription medications not prescribed for student	4.7	4.3	7.9				
Over-the-counter medications for non-medical use	2.5	2.4	5.1	<i>Percent of students who, in past 3 months:</i>			
<i>Percent of students who, in past 2 weeks, used:</i>				Were victims of mean rumors or lies spread at school	51.3	47.2	53.8
Alcohol (Binge: 5+ drinks on one occasion)	8.6			Were made fun of by others	62.0	57.5	68.7
<i>Percent whose friends used in past 12 months:</i>				Were victims of an embarrassing or hurtful text message or something posted on the Internet	25.6	17.4	19.9
Alcohol	46.9	55.5	61.0	Spread mean rumors or lies about other kids at school	25.3	23.7	34.4
Cigarettes	40.5	41.8	51.3	Made fun of other people	56.2	60.4	73.2
Marijuana	35.7	34.8	38.0	Posted something on the internet or sent a text that might embarrass or hurt another student	16.0	12.8	17.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.6	12.7	18.3				
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	31.8	30.9	33.9	Teachers notice and comment on student's good work	69.8	70.6	71.5
Cigarettes	15.2	13.7	16.3	School provides feedback to parents on positive student performance	34.9	40.7	42.3
Marijuana	13.4	13.2	13.1	Rules are enforced fairly	64.7	65.1	65.9
<i>Percent who say it would be wrong to use:</i>				Students of all races/ethnicities are treated equal	83.4	81.8	82.9
Alcohol	59.3	60.8	58.4				
Cigarettes	80.9	80.5	78.2	<i>Percent of students who agree that:</i>			
Marijuana	78.7	81.3	83.0	Parents notice and comment on student's good work	81.2	85.2	82.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.8	95.9	94.2	Parents involve student in making family decisions	69.2	70.0	70.1
<i>Percent whose parents would disapprove if they use:</i>				It is important to be honest with parents regardless of consequences	86.0	86.1	83.2
Alcohol	76.0	76.9	78.5	Student could ask parent for help with a personal problem	76.4	79.1	74.8
Cigarettes	91.1	92.5	91.1				
Marijuana	94.2	94.6	94.7				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	54.9	58.4	63.1				
Cigarettes	48.5	52.3	62.7				
Marijuana	36.3	37.3	39.8				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	18.0	15.9	21.2				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# KNOX COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	14
Adult Psychiatric	14
<b>POPULATION</b>	
Census 2010	4,131
2013 Estimate	4,067

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	2,282	2,186	2,244
Employed	2,180	2,078	2,103
Unemployed	102	108	141
Unemployment Rate	4.5%	4.9%	6.3%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	173	164	159
Drop-outs	2	1	3
Drop-out Rate	1.2%	0.6%	1.9%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	1	0	0
Tobacco Incidents	0	0	0

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	51	53	36
Mother Reported Smoking while Pregnant	8	7	8

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	1	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	1	2	2
Tuberculosis Infection Cases	1	0	0

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	55	45	53
Suicides	1	0	0
Self-inflicted Injuries	2	6	5
Homicides	1	0	0
Assault Injuries	6	8	9
Alcohol Induced Deaths	0	0	2
Drug Induced Deaths	0	0	1
Smoking Attributable Deaths	10	10	10

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	15	7
Alcohol Primary Diagnosis	2	0	1
Drug Primary Diagnosis	2	1	1
Alcohol Related Diagnosis	5	6	16
Drug Related Diagnosis	5	4	3
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	3	3
Alcohol Primary Diagnosis	2	1	0
Drug Primary Diagnosis	2	0	0
Alcohol Related Diagnosis	3	3	4
Drug Related Diagnosis	1	2	4
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	6	8
Alcohol Primary Diagnosis	2	2	4
Drug Primary Diagnosis	2	2	3
Alcohol Related Diagnosis	6	8	9
Drug Related Diagnosis	2	6	7

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	6	6	5
Fatal Crashes	1	0	0
Injury Crashes	5	4	3
Property Damage Crashes	0	2	2
Crash Fatalities	1	0	0
Crash Injuries	7	5	3
Drug Involved Crashes--Total	0	0	1
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	0	0	1
Crash Fatalities	0	0	0
Crash Injuries	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	14	16	10
Liquor Law Arrests	0	0	0
Drug Arrests	0	0	2
Methamphetamine Lab Incidents	3	4	2
Violent Offenses	3	2	9
Property Offenses	43	49	100
Domestic Violence Reports	0	3	8

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	7	6	12
Violent Offenses	2	1	1
Alcohol Offenses	2	0	0
Drug Offenses	0	0	0
Status Offenses--Total	29	40	38
Truancy	3	10	5
Beyond Parental Control	5	2	5
Habitually Absent from Home	0	0	0
Injurious Behavior	20	23	24
Abuse/Neglect/Custody--Total	12	9	9
Abuse	2	1	2
Neglect	10	8	7
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	4	2	3
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	1	1	1
Parental Alcohol and Drug Use	2	0	0
Child Removed for Other Reason	1	1	2

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	14	9	11
Probation/Parole Admissions--Drug	5	3	3
Probation/Parole Admissions--DWI	1	1	2
Prison Admissions--Total	5	3	4
Prison Admissions--Drug	4	1	1
Prison Admissions--DWI	0	1	0

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	3	3	4
Alcohol Package Carry-out Licenses	3	3	3

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# KNOX COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	*	0	*
CSTAR Adolescent	*	0	*
CSTAR Women and Children	0	*	*
CSTAR General Adult	17	19	7
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	*	7	*
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	10	19	10
- Adolescent Diversion Education Program	*	*	5
- Offender Education Program	*	6	*
- Weekend Intervention Program	0	*	5
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	0	*	*


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	20	28	19	Alcohol	7	14	9
AGE				Marijuana / Hashish	6	8	5
Under 18	*	*	*	Cocaine (total)	0	0	*
18 to 24	6	5	*	- Crack	0	0	*
25 to 29	*	7	*	Stimulant (total)	*	*	*
30 to 34	*	*	*	- Methamphetamine	*	*	*
35 to 39	*	*	*	Heroin	0	*	0
40 to 44	*	*	*	Analgesic except Heroin	*	*	*
45 to 54	*	*	7	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	0	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	*
Male	14	21	14	Inhalant	0	0	0
Female	6	7	5	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	19	28	18	Average Age at First Use of Drug	18.1	16.8	20.6
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	0
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	*	0
Hispanic	0	*	*	- Weekly Injection Use	0	0	0
Other Race / Two or More Races	*	0	0	- Less than Weekly Injection Use	*	*	0
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	6	8	6	0	12	15	9
High School Graduate or G.E.D.	12	12	11	1 or 2	8	9	6
Associate Degree or Some College	*	8	*	3 or More	0	*	*
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	*	6	7
Employed	6	15	6	School	0	0	0
Unemployed	*	*	7	Mental Health Provider	0	0	0
Not in Labor Force	12	10	6	Health Care Provider	*	*	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	5	14	10
Independent Living	18	21	16	Other Referral Source	*	5	*
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	0	0	0	Pregnant when Admitted to any Episode	0	*	0
MARITAL / FAMILY STATUS				Military Veteran	0	*	0
Never Married	13	17	10	Special Education Services Needed	*	*	*
Married / Cohabiting	*	*	*	Co-Occurring Psychological Problem	12	9	8
Previously Married	*	7	5	Co-Occurring Developmental Problem	*	0	*



# KNOX COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 14  
**CENSUS 2010** 4,131  
**2013 POPULATION ESTIMATE** 4,067

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	0	0	*
Anxiety Disorder	10	9	*
Dementia	*	0	0
Developmental Disorder	*	0	0
Impulse Control Disorder	*	5	5
Mood Disorder	31	21	15
Personality Disorder	*	*	*
Psychotic Disorder	20	8	5
Sexual Disorder	0	0	0
Other Diagnosis	6	*	*
Diagnosis Unknown	*	8	16

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	58	45	40	Less than High School Diploma	21	7	*
<b>AGE</b>				High School Grad or G.E.D.	0	21	11
Under 6	0	0	0	Associate Degree or Some College	*	0	*
6 to 9	0	0	*	Bachelor or Advanced Degree	0	0	*
10 to 13	*	*	*	Education Level Unknown	36	17	20
14 to 17	5	8	*	<b>EMPLOYMENT</b>			
18 to 24	*	*	*	Employed	*	5	5
25 to 29	5	*	*	Unemployed	*	21	15
30 to 34	*	*	5	Not in Labor Force	45	5	0
35 to 39	8	6	*	Employment Status Unknown	7	14	20
40 to 44	5	*	*	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	9	8	*	Independent Living	18	18	12
50 to 54	8	*	6	Dependent Living	31	14	12
55 to 59	*	*	*	Homeless	*	0	0
60 and Over	6	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	8	13	16
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	24	17	19	Self / Family / Friend	18	14	12
Female	34	28	21	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	8	9	5
<b>RACE / ETHNICITY</b>				Health Care Provider	18	8	*
Caucasian	46	40	37	Court / Criminal Justice	0	0	0
African American	9	*	*	Other	14	14	19
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	0	0	Voluntary	58	45	40
Other Race	*	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	0	0	0	Commitment Type Unknown	0	0	0
Past or Current Military Service	0	0	*				




# KNOX COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	31.4			Alcohol (1 or 2 drinks daily)	62.0		
Cigarettes	13.7			Alcohol (Binge: 5+ drinks once or twice a week)	72.0		
Chewing Tobacco	5.9			Alcohol (any use)			
Marijuana	3.8			Cigarettes (1+ packs per day)	86.0		
Inhalants	2.0			Cigarettes (any use)			
Prescription medications not prescribed for student	3.9			Marijuana (once or twice a week)	85.7		
Over-the-counter medications for non-medical use	2.0			Marijuana (any use)			
Methamphetamine	2.0			Other: Cocaine, LSD, Meth, Club Drug (any use)	96.0		
Cocaine	0.0			<i>Percent of students who, in past 30 days:</i>			
Heroin	0.0			Were very sad	14.0		
Hallucinogens	0.0			Were grouchy, Irritable, or in a bad mood	27.5		
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0			Felt hopeless about the future	7.8		
Steroids not prescribed for student	0.0			Felt like not eating or eating more than usual	11.8		
Synthetic drugs (K2, bath salts, Spice, etc)	0.0			Slept a lot more or a lot less than usual	13.7		
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	25.0		
Alcohol	12.46			<i>Percent of students who, in past 12 months:</i>			
Cigarettes	14.22			Seriously considered attempting suicide	13.7		
Marijuana	14.98			Made plan about how they would attempt suicide	7.8		
Inhalants				Attempted suicide	2.0		
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	2.0		
Alcohol	10.0			<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occassion)				Were threatened/injured with weapon at school	7.8		
Cigarettes	5.9			Were in a physical fight	13.7		
Chewing Tobacco	3.9			Were in a fight and had to be treated by a doctor or nurse	2.0		
Marijuana	0.0			<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.0			Were victims of mean rumors or lies spread at school	58.8		
Prescription medications not prescribed for student	2.0			Were made fun of by others	70.6		
Over-the-counter medications for non-medical use	2.0			Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.0		
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	29.4		
Alcohol (Binge: 5+ drinks on one occassion)	3.9			Made fun of other people	62.7		
<i>Percent whose friends used in past 12 months:</i>				Posted something on the Internet or sent a text that might embarrass or hurt another student	9.8		
Alcohol	40.4			<i>Percent of students who agree that:</i>			
Cigarettes	21.6			Teachers notice and comment on student's good work	68.6		
Marijuana	9.8			School provides feedback to parents on positive student performance	40.4		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	2.0			Rules are enforced fairly	62.7		
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	84.6		
Alcohol	25.0			<i>Percent of students who agree that:</i>			
Cigarettes	5.9			Parents notice and comment on student's good work	82.4		
Marijuana	0.0			Parents involve student in making family decisions	60.8		
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	90.2		
Alcohol	68.6			Student could ask parent for help with a personal problem	76.0		
Cigarettes	90.2			<div>Page Notes:</div> <div>Similar affirmative response choices for individual questions are combined.</div> <div>Blank data cells indicate estimates are not available for item or geographic area.</div> <div>Survey is not conducted in every school district nor reported for every county.</div> <div>Estimates are not available for counties with small numbers of respondents.</div> <div>Percentages are estimates based on weighted data.</div> <div>Some year-to-year differences in percentages are not statistically significant.</div>			
Marijuana	96.0						
<i>Percent whose parents would disapprove If they use:</i>							
Alcohol	74.5						
Cigarettes	90.4						
Marijuana	96.0						
<i>Percent who say it would be easy to obtain:</i>				Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Alcohol	49.0						
Cigarettes	43.1						
Marijuana	15.7						
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.8						

# LACLEDE COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	11
Adult Psychiatric	11
<b>POPULATION</b>	
Census 2010	35,571
2013 Estimate	35,667

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	16,400	15,871	16,289
Employed	14,974	14,433	14,485
Unemployed	1,426	1,438	1,804
Unemployment Rate	8.7%	9.1%	11.1%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	1,682	1,686	1,754
Drop-outs	49	51	33
Drop-out Rate	2.9%	3.0%	1.9%
School Suspensions:			
Alcohol Incidents	9	6	2
Drug Incidents	11	29	30
Tobacco Incidents	1	0	0

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	445	489	440
Mother Reported Smoking while Pregnant	120	129	123

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	1	1	4
Hepatitis B Chronic, Acute, Prenatal	1	0	1
Hepatitis C Chronic and Acute	1	25	32
Tuberculosis Infection Cases	1	2	9

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	399	361	356
Suicides	5	8	9
Self-inflicted Injuries	47	43	62
Homicides	1	0	6
Assault Injuries	143	129	115
Alcohol Induced Deaths	1	3	1
Drug Induced Deaths	4	1	2
Smoking Attributable Deaths	77	75	72

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	343	331
Alcohol Primary Diagnosis	2	18	8
Drug Primary Diagnosis	2	38	22
Alcohol Related Diagnosis		84	75
Drug Related Diagnosis		165	121
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	73	74
Alcohol Primary Diagnosis	2	29	24
Drug Primary Diagnosis	2	8	24
Alcohol Related Diagnosis		93	80
Drug Related Diagnosis		97	102
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	429	440
Alcohol Primary Diagnosis	2	96	95
Drug Primary Diagnosis	2	90	104
Alcohol Related Diagnosis		184	163
Drug Related Diagnosis		206	200

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	35	41	39
Fatal Crashes	2	0	2
Injury Crashes	14	17	15
Property Damage Crashes	19	24	22
Crash Fatalities	2	0	2
Crash Injuries	28	28	20
Drug Involved Crashes--Total	3	5	1
Fatal Crashes	0	0	0
Injury Crashes	0	3	0
Property Damage Crashes	3	2	1
Crash Fatalities	0	0	0
Crash Injuries	0	3	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	180	187	194
Liquor Law Arrests	99	111	115
Drug Arrests	130	132	220
Methamphetamine Lab Incidents	14	12	18
Violent Offenses	155	195	284
Property Offenses	994	1,083	1,013
Domestic Violence Reports	189	205	212

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	129	106	151
Violent Offenses	43	31	66
Alcohol Offenses	10	3	15
Drug Offenses	7	19	7
Status Offenses--Total	120	118	110
Truancy	54	58	56
Beyond Parental Control	12	5	5
Habitually Absent from Home	15	10	7
Injurious Behavior	39	43	16
Abuse/Neglect/Custody--Total	145	202	131
Abuse	27	60	26
Neglect	118	142	105
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	76	68	79
Parental Alcohol Use Related	3	0	1
Parental Drug Use Related	24	22	23
Parental Alcohol and Drug Use	3	1	1
Child Removed for Other Reason	46	45	54

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	376	372	303
Probation/Parole Admissions--Drug	193	165	137
Probation/Parole Admissions--DWI	29	32	24
Prison Admissions--Total	245	189	185
Prison Admissions--Drug	117	81	70
Prison Admissions--DWI	16	19	24

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	23	23	21
Alcohol Package Carry-out Licenses	43	49	40

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# LACLEDE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Detoxification	15	20	34
CSTAR Adolescent	17	30	16
CSTAR Women and Children	18	17	14
CSTAR General Adult	83	54	48
CSTAR Opioid	0	0	*
Primary Recovery Treatment	17	60	91
Clinical SATOP (CIP, YCIP, SROP)	32	18	31
Other Substance Abuse Treatment	0	0	0


<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Offender Management Unit	133	153	141
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	47	52	57
- Weekend Intervention Program	25	39	40
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	*	*	7
Compulsive Gambling	0	0	0
Recovery Supports	*	*	6
Early Intervention	*	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	181	187	208	Alcohol	76	63	83
<b>AGE</b>				Marijuana / Hashish	25	37	44
Under 18	18	29	18	Cocaine (total)	*	*	*
18 to 24	43	32	48	- Crack	*	0	*
25 to 29	25	25	40	Stimulant (total)	35	49	48
30 to 34	30	31	38	- Methamphetamine	35	45	46
35 to 39	22	18	12	Heroin	10	6	6
40 to 44	18	21	13	Analgesic except Heroin	22	21	19
45 to 54	19	26	31	- Non-Prescription Methadone	0	0	0
55 and Over	6	5	8	PCP, LSD, other Hallucinogen	*	0	0
<b>GENDER</b>				Tranquilizer	*	*	*
Male	103	109	147	Inhalant	*	0	0
Female	78	78	61	Sedative	0	0	0
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	6	9	*
Caucasian	170	180	200	Average Age at First Use of Drug	18.0	17.7	16.8
African American	*	*	*	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	*	0	0	Any Injection Use at Admission	39	48	47
Asian / Pacific Islander	0	0	0	- Daily Injection Use	11	9	15
Hispanic	6	*	*	- Weekly Injection Use	7	16	15
Other Race / Two or More Races	0	*	*	- Less than Weekly Injection Use	21	23	17
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	81	79	82	0	93	114	107
High School Graduate or G.E.D.	65	79	97	1 or 2	65	47	69
Associate Degree or Some College	35	29	27	3 or More	23	26	32
Bachelor or Advanced Degree	0	0	*	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	76	64	59
Employed	35	31	44	School	0	0	*
Unemployed	69	66	77	Mental Health Provider	*	5	5
Not in Labor Force	77	90	87	Health Care Provider	7	13	7
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	61	77	116
Independent Living	143	128	158	Other Referral Source	32	27	19
Dependent Living	26	46	40	<b>TREATMENT ACCOMMODATION</b>			
Homeless	5	9	6	Pregnant when Admitted to any Episode	*	*	7
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	*	7	15
Never Married	90	91	106	Special Education Services Needed	17	12	29
Married / Cohabiting	50	52	62	Co-Occurring Psychological Problem	67	79	93
Previously Married	41	44	40	Co-Occurring Developmental Problem	12	10	7

# LACLEDE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 11  
**CENSUS 2010** 35,571  
**2013 POPULATION ESTIMATE** 35,667

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	13	17	12
Anxiety Disorder	238	184	137
Dementia	0	0	0
Developmental Disorder	*	*	0
Impulse Control Disorder	82	71	57
Mood Disorder	343	291	228
Personality Disorder	20	12	13
Psychotic Disorder	69	69	59
Sexual Disorder	*	0	*
Other Diagnosis	39	33	32
Diagnosis Unknown	21	37	71

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	445	399	376	Less than High School Diploma	222	93	58
<b>AGE</b>				High School Grad or G.E.D.	0	53	64
Under 6	*	*	*	Associate Degree or Some College	0	19	21
6 to 9	23	18	26	Bachelor or Advanced Degree	0	*	0
10 to 13	41	47	32	Education Level Unknown	223	232	233
14 to 17	59	42	44	<b>EMPLOYMENT</b>			
18 to 24	43	29	20	Employed	33	20	22
25 to 29	34	29	26	Unemployed	56	110	116
30 to 34	42	38	34	Not in Labor Force	291	77	6
35 to 39	31	34	26	Employment Status Unknown	65	192	232
40 to 44	39	28	36	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	41	44	43	Independent Living	206	152	109
50 to 54	41	45	38	Dependent Living	179	78	118
55 to 59	24	19	21	Homeless	5	*	*
60 and Over	23	23	27	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	55	166	146
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	209	190	172	Self / Family / Friend	175	149	133
Female	236	209	204	School	*	0	*
Gender Unknown	0	0	0	Mental Health Provider	25	29	33
<b>RACE / ETHNICITY</b>				Health Care Provider	82	64	34
Caucasian	414	370	353	Court / Criminal Justice	58	43	31
African American	6	6	*	Other	103	114	143
Native American / Alaskan	*	*	*	Referral Source Unknown	0	0	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	6	9	6	Voluntary	439	391	366
Other Race	15	13	12	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	5	6
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	15	11	10	Commitment Type Unknown	0	0	*
Past or Current Military Service	11	10	11				


# LACLEDE COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	27.1	22.4	41.9	Alcohol (1 or 2 drinks daily)	63.4		
Cigarettes	35.6	4.3	30.9	Alcohol (Binge: 5+ drinks once or twice a week)	72.5		
Chewing Tobacco	15.3	6.4	20.7	Alcohol (any use)		80.3	78.0
Marijuana	1.0	0.2	13.0	Cigarettes (1+ packs per day)	92.4		
Inhalants	0.5	1.8	9.3	Cigarettes (any use)		74.7	77.7
Prescription medications not prescribed for student	0.5	0.7	14.8	Marijuana (once or twice a week)	87.8		
Over-the-counter medications for non-medical use	0.5	0.7	9.2	Marijuana (any use)		91.0	72.0
Methamphetamine	0.0	0.0	0.9	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.3	93.9	90.6
Cocaine	0.0	0.0	1.7	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.0	0.0	1.7	Were very sad	14.8	3.6	17.7
Hallucinogens	0.0	0.0	4.6	Were grouchy, irritable, or in a bad mood	19.3	21.7	23.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	0.0	3.0	Felt hopeless about the future	4.9	3.1	8.6
Steroids not prescribed for student	0.0	0.2	1.7	Felt like not eating or eating more than usual	26.6	5.9	12.8
Synthetic drugs (K2, bath salts, Spice, etc)	0.0	0.0		Slept a lot more or a lot less than usual	28.5	8.7	20.1
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	11.4	20.7	19.5
Alcohol	10.16	12.09	11.93	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	9.05	11.33	11.60	Seriously considered attempting suicide	14.2	17.2	12.5
Marijuana	10.36		12.59	Made plan about how they would attempt suicide	3.4	2.5	11.5
Inhalants	9.38	11.11	12.15	Attempted suicide	10.4	0.7	6.4
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.6	1.3	2.8
Alcohol	10.9	16.2	20.3	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occassion)		14.7	13.1	Were threatened/injured with weapon at school	2.1	1.3	11.4
Cigarettes	11.6	1.6	17.1	Were in a physical fight	16.8	25.2	30.8
Chewing Tobacco	1.6	2.8	13.1	Were in a fight and had to be treated by a doctor or nurse	0.5	0.5	6.0
Marijuana	0.5	0.2	7.3	<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.0	0.8	4.5	Were victims of mean rumors or lies spread at school	42.7	31.3	56.1
Prescription medications not prescribed for student	0.5	0.7	9.0	Were made fun of by others	52.1	34.4	68.7
Over-the-counter medications for non-medical use	0.5	0.2	6.6	Were victims of an embarrassing or hurtful text message or something posted on the internet	20.7	3.8	18.0
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	14.2	24.3	37.2
Alcohol (Binge: 5+ drinks on one occassion)	0.0			Made fun of other people	41.2	40.0	71.8
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	8.3	3.6	19.6
Alcohol	16.3	39.6	58.1	<i>Percent of students who agree that:</i>			
Cigarettes	15.3	28.3	50.3	Teachers notice and comment on student's good work	82.1	72.5	65.8
Marijuana	0.5	4.1	34.5	School provides feedback to parents on positive student performance	65.5	41.9	41.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	0.5	2.1	23.4	Rules are enforced fairly	83.7	85.5	64.8
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	99.0	93.6	76.6
Alcohol	11.5	34.5	36.3	<i>Percent of students who agree that:</i>			
Cigarettes	1.0	15.9	17.6	Parents notice and comment on student's good work	92.7	78.8	83.4
Marijuana	0.5	15.6	12.4	Parents involve student in making family decisions	74.9	67.5	72.8
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	96.6	79.9	80.9
Alcohol	72.8	62.1	61.6	Student could ask parent for help with a personal problem	83.2	77.6	77.5
Cigarettes	98.4	80.2	75.9	<div>Page Notes:</div> <div>Similar affirmative response choices for individual questions are combined.</div> <div>Blank data cells indicate estimates are not available for item or geographic area.</div> <div>Survey is not conducted in every school district nor reported for every county.</div> <div>Estimates are not available for counties with small numbers of respondents.</div> <div>Percentages are estimates based on weighted data.</div> <div>Some year-to-year differences in percentages are not statistically significant.</div>			
Marijuana	98.4	97.7	82.2				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	99.5	98.8	93.7				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	77.5	80.2	81.5				
Cigarettes	100.0	98.5	90.7				
Marijuana	100.0	99.3	94.5				
<i>Percent who say it would be easy to obtain:</i>				Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Alcohol	18.8	40.9	47.6				
Cigarettes	31.3	42.3	50.8				
Marijuana	0.5	5.6	27.6				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	2.1	3.8	18.1				



# LAFAYETTE COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	7
Adult Psychiatric	7
<b>POPULATION</b>	
Census 2010	33,381
2013 Estimate	32,943

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	386	378	412
Mother Reported Smoking while Pregnant	93	108	105

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	1
Hepatitis B Chronic, Acute, Prenatal	1	1	0
Hepatitis C Chronic and Acute	1	9	10
Tuberculosis Infection Cases	1	4	7

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	351	325	333
Suicides	5	2	6
Self-inflicted Injuries	45	50	48
Homicides	4	0	0
Assault Injuries	116	92	110
Alcohol Induced Deaths	0	2	2
Drug Induced Deaths	5	6	1
Smoking Attributable Deaths	66	61	60

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	324	318
Alcohol Primary Diagnosis	2	16	19
Drug Primary Diagnosis	2	9	9
Alcohol Related Diagnosis	81	111	95
Drug Related Diagnosis	116	103	124
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	45	50
Alcohol Primary Diagnosis	2	22	7
Drug Primary Diagnosis	2	13	9
Alcohol Related Diagnosis	104	93	63
Drug Related Diagnosis	86	64	44
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	307	262
Alcohol Primary Diagnosis	2	52	45
Drug Primary Diagnosis	2	46	41
Alcohol Related Diagnosis	123	95	117
Drug Related Diagnosis	120	107	110

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	26	24	38
Fatal Crashes	2	0	1
Injury Crashes	10	11	18
Property Damage Crashes	14	13	19
Crash Fatalities	2	0	1
Crash Injuries	12	20	23
Drug Involved Crashes--Total	8	1	5
Fatal Crashes	0	0	0
Injury Crashes	5	0	2
Property Damage Crashes	3	1	3
Crash Fatalities	0	0	0
Crash Injuries	6	0	8

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	16,047	16,384	16,952
Employed	14,991	15,167	15,281
Unemployed	1,056	1,217	1,671
Unemployment Rate	6.6%	7.4%	9.9%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	1,574	1,632	1,640
Drop-outs	27	26	15
Drop-out Rate	1.7%	1.6%	0.9%
School Suspensions:			
Alcohol Incidents	2	2	0
Drug Incidents	4	11	17
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	225	192	218
Liquor Law Arrests	59	64	104
Drug Arrests	314	277	317
Methamphetamine Lab Incidents	1	2	0
Violent Offenses	33	35	47
Property Offenses	675	612	595
Domestic Violence Reports	64	49	42

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	210	200	205
Violent Offenses	58	52	49
Alcohol Offenses	11	21	27
Drug Offenses	9	13	5
Status Offenses--Total	86	87	79
Truancy	15	13	18
Beyond Parental Control	32	19	26
Habitually Absent from Home	17	22	17
Injurious Behavior	22	33	18
Abuse/Neglect/Custody--Total	34	33	23
Abuse	3	0	2
Neglect	2	1	6
Custody Disputes	29	32	15

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	21	31	20
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	4	5	3
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	17	26	17

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	60	45	44
Probation/Parole Admissions--Total	446	457	457
Probation/Parole Admissions--Drug	141	187	185
Probation/Parole Admissions--DWI	29	24	34
Prison Admissions--Total	283	251	270
Prison Admissions--Drug	96	106	100
Prison Admissions--DWI	25	13	18

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	47	43	42
Alcohol Package Carry-out Licenses	40	39	39

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# LAFAYETTE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	9	10	16
CSTAR Adolescent	*	14	14
CSTAR Women and Children	9	9	*
CSTAR General Adult	115	119	107
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	34
Clinical SATOP (CIP, YCIP, SROP)	36	31	6
Other Substance Abuse Treatment	0	*	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	135	135	116
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	48	47	51
- Weekend Intervention Program	25	31	35
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	7
Compulsive Gambling	0	0	0
Recovery Supports	60	73	40
Early Intervention	*	11	11

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	173	181	183	Alcohol	66	86	84
AGE				Marijuana / Hashish	42	39	51
Under 18	6	13	14	Cocaine (total)	*	*	0
18 to 24	44	33	42	- Crack	0	*	0
25 to 29	24	29	28	Stimulant (total)	44	42	34
30 to 34	32	35	19	- Methamphetamine	42	41	28
35 to 39	19	14	21	Heroin	*	0	*
40 to 44	14	30	28	Analgesic except Heroin	14	8	7
45 to 54	25	20	24	- Non-Prescription Methadone	0	0	0
55 and Over	9	7	7	PCP, LSD, other Hallucinogen	*	0	*
GENDER				Tranquilizer	0	*	*
Male	121	120	123	Inhalant	*	*	0
Female	52	61	60	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	162	158	161	Average Age at First Use of Drug	17.6	16.3	16.8
African American	*	11	13	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	23	13	11
Asian / Pacific Islander	0	*	0	- Daily Injection Use	*	5	*
Hispanic	7	6	*	- Weekly Injection Use	11	6	*
Other Race / Two or More Races	*	*	7	- Less than Weekly Injection Use	11	*	8
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	41	50	53	0	96	96	112
High School Graduate or G.E.D.	95	85	96	1 or 2	56	52	40
Associate Degree or Some College	36	44	31	3 or More	21	33	31
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	64	59	56
Employed	61	58	51	School	0	0	0
Unemployed	55	55	72	Mental Health Provider	*	*	0
Not in Labor Force	57	68	60	Health Care Provider	*	6	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	86	93	110
Independent Living	150	154	158	Other Referral Source	15	19	13
Dependent Living	9	14	15	TREATMENT ACCOMMODATION			
Homeless	5	5	*	Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS				Military Veteran	6	12	8
Never Married	87	93	89	Special Education Services Needed	5	8	5
Married / Cohabiting	52	55	57	Co-Occurring Psychological Problem	65	55	46
Previously Married	34	33	37	Co-Occurring Developmental Problem	*	5	*

# LAFAYETTE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 7  
**CENSUS 2010** 33,381  
**2013 POPULATION ESTIMATE** 32,943

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	35	30	16
Anxiety Disorder	171	172	130
Dementia	0	0	0
Developmental Disorder	0	*	*
Impulse Control Disorder	64	60	42
Mood Disorder	236	236	186
Personality Disorder	11	14	9
Psychotic Disorder	38	48	31
Sexual Disorder	0	0	*
Other Diagnosis	23	24	18
Diagnosis Unknown	42	32	43

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	361	359	298	Less than High School Diploma	118	60	34
<b>AGE</b>				High School Grad or G.E.D.	*	55	55
Under 6	6	9	6	Associate Degree or Some College	0	23	17
6 to 9	26	22	23	Bachelor or Advanced Degree	0	*	5
10 to 13	31	34	27	Education Level Unknown	242	217	187
14 to 17	35	35	32	<b>EMPLOYMENT</b>			
18 to 24	36	43	30	Employed	16	20	12
25 to 29	33	32	30	Unemployed	18	104	95
30 to 34	34	22	20	Not in Labor Force	189	37	*
35 to 39	19	25	23	Employment Status Unknown	138	198	187
40 to 44	31	30	26	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	29	34	28	Independent Living	109	127	101
50 to 54	44	36	24	Dependent Living	105	43	59
55 to 59	21	22	15	Homeless	*	*	*
60 and Over	16	15	14	Other	0	8	7
Age Unknown	0	0	0	Housing Unknown	146	180	129
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	141	147	117	Self / Family / Friend	269	253	234
Female	220	212	181	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	*	5	6
<b>RACE / ETHNICITY</b>				Health Care Provider	18	22	6
Caucasian	326	330	280	Court / Criminal Justice	25	11	17
African American	15	14	9	Other	43	65	33
Native American / Alaskan	*	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	7	*	0	Voluntary	358	357	295
Other Race	11	11	8	Civil	0	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	*
Hearing Impaired	10	11	13	Commitment Type Unknown	*	*	*
Past or Current Military Service	12	11	6				

# LAFAYETTE COUNTY


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	33.8	39.9	45.1	Alcohol (1 or 2 drinks daily)	61.1		
Cigarettes	19.2	25.8	27.5	Alcohol (Binge: 5+ drinks once or twice a week)	69.5		
Chewing Tobacco	13.2	16.4	16.6	Alcohol (any use)		72.0	80.3
Marijuana	12.9	14.2	13.1	Cigarettes (1+ packs per day)	85.7		
Inhalants	4.0	5.7	6.7	Cigarettes (any use)		79.5	80.8
Prescription medications not prescribed for student	4.5	9.1	11.4	Marijuana (once or twice a week)	68.4		
Over-the-counter medications for non-medical use	1.5	6.9	6.9	Marijuana (any use)		77.2	72.1
Methamphetamine	0.3	0.9	0.7	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.2	92.7	92.9
Cocaine	0.2	1.2	1.4				
Heroin	0.3	0.3	0.6	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	0.7	1.4	2.2	Were very sad	19.6	20.5	26.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	1.2	1.5	Were grouchy, irritable, or in a bad mood	24.9	23.4	30.6
Steroids not prescribed for student	0.5	0.9	0.8	Felt hopeless about the future	10.4	10.2	12.6
Synthetic drugs (K2, bath salts, Spice, etc)	4.0	5.4		Felt like not eating or eating more than usual	14.1	16.2	23.0
				Slept a lot more or a lot less than usual	14.0	19.4	30.0
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	22.8	19.9	26.0
Alcohol	13.12	12.37	12.46				
Cigarettes	13.98	12.22	12.01	<i>Percent of students who, in past 12 months:</i>			
Marijuana	14.75	13.33	13.17	Seriously considered attempting suicide	7.2	12.4	11.6
Inhalants	10.39	11.59	12.39	Made plan about how they would attempt suicide	5.5	9.7	8.6
				Attempted suicide	2.2	6.1	6.0
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose	0.3	0.7	1.4
Alcohol	11.6	17.3	22.8	had to be treated by doctor or nurse			
Alcohol (Binge: 5+ drinks on one occasion)		10.6	12.3				
Cigarettes	7.5	13.0	14.5	<i>Percent of students who, in past 12 months:</i>			
Chewing Tobacco	7.0	9.5	10.3	Were threatened/injured with weapon at school	2.2	4.9	11.2
Marijuana	5.5	8.1	5.2	Were in a physical fight	18.1	19.4	20.5
Inhalants	1.2	2.4	3.8	Were in a fight and had to be treated by a doctor or nurse	2.2	2.5	3.6
Prescription medications not prescribed for student	2.5	5.6	6.3				
Over-the-counter medications for non-medical use	0.7	3.9	4.0	<i>Percent of students who, in past 3 months:</i>			
				Were victims of mean rumors or lies spread at school	51.1	49.4	58.5
<i>Percent of students who, in past 2 weeks, used:</i>				Were made fun of by others	62.5	60.9	67.4
Alcohol (Binge: 5+ drinks on one occasion)	6.0			Were victims of an embarrassing or hurtful text message or something posted on the Internet	22.9	19.8	19.8
				Spread mean rumors or lies about other kids at school	24.6	27.1	33.0
<i>Percent whose friends used in past 12 months:</i>				Made fun of other people	60.3	60.3	69.8
Alcohol	43.2	53.8	61.0	Posted something on the internet or sent a text that might embarrass or hurt another student	16.0	13.9	17.4
Cigarettes	33.7	47.6	49.2				
Marijuana	29.2	31.4	28.5	<i>Percent of students who agree that:</i>			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.2	11.7	13.6	Teachers notice and comment on student's good work	74.3	72.0	76.7
				School provides feedback to parents on positive student performance	45.4	42.7	46.4
<i>Percent who would likely use, if offered by a best friend:</i>				Rules are enforced fairly	63.5	70.4	70.9
Alcohol	25.6	29.2	38.1	Students of all races/ethnicities are treated equal	84.4	80.7	85.8
Cigarettes	9.9	13.1	16.2				
Marijuana	10.7	11.2	9.4	<i>Percent of students who agree that:</i>			
				Parents notice and comment on student's good work	85.3	82.5	83.8
<i>Percent who say it would be wrong to use:</i>				Parents involve student in making family decisions	68.5	68.4	71.1
Alcohol	68.4	64.0	58.3	It is important to be honest with parents regardless of consequences	86.8	87.9	85.7
Cigarettes	87.3	83.4	78.8	Student could ask parent for help with a personal problem	76.8	77.9	77.3
Marijuana	82.4	85.5	87.0				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.8	95.9	95.5				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	81.5	80.0	78.0				
Cigarettes	91.6	92.8	90.6				
Marijuana	94.8	95.5	95.1				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	49.3	51.3	58.9				
Cigarettes	45.8	50.3	55.1				
Marijuana	27.5	27.2	27.4				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.6	10.5	15.0				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# LAWRENCE COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	9
Adult Psychiatric	8A
<b>POPULATION</b>	
Census 2010	38,634
2013 Estimate	38,185

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	19,294	18,453	18,787
Employed	18,190	17,336	17,338
Unemployed	1,104	1,117	1,449
Unemployment Rate	5.7%	6.1%	7.7%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	1,808	1,776	1,805
Drop-outs	34	36	47
Drop-out Rate	1.9%	2.0%	2.6%
School Suspensions:			
Alcohol Incidents	0	0	1
Drug Incidents	11	16	20
Tobacco Incidents	1	0	1

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	484	490	476
Mother Reported Smoking while Pregnant	111	115	119

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1 6	3	6
Hepatitis C Chronic and Acute	1 37	28	24
Tuberculosis Infection Cases	1 7	8	8

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	420	423	419
Suicides	3	4	3
Self-inflicted Injuries	58	43	41
Homicides	2	0	0
Assault Injuries	124	83	63
Alcohol Induced Deaths	1	5	4
Drug Induced Deaths	5	9	9
Smoking Attributable Deaths	77	70	80

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 205	201	
Alcohol Primary Diagnosis	2 7	9	
Drug Primary Diagnosis	2 18	12	
Alcohol Related Diagnosis	50	55	89
Drug Related Diagnosis	93	70	99
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 126	102	
Alcohol Primary Diagnosis	2 45	20	
Drug Primary Diagnosis	2 45	27	
Alcohol Related Diagnosis	134	96	54
Drug Related Diagnosis	135	105	87
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 334	309	
Alcohol Primary Diagnosis	2 65	56	
Drug Primary Diagnosis	2 70	61	
Alcohol Related Diagnosis	177	159	153
Drug Related Diagnosis	246	186	202

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	45	44	41
Fatal Crashes	3	1	3
Injury Crashes	22	22	20
Property Damage Crashes	20	21	18
Crash Fatalities	3	1	3
Crash Injuries	33	29	29
Drug Involved Crashes--Total	5	6	8
Fatal Crashes	0	0	0
Injury Crashes	2	2	2
Property Damage Crashes	3	4	6
Crash Fatalities	0	0	0
Crash Injuries	3	2	2

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	196	201	167
Liquor Law Arrests	38	44	37
Drug Arrests	146	151	109
Methamphetamine Lab Incidents	17	35	23
Violent Offenses	172	154	121
Property Offenses	1,248	1,180	1,124
Domestic Violence Reports	208	234	168

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	92	79	133
Violent Offenses	26	22	47
Alcohol Offenses	2	7	12
Drug Offenses	3	8	5
Status Offenses--Total	29	37	44
Truancy	2	7	1
Beyond Parental Control	12	8	9
Habitually Absent from Home	5	9	20
Injurious Behavior	8	12	11
Abuse/Neglect/Custody--Total	161	104	90
Abuse	12	16	14
Neglect	66	46	52
Custody Disputes	83	42	24

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	75	50	28
Parental Alcohol Use Related	1	0	0
Parental Drug Use Related	28	12	3
Parental Alcohol and Drug Use	2	2	0
Child Removed for Other Reason	44	36	25

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	41	29	4
Probation/Parole Admissions--Total	267	243	230
Probation/Parole Admissions--Drug	64	74	62
Probation/Parole Admissions--DWI	15	26	10
Prison Admissions--Total	136	118	127
Prison Admissions--Drug	37	25	31
Prison Admissions--DWI	5	5	10

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	19	17	18
Alcohol Package Carry-out Licenses	36	43	43

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# LAWRENCE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Detoxification	35	22	20
CSTAR Adolescent	*	10	8
CSTAR Women and Children	12	20	25
CSTAR General Adult	140	96	80
CSTAR Opioid	0	0	0
Primary Recovery Treatment	29	25	25
Clinical SATOP (CIP, YCIP, SROP)	26	13	12
Other Substance Abuse Treatment	0	0	0

<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Offender Management Unit	144	110	111
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	57	40	53
- Weekend Intervention Program	20	30	18
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	9	5	8
Compulsive Gambling	0	0	0
Recovery Supports	14	13	*
Early Intervention	*	*	0


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	207	175	169	Alcohol	96	69	68
<b>AGE</b>				Marijuana / Hashish	22	37	25
Under 18	*	10	10	Cocaine (total)	0	*	0
18 to 24	37	34	43	- Crack	0	*	0
25 to 29	32	35	29	Stimulant (total)	52	40	45
30 to 34	39	30	27	- Methamphetamine	50	39	44
35 to 39	28	22	22	Heroin	*	*	*
40 to 44	17	17	14	Analgesic except Heroin	31	19	26
45 to 54	34	17	23	- Non-Prescription Methadone	0	0	*
55 and Over	16	10	*	PCP, LSD, other Hallucinogen	*	0	*
<b>GENDER</b>				Tranquilizer	*	*	*
Male	135	110	109	Inhalant	0	0	0
Female	72	65	60	Sedative	0	*	0
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	*	*	0
Caucasian	194	167	157	Average Age at First Use of Drug	17.7	17.3	16.7
African American	*	0	*	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	*	0	*	Any Injection Use at Admission	42	39	37
Asian / Pacific Islander	*	0	0	- Daily Injection Use	7	8	6
Hispanic	*	*	9	- Weekly Injection Use	8	13	11
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	27	18	20
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	71	74	72	0	89	90	98
High School Graduate or G.E.D.	99	68	76	1 or 2	75	55	40
Associate Degree or Some College	36	32	20	3 or More	43	30	31
Bachelor or Advanced Degree	*	*	*	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	73	52	47
Employed	62	41	35	School	*	0	0
Unemployed	78	61	90	Mental Health Provider	0	*	*
Not in Labor Force	67	73	44	Health Care Provider	17	7	6
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	55	49	102
Independent Living	187	150	141	Other Referral Source	61	66	13
Dependent Living	11	20	23	<b>TREATMENT ACCOMMODATION</b>			
Homeless	*	*	*	Pregnant when Admitted to any Episode	5	*	*
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	14	7	6
Never Married	93	76	87	Special Education Services Needed	33	26	11
Married / Cohabiting	49	57	46	Co-Occurring Psychological Problem	79	75	52
Previously Married	65	42	36	Co-Occurring Developmental Problem	11	12	*



# LAWRENCE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 8A  
**CENSUS 2010** 38,634  
**2013 POPULATION ESTIMATE** 38,185

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	29	43	25
Anxiety Disorder	175	159	115
Dementia	*	*	*
Developmental Disorder	6	7	*
Impulse Control Disorder	82	84	52
Mood Disorder	248	240	193
Personality Disorder	59	63	41
Psychotic Disorder	44	41	39
Sexual Disorder	*	0	*
Other Diagnosis	36	34	22
Diagnosis Unknown	173	90	162

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	544	464	463	Less than High School Diploma	114	46	18
<b>AGE</b>				High School Grad or G.E.D.	0	34	37
Under 6	9	15	9	Associate Degree or Some College	0	10	9
6 to 9	28	38	20	Bachelor or Advanced Degree	0	*	*
10 to 13	48	41	39	Education Level Unknown	430	373	398
14 to 17	52	44	48	<b>EMPLOYMENT</b>			
18 to 24	40	42	38	Employed	*	*	*
25 to 29	52	40	31	Unemployed	9	63	62
30 to 34	47	38	48	Not in Labor Force	174	40	*
35 to 39	52	35	57	Employment Status Unknown	358	357	397
40 to 44	53	42	47	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	41	39	46	Independent Living	80	83	60
50 to 54	64	40	37	Dependent Living	98	40	47
55 to 59	31	28	23	Homeless	*	0	*
60 and Over	27	22	20	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	364	340	354
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	254	247	237	Self / Family / Friend	335	208	232
Female	290	217	226	School	19	12	9
Gender Unknown	0	0	0	Mental Health Provider	23	33	55
<b>RACE / ETHNICITY</b>				Health Care Provider	56	50	65
Caucasian	521	437	441	Court / Criminal Justice	12	21	30
African American	*	*	*	Other	97	139	65
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	7
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	14	19	13	Voluntary	540	457	447
Other Race	7	6	7	Civil	*	6	6
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	*
Hearing Impaired	22	18	32	Commitment Type Unknown	*	*	7
Past or Current Military Service	5	*	7				




# LAWRENCE COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	35.4	27.3	38.3	Alcohol (1 or 2 drinks daily)	55.1		
Cigarettes	18.9	18.8	27.2	Alcohol (Binge: 5+ drinks once or twice a week)	63.7		
Chewing Tobacco	13.6	12.1	17.7	Alcohol (any use)		74.2	79.5
Marijuana	10.4	10.2	11.4	Cigarettes (1+ packs per day)	81.7		
Inhalants	0.2	3.8	7.4	Cigarettes (any use)		82.8	75.8
Prescription medications not prescribed for student	6.7	6.8	10.9	Marijuana (once or twice a week)	66.8		
Over-the-counter medications for non-medical use	2.9	5.2	8.4	Marijuana (any use)		77.7	72.1
Methamphetamine	1.1	1.6	1.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	88.4	94.3	92.0
Cocaine	0.0	1.1	0.7	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.2	1.0	0.8	Were very sad	18.9	19.2	15.6
Hallucinogens	2.1	3.4	1.8	Were grouchy, irritable, or in a bad mood	20.0	19.5	20.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1	1.9	2.0	Felt hopeless about the future	14.5	10.5	10.2
Steroids not prescribed for student	0.0	1.3	1.2	Felt like not eating or eating more than usual	17.1	17.0	15.6
Synthetic drugs (K2, bath salts, Spice, etc)	2.1	9.0		Slept a lot more or a lot less than usual	15.2	15.4	18.6
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	23.1	15.8	19.2
Alcohol	13.45	11.93	12.24	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.91	11.58	11.74	Seriously considered attempting suicide	11.1	9.8	12.9
Marijuana	14.50	12.84	13.39	Made plan about how they would attempt suicide	8.4	7.4	9.9
Inhalants	12.85	12.12	12.15	Attempted suicide	5.0	5.5	6.2
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.9	2.0	2.4
Alcohol	15.2	9.2	14.4	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		4.0	8.0	Were threatened/injured with weapon at school	4.6	7.9	10.8
Cigarettes	7.4	9.6	13.5	Were in a physical fight	13.8	17.9	26.6
Chewing Tobacco	6.3	7.1	9.7	Were in a fight and had to be treated by a doctor or nurse	2.1	2.5	5.5
Marijuana	3.2	5.8	4.7	<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.2	1.3	2.7	Were victims of mean rumors or lies spread at school	44.4	49.4	57.9
Prescription medications not prescribed for student	3.8	3.2	6.8	Were made fun of by others	55.4	61.4	72.3
Over-the-counter medications for non-medical use	2.9	2.7	4.7	Were victims of an embarrassing or hurtful text message or something posted on the internet	18.8	15.2	20.3
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	19.2	24.7	34.1
Alcohol (Binge: 5+ drinks on one occasion)	9.9			Made fun of other people	48.6	60.4	71.0
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	15.1	12.4	18.1
Alcohol	44.3	40.7	52.7	<i>Percent of students who agree that:</i>			
Cigarettes	31.5	29.3	41.6	Teachers notice and comment on student's good work	79.5	71.8	68.9
Marijuana	22.9	16.8	30.2	School provides feedback to parents on positive student performance	49.3	45.9	40.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.8	9.2	16.8	Rules are enforced fairly	59.7	68.3	64.1
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	86.6	83.1	80.2
Alcohol	25.9	19.0	29.2	<i>Percent of students who agree that:</i>			
Cigarettes	10.7	9.8	15.2	Parents notice and comment on student's good work	86.0	86.4	84.6
Marijuana	7.1	8.6	8.8	Parents involve student in making family decisions	74.0	74.8	70.8
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	89.3	89.9	85.9
Alcohol	70.0	72.7	63.9	Student could ask parent for help with a personal problem	80.0	78.4	79.3
Cigarettes	85.4	87.7	80.2	<div>Page Notes: Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</div>			
Marijuana	86.3	88.5	86.3				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.6	97.2	95.4				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	82.0	87.5	82.6				
Cigarettes	91.0	94.4	91.3				
Marijuana	93.4	96.0	94.3	Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	52.5	43.5	49.1				
Cigarettes	50.8	40.1	50.8				
Marijuana	27.8	21.7	29.4				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.6	13.6	17.8				

# LEWIS COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	14
Adult Psychiatric	14
<b>POPULATION</b>	
Census 2010	10,211
2013 Estimate	10,152

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	108	109	116
Mother Reported Smoking while Pregnant	21	27	29

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	1	0
Hepatitis B Chronic, Acute, Prenatal	1	2	0
Hepatitis C Chronic and Acute	1	5	3
Tuberculosis Infection Cases	1	1	0

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	128	98	110
Suicides	0	0	0
Self-inflicted Injuries	1	3	2
Homicides	0	0	0
Assault Injuries	2	3	2
Alcohol Induced Deaths	0	0	1
Drug Induced Deaths	0	1	2
Smoking Attributable Deaths	28	18	22

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	13	28
Alcohol Primary Diagnosis	2	2	2
Drug Primary Diagnosis	2	0	0
Alcohol Related Diagnosis	6	10	6
Drug Related Diagnosis	5	12	4
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	1	2
Alcohol Primary Diagnosis	2	1	0
Drug Primary Diagnosis	2	1	1
Alcohol Related Diagnosis	5	3	7
Drug Related Diagnosis	3	1	3
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	14	16
Alcohol Primary Diagnosis	2	2	4
Drug Primary Diagnosis	2	2	0
Alcohol Related Diagnosis	4	7	10
Drug Related Diagnosis	4	4	6

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	10	4	5
Fatal Crashes	1	0	1
Injury Crashes	4	4	3
Property Damage Crashes	5	0	1
Crash Fatalities	1	0	1
Crash Injuries	5	5	4
Drug Involved Crashes--Total	2	2	0
Fatal Crashes	0	0	0
Injury Crashes	1	0	0
Property Damage Crashes	1	2	0
Crash Fatalities	0	0	0
Crash Injuries	2	4	0

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	5,470	5,492	5,627
Employed	5,154	5,183	5,264
Unemployed	316	309	363
Unemployment Rate	5.8%	5.6%	6.5%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	466	454	474
Drop-outs	12	5	8
Drop-out Rate	2.6%	1.1%	1.7%
School Suspensions:			
Alcohol Incidents	2	6	0
Drug Incidents	6	5	3
Tobacco Incidents	0	2	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	66	62	54
Liquor Law Arrests	23	10	40
Drug Arrests	34	47	26
Methamphetamine Lab Incidents	10	14	4
Violent Offenses	6	2	10
Property Offenses	151	174	149
Domestic Violence Reports	65	52	44

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	60	33	27
Violent Offenses	7	6	1
Alcohol Offenses	4	3	4
Drug Offenses	8	4	3
Status Offenses--Total	105	132	177
Truancy	18	9	39
Beyond Parental Control	7	11	13
Habitually Absent from Home	1	1	0
Injurious Behavior	69	93	101
Abuse/Neglect/Custody--Total	54	49	46
Abuse	6	6	5
Neglect	48	43	41
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	15	8	21
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	5	0	9
Parental Alcohol and Drug Use	1	0	0
Child Removed for Other Reason	9	8	12

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	20	24	10
Probation/Parole Admissions--Total	72	68	54
Probation/Parole Admissions--Drug	30	28	14
Probation/Parole Admissions--DWI	6	10	6
Prison Admissions--Total	24	26	29
Prison Admissions--Drug	9	12	8
Prison Admissions--DWI	0	2	3

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	13	13	12
Alcohol Package Carry-out Licenses	11	11	10

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# LEWIS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	6	7	9
CSTAR Adolescent	*	5	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	10	*	8
CSTAR Opioid	0	0	0
Primary Recovery Treatment	24	27	36
Clinical SATOP (CIP, YCIP, SROP)	6	11	8
Other Substance Abuse Treatment	*	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	51	46	37
- Adolescent Diversion Education Program	5	*	*
- Offender Education Program	18	16	7
- Weekend Intervention Program	9	10	10
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	*
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	42	49	55	Alcohol	21	26	28
AGE				Marijuana / Hashish	10	14	16
Under 18	*	*	*	Cocaine (total)	*	0	0
18 to 24	5	13	18	- Crack	*	0	0
25 to 29	7	5	12	Stimulant (total)	6	5	*
30 to 34	11	8	10	- Methamphetamine	6	5	*
35 to 39	*	5	*	Heroin	*	0	0
40 to 44	7	*	*	Analgesic except Heroin	*	*	*
45 to 54	*	10	6	- Non-Prescription Methadone	0	0	0
55 and Over	*	0	*	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	*	0	0
Male	31	35	45	Inhalant	0	0	0
Female	11	14	10	Sedative	0	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	37	47	51	Average Age at First Use of Drug	17.5	15.9	16.5
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	*	*
Hispanic	*	*	*	- Weekly Injection Use	*	0	0
Other Race / Two or More Races	*	0	0	- Less than Weekly Injection Use	*	*	0
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	15	18	15	0	23	26	25
High School Graduate or G.E.D.	20	22	34	1 or 2	15	17	18
Associate Degree or Some College	7	8	6	3 or More	*	6	12
Bachelor or Advanced Degree	0	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	7	6	10
Employed	13	21	24	School	0	0	0
Unemployed	16	15	23	Mental Health Provider	*	0	0
Not in Labor Force	13	13	8	Health Care Provider	0	0	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	23	39	39
Independent Living	32	37	51	Other Referral Source	5	*	5
Dependent Living	8	5	*	TREATMENT ACCOMMODATION			
Homeless	0	*	0	Pregnant when Admitted to any Episode	0	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	21	24	36	Special Education Services Needed	*	5	*
Married / Cohabiting	11	11	10	Co-Occurring Psychological Problem	19	23	16
Previously Married	10	14	9	Co-Occurring Developmental Problem	*	6	5

# LEWIS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 14  
**CENSUS 2010** 10,211  
**2013 POPULATION ESTIMATE** 10,152

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	5	*	*
Anxiety Disorder	17	16	10
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	18	15	13
Mood Disorder	43	46	41
Personality Disorder	*	*	*
Psychotic Disorder	6	8	8
Sexual Disorder	0	0	0
Other Diagnosis	5	*	5
Diagnosis Unknown	*	6	6

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	62	67	64	Less than High School Diploma	28	10	10
<b>AGE</b>				High School Grad or G.E.D.	0	17	12
Under 6	*	0	0	Associate Degree or Some College	0	9	6
6 to 9	*	*	*	Bachelor or Advanced Degree	0	*	*
10 to 13	*	6	6	Education Level Unknown	34	29	35
14 to 17	*	7	12	<b>EMPLOYMENT</b>			
18 to 24	5	8	*	Employed	7	6	*
25 to 29	6	5	6	Unemployed	*	31	27
30 to 34	9	5	*	Not in Labor Force	42	6	0
35 to 39	*	8	7	Employment Status Unknown	11	24	35
40 to 44	5	*	*	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	6	6	5	Independent Living	35	41	26
50 to 54	9	10	9	Dependent Living	11	6	16
55 to 59	*	*	*	Homeless	*	0	0
60 and Over	*	*	*	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	15	20	20
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	23	25	22	Self / Family / Friend	13	18	12
Female	37	42	42	School	*	*	*
Gender Unknown	*	0	0	Mental Health Provider	0	0	*
<b>RACE / ETHNICITY</b>				Health Care Provider	6	6	8
Caucasian	59	63	59	Court / Criminal Justice	*	*	*
African American	*	*	*	Other	39	39	39
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	0	0	Voluntary	61	66	61
Other Race	0	*	*	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	0	0	0	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	*	*				

# LEWIS COUNTY

## MISSOURI STUDENT SURVEY


	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	39.3	38.3	44.0	Alcohol (1 or 2 drinks daily)	54.8		
Cigarettes	17.1	18.6	25.2	Alcohol (Binge: 5+ drinks once or twice a week)	64.5		
Chewing Tobacco	11.3	11.4	8.6	Alcohol (any use)		72.9	74.3
Marijuana	5.6	7.2	13.8	Cigarettes (1+ packs per day)	87.0		
Inhalants	3.3	3.6	6.1	Cigarettes (any use)		78.3	75.1
Prescription medications not prescribed for student	4.0	6.0	12.5	Marijuana (once or twice a week)	74.0		
Over-the-counter medications for non-medical use	1.6	6.0	9.1	Marijuana (any use)		82.4	65.8
Methamphetamine	0.0	0.6	1.3	Other: Cocaine, LSD, Meth, Club Drug (any use)	95.9	92.7	92.6
Cocaine	0.8	1.2	3.5				
Heroin	0.0	1.8	0.0	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	0.8	1.8	3.0	Were very sad	16.9	15.1	10.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8	0.6	3.1	Were grouchy, irritable, or in a bad mood	20.2	20.4	13.4
Steroids not prescribed for student	0.0	1.2	0.4	Felt hopeless about the future	8.9	7.8	6.6
Synthetic drugs (K2, bath salts, Spice, etc)	1.6	4.2		Felt like not eating or eating more than usual	13.6	13.9	9.1
				Slept a lot more or a lot less than usual	12.8	13.9	16.0
				Had difficulty concentrating on school work	16.3	20.5	15.2
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	13.36	13.12	12.52	Seriously considered attempting suicide	8.8	10.8	8.6
Cigarettes	12.65	13.58	12.06	Made plan about how they would attempt suicide	7.3	8.4	7.4
Marijuana	12.29	13.99	13.67	Attempted suicide	4.0	6.5	4.8
Inhalants	11.43	10.98	10.86	Attempted suicide and resulting injury, poisoning, or overdose	1.6	1.2	2.6
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	13.0	13.8	17.4	Were threatened/injured with weapon at school	4.0	9.6	8.3
Alcohol (Binge: 5+ drinks on one occasion)		6.0	10.8	Were in a physical fight	16.1	21.1	30.6
Cigarettes	9.8	8.3	17.8	Were in a fight and had to be treated by a doctor or nurse	1.6	6.6	4.4
Chewing Tobacco	4.8	5.4	3.9				
Marijuana	3.2	3.0	6.0	<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.8	1.8	3.5	Were victims of mean rumors or lies spread at school	45.6	52.7	59.8
Prescription medications not prescribed for student	2.4	2.4	8.2	Were made fun of by others	58.9	60.5	75.8
Over-the-counter medications for non-medical use	1.6	1.8	7.4	Were victims of an embarrassing or hurtful text message or something posted on the Internet	21.8	22.9	25.4
				Spread mean rumors or lies about other kids at school	20.8	33.1	32.0
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	56.5	60.7	74.9
Alcohol (Binge: 5+ drinks on one occasion)	7.4			Posted something on the internet or sent a text that might embarrass or hurt another student	16.0	11.4	16.1
<i>Percent whose friends used in past 12 months:</i>				<i>Percent of students who agree that:</i>			
Alcohol	47.2	49.7	50.4	Teachers notice and comment on student's good work	77.4	62.0	68.1
Cigarettes	35.5	40.4	42.0	School provides feedback to parents on positive student performance	49.2	22.9	32.2
Marijuana	18.5	26.3	25.5	Rules are enforced fairly	59.7	39.2	53.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.2	13.9	12.1	Students of all races/ethnicities are treated equal	85.6	76.6	77.7
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	35.0	33.5	37.0	Parents notice and comment on student's good work	82.4	83.1	83.0
Cigarettes	11.3	12.0	17.4	Parents involve student in making family decisions	70.2	68.5	69.3
Marijuana	6.5	8.4	12.6	It is important to be honest with parents regardless of consequences	87.9	83.2	84.9
				Student could ask parent for help with a personal problem	81.5	74.5	78.2
<i>Percent who say it would be wrong to use:</i>							
Alcohol	60.2	60.0	52.0				
Cigarettes	86.2	84.2	79.6				
Marijuana	87.9	88.6	85.2				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.4	96.4	94.3				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	83.1	79.1	75.2				
Cigarettes	96.0	93.3	87.9				
Marijuana	97.6	96.4	94.8				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	54.0	54.2	57.4				
Cigarettes	48.4	50.0	53.0				
Marijuana	22.1	25.6	29.6				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.5	15.1	16.8				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys



# LINCOLN COUNTY



<b>DBH REGION</b>	Eastern
<b>DBH SERVICE AREAS</b>	
Substance Abuse	16
Adult Psychiatric	16
<b>POPULATION</b>	
Census 2010	52,566
2013 Estimate	53,860

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	707	725	731
Mother Reported Smoking while Pregnant	165	164	181
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	1
Hepatitis C Chronic and Acute	1	44	45
Tuberculosis Infection Cases	1	5	11
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	404	455	411
Suicides	8	14	16
Self-inflicted Injuries	91	82	84
Homicides	1	5	3
Assault Injuries	197	221	190
Alcohol Induced Deaths	0	1	2
Drug Induced Deaths	12	7	10
Smoking Attributable Deaths	75	85	77
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	429	407
Alcohol Primary Diagnosis	2	19	17
Drug Primary Diagnosis	2	43	37
Alcohol Related Diagnosis	142	129	207
Drug Related Diagnosis	190	189	245
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	526	496
Alcohol Primary Diagnosis	2	29	26
Drug Primary Diagnosis	2	25	32
Alcohol Related Diagnosis	241	262	122
Drug Related Diagnosis	306	302	183
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	584	585
Alcohol Primary Diagnosis	2	213	106
Drug Primary Diagnosis	2	146	153
Alcohol Related Diagnosis	430	330	291
Drug Related Diagnosis	568	397	303
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	48	52	33
Fatal Crashes	2	3	2
Injury Crashes	29	26	10
Property Damage Crashes	17	23	21
Crash Fatalities	2	4	4
Crash Injuries	51	39	14
Drug Involved Crashes--Total	10	10	9
Fatal Crashes	1	0	0
Injury Crashes	5	6	5
Property Damage Crashes	4	4	4
Crash Fatalities	2	0	0
Crash Injuries	11	4	5

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	26,568	26,706	27,221
Employed	24,613	24,485	24,453
Unemployed	1,955	2,221	2,768
Unemployment Rate	7.4%	8.3%	10.2%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	2,710	2,724	2,838
Drop-outs	46	65	64
Drop-out Rate	1.7%	2.4%	2.3%
School Suspensions:			
Alcohol Incidents	4	1	2
Drug Incidents	41	52	74
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	386	274	251
Liquor Law Arrests	40	37	80
Drug Arrests	265	374	373
Methamphetamine Lab Incidents	3	33	20
Violent Offenses	91	120	139
Property Offenses	778	783	713
Domestic Violence Reports	296	332	222

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	220	212	266
Violent Offenses	60	38	65
Alcohol Offenses	8	8	19
Drug Offenses	28	13	23
Status Offenses--Total	193	328	281
Truancy	113	217	137
Beyond Parental Control	6	13	21
Habitually Absent from Home	36	39	38
Injurious Behavior	38	59	85
Abuse/Neglect/Custody--Total	203	217	149
Abuse	20	15	11
Neglect	168	197	133
Custody Disputes	15	5	5

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	70	61	41
Parental Alcohol Use Related	0	0	1
Parental Drug Use Related	13	17	5
Parental Alcohol and Drug Use	2	0	0
Child Removed for Other Reason	55	44	35

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	84	90	72
Probation/Parole Admissions--Total	320	405	456
Probation/Parole Admissions--Drug	113	175	164
Probation/Parole Admissions--DWI	27	34	42
Prison Admissions--Total	152	175	157
Prison Admissions--Drug	62	81	65
Prison Admissions--DWI	8	6	11

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	46	47	47
Alcohol Package Carry-out Licenses	37	38	37

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# LINCOLN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Detoxification	32	34	33
CSTAR Adolescent	40	42	44
CSTAR Women and Children	43	31	48
CSTAR General Adult	186	175	75
CSTAR Opioid	7	11	*
Primary Recovery Treatment	29	40	159
Clinical SATOP (CIP, YCIP, SROP)	101	96	53
Other Substance Abuse Treatment	0	*	*


<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Offender Management Unit	255	271	235
- Adolescent Diversion Education Program	5	11	*
- Offender Education Program	70	77	71
- Weekend Intervention Program	40	48	46
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	*	*	7
Compulsive Gambling	0	*	*
Recovery Supports	*	0	*
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	375	376	362	Alcohol	161	163	143
<b>AGE</b>				Marijuana / Hashish	87	88	113
Under 18	43	49	44	Cocaine (total)	5	5	11
18 to 24	72	85	79	- Crack	*	*	9
25 to 29	59	60	71	Stimulant (total)	36	18	21
30 to 34	62	55	60	- Methamphetamine	33	18	19
35 to 39	37	30	32	Heroin	64	66	56
40 to 44	34	39	28	Analgesic except Heroin	12	16	13
45 to 54	55	43	35	- Non-Prescription Methadone	0	0	0
55 and Over	13	15	13	PCP, LSD, other Hallucinogen	*	5	*
<b>GENDER</b>				Tranquilizer	*	*	*
Male	246	241	239	Inhalant	*	*	0
Female	129	135	123	Sedative	0	*	0
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	5	10	0
Caucasian	344	349	328	Average Age at First Use of Drug	17.8	17.8	16.9
African American	17	12	17	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	80	68	52
Asian / Pacific Islander	0	0	0	- Daily Injection Use	14	18	17
Hispanic	5	9	7	- Weekly Injection Use	23	16	11
Other Race / Two or More Races	10	7	11	- Less than Weekly Injection Use	43	34	24
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	136	152	171	0	186	198	201
High School Graduate or G.E.D.	179	172	150	1 or 2	118	120	115
Associate Degree or Some College	60	50	36	3 or More	71	58	46
Bachelor or Advanced Degree	0	*	5	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	58	62	44
Employed	110	130	109	School	16	9	18
Unemployed	148	133	155	Mental Health Provider	5	*	*
Not in Labor Force	117	113	98	Health Care Provider	12	6	6
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	225	236	238
Independent Living	312	303	294	Other Referral Source	54	58	53
Dependent Living	56	58	57	<b>TREATMENT ACCOMMODATION</b>			
Homeless	5	10	7	Pregnant when Admitted to any Episode	8	8	8
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	18	9	7
Never Married	204	227	214	Special Education Services Needed	37	41	57
Married / Cohabiting	102	85	79	Co-Occurring Psychological Problem	128	134	158
Previously Married	69	64	69	Co-Occurring Developmental Problem	12	15	11

# LINCOLN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Eastern  
**PSYCHIATRIC SERVICE AREA** 16  
**CENSUS 2010** 52,566  
**2013 POPULATION ESTIMATE** 53,860

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	8	12	13
Anxiety Disorder	409	408	303
Dementia	*	*	*
Developmental Disorder	31	31	26
Impulse Control Disorder	173	190	162
Mood Disorder	619	642	545
Personality Disorder	73	75	67
Psychotic Disorder	155	156	143
Sexual Disorder	*	0	*
Other Diagnosis	47	48	42
Diagnosis Unknown	64	113	153

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.


<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	904	989	909	Less than High School Diploma	312	197	169
<b>AGE</b>				High School Grad or G.E.D.	16	158	182
Under 6	5	*	15	Associate Degree or Some College	5	65	88
6 to 9	61	66	51	Bachelor or Advanced Degree	*	10	13
10 to 13	76	85	89	Education Level Unknown	569	559	457
14 to 17	84	96	111	<b>EMPLOYMENT</b>			
18 to 24	74	106	94	Employed	49	59	66
25 to 29	71	78	72	Unemployed	63	311	352
30 to 34	85	94	65	Not in Labor Force	489	123	31
35 to 39	70	80	63	Employment Status Unknown	303	496	460
40 to 44	87	93	89	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	77	89	92	Independent Living	431	396	392
50 to 54	99	85	76	Dependent Living	166	137	195
55 to 59	53	52	43	Homeless	*	12	*
60 and Over	62	61	49	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	303	441	315
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	425	488	459	Self / Family / Friend	266	208	121
Female	479	501	450	School	104	96	79
Gender Unknown	0	0	0	Mental Health Provider	67	78	86
<b>RACE / ETHNICITY</b>				Health Care Provider	98	102	73
Caucasian	816	895	824	Court / Criminal Justice	41	46	26
African American	42	50	43	Other	324	454	518
Native American / Alaskan	*	7	5	Referral Source Unknown	*	5	6
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	14	13	10	Voluntary	890	974	890
Other Race	28	24	27	Civil	*	*	7
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	6
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	0	0
Hearing Impaired	18	15	13	Commitment Type Unknown	8	8	6
Past or Current Military Service	18	18	15				

# LINCOLN COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol		51.2	45.6	Alcohol (1 or 2 drinks daily)			
Cigarettes		29.2	27.6	Alcohol (Binge: 5+ drinks once or twice a week)			
Chewing Tobacco		14.8	12.7	Alcohol (any use)		67.8	74.4
Marijuana		17.2	13.7	Cigarettes (1+ packs per day)			
Inhalants		3.7	6.4	Cigarettes (any use)		80.3	78.1
Prescription medications not prescribed for student		8.8	8.7	Marijuana (once or twice a week)			
Over-the-counter medications for non-medical use		7.2	6.3	Marijuana (any use)		71.3	68.2
Methamphetamine		1.2	0.6	Other: Cocaine, LSD, Meth, Club Drug (any use)		93.6	91.4
Cocaine		1.4	1.5				
Heroin		0.4	0.6	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens		2.6	3.3	Were very sad		20.0	15.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		1.9	1.4	Were grouchy, irritable, or in a bad mood		25.1	21.7
Steroids not prescribed for student		1.4	1.2	Felt hopeless about the future		14.6	9.1
Synthetic drugs (K2, bath salts, Spice, etc)		6.8		Felt like not eating or eating more than usual		19.9	13.8
				Slept a lot more or a lot less than usual		21.6	22.3
				Had difficulty concentrating on school work		22.0	19.1
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol		12.64	12.56	Seriously considered attempting suicide		10.4	9.6
Cigarettes		12.44	12.16	Made plan about how they would attempt suicide		6.0	7.4
Marijuana		13.86	13.57	Attempted suicide		4.6	4.4
Inhalants		12.72	11.18	Attempted suicide and resulting injury, poisoning, or overdose		1.4	1.9
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol		22.7	22.4	Were threatened/injured with weapon at school		5.2	11.6
Alcohol (Binge: 5+ drinks on one occasion)		14.2	15.6	Were in a physical fight		19.0	25.8
Cigarettes		10.4	15.4	Were in a fight and had to be treated by a doctor or nurse		1.8	5.1
Chewing Tobacco		8.3	7.0				
Marijuana		6.7	6.7	<i>Percent of students who, in past 3 months:</i>			
Inhalants		1.2	2.9	Were victims of mean rumors or lies spread at school		48.3	52.1
Prescription medications not prescribed for student		3.8	5.1	Were made fun of by others		57.2	68.8
Over-the-counter medications for non-medical use		3.3	4.0	Were victims of an embarrassing or hurtful text message or something posted on the Internet		22.0	16.9
				Spread mean rumors or lies about other kids at school		27.3	31.4
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people		64.8	71.7
Alcohol (Binge: 5+ drinks on one occasion)				Posted something on the internet or sent a text that might embarrass or hurt another student		14.4	15.9
<i>Percent whose friends used in past 12 months:</i>							
Alcohol		63.4	65.4	<i>Percent of students who agree that:</i>			
Cigarettes		44.7	54.2	Teachers notice and comment on student's good work		64.3	67.1
Marijuana		40.4	35.7	School provides feedback to parents on positive student performance		31.0	33.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		15.3	17.3	Rules are enforced fairly		58.8	58.7
				Students of all races/ethnicities are treated equal		71.7	70.1
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol		39.9	37.1	Parents notice and comment on student's good work		80.0	83.1
Cigarettes		12.7	16.0	Parents involve student in making family decisions		64.9	70.7
Marijuana		14.4	10.0	It is important to be honest with parents regardless of consequences		86.3	83.9
				Student could ask parent for help with a personal problem		74.7	78.0
<i>Percent who say it would be wrong to use:</i>				Page Notes: Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.			
Alcohol		53.1	56.6				
Cigarettes		79.8	77.7				
Marijuana		78.9	83.9				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		96.1	94.6				
<i>Percent whose parents would disapprove if they use:</i>				Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Alcohol		70.1	73.7				
Cigarettes		88.9	87.5				
Marijuana		93.3	92.6				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol		64.4	61.7				
Cigarettes		60.2	60.7				
Marijuana		37.7	37.1				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		14.1	19.9				

# LINN COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	13
Adult Psychiatric	13
<b>POPULATION</b>	
Census 2010	12,761
2013 Estimate	12,368

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	6,106	5,703	5,867
Employed	5,661	5,231	5,232
Unemployed	445	472	635
Unemployment Rate	7.3%	8.3%	10.8%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	698	722	738
Drop-outs	13	11	14
Drop-out Rate	1.9%	1.5%	1.9%
School Suspensions:			
Alcohol Incidents	0	4	0
Drug Incidents	3	8	3
Tobacco Incidents	0	0	0

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	133	141	125
Mother Reported Smoking while Pregnant	32	34	29

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	1
Hepatitis B Chronic, Acute, Prenatal	1	4	0
Hepatitis C Chronic and Acute	1	2	8
Tuberculosis Infection Cases	1	3	4

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	157	175	167
Suicides	4	2	1
Self-inflicted Injuries	23	16	19
Homicides	1	0	0
Assault Injuries	23	35	45
Alcohol Induced Deaths	1	0	0
Drug Induced Deaths	1	0	1
Smoking Attributable Deaths	30	32	40

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	89	104
Alcohol Primary Diagnosis	2	5	11
Drug Primary Diagnosis	2	8	4
Alcohol Related Diagnosis	49	67	40
Drug Related Diagnosis	61	32	41
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	33	30
Alcohol Primary Diagnosis	2	4	3
Drug Primary Diagnosis	2	8	6
Alcohol Related Diagnosis	33	18	14
Drug Related Diagnosis	26	22	15
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	142	158
Alcohol Primary Diagnosis	2	17	18
Drug Primary Diagnosis	2	21	7
Alcohol Related Diagnosis	61	64	44
Drug Related Diagnosis	59	28	46

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	5	13	13
Fatal Crashes	0	1	0
Injury Crashes	3	5	5
Property Damage Crashes	2	7	8
Crash Fatalities	0	2	0
Crash Injuries	3	5	11
Drug Involved Crashes--Total	4	2	2
Fatal Crashes	0	0	0
Injury Crashes	4	2	2
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	4	2	3

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	56	55	77
Liquor Law Arrests	9	18	32
Drug Arrests	34	37	35
Methamphetamine Lab Incidents	3	1	0
Violent Offenses	31	24	22
Property Offenses	261	252	236
Domestic Violence Reports	127	148	163

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	50	28	50
Violent Offenses	2	5	15
Alcohol Offenses	5	1	15
Drug Offenses	7	2	8
Status Offenses--Total	75	137	120
Truancy	56	92	78
Beyond Parental Control	8	15	14
Habitually Absent from Home	0	0	0
Injurious Behavior	11	30	28
Abuse/Neglect/Custody--Total	28	41	35
Abuse	2	3	2
Neglect	26	38	33
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	28	26	21
Parental Alcohol Use Related	1	0	0
Parental Drug Use Related	10	4	1
Parental Alcohol and Drug Use	0	0	1
Child Removed for Other Reason	17	22	19

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	38	44	42
Probation/Parole Admissions--Total	69	70	64
Probation/Parole Admissions--Drug	18	25	20
Probation/Parole Admissions--DWI	0	1	4
Prison Admissions--Total	32	34	44
Prison Admissions--Drug	13	12	19
Prison Admissions--DWI	0	0	2

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	22	19	18
Alcohol Package Carry-out Licenses	18	19	16

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# LINN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	8	5	8
CSTAR Adolescent	11	9	*
CSTAR Women and Children	5	*	*
CSTAR General Adult	97	98	76
CSTAR Opioid	0	*	0
Primary Recovery Treatment	9	10	23
Clinical SATOP (CIP, YCIP, SROP)	11	15	8
Other Substance Abuse Treatment	*	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	53	48	49
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	25	18	24
- Weekend Intervention Program	13	14	8
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	5
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	*	6	7


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	135	123	97	Alcohol	36	49	37
AGE				Marijuana / Hashish	49	40	36
Under 18	11	9	6	Cocaine (total)	*	*	0
18 to 24	31	29	22	- Crack	*	0	0
25 to 29	25	21	20	Stimulant (total)	20	22	12
30 to 34	23	18	14	- Methamphetamine	20	21	10
35 to 39	10	10	9	Heroin	*	0	0
40 to 44	13	11	15	Analgesic except Heroin	21	11	9
45 to 54	11	20	9	- Non-Prescription Methadone	0	0	0
55 and Over	11	5	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	0	*
Male	82	89	69	Inhalant	0	0	0
Female	53	34	28	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	*
Caucasian	127	111	89	Average Age at First Use of Drug	18.6	17.1	17.0
African American	*	5	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	19	7	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	*
Hispanic	*	*	*	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	5	7	*	- Less than Weekly Injection Use	14	5	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	48	52	39	0	87	64	63
High School Graduate or G.E.D.	72	53	41	1 or 2	36	42	24
Associate Degree or Some College	13	18	16	3 or More	12	17	10
Bachelor or Advanced Degree	*	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	25	21	29
Employed	38	47	32	School	0	0	*
Unemployed	49	49	39	Mental Health Provider	0	0	0
Not in Labor Force	48	27	26	Health Care Provider	5	*	6
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	64	78	52
Independent Living	110	104	82	Other Referral Source	32	10	9
Dependent Living	14	10	7	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	9	*
Never Married	77	63	57	Special Education Services Needed	22	23	15
Married / Cohabiting	33	36	22	Co-Occurring Psychological Problem	80	65	23
Previously Married	25	24	18	Co-Occurring Developmental Problem	*	0	*



# LINN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 13  
**CENSUS 2010** 12,761  
**2013 POPULATION ESTIMATE** 12,368

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	7	8	*
Anxiety Disorder	102	111	89
Dementia	0	0	0
Developmental Disorder	11	8	7
Impulse Control Disorder	54	47	35
Mood Disorder	148	171	118
Personality Disorder	21	29	24
Psychotic Disorder	17	19	18
Sexual Disorder	*	0	*
Other Diagnosis	29	27	20
Diagnosis Unknown	6	13	42

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	211	230	208	Less than High School Diploma	90	39	21
<b>AGE</b>				High School Grad or G.E.D.	*	39	32
Under 6	*	0	0	Associate Degree or Some College	0	5	8
6 to 9	17	14	11	Bachelor or Advanced Degree	0	*	*
10 to 13	35	28	22	Education Level Unknown	119	143	144
14 to 17	19	20	18	<b>EMPLOYMENT</b>			
18 to 24	20	23	21	Employed	14	11	9
25 to 29	8	13	19	Unemployed	30	60	54
30 to 34	22	20	14	Not in Labor Force	132	33	*
35 to 39	14	25	22	Employment Status Unknown	35	126	144
40 to 44	21	29	28	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	13	10	9	Independent Living	101	86	62
50 to 54	14	18	21	Dependent Living	73	35	31
55 to 59	9	14	10	Homeless	*	0	*
60 and Over	16	16	13	Other	0	0	5
Age Unknown	0	0	0	Housing Unknown	36	109	109
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	100	114	91	Self / Family / Friend	101	93	82
Female	111	116	117	School	6	*	*
Gender Unknown	0	0	0	Mental Health Provider	18	28	33
<b>RACE / ETHNICITY</b>				Health Care Provider	35	46	37
Caucasian	200	222	203	Court / Criminal Justice	22	31	22
African American	*	*	*	Other	29	29	31
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	209	228	204
Other Race	5	*	*	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	9	9	6	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	5	*				




# LINN COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	46.2	51.5	50.0	Alcohol (1 or 2 drinks daily)	47.9		
Cigarettes	31.7	38.2	29.3	Alcohol (Binge: 5+ drinks once or twice a week)	64.6		
Chewing Tobacco	20.5	18.6	21.7	Alcohol (any use)		69.3	85.6
Marijuana	15.2	15.3	9.4	Cigarettes (1+ packs per day)	81.3		
Inhalants	4.1	4.4	4.7	Cigarettes (any use)		81.2	78.8
Prescription medications not prescribed for student	9.0	9.8	7.7	Marijuana (once or twice a week)	67.6		
Over-the-counter medications for non-medical use	5.6	6.9	6.1	Marijuana (any use)		75.2	68.0
Methamphetamine	1.4	1.0	0.7	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.5	95.0	93.5
Cocaine	0.0	1.5	0.4	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.0	1.0	0.4	Were very sad	20.4	20.2	21.7
Hallucinogens	2.1	2.0	1.5	Were grouchy, irritable, or in a bad mood	24.8	23.2	26.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.4	1.5	0.7	Felt hopeless about the future	11.6	10.3	13.0
Steroids not prescribed for student	2.1	1.5	0.7	Felt like not eating or eating more than usual	19.0	18.3	20.2
Synthetic drugs (K2, bath salts, Spice, etc)	4.8	6.9		Slept a lot more or a lot less than usual	16.4	17.3	26.0
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	23.1	19.6	27.4
Alcohol	12.25	12.64	12.37	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.74	12.81	12.64	Seriously considered attempting suicide	12.3	13.2	11.1
Marijuana	13.26	13.74	13.83	Made plan about how they would attempt suicide	11.0	10.3	7.9
Inhalants	11.81	12.19	12.54	Attempted suicide	4.1	5.9	5.0
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.7	2.5	1.1
Alcohol	21.4	25.1	22.8	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occassion)		15.7	14.0	Were threatened/injured with weapon at school	6.8	5.4	7.2
Cigarettes	13.9	19.7	15.6	Were in a physical fight	18.5	20.7	23.3
Chewing Tobacco	11.6	11.3	12.3	Were in a fight and had to be treated by a doctor or nurse	2.1	2.5	2.2
Marijuana	8.9	7.9	4.3	<i>Percent of students who, in past 3 months:</i>			
Inhalants	2.1	1.5	2.2	Were victims of mean rumors or lies spread at school	58.2	55.0	59.4
Prescription medications not prescribed for student	3.5	5.4	3.3	Were made fun of by others	70.3	65.8	71.7
Over-the-counter medications for non-medical use	4.1	4.4	3.2	Were victims of an embarrassing or hurtful text message or something posted on the internet	30.3	22.3	18.9
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	34.0	32.0	36.0
Alcohol (Binge: 5+ drinks on one occassion)	11.0			Made fun of other people	68.0	66.5	73.8
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	21.4	15.8	18.5
Alcohol	56.2	58.9	63.7	<i>Percent of students who agree that:</i>			
Cigarettes	48.6	54.2	51.1	Teachers notice and comment on student's good work	68.7	64.5	76.3
Marijuana	30.1	32.7	24.5	School provides feedback to parents on positive student performance	41.1	35.5	48.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.3	11.9	14.4	Rules are enforced fairly	61.6	61.9	67.5
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	78.1	80.7	85.9
Alcohol	41.4	39.2	40.7	<i>Percent of students who agree that:</i>			
Cigarettes	20.7	23.5	19.9	Parents notice and comment on student's good work	79.5	80.3	85.5
Marijuana	13.1	10.3	6.2	Parents involve student in making family decisions	67.8	71.1	70.7
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	86.3	88.7	88.1
Alcohol	51.4	52.5	54.3	Student could ask parent for help with a personal problem	72.6	78.7	79.9
Cigarettes	75.3	72.4	75.8	<div>Page Notes:</div> <div>Similar affirmative response choices for individual questions are combined.</div> <div>Blank data cells indicate estimates are not available for item or geographic area.</div> <div>Survey is not conducted in every school district nor reported for every county.</div> <div>Estimates are not available for counties with small numbers of respondents.</div> <div>Percentages are estimates based on weighted data.</div> <div>Some year-to-year differences in percentages are not statistically significant.</div>			
Marijuana	82.1	85.6	89.9				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.9	97.0	97.5				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	71.5	71.8	75.1				
Cigarettes	90.4	90.6	90.3				
Marijuana	93.1	94.0	98.2				
<i>Percent who say it would be easy to obtain:</i>				Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Alcohol	63.4	63.9	62.9				
Cigarettes	54.5	63.7	58.1				
Marijuana	34.2	41.4	25.2				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.7	20.9	14.8				

# LIVINGSTON COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	13
Adult Psychiatric	13
<b>POPULATION</b>	
Census 2010	15,195
2013 Estimate	14,871

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	179	142	171
Mother Reported Smoking while Pregnant	42	42	36
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1 4	2	0
Hepatitis C Chronic and Acute	1 11	10	4
Tuberculosis Infection Cases	1 1	2	1
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	185	208	175
Suicides	1	2	3
Self-inflicted Injuries	33	20	29
Homicides	0	2	1
Assault Injuries	60	34	37
Alcohol Induced Deaths	1	1	1
Drug Induced Deaths	1	1	3
Smoking Attributable Deaths	34	43	33
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 142	97	
Alcohol Primary Diagnosis	2 4	5	
Drug Primary Diagnosis	2 3	7	
Alcohol Related Diagnosis	30	38	52
Drug Related Diagnosis	64	45	53
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 27	21	
Alcohol Primary Diagnosis	2 12	3	
Drug Primary Diagnosis	2 4	4	
Alcohol Related Diagnosis	34	21	17
Drug Related Diagnosis	25	14	19
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 203	109	
Alcohol Primary Diagnosis	2 26	24	
Drug Primary Diagnosis	2 20	27	
Alcohol Related Diagnosis	66	53	59
Drug Related Diagnosis	65	58	47
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	18	9	24
Fatal Crashes	0	0	0
Injury Crashes	11	4	12
Property Damage Crashes	7	5	12
Crash Fatalities	0	0	0
Crash Injuries	15	6	12
Drug Involved Crashes--Total	3	1	1
Fatal Crashes	0	0	0
Injury Crashes	2	1	0
Property Damage Crashes	1	0	1
Crash Fatalities	0	0	0
Crash Injuries	4	1	0

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	7,462	6,996	6,945
Employed	7,052	6,542	6,386
Unemployed	410	454	559
Unemployment Rate	5.5%	6.5%	8.0%
<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	654	656	672
Drop-outs	17	10	20
Drop-out Rate	2.6%	1.5%	3.0%
School Suspensions:			
Alcohol Incidents	11	3	1
Drug Incidents	1	1	2
Tobacco Incidents	0	0	2
<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	71	80	95
Liquor Law Arrests	37	40	80
Drug Arrests	90	85	112
Methamphetamine Lab Incidents	1	3	0
Violent Offenses	20	43	25
Property Offenses	358	330	292
Domestic Violence Reports	57	57	49
<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	89	59	69
Violent Offenses	21	22	12
Alcohol Offenses	0	0	11
Drug Offenses	5	3	7
Status Offenses--Total	58	20	56
Truancy	21	5	18
Beyond Parental Control	22	7	14
Habitually Absent from Home	3	1	10
Injurious Behavior	11	7	11
Abuse/Neglect/Custody--Total	19	17	15
Abuse	8	6	6
Neglect	11	11	9
Custody Disputes	0	0	0
<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	9	11	11
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	3	2	6
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	6	9	5
<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	174	155	151
Probation/Parole Admissions--Drug	69	57	52
Probation/Parole Admissions--DWI	10	9	3
Prison Admissions--Total	143	117	108
Prison Admissions--Drug	49	45	35
Prison Admissions--DWI	9	5	9
<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	26	29	27
Alcohol Package Carry-out Licenses	17	17	20

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.  
 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# LIVINGSTON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	5	6	5
CSTAR Adolescent	9	12	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	127	126	97
CSTAR Opioid	0	0	0
Primary Recovery Treatment	6	5	8
Clinical SATOP (CIP, YCIP, SROP)	*	16	8
Other Substance Abuse Treatment	*	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	36	49	37
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	15	20	11
- Weekend Intervention Program	6	9	13
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	5	0
Early Intervention	5	*	6

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	153	160	106	Alcohol	48	71	41
AGE				Marijuana / Hashish	47	43	26
Under 18	13	13	*	Cocaine (total)	*	7	*
18 to 24	26	26	26	- Crack	0	*	*
25 to 29	30	36	15	Stimulant (total)	36	19	17
30 to 34	34	31	20	- Methamphetamine	36	19	15
35 to 39	16	20	14	Heroin	*	*	*
40 to 44	15	18	13	Analgesic except Heroin	12	12	8
45 to 54	16	11	15	- Non-Prescription Methadone	0	0	0
55 and Over	*	5	*	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	*	*	*
Male	100	104	62	Inhalant	*	0	0
Female	53	56	44	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	8
Caucasian	141	140	97	Average Age at First Use of Drug	16.7	16.6	17.4
African American	5	10	7	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	21	17	7
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	*	*	*	- Weekly Injection Use	*	5	0
Other Race / Two or More Races	5	7	*	- Less than Weekly Injection Use	15	11	5
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	55	67	35	0	94	92	80
High School Graduate or G.E.D.	79	76	50	1 or 2	37	50	15
Associate Degree or Some College	19	14	20	3 or More	22	18	11
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	29	22	26
Employed	37	60	32	School	0	0	0
Unemployed	87	76	56	Mental Health Provider	*	*	0
Not in Labor Force	29	24	18	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	26	101	65
Independent Living	121	140	93	Other Referral Source	88	28	12
Dependent Living	24	15	7	TREATMENT ACCOMMODATION			
Homeless	5	5	5	Pregnant when Admitted to any Episode	0	*	0
MARITAL / FAMILY STATUS				Military Veteran	10	11	*
Never Married	89	87	55	Special Education Services Needed	10	14	8
Married / Cohabiting	40	38	28	Co-Occurring Psychological Problem	77	73	31
Previously Married	24	35	23	Co-Occurring Developmental Problem	5	20	*

# LIVINGSTON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 13  
**CENSUS 2010** 15,195  
**2013 POPULATION ESTIMATE** 14,871

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	7	11	12
Anxiety Disorder	194	199	161
Dementia	*	*	*
Developmental Disorder	5	9	5
Impulse Control Disorder	52	52	31
Mood Disorder	253	273	230
Personality Disorder	42	47	41
Psychotic Disorder	57	58	55
Sexual Disorder	*	0	*
Other Diagnosis	31	33	21
Diagnosis Unknown	20	29	81

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	373	403	401	Less than High School Diploma	118	69	44
<b>AGE</b>				High School Grad or G.E.D.	14	96	106
Under 6	*	*	*	Associate Degree or Some College	*	23	34
6 to 9	13	15	15	Bachelor or Advanced Degree	0	*	5
10 to 13	27	36	24	Education Level Unknown	239	213	212
14 to 17	37	28	31	<b>EMPLOYMENT</b>			
18 to 24	39	37	35	Employed	42	33	29
25 to 29	24	35	45	Unemployed	56	126	151
30 to 34	28	35	33	Not in Labor Force	238	63	10
35 to 39	27	21	25	Employment Status Unknown	37	181	211
40 to 44	31	36	32	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	32	35	31	Independent Living	184	134	140
50 to 54	32	41	36	Dependent Living	140	100	86
55 to 59	41	41	42	Homeless	9	*	0
60 and Over	40	41	51	Other	0	*	5
Age Unknown	0	0	0	Housing Unknown	40	166	170
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	159	153	135	Self / Family / Friend	181	173	167
Female	214	250	266	School	12	10	6
Gender Unknown	0	0	0	Mental Health Provider	35	43	60
<b>RACE / ETHNICITY</b>				Health Care Provider	61	86	84
Caucasian	357	383	379	Court / Criminal Justice	34	31	20
African American	5	7	8	Other	48	58	62
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	6	5	7	Voluntary	371	401	397
Other Race	5	8	7	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	9	6	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	7	6	*				

# LIVINGSTON COUNTY

## MISSOURI STUDENT SURVEY


	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	41.5	46.7	54.2	Alcohol (1 or 2 drinks daily)	49.7		
Cigarettes	25.7	32.1	39.8	Alcohol (Binge: 5+ drinks once or twice a week)	61.5		
Chewing Tobacco	17.4	13.7	21.4	Alcohol (any use)		63.0	77.7
Marijuana	6.8	15.1	14.9	Cigarettes (1+ packs per day)	87.2		
Inhalants	5.4	5.7	5.0	Cigarettes (any use)		78.9	72.0
Prescription medications not prescribed for student	3.4	8.0	11.3	Marijuana (once or twice a week)	80.3		
Over-the-counter medications for non-medical use	1.4	6.6	8.5	Marijuana (any use)		74.9	68.5
Methamphetamine	0.0	1.4	0.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	93.8	91.4	97.3
Cocaine	1.4	1.4	0.4				
Heroin	1.4	1.0	0.0	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	0.0	2.4	0.8	Were very sad	16.1	20.8	31.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.4	0.9	0.8	Were grouchy, irritable, or in a bad mood	17.4	25.4	30.2
Steroids not prescribed for student	2.7	1.9	0.0	Felt hopeless about the future	8.1	11.8	17.2
Synthetic drugs (K2, bath salts, Spice, etc)	1.4	8.0		Felt like not eating or eating more than usual	9.0	19.4	18.2
				Slept a lot more or a lot less than usual	13.4	26.4	26.8
				Had difficulty concentrating on school work	18.8	23.8	18.3
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	12.43	12.24	12.87	Seriously considered attempting suicide	9.5	11.8	12.2
Cigarettes	13.41	12.60	12.74	Made plan about how they would attempt suicide	6.8	8.1	6.9
Marijuana	15.24	13.81	14.38	Attempted suicide	4.7	5.2	6.5
Inhalants	12.42	12.36	12.39	Attempted suicide and resulting injury, poisoning, or overdose	1.4	1.9	0.8
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	13.0	24.4	26.2	Were threatened/injured with weapon at school	7.4	10.9	9.9
Alcohol (Binge: 5+ drinks on one occasion)		16.0	17.2	Were in a physical fight	21.1	19.9	22.5
Cigarettes	10.7	17.5	22.7	Were in a fight and had to be treated by a doctor or nurse	0.0	1.9	1.1
Chewing Tobacco	11.5	7.5	11.8				
Marijuana	2.7	8.0	6.1	<i>Percent of students who, in past 3 months:</i>			
Inhalants	2.0	3.3	1.5	Were victims of mean rumors or lies spread at school	52.4	57.8	64.9
Prescription medications not prescribed for student	2.7	5.2	6.6	Were made fun of by others	61.2	67.6	73.3
Over-the-counter medications for non-medical use	0.0	3.8	3.5	Were victims of an embarrassing or hurtful text message or something posted on the Internet	17.7	27.1	25.6
				Spread mean rumors or lies about other kids at school	27.7	41.7	35.5
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	67.8	76.3	76.3
Alcohol (Binge: 5+ drinks on one occasion)	9.7			Posted something on the internet or sent a text that might embarrass or hurt another student	14.3	20.4	17.2
<i>Percent whose friends used in past 12 months:</i>				<i>Percent of students who agree that:</i>			
Alcohol	45.6	65.4	65.5	Teachers notice and comment on student's good work	80.5	64.6	78.9
Cigarettes	27.5	58.0	66.0	School provides feedback to parents on positive student performance	53.7	35.1	43.0
Marijuana	10.2	42.6	31.0	Rules are enforced fairly	60.5	59.9	61.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.1	18.4	13.5	Students of all races/ethnicities are treated equal	96.6	81.6	82.4
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	34.7	36.3	44.4	Parents notice and comment on student's good work	79.3	83.5	83.9
Cigarettes	12.8	18.0	25.2	Parents involve student in making family decisions	70.3	67.8	64.6
Marijuana	3.4	12.3	8.9	It is important to be honest with parents regardless of consequences	90.4	84.4	81.3
<i>Percent who say it would be wrong to use:</i>				Student could ask parent for help with a personal problem	76.8	71.6	76.7
Alcohol	64.4	56.6	51.3				
Cigarettes	82.8	76.8	65.9				
Marijuana	93.8	85.8	83.8				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.8	96.2	98.1				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	72.8	79.5	73.6				
Cigarettes	90.3	90.6	86.2				
Marijuana	95.1	96.2	98.1				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	51.0	67.0	64.0				
Cigarettes	39.9	59.7	61.3				
Marijuana	16.4	33.5	30.7				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.5	16.2	16.1				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys



# MC DONALD COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	9
Adult Psychiatric	9
<b>POPULATION</b>	
Census 2010	23,083
2013 Estimate	22,558

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	320	296	296
Mother Reported Smoking while Pregnant	65	71	66

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	3
Hepatitis B Chronic, Acute, Prenatal	1 3	3	4
Hepatitis C Chronic and Acute	1 16	28	24
Tuberculosis Infection Cases	1 19	22	14

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	205	194	192
Suicides	4	5	4
Self-inflicted Injuries	10	23	29
Homicides	2	1	1
Assault Injuries	31	31	57
Alcohol Induced Deaths	2	1	2
Drug Induced Deaths	0	0	2
Smoking Attributable Deaths	37	42	41

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 150	182	
Alcohol Primary Diagnosis	2 14	16	
Drug Primary Diagnosis	2 9	14	
Alcohol Related Diagnosis	81	108	131
Drug Related Diagnosis	81	80	102
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 75	10	
Alcohol Primary Diagnosis	2 14	3	
Drug Primary Diagnosis	2 8	2	
Alcohol Related Diagnosis	42	12	34
Drug Related Diagnosis	49	7	24
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 114	118	
Alcohol Primary Diagnosis	2 25	23	
Drug Primary Diagnosis	2 19	8	
Alcohol Related Diagnosis	69	60	65
Drug Related Diagnosis	63	47	64

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	45	48	55
Fatal Crashes	0	1	3
Injury Crashes	23	27	26
Property Damage Crashes	22	20	26
Crash Fatalities	0	1	3
Crash Injuries	30	40	39
Drug Involved Crashes--Total	4	9	5
Fatal Crashes	0	1	0
Injury Crashes	2	4	1
Property Damage Crashes	2	4	4
Crash Fatalities	0	1	0
Crash Injuries	2	3	2

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	10,756	10,843	11,030
Employed	10,077	10,167	10,182
Unemployed	679	676	848
Unemployment Rate	6.3%	6.2%	7.7%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	1,080	991	1,036
Drop-outs	30	19	18
Drop-out Rate	2.8%	1.9%	1.7%
School Suspensions:			
Alcohol Incidents	10	2	3
Drug Incidents	17	12	18
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	195	241	403
Liquor Law Arrests	26	17	116
Drug Arrests	100	77	136
Methamphetamine Lab Incidents	29	43	33
Violent Offenses	152	113	77
Property Offenses	410	466	397
Domestic Violence Reports	217	411	448

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	156	79	87
Violent Offenses	44	22	32
Alcohol Offenses	8	2	2
Drug Offenses	11	6	4
Status Offenses--Total	44	15	23
Truancy	2	0	6
Beyond Parental Control	14	5	7
Habitually Absent from Home	11	6	4
Injurious Behavior	14	3	5
Abuse/Neglect/Custody--Total	53	54	97
Abuse	12	21	26
Neglect	39	30	67
Custody Disputes	2	3	4

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	31	52	74
Parental Alcohol Use Related	2	0	7
Parental Drug Use Related	6	23	20
Parental Alcohol and Drug Use	3	0	0
Child Removed for Other Reason	20	29	47

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	36	18	8
Probation/Parole Admissions--Total	179	166	168
Probation/Parole Admissions--Drug	29	24	45
Probation/Parole Admissions--DWI	39	21	23
Prison Admissions--Total	82	86	101
Prison Admissions--Drug	13	9	20
Prison Admissions--DWI	18	20	20

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	24	20	17
Alcohol Package Carry-out Licenses	32	32	36

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# MC DONALD COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Detoxification	18	11	7
CSTAR Adolescent	13	15	7
CSTAR Women and Children	18	18	12
CSTAR General Adult	30	26	26
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	6	48
Clinical SATOP (CIP, YCIP, SROP)	22	23	24
Other Substance Abuse Treatment	0	0	0


<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Offender Management Unit	82	88	100
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	26	29	29
- Weekend Intervention Program	24	23	19
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	13	*	5
Compulsive Gambling	0	0	0
Recovery Supports	57	46	28
Early Intervention	6	9	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	146	133	138	Alcohol	73	62	72
<b>AGE</b>				Marijuana / Hashish	27	33	30
Under 18	15	16	6	Cocaine (total)	*	*	0
18 to 24	16	20	14	- Crack	*	*	0
25 to 29	25	22	23	Stimulant (total)	21	22	32
30 to 34	19	20	26	- Methamphetamine	19	21	30
35 to 39	21	17	14	Heroin	0	0	0
40 to 44	15	9	17	Analgesic except Heroin	15	5	*
45 to 54	29	23	30	- Non-Prescription Methadone	0	0	0
55 and Over	6	6	8	PCP, LSD, other Hallucinogen	*	*	0
<b>GENDER</b>				Tranquilizer	*	*	0
Male	108	96	104	Inhalant	*	*	0
Female	38	37	34	Sedative	0	0	0
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	*	*	0
Caucasian	125	115	123	Average Age at First Use of Drug	18.4	17.4	18.1
African American	*	*	0	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	14	14	17
Asian / Pacific Islander	*	*	*	- Daily Injection Use	0	*	*
Hispanic	13	10	10	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	13	10	12
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	65	55	76	0	63	65	53
High School Graduate or G.E.D.	58	59	46	1 or 2	46	40	47
Associate Degree or Some College	23	19	16	3 or More	37	28	38
Bachelor or Advanced Degree	0	0	0	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	37	30	29
Employed	55	50	53	School	0	*	0
Unemployed	50	45	43	Mental Health Provider	0	*	*
Not in Labor Force	41	38	42	Health Care Provider	15	5	9
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	74	78	88
Independent Living	125	107	123	Other Referral Source	19	18	11
Dependent Living	18	18	9	<b>TREATMENT ACCOMMODATION</b>			
Homeless	*	*	*	Pregnant when Admitted to any Episode	0	0	0
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	12	6	7
Never Married	59	56	50	Special Education Services Needed	21	17	18
Married / Cohabiting	47	46	43	Co-Occurring Psychological Problem	77	61	45
Previously Married	40	31	45	Co-Occurring Developmental Problem	6	7	*

# MC DONALD COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 9  
**CENSUS 2010** 23,083  
**2013 POPULATION ESTIMATE** 22,558

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	17	23	14
Anxiety Disorder	94	75	68
Dementia	0	0	*
Developmental Disorder	*	*	*
Impulse Control Disorder	63	62	55
Mood Disorder	139	135	124
Personality Disorder	22	17	12
Psychotic Disorder	20	23	17
Sexual Disorder	*	0	0
Other Diagnosis	19	17	13
Diagnosis Unknown	25	26	39

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.


<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	281	290	286	Less than High School Diploma	71	32	15
<b>AGE</b>				High School Grad or G.E.D.	*	19	20
Under 6	6	6	9	Associate Degree or Some College	*	7	11
6 to 9	24	24	21	Bachelor or Advanced Degree	0	*	*
10 to 13	35	36	35	Education Level Unknown	208	231	238
14 to 17	38	33	31	<b>EMPLOYMENT</b>			
18 to 24	21	26	26	Employed	5	6	*
25 to 29	25	16	20	Unemployed	11	42	43
30 to 34	21	31	22	Not in Labor Force	111	19	*
35 to 39	15	19	23	Employment Status Unknown	154	223	238
40 to 44	19	20	16	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	24	28	29	Independent Living	58	50	45
50 to 54	26	28	24	Dependent Living	58	19	29
55 to 59	16	10	15	Homeless	*	0	*
60 and Over	11	13	15	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	164	221	210
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	136	142	144	Self / Family / Friend	227	217	211
Female	145	148	142	School	0	*	*
Gender Unknown	0	0	0	Mental Health Provider	5	14	20
<b>RACE / ETHNICITY</b>				Health Care Provider	10	12	11
Caucasian	269	271	271	Court / Criminal Justice	18	25	23
African American	0	0	0	Other	20	20	19
Native American / Alaskan	0	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	9	8	6	Voluntary	266	268	264
Other Race	*	10	7	Civil	14	19	21
Race/Ethnicity Unknown	0	0	0	Criminal	0	*	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	*	*				

# MC DONALD COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol				Alcohol (1 or 2 drinks daily)			
Cigarettes				Alcohol (Binge: 5+ drinks once or twice a week)			
Chewing Tobacco				Alcohol (any use)			
Marijuana				Cigarettes (1+ packs per day)			
Inhalants				Cigarettes (any use)			
Prescription medications not prescribed for student				Marijuana (once or twice a week)			
Over-the-counter medications for non-medical use				Marijuana (any use)			
Methamphetamine				Other: Cocaine, LSD, Meth, Club Drug (any use)			
Cocaine							
Heroin				<i>Percent of students who, in past 30 days:</i>			
Hallucinogens				Were very sad			
Club drugs (Ecstasy, GHB, roofie, Special K, etc)				Were grouchy, irritable, or in a bad mood			
Steroids not prescribed for student				Felt hopeless about the future			
Synthetic drugs (K2, bath salts, Spice, etc)				Felt like not eating or eating more than usual			
				Slept a lot more or a lot less than usual			
				Had difficulty concentrating on school work			
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol				Seriously considered attempting suicide			
Cigarettes				Made plan about how they would attempt suicide			
Marijuana				Attempted suicide			
Inhalants				Attempted suicide and resulting injury, poisoning, or overdose			
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol				Were threatened/injured with weapon at school			
Alcohol (Binge: 5+ drinks on one occasion)				Were in a physical fight			
Cigarettes				Were in a fight and had to be treated by a doctor or nurse			
Chewing Tobacco							
Marijuana				<i>Percent of students who, in past 3 months:</i>			
Inhalants				Were victims of mean rumors or lies spread at school			
Prescription medications not prescribed for student				Were made fun of by others			
Over-the-counter medications for non-medical use				Were victims of an embarrassing or hurtful text message or something posted on the Internet			
				Spread mean rumors or lies about other kids at school			
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people			
Alcohol (Binge: 5+ drinks on one occasion)				Posted something on the internet or sent a text that might embarrass or hurt another student			
<i>Percent whose friends used in past 12 months:</i>				<i>Percent of students who agree that:</i>			
Alcohol				Teachers notice and comment on student's good work			
Cigarettes				School provides feedback to parents on positive student performance			
Marijuana				Rules are enforced fairly			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)				Students of all races/ethnicities are treated equal			
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol				Parents notice and comment on student's good work			
Cigarettes				Parents involve student in making family decisions			
Marijuana				It is important to be honest with parents regardless of consequences			
				Student could ask parent for help with a personal problem			
<i>Percent who say it would be wrong to use:</i>							
Alcohol							
Cigarettes							
Marijuana							
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)							
<i>Percent who say it would be easy to obtain:</i>							
Alcohol							
Cigarettes							
Marijuana							
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)							
				Page Notes: Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.			
				Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			

# MACON COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	14
Adult Psychiatric	14
<b>POPULATION</b>	
Census 2010	15,566
2013 Estimate	15,544

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	162	184	178
Mother Reported Smoking while Pregnant	41	37	42
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	2	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	1
Hepatitis C Chronic and Acute	1	3	6
Tuberculosis Infection Cases	1	1	0
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	208	199	202
Suicides	8	1	5
Self-inflicted Injuries	23	15	18
Homicides	0	0	0
Assault Injuries	31	26	38
Alcohol Induced Deaths	0	0	2
Drug Induced Deaths	4	1	4
Smoking Attributable Deaths	26	32	35
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	83	83
Alcohol Primary Diagnosis	2	8	9
Drug Primary Diagnosis	2	3	3
Alcohol Related Diagnosis	32	35	38
Drug Related Diagnosis	23	28	16
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	52	40
Alcohol Primary Diagnosis	2	7	5
Drug Primary Diagnosis	2	8	5
Alcohol Related Diagnosis	30	20	17
Drug Related Diagnosis	34	17	13
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	83	96
Alcohol Primary Diagnosis	2	24	23
Drug Primary Diagnosis	2	10	13
Alcohol Related Diagnosis	31	32	35
Drug Related Diagnosis	18	24	29
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	13	11	15
Fatal Crashes	0	0	0
Injury Crashes	8	7	8
Property Damage Crashes	5	4	7
Crash Fatalities	0	0	0
Crash Injuries	11	9	11
Drug Involved Crashes--Total	1	1	5
Fatal Crashes	0	0	1
Injury Crashes	0	0	1
Property Damage Crashes	1	1	3
Crash Fatalities	0	0	1
Crash Injuries	0	0	2

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	8,221	7,753	7,952
Employed	7,759	7,258	7,334
Unemployed	462	495	618
Unemployment Rate	5.6%	6.4%	7.8%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	720	716	731
Drop-outs	15	15	8
Drop-out Rate	2.1%	2.1%	1.1%
School Suspensions:			
Alcohol Incidents	0	0	1
Drug Incidents	3	2	3
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	73	73	109
Liquor Law Arrests	25	42	32
Drug Arrests	92	76	58
Methamphetamine Lab Incidents	2	5	5
Violent Offenses	41	33	27
Property Offenses	365	326	274
Domestic Violence Reports	96	95	86

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	133	83	74
Violent Offenses	31	23	19
Alcohol Offenses	8	2	2
Drug Offenses	4	3	5
Status Offenses--Total	114	103	135
Truancy	11	14	22
Beyond Parental Control	57	46	62
Habitually Absent from Home	7	3	7
Injurious Behavior	38	40	44
Abuse/Neglect/Custody--Total	101	164	124
Abuse	34	69	30
Neglect	67	95	89
Custody Disputes	0	0	5

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	12	31	36
Parental Alcohol Use Related	0	0	6
Parental Drug Use Related	6	5	3
Parental Alcohol and Drug Use	0	1	5
Child Removed for Other Reason	6	25	22

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	17	14	16
Probation/Parole Admissions--Total	115	96	90
Probation/Parole Admissions--Drug	49	24	18
Probation/Parole Admissions--DWI	9	13	10
Prison Admissions--Total	45	46	35
Prison Admissions--Drug	16	15	6
Prison Admissions--DWI	4	10	5

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	26	24	23
Alcohol Package Carry-out Licenses	20	21	21

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# MACON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	6	13	8
CSTAR Adolescent	17	7	9
CSTAR Women and Children	*	6	*
CSTAR General Adult	45	33	43
CSTAR Opioid	0	0	0
Primary Recovery Treatment	53	56	61
Clinical SATOP (CIP, YCIP, SROP)	16	15	10
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	59	71	62
- Adolescent Diversion Education Program	6	8	12
- Offender Education Program	13	18	18
- Weekend Intervention Program	16	17	13
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	0	*
Early Intervention	9	14	6

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	128	103	119	Alcohol	48	48	48
AGE				Marijuana / Hashish	48	33	39
Under 18	16	7	11	Cocaine (total)	*	*	12
18 to 24	25	26	30	- Crack	*	*	*
25 to 29	20	13	33	Stimulant (total)	25	13	11
30 to 34	22	18	13	- Methamphetamine	22	13	10
35 to 39	10	8	6	Heroin	*	0	0
40 to 44	8	10	6	Analgesic except Heroin	*	*	7
45 to 54	19	19	19	- Non-Prescription Methadone	0	0	0
55 and Over	8	*	*	PCP, LSD, other Hallucinogen	*	*	*
GENDER				Tranquilizer	*	0	*
Male	83	70	87	Inhalant	0	0	0
Female	45	33	32	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	110	90	90	Average Age at First Use of Drug	17.1	16.8	16.2
African American	13	11	20	INJECTION DRUG USE			
Native American / Alaskan	*	0	0	Any Injection Use at Admission	10	13	7
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	*	*	*	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	*	*	6	- Less than Weekly Injection Use	5	8	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	51	34	41	0	77	47	64
High School Graduate or G.E.D.	62	58	70	1 or 2	30	35	35
Associate Degree or Some College	14	10	8	3 or More	21	21	20
Bachelor or Advanced Degree	*	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	20	16	18
Employed	43	40	41	School	*	0	0
Unemployed	35	32	41	Mental Health Provider	0	0	*
Not in Labor Force	50	31	37	Health Care Provider	7	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	57	70	79
Independent Living	102	84	90	Other Referral Source	30	12	17
Dependent Living	19	11	14	TREATMENT ACCOMMODATION			
Homeless	5	0	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	5	6	5
Never Married	70	55	72	Special Education Services Needed	11	18	20
Married / Cohabiting	30	17	22	Co-Occurring Psychological Problem	42	28	30
Previously Married	28	31	25	Co-Occurring Developmental Problem	0	*	*

# MACON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 14  
**CENSUS 2010** 15,566  
**2013 POPULATION ESTIMATE** 15,544

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	*	*	8
Anxiety Disorder	26	31	26
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	20	18	19
Mood Disorder	78	76	74
Personality Disorder	12	10	9
Psychotic Disorder	9	13	13
Sexual Disorder	*	*	*
Other Diagnosis	11	7	5
Diagnosis Unknown	*	12	28

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	108	117	136	Less than High School Diploma	47	28	22
<b>AGE</b>				High School Grad or G.E.D.	*	28	30
Under 6	*	0	0	Associate Degree or Some College	0	11	9
6 to 9	*	*	5	Bachelor or Advanced Degree	0	0	*
10 to 13	8	7	11	Education Level Unknown	57	50	74
14 to 17	17	17	20	<b>EMPLOYMENT</b>			
18 to 24	8	17	11	Employed	7	9	8
25 to 29	7	8	11	Unemployed	10	51	54
30 to 34	13	13	17	Not in Labor Force	78	13	0
35 to 39	11	8	11	Employment Status Unknown	13	44	74
40 to 44	12	9	10	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	11	12	15	Independent Living	65	62	60
50 to 54	12	11	9	Dependent Living	29	18	22
55 to 59	*	8	11	Homeless	0	*	0
60 and Over	*	5	5	Other	0	*	0
Age Unknown	0	0	0	Housing Unknown	14	35	54
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	53	52	63	Self / Family / Friend	36	35	36
Female	55	65	73	School	0	0	*
Gender Unknown	0	0	0	Mental Health Provider	*	*	6
<b>RACE / ETHNICITY</b>				Health Care Provider	16	17	13
Caucasian	91	102	124	Court / Criminal Justice	*	*	5
African American	14	12	10	Other	47	55	71
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	104	114	130
Other Race	*	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	0	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	0	0	0	Commitment Type Unknown	*	*	*
Past or Current Military Service	0	*	*				



# MACON COUNTY


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	36.0	50.8	58.3	Alcohol (1 or 2 drinks daily)	49.7		
Cigarettes	13.2	35.2	36.0	Alcohol (Binge: 5+ drinks once or twice a week)	57.1		
Chewing Tobacco	19.9	17.4	28.6	Alcohol (any use)		57.9	84.6
Marijuana	11.4	15.0	12.1	Cigarettes (1+ packs per day)	85.4		
Inhalants	2.8	4.9	8.4	Cigarettes (any use)		76.3	78.9
Prescription medications not prescribed for student	5.0	10.5	7.9	Marijuana (once or twice a week)	63.8		
Over-the-counter medications for non-medical use	5.0	5.7	5.5	Marijuana (any use)		74.4	62.9
Methamphetamine	0.0	1.2	1.9	Other: Cocaine, LSD, Meth, Club Drug (any use)	85.3	93.0	95.7
Cocaine	0.0	1.6	2.8				
Heroin	0.0	0.4	1.8	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	0.0	1.6	1.0	Were very sad	27.9	19.9	17.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	1.2	1.0	Were grouchy, irritable, or in a bad mood	30.7	24.8	27.0
Steroids not prescribed for student	0.0	1.6	0.9	Felt hopeless about the future	20.7	12.2	7.3
Synthetic drugs (K2, bath salts, Spice, etc)	6.9	10.9		Felt like not eating or eating more than usual	23.5	20.2	12.6
				Slept a lot more or a lot less than usual	20.1	20.7	20.8
				Had difficulty concentrating on school work	44.7	25.4	13.9
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	12.86	12.28	12.21	Seriously considered attempting suicide	6.7	14.8	7.4
Cigarettes	11.07	12.36	12.29	Made plan about how they would attempt suicide	4.0	11.4	4.2
Marijuana	14.33	13.59	14.68	Attempted suicide	2.8	6.1	2.1
Inhalants	11.00	11.18	12.21	Attempted suicide and resulting injury, poisoning, or overdose	0.0	2.0	0.0
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	13.3	25.0	24.8	Were threatened/injured with weapon at school	10.6	6.5	9.6
Alcohol (Binge: 5+ drinks on one occasion)		14.6	17.5	Were in a physical fight	19.6	27.5	43.0
Cigarettes	1.7	18.8	24.2	Were in a fight and had to be treated by a doctor or nurse	0.0	6.9	4.4
Chewing Tobacco	11.0	9.7	16.7				
Marijuana	6.3	6.5	6.2	<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.0	1.6	5.0	Were victims of mean rumors or lies spread at school	62.8	53.3	50.7
Prescription medications not prescribed for student	1.7	5.3	3.2	Were made fun of by others	61.5	64.6	66.8
Over-the-counter medications for non-medical use	3.9	4.5	3.4	Were victims of an embarrassing or hurtful text message or something posted on the Internet	19.0	25.6	17.2
				Spread mean rumors or lies about other kids at school	26.8	34.8	15.9
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	60.2	68.3	66.5
Alcohol (Binge: 5+ drinks on one occasion)	6.4			Posted something on the internet or sent a text that might embarrass or hurt another student	26.3	16.7	8.3
				<i>Percent of students who agree that:</i>			
<i>Percent whose friends used in past 12 months:</i>				Teachers notice and comment on student's good work	45.0	64.0	82.0
Alcohol	35.8	66.0	60.7	School provides feedback to parents on positive student performance	41.9	31.6	60.8
Cigarettes	28.3	57.6	49.9	Rules are enforced fairly	39.7	45.1	67.4
Marijuana	7.8	34.0	18.4	Students of all races/ethnicities are treated equal	70.4	72.2	81.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.0	15.4	9.9				
				<i>Percent of students who agree that:</i>			
<i>Percent who would likely use, if offered by a best friend:</i>				Parents notice and comment on student's good work	65.6	80.5	82.6
Alcohol	22.2	38.2	41.9	Parents involve student in making family decisions	47.8	64.0	64.6
Cigarettes	8.4	22.8	22.6	It is important to be honest with parents regardless of consequences	73.9	80.6	87.3
Marijuana	16.2	11.3	14.8	Student could ask parent for help with a personal problem	64.2	72.4	76.1
<i>Percent who say it would be wrong to use:</i>							
Alcohol	67.0	47.3	40.4				
Cigarettes	82.4	69.5	71.3				
Marijuana	73.9	84.0	77.4				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.6	96.7	94.8				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	87.0	69.0	74.7				
Cigarettes	93.1	86.1	84.7				
Marijuana	98.2	93.4	93.7				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	52.5	63.0	63.2				
Cigarettes	53.9	63.0	69.7				
Marijuana	35.5	27.8	18.3				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.8	16.8	7.2				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# MADISON COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	21
Adult Psychiatric	21
<b>POPULATION</b>	
Census 2010	12,226
2013 Estimate	12,431

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	6,558	6,033	6,118
Employed	6,158	5,607	5,557
Unemployed	400	426	561
Unemployment Rate	6.1%	7.1%	9.2%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	620	612	624
Drop-outs	5	8	6
Drop-out Rate	0.8%	1.3%	1.0%
School Suspensions:			
Alcohol Incidents	5	2	17
Drug Incidents	0	0	0
Tobacco Incidents	0	0	0

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	151	137	138
Mother Reported Smoking while Pregnant	45	54	57

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	1	0
Hepatitis B Chronic, Acute, Prenatal	1	0	2
Hepatitis C Chronic and Acute	1	11	7
Tuberculosis Infection Cases	1	2	0

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	154	162	161
Suicides	1	4	1
Self-inflicted Injuries	20	18	25
Homicides	0	0	0
Assault Injuries	61	29	47
Alcohol Induced Deaths	0	0	1
Drug Induced Deaths	3	3	1
Smoking Attributable Deaths	33	28	36

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	147	167
Alcohol Primary Diagnosis	2	4	3
Drug Primary Diagnosis	2	10	7
Alcohol Related Diagnosis	29	42	38
Drug Related Diagnosis	64	65	47
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	51	15
Alcohol Primary Diagnosis	2	3	3
Drug Primary Diagnosis	2	4	3
Alcohol Related Diagnosis	19	22	19
Drug Related Diagnosis	26	16	13
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	167	207
Alcohol Primary Diagnosis	2	17	27
Drug Primary Diagnosis	2	38	38
Alcohol Related Diagnosis	50	72	50
Drug Related Diagnosis	114	112	80

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	12	20	13
Fatal Crashes	0	0	0
Injury Crashes	5	13	9
Property Damage Crashes	7	7	4
Crash Fatalities	0	0	0
Crash Injuries	7	16	14
Drug Involved Crashes--Total	1	6	1
Fatal Crashes	1	0	0
Injury Crashes	0	4	1
Property Damage Crashes	0	2	0
Crash Fatalities	1	0	0
Crash Injuries	7	4	1

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	59	89	88
Liquor Law Arrests	25	17	19
Drug Arrests	23	19	35
Methamphetamine Lab Incidents	0	1	4
Violent Offenses	13	19	5
Property Offenses	224	161	136
Domestic Violence Reports	126	111	94

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	48	90	57
Violent Offenses	18	28	29
Alcohol Offenses	0	4	0
Drug Offenses	4	4	0
Status Offenses--Total	47	47	50
Truancy	14	21	22
Beyond Parental Control	16	10	8
Habitually Absent from Home	2	9	8
Injurious Behavior	15	5	12
Abuse/Neglect/Custody--Total	13	22	23
Abuse	1	0	3
Neglect	11	15	20
Custody Disputes	1	7	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	12	18	13
Parental Alcohol Use Related	0	1	0
Parental Drug Use Related	1	3	5
Parental Alcohol and Drug Use	1	5	0
Child Removed for Other Reason	10	9	8

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	12	8	9
Probation/Parole Admissions--Total	103	96	71
Probation/Parole Admissions--Drug	33	21	22
Probation/Parole Admissions--DWI	9	11	7
Prison Admissions--Total	49	43	43
Prison Admissions--Drug	15	7	16
Prison Admissions--DWI	5	5	7

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	11	12	12
Alcohol Package Carry-out Licenses	12	13	13

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# MADISON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	14	14	*
CSTAR Adolescent	5	*	5
CSTAR Women and Children	*	*	*
CSTAR General Adult	28	19	26
CSTAR Opioid	*	*	0
Primary Recovery Treatment	16	35	26
Clinical SATOP (CIP, YCIP, SROP)	14	10	6
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	50	49	50
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	18	24	20
- Weekend Intervention Program	11	9	17
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	0
Compulsive Gambling	0	*	0
Recovery Supports	5	7	0
Early Intervention	*	5	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	62	59	58	Alcohol	18	19	26
AGE				Marijuana / Hashish	10	10	11
Under 18	5	*	*	Cocaine (total)	0	*	0
18 to 24	15	12	10	- Crack	0	*	0
25 to 29	13	15	12	Stimulant (total)	10	8	10
30 to 34	17	6	11	- Methamphetamine	10	7	9
35 to 39	*	6	5	Heroin	12	*	*
40 to 44	*	6	8	Analgesic except Heroin	8	13	7
45 to 54	6	7	7	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	*
Male	39	37	30	Inhalant	0	*	0
Female	23	22	28	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	60	56	57	Average Age at First Use of Drug	17.8	17.6	17.0
African American	*	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	16	8	5
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	0	*	0	- Weekly Injection Use	7	5	*
Other Race / Two or More Races	0	*	*	- Less than Weekly Injection Use	5	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	23	21	27	0	34	33	34
High School Graduate or G.E.D.	28	30	23	1 or 2	21	18	14
Associate Degree or Some College	11	7	7	3 or More	7	8	10
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	30	21	20
Employed	20	9	10	School	0	0	0
Unemployed	31	33	34	Mental Health Provider	0	*	*
Not in Labor Force	11	17	14	Health Care Provider	*	5	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	21	28	27
Independent Living	50	52	52	Other Referral Source	7	*	7
Dependent Living	8	5	5	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	5	*
Never Married	36	29	24	Special Education Services Needed	*	7	*
Married / Cohabiting	20	16	18	Co-Occurring Psychological Problem	25	30	21
Previously Married	6	14	16	Co-Occurring Developmental Problem	15	6	*

# MADISON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 21  
**CENSUS 2010** 12,226  
**2013 POPULATION ESTIMATE** 12,431

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	22	23	9
Anxiety Disorder	72	68	46
Dementia	0	0	0
Developmental Disorder	6	*	*
Impulse Control Disorder	152	189	63
Mood Disorder	372	410	227
Personality Disorder	9	8	6
Psychotic Disorder	44	38	24
Sexual Disorder	*	*	*
Other Diagnosis	30	49	17
Diagnosis Unknown	29	127	58

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	633	820	402	Less than High School Diploma	115	58	35
<b>AGE</b>				High School Grad or G.E.D.	0	40	39
Under 6	*	*	*	Associate Degree or Some College	0	12	8
6 to 9	52	76	31	Bachelor or Advanced Degree	0	*	*
10 to 13	85	116	46	Education Level Unknown	518	707	318
14 to 17	80	123	39	<b>EMPLOYMENT</b>			
18 to 24	55	83	39	Employed	6	18	13
25 to 29	44	60	41	Unemployed	5	74	72
30 to 34	64	64	33	Not in Labor Force	192	34	*
35 to 39	44	50	25	Employment Status Unknown	430	694	316
40 to 44	40	49	40	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	54	67	39	Independent Living	93	105	79
50 to 54	52	55	29	Dependent Living	107	48	62
55 to 59	29	32	18	Homeless	*	*	*
60 and Over	31	42	21	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	429	661	255
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	292	389	185	Self / Family / Friend	394	538	261
Female	341	431	217	School	*	7	6
Gender Unknown	0	0	0	Mental Health Provider	23	36	24
<b>RACE / ETHNICITY</b>				Health Care Provider	85	80	34
Caucasian	587	754	370	Court / Criminal Justice	12	15	8
African American	8	9	5	Other	115	144	69
Native American / Alaskan	*	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	24	40	18	Voluntary	632	818	401
Other Race	13	17	9	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	0
Hearing Impaired	39	46	31	Commitment Type Unknown	0	0	0
Past or Current Military Service	13	15	10				


# MADISON COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	34.0	37.1	48.1	Alcohol (1 or 2 drinks daily)	52.8		
Cigarettes	32.2	29.2	37.8	Alcohol (Binge: 5+ drinks once or twice a week)	54.6		
Chewing Tobacco	19.6	20.6	21.8	Alcohol (any use)		69.9	75.6
Marijuana	11.1	11.3	14.1	Cigarettes (1+ packs per day)	86.7		
Inhalants	4.2	4.1	6.4	Cigarettes (any use)		73.3	72.7
Prescription medications not prescribed for student	4.3	6.7	9.3	Marijuana (once or twice a week)	66.4		
Over-the-counter medications for non-medical use	2.1	4.6	8.1	Marijuana (any use)		74.1	69.2
Methamphetamine	2.8	2.1	0.4	Other: Cocaine, LSD, Meth, Club Drug (any use)	94.4	92.8	93.2
Cocaine	0.7	1.0	1.2	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.7	1.0	1.1	Were very sad	17.4	17.9	18.6
Hallucinogens	2.1	2.1	2.7	Were grouchy, irritable, or in a bad mood	26.6	24.0	27.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.8	0.5	1.9	Felt hopeless about the future	10.6	10.8	16.0
Steroids not prescribed for student	0.7	2.1	1.1	Felt like not eating or eating more than usual	18.8	18.6	19.8
Synthetic drugs (K2, bath salts, Spice, etc)	3.5	3.6		Slept a lot more or a lot less than usual	14.0	16.6	23.7
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	22.4	19.9	22.7
Alcohol	13.06	12.76	12.26	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.96	12.37	12.03	Seriously considered attempting suicide	10.5	10.4	12.9
Marijuana	13.78	13.49	13.14	Made plan about how they would attempt suicide	12.0	9.3	12.8
Inhalants	13.13	11.85	12.39	Attempted suicide	4.9	4.1	6.0
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.7	1.0	2.3
Alcohol	16.1	15.5	28.7	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occassion)		8.2	17.0	Were threatened/injured with weapon at school	3.5	5.2	10.2
Cigarettes	11.3	17.4	23.4	Were in a physical fight	24.3	17.6	21.5
Chewing Tobacco	10.4	13.4	14.5	Were in a fight and had to be treated by a doctor or nurse	1.4	1.5	5.3
Marijuana	4.2	5.2	9.5	<i>Percent of students who, in past 3 months:</i>			
Inhalants	2.1	1.5	2.3	Were victims of mean rumors or lies spread at school	41.7	41.5	59.4
Prescription medications not prescribed for student	2.1	4.6	5.8	Were made fun of by others	45.5	53.9	66.7
Over-the-counter medications for non-medical use	1.4	2.6	6.9	Were victims of an embarrassing or hurtful text message or something posted on the internet	21.5	16.7	22.0
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	20.1	22.2	35.6
Alcohol (Binge: 5+ drinks on one occassion)	9.9			Made fun of other people	50.3	57.7	75.0
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	14.1	12.4	18.5
Alcohol	52.8	56.4	74.8	<i>Percent of students who agree that:</i>			
Cigarettes	47.2	55.2	67.2	Teachers notice and comment on student's good work	81.3	71.0	65.6
Marijuana	30.7	30.3	38.9	School provides feedback to parents on positive student performance	43.4	35.8	37.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.6	12.3	21.8	Rules are enforced fairly	65.3	66.5	68.4
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	83.9	66.8	75.3
Alcohol	34.7	32.5	43.6	<i>Percent of students who agree that:</i>			
Cigarettes	18.2	20.6	24.5	Parents notice and comment on student's good work	79.0	82.5	80.5
Marijuana	9.0	10.3	12.2	Parents involve student in making family decisions	63.4	64.1	64.6
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	86.7	83.5	84.8
Alcohol	53.8	56.5	48.7	Student could ask parent for help with a personal problem	76.8	72.5	70.6
Cigarettes	76.4	75.8	65.4	<div>Page Notes:</div> <div>Similar affirmative response choices for individual questions are combined.</div> <div>Blank data cells indicate estimates are not available for item or geographic area.</div> <div>Survey is not conducted in every school district nor reported for every county.</div> <div>Estimates are not available for counties with small numbers of respondents.</div> <div>Percentages are estimates based on weighted data.</div> <div>Some year-to-year differences in percentages are not statistically significant.</div>			
Marijuana	82.5	85.9	82.9				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.7	94.8	94.3				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	75.0	79.8	72.1				
Cigarettes	92.3	87.6	85.5				
Marijuana	93.0	95.3	95.8				
<i>Percent who say it would be easy to obtain:</i>				Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Alcohol	54.6	52.8	66.4				
Cigarettes	56.9	58.2	66.9				
Marijuana	33.6	32.0	35.0				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	18.6	19.4	22.5				



# MARIES COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	17
Adult Psychiatric	17A
<b>POPULATION</b>	
Census 2010	9,176
2013 Estimate	9,018

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	95	80	98
Mother Reported Smoking while Pregnant	18	17	34

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	1	8	7
Tuberculosis Infection Cases	1	0	0

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	85	102	110
Suicides	3	3	1
Self-inflicted Injuries	12	7	14
Homicides	0	0	0
Assault Injuries	8	17	11
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	2	2	4
Smoking Attributable Deaths	15	20	26

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	35	24
Alcohol Primary Diagnosis	2	2	0
Drug Primary Diagnosis	2	7	3
Alcohol Related Diagnosis	6	10	17
Drug Related Diagnosis	20	14	23
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	49	32
Alcohol Primary Diagnosis	2	0	5
Drug Primary Diagnosis	2	7	1
Alcohol Related Diagnosis	18	24	19
Drug Related Diagnosis	22	17	25
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	59	56
Alcohol Primary Diagnosis	2	8	5
Drug Primary Diagnosis	2	11	9
Alcohol Related Diagnosis	24	18	11
Drug Related Diagnosis	21	23	16

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	12	7	9
Fatal Crashes	1	1	1
Injury Crashes	8	3	5
Property Damage Crashes	3	3	3
Crash Fatalities	2	1	1
Crash Injuries	9	5	9
Drug Involved Crashes--Total	2	1	0
Fatal Crashes	0	0	0
Injury Crashes	2	0	0
Property Damage Crashes	0	1	0
Crash Fatalities	0	0	0
Crash Injuries	2	0	0

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	4,889	4,687	4,768
Employed	4,629	4,394	4,419
Unemployed	260	293	349
Unemployment Rate	5.3%	6.3%	7.3%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	412	398	394
Drop-outs	13	9	10
Drop-out Rate	3.2%	2.3%	2.5%
School Suspensions:			
Alcohol Incidents	0	1	0
Drug Incidents	5	1	0
Tobacco Incidents	1	1	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	46	42	25
Liquor Law Arrests	24	35	25
Drug Arrests	141	143	81
Methamphetamine Lab Incidents	11	17	14
Violent Offenses	21	58	12
Property Offenses	131	94	84
Domestic Violence Reports	57	53	33

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	26	31	9
Violent Offenses	13	19	5
Alcohol Offenses	0	0	0
Drug Offenses	2	1	1
Status Offenses--Total	23	28	21
Truancy	20	16	13
Beyond Parental Control	2	1	1
Habitually Absent from Home	0	0	0
Injurious Behavior	1	11	7
Abuse/Neglect/Custody--Total	107	90	106
Abuse	37	37	53
Neglect	70	50	52
Custody Disputes	0	3	1

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	5	1	6
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	3	0	1
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	2	1	5

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	45	43	27
Probation/Parole Admissions--Drug	20	21	12
Probation/Parole Admissions--DWI	3	3	0
Prison Admissions--Total	17	10	12
Prison Admissions--Drug	7	7	5
Prison Admissions--DWI	1	0	0

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	5	4	5
Alcohol Package Carry-out Licenses	12	13	11

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# MARIES COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	*	8	*
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	24	20	12
CSTAR Opioid	0	0	0
Primary Recovery Treatment	8	16	17
Clinical SATOP (CIP, YCIP, SROP)	7	*	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	22	29	19
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	*	13	9
- Weekend Intervention Program	5	*	8
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	*
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	35	39	33	Alcohol	16	17	8
AGE				Marijuana / Hashish	9	9	6
Under 18	*	*	*	Cocaine (total)	0	0	0
18 to 24	8	8	7	- Crack	0	0	0
25 to 29	7	10	*	Stimulant (total)	6	7	12
30 to 34	5	7	*	- Methamphetamine	6	7	11
35 to 39	*	5	7	Heroin	*	*	*
40 to 44	*	*	*	Analgesic except Heroin	*	*	5
45 to 54	6	5	5	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	*
Male	23	28	20	Inhalant	0	0	0
Female	12	11	13	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	32	39	32	Average Age at First Use of Drug	16.3	16.0	19.6
African American	*	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	*	7	5
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	0
Hispanic	0	0	*	- Weekly Injection Use	*	*	0
Other Race / Two or More Races	*	0	0	- Less than Weekly Injection Use	*	*	5
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	14	16	15	0	14	18	20
High School Graduate or G.E.D.	14	13	15	1 or 2	14	14	10
Associate Degree or Some College	7	9	*	3 or More	7	7	*
Bachelor or Advanced Degree	0	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	8	12	11
Employed	8	8	13	School	0	0	0
Unemployed	14	23	7	Mental Health Provider	0	0	0
Not in Labor Force	13	8	13	Health Care Provider	*	*	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	23	21	20
Independent Living	29	38	28	Other Referral Source	*	*	*
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	*	0	*	Pregnant when Admitted to any Episode	0	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	0
Never Married	16	20	18	Special Education Services Needed	*	*	7
Married / Cohabiting	10	10	12	Co-Occurring Psychological Problem	17	15	10
Previously Married	9	9	*	Co-Occurring Developmental Problem	*	*	*

# MARIES COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 17A  
**CENSUS 2010** 9,176  
**2013 POPULATION ESTIMATE** 9,018

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2013	FY2012	FY2011
Adjustment Disorder	*	0	*
Anxiety Disorder	33	38	28
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	6	11	9
Mood Disorder	46	46	31
Personality Disorder	6	9	*
Psychotic Disorder	10	8	5
Sexual Disorder	0	0	0
Other Diagnosis	*	*	*
Diagnosis Unknown	5	5	13

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.


NUMBER SERVED	FY2013	FY2012	FY2011	EDUCATION	FY2013	FY2012	FY2011
Total Individuals	64	63	59	Less than High School Diploma	23	19	6
<b>AGE</b>				High School Grad or G.E.D.	*	9	5
Under 6	0	0	*	Associate Degree or Some College	*	*	*
6 to 9	*	*	*	Bachelor or Advanced Degree	0	*	0
10 to 13	5	10	6	Education Level Unknown	38	32	47
14 to 17	8	5	*	<b>EMPLOYMENT</b>			
18 to 24	*	*	*	Employed	*	*	*
25 to 29	7	*	*	Unemployed	13	22	11
30 to 34	11	6	7	Not in Labor Force	29	8	0
35 to 39	*	8	9	Employment Status Unknown	20	31	47
40 to 44	10	7	6	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	*	6	6	Independent Living	28	20	11
50 to 54	5	5	*	Dependent Living	17	15	13
55 to 59	*	*	*	Homeless	*	0	0
60 and Over	*	6	5	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	17	28	35
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	27	26	24	Self / Family / Friend	36	24	29
Female	37	37	35	School	0	*	0
Gender Unknown	0	0	0	Mental Health Provider	*	*	0
<b>RACE / ETHNICITY</b>				Health Care Provider	8	13	9
Caucasian	62	60	57	Court / Criminal Justice	*	*	*
African American	*	*	*	Other	17	21	18
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	0	0	Voluntary	63	63	58
Other Race	0	*	0	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	0	Commitment Type Unknown	0	0	*
Past or Current Military Service	*	0	*				

# MARIES COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol				Alcohol (1 or 2 drinks daily)			
Cigarettes				Alcohol (Binge: 5+ drinks once or twice a week)			
Chewing Tobacco				Alcohol (any use)			
Marijuana				Cigarettes (1+ packs per day)			
Inhalants				Cigarettes (any use)			
Prescription medications not prescribed for student				Marijuana (once or twice a week)			
Over-the-counter medications for non-medical use				Marijuana (any use)			
Methamphetamine				Other: Cocaine, LSD, Meth, Club Drug (any use)			
Cocaine							
Heroin				<i>Percent of students who, in past 30 days:</i>			
Hallucinogens				Were very sad			
Club drugs (Ecstasy, GHB, roofie, Special K, etc)				Were grouchy, irritable, or in a bad mood			
Steroids not prescribed for student				Felt hopeless about the future			
Synthetic drugs (K2, bath salts, Spice, etc)				Felt like not eating or eating more than usual			
				Slept a lot more or a lot less than usual			
				Had difficulty concentrating on school work			
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol				Seriously considered attempting suicide			
Cigarettes				Made plan about how they would attempt suicide			
Marijuana				Attempted suicide			
Inhalants				Attempted suicide and resulting injury, poisoning, or overdose			
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol				Were threatened/injured with weapon at school			
Alcohol (Binge: 5+ drinks on one occasion)				Were in a physical fight			
Cigarettes				Were in a fight and had to be treated by a doctor or nurse			
Chewing Tobacco							
Marijuana				<i>Percent of students who, in past 3 months:</i>			
Inhalants				Were victims of mean rumors or lies spread at school			
Prescription medications not prescribed for student				Were made fun of by others			
Over-the-counter medications for non-medical use				Were victims of an embarrassing or hurtful text message or something posted on the Internet			
				Spread mean rumors or lies about other kids at school			
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people			
Alcohol (Binge: 5+ drinks on one occasion)				Posted something on the internet or sent a text that might embarrass or hurt another student			
<i>Percent whose friends used in past 12 months:</i>				<i>Percent of students who agree that:</i>			
Alcohol				Teachers notice and comment on student's good work			
Cigarettes				School provides feedback to parents on positive student performance			
Marijuana				Rules are enforced fairly			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)				Students of all races/ethnicities are treated equal			
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol				Parents notice and comment on student's good work			
Cigarettes				Parents involve student in making family decisions			
Marijuana				It is important to be honest with parents regardless of consequences			
				Student could ask parent for help with a personal problem			
<i>Percent who say it would be wrong to use:</i>							
Alcohol							
Cigarettes							
Marijuana							
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)							
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol							
Cigarettes							
Marijuana							
<i>Percent who say it would be easy to obtain:</i>							
Alcohol							
Cigarettes							
Marijuana							
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)							
				Page Notes: Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.			
				Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			

# MARION COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	14
Adult Psychiatric	14
<b>POPULATION</b>	
Census 2010	28,781
2013 Estimate	28,904

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	350	383	372
Mother Reported Smoking while Pregnant	106	114	112

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	1	1	1
Hepatitis B Chronic, Acute, Prenatal	1	2	1
Hepatitis C Chronic and Acute	1	26	25
Tuberculosis Infection Cases	1	4	8

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	293	335	325
Suicides	1	3	4
Self-inflicted Injuries	53	48	50
Homicides	1	0	1
Assault Injuries	115	118	111
Alcohol Induced Deaths	0	1	2
Drug Induced Deaths	4	4	2
Smoking Attributable Deaths	54	58	61

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	219	291
Alcohol Primary Diagnosis	2	5	26
Drug Primary Diagnosis	2	6	21
Alcohol Related Diagnosis	42	154	99
Drug Related Diagnosis	56	100	113
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	46	40
Alcohol Primary Diagnosis	2	22	4
Drug Primary Diagnosis	2	16	2
Alcohol Related Diagnosis	135	37	122
Drug Related Diagnosis	106	39	90
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	339	314
Alcohol Primary Diagnosis	2	78	61
Drug Primary Diagnosis	2	35	54
Alcohol Related Diagnosis	137	115	129
Drug Related Diagnosis	83	106	64

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	37	36	40
Fatal Crashes	1	1	1
Injury Crashes	13	12	14
Property Damage Crashes	23	23	25
Crash Fatalities	1	1	1
Crash Injuries	16	24	18
Drug Involved Crashes--Total	8	12	8
Fatal Crashes	0	0	0
Injury Crashes	1	6	1
Property Damage Crashes	7	6	7
Crash Fatalities	0	0	0
Crash Injuries	2	8	1

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	15,112	14,122	14,556
Employed	14,254	13,262	13,464
Unemployed	858	860	1,092
Unemployment Rate	5.7%	6.1%	7.5%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	1,494	1,470	1,444
Drop-outs	18	17	24
Drop-out Rate	1.2%	1.2%	1.7%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	3	2	9
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	229	257	271
Liquor Law Arrests	159	156	193
Drug Arrests	248	230	217
Methamphetamine Lab Incidents	48	48	29
Violent Offenses	73	65	69
Property Offenses	1,388	1,328	1,507
Domestic Violence Reports	257	256	244

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	139	131	126
Violent Offenses	19	24	32
Alcohol Offenses	6	8	16
Drug Offenses	9	15	4
Status Offenses--Total	111	76	98
Truancy	33	18	34
Beyond Parental Control	5	5	1
Habitually Absent from Home	3	3	10
Injurious Behavior	70	50	53
Abuse/Neglect/Custody--Total	73	38	60
Abuse	3	1	13
Neglect	70	36	46
Custody Disputes	0	1	1

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	60	15	48
Parental Alcohol Use Related	0	0	1
Parental Drug Use Related	32	10	5
Parental Alcohol and Drug Use	4	0	0
Child Removed for Other Reason	24	5	42

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	29	27	21
Probation/Parole Admissions--Total	263	255	229
Probation/Parole Admissions--Drug	121	98	83
Probation/Parole Admissions--DWI	30	35	28
Prison Admissions--Total	169	158	164
Prison Admissions--Drug	92	81	68
Prison Admissions--DWI	8	15	12

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	50	53	51
Alcohol Package Carry-out Licenses	36	40	40

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# MARION COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Detoxification	73	88	85
CSTAR Adolescent	27	19	27
CSTAR Women and Children	93	76	70
CSTAR General Adult	25	29	38
CSTAR Opioid	0	0	0
Primary Recovery Treatment	216	249	197
Clinical SATOP (CIP, YCIP, SROP)	20	16	21
Other Substance Abuse Treatment	0	*	0


<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Offender Management Unit	174	167	147
- Adolescent Diversion Education Program	20	13	11
- Offender Education Program	50	61	55
- Weekend Intervention Program	31	35	26
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	32	31	29
Compulsive Gambling	0	0	0
Recovery Supports	*	0	11
Early Intervention	13	19	21

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	387	391	353	Alcohol	153	160	152
<b>AGE</b>				Marijuana / Hashish	135	120	102
Under 18	29	23	29	Cocaine (total)	10	27	31
18 to 24	109	100	92	- Crack	*	12	13
25 to 29	81	66	56	Stimulant (total)	49	47	43
30 to 34	50	48	50	- Methamphetamine	49	45	43
35 to 39	31	40	33	Heroin	27	27	15
40 to 44	26	37	28	Analgesic except Heroin	6	*	6
45 to 54	42	59	54	- Non-Prescription Methadone	0	0	0
55 and Over	19	18	11	PCP, LSD, other Hallucinogen	0	0	*
<b>GENDER</b>				Tranquilizer	*	*	*
Male	255	286	250	Inhalant	0	0	0
Female	132	105	103	Sedative	0	0	0
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	5	5	0
Caucasian	315	328	297	Average Age at First Use of Drug	16.9	17.3	16.6
African American	45	45	39	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	*	0	*	Any Injection Use at Admission	43	47	38
Asian / Pacific Islander	*	*	*	- Daily Injection Use	8	7	9
Hispanic	*	*	8	- Weekly Injection Use	10	12	9
Other Race / Two or More Races	23	15	10	- Less than Weekly Injection Use	25	28	20
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	135	126	141	0	237	221	190
High School Graduate or G.E.D.	205	226	182	1 or 2	99	103	104
Associate Degree or Some College	47	36	27	3 or More	51	67	59
Bachelor or Advanced Degree	0	*	*	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	53	54	61
Employed	141	135	104	School	*	*	*
Unemployed	157	171	158	Mental Health Provider	0	*	*
Not in Labor Force	89	85	91	Health Care Provider	7	6	6
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	202	287	266
Independent Living	286	292	276	Other Referral Source	68	34	15
Dependent Living	87	83	57	<b>TREATMENT ACCOMMODATION</b>			
Homeless	13	12	16	Pregnant when Admitted to any Episode	*	*	*
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	11	15	15
Never Married	242	225	215	Special Education Services Needed	33	40	51
Married / Cohabiting	79	68	66	Co-Occurring Psychological Problem	87	93	131
Previously Married	66	98	72	Co-Occurring Developmental Problem	10	6	23

# MARION COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 14  
**CENSUS 2010** 28,781  
**2013 POPULATION ESTIMATE** 28,904

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	17	18	19
Anxiety Disorder	181	162	141
Dementia	0	*	*
Developmental Disorder	24	20	8
Impulse Control Disorder	207	191	143
Mood Disorder	502	494	461
Personality Disorder	31	27	26
Psychotic Disorder	196	195	170
Sexual Disorder	0	0	*
Other Diagnosis	81	81	81
Diagnosis Unknown	64	90	149

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	841	876	872	Less than High School Diploma	348	209	160
<b>AGE</b>				High School Grad or G.E.D.	9	231	252
Under 6	*	10	*	Associate Degree or Some College	0	51	66
6 to 9	47	53	44	Bachelor or Advanced Degree	0	10	16
10 to 13	63	73	71	Education Level Unknown	484	375	378
14 to 17	61	59	62	<b>EMPLOYMENT</b>			
18 to 24	84	93	95	Employed	78	78	80
25 to 29	75	84	94	Unemployed	62	367	413
30 to 34	90	85	80	Not in Labor Force	593	98	*
35 to 39	79	77	71	Employment Status Unknown	108	333	377
40 to 44	76	75	71	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	80	91	101	Independent Living	422	368	321
50 to 54	74	72	74	Dependent Living	260	210	300
55 to 59	49	51	53	Homeless	12	7	7
60 and Over	59	53	53	Other	0	5	10
Age Unknown	0	0	0	Housing Unknown	147	286	234
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	442	450	449	Self / Family / Friend	248	241	194
Female	399	426	423	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	63	69	76
<b>RACE / ETHNICITY</b>				Health Care Provider	72	59	50
Caucasian	717	745	752	Court / Criminal Justice	26	43	26
African American	81	96	93	Other	416	445	505
Native American / Alaskan	*	*	*	Referral Source Unknown	14	16	19
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	15	8	10	Voluntary	816	848	837
Other Race	26	24	16	Civil	0	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	11	11	12
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	12	11	9	Commitment Type Unknown	14	16	19
Past or Current Military Service	27	29	30				




# MARION COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	38.0	34.0	53.9	Alcohol (1 or 2 drinks daily)	58.0		
Cigarettes	14.5	17.8	30.7	Alcohol (Binge: 5+ drinks once or twice a week)	72.5		
Chewing Tobacco	10.7	8.4	15.7	Alcohol (any use)		64.4	82.0
Marijuana	4.6	7.3	11.9	Cigarettes (1+ packs per day)	83.8		
Inhalants	2.3	3.6	6.7	Cigarettes (any use)		79.5	81.8
Prescription medications not prescribed for student	5.3	6.0	11.6	Marijuana (once or twice a week)	77.0		
Over-the-counter medications for non-medical use	1.7	6.0	9.8	Marijuana (any use)		83.6	67.6
Methamphetamine	0.9	0.7	1.3	Other: Cocaine, LSD, Meth, Club Drug (any use)	91.3	93.0	94.8
Cocaine	0.9	1.4	0.7				
Heroin	0.0	0.0	0.5	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	1.8	2.7	1.6	Were very sad	24.8	22.9	14.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.9	1.4	1.8	Were grouchy, irritable, or in a bad mood	33.5	24.9	24.0
Steroids not prescribed for student	1.7	0.4	1.3	Felt hopeless about the future	12.5	13.6	11.7
Synthetic drugs (K2, bath salts, Spice, etc)	3.2	3.3		Felt like not eating or eating more than usual	14.4	13.4	15.4
				Slept a lot more or a lot less than usual	21.4	22.8	22.7
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	22.9	25.3	25.6
Alcohol	11.78	11.97	12.11				
Cigarettes	11.80	12.07	11.77	<i>Percent of students who, in past 12 months:</i>			
Marijuana	12.40	12.81	12.75	Seriously considered attempting suicide	14.2	15.1	15.3
Inhalants	14.48	11.61	11.77	Made plan about how they would attempt suicide	6.4	13.8	11.3
				Attempted suicide	7.0	7.6	6.1
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.0	1.4	1.5
Alcohol	9.0	17.1	24.6				
Alcohol (Binge: 5+ drinks on one occassion)		8.2	12.0	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	9.3	11.4	18.3	Were threatened/injured with weapon at school	7.5	8.9	7.5
Chewing Tobacco	7.5	4.4	9.6	Were in a physical fight	13.5	18.8	25.4
Marijuana	0.9	3.8	4.7	Were in a fight and had to be treated by a doctor or nurse	4.1	2.4	3.7
Inhalants	1.4	1.3	3.4				
Prescription medications not prescribed for student	2.9	2.4	6.4	<i>Percent of students who, in past 3 months:</i>			
Over-the-counter medications for non-medical use	0.9	4.9	5.5	Were victims of mean rumors or lies spread at school	43.7	49.9	63.0
				Were made fun of by others	62.1	63.2	75.0
<i>Percent of students who, in past 2 weeks, used:</i>				Were victims of an embarrassing or hurtful text message or something posted on the internet	29.4	21.7	23.8
Alcohol (Binge: 5+ drinks on one occassion)	2.3			Spread mean rumors or lies about other kids at school	37.6	30.9	40.5
<i>Percent whose friends used in past 12 months:</i>				Made fun of other people	75.4	66.4	81.1
Alcohol	52.0	45.9	69.1	Posted something on the internet or sent a text that might embarrass or hurt another student	24.9	13.0	23.0
Cigarettes	37.1	37.5	54.9				
Marijuana	18.0	21.1	35.9	<i>Percent of students who agree that:</i>			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.9	10.0	18.2	Teachers notice and comment on student's good work	68.4	63.8	68.4
<i>Percent who would likely use, if offered by a best friend:</i>				School provides feedback to parents on positive student performance	29.6	35.8	37.1
Alcohol	18.6	26.0	43.0	Rules are enforced fairly	62.6	56.3	60.9
Cigarettes	8.4	12.4	18.8	Students of all races/ethnicities are treated equal	77.1	78.8	77.3
Marijuana	5.5	6.5	10.7				
<i>Percent who say it would be wrong to use:</i>				<i>Percent of students who agree that:</i>			
Alcohol	63.8	66.4	49.0	Parents notice and comment on student's good work	80.1	78.4	79.1
Cigarettes	87.6	82.3	73.4	Parents involve student in making family decisions	68.0	61.9	63.2
Marijuana	92.2	88.2	83.7	It is important to be honest with parents regardless of consequences	90.1	86.4	82.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.2	96.2	94.0	Student could ask parent for help with a personal problem	80.2	76.7	72.6
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	85.4	84.2	71.3				
Cigarettes	94.8	91.5	90.2				
Marijuana	96.7	96.6	94.6				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	56.6	52.3	65.4				
Cigarettes	47.2	44.0	60.5				
Marijuana	18.8	18.7	31.6				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.7	8.0	17.5				
				Page Notes: Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.			
				Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			

# MERCER COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	13
Adult Psychiatric	13
<b>POPULATION</b>	
Census 2010	3,785
2013 Estimate	3,695

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	1,901	1,932	1,919
Employed	1,807	1,839	1,797
Unemployed	94	93	122
Unemployment Rate	4.9%	4.8%	6.4%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	182	182	163
Drop-outs	0	0	0
Drop-out Rate	0.0%	0.0%	0.0%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	0	0	0
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	13	13	8
Liquor Law Arrests	1	3	7
Drug Arrests	10	4	12
Methamphetamine Lab Incidents	0	1	0
Violent Offenses	1	10	11
Property Offenses	19	14	21
Domestic Violence Reports	6	5	7

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	15	5	11
Violent Offenses	5	2	0
Alcohol Offenses	1	0	5
Drug Offenses	0	0	1
Status Offenses--Total	3	4	6
Truancy	0	0	0
Beyond Parental Control	1	2	2
Habitually Absent from Home	1	0	0
Injurious Behavior	1	2	4
Abuse/Neglect/Custody--Total	13	14	21
Abuse	6	1	5
Neglect	7	9	16
Custody Disputes	0	4	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	5	0	3
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	0	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	5	0	3

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	4	5	4
Probation/Parole Admissions--Total	31	19	35
Probation/Parole Admissions--Drug	1	0	1
Probation/Parole Admissions--DWI	4	2	2
Prison Admissions--Total	17	13	10
Prison Admissions--Drug	0	0	0
Prison Admissions--DWI	3	1	1

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	4	4	5
Alcohol Package Carry-out Licenses	6	7	6

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	45	39	37
Mother Reported Smoking while Pregnant	13	9	8

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	1	1	0
Tuberculosis Infection Cases	1	0	2

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	48	47	48
Suicides	0	0	2
Self-inflicted Injuries	5	2	4
Homicides	0	3	0
Assault Injuries	3	3	3
Alcohol Induced Deaths	0	1	0
Drug Induced Deaths	0	0	0
Smoking Attributable Deaths	9	7	11

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	23	16
Alcohol Primary Diagnosis	2	1	4
Drug Primary Diagnosis	2	0	2
Alcohol Related Diagnosis	6	12	6
Drug Related Diagnosis	10	12	10
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	5	5
Alcohol Primary Diagnosis	2	0	1
Drug Primary Diagnosis	2	1	2
Alcohol Related Diagnosis	3	7	5
Drug Related Diagnosis	6	7	0
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	19	27
Alcohol Primary Diagnosis	2	3	2
Drug Primary Diagnosis	2	2	1
Alcohol Related Diagnosis	8	7	8
Drug Related Diagnosis	6	5	10

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	2	6	2
Fatal Crashes	0	1	0
Injury Crashes	1	3	1
Property Damage Crashes	1	2	1
Crash Fatalities	0	2	0
Crash Injuries	1	5	2
Drug Involved Crashes--Total	0	2	0
Fatal Crashes	0	1	0
Injury Crashes	0	0	0
Property Damage Crashes	0	1	0
Crash Fatalities	0	1	0
Crash Injuries	0	0	0

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# MERCER COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	0	*	*
CSTAR Adolescent	0	0	0
CSTAR Women and Children	0	0	0
CSTAR General Adult	12	15	23
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	0	0
Clinical SATOP (CIP, YCIP, SROP)	5	*	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	13	10	7
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	*	*	*
- Weekend Intervention Program	5	*	0
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	0	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	16	19	26	Alcohol	13	15	13
AGE				Marijuana / Hashish	*	*	5
Under 18	0	0	0	Cocaine (total)	0	*	0
18 to 24	*	*	*	- Crack	0	0	0
25 to 29	0	*	*	Stimulant (total)	*	*	*
30 to 34	*	*	6	- Methamphetamine	*	*	*
35 to 39	*	*	*	Heroin	0	0	0
40 to 44	*	*	*	Analgesic except Heroin	0	*	*
45 to 54	6	*	7	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	11	15	18	Inhalant	0	0	0
Female	5	*	8	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	*
Caucasian	16	19	24	Average Age at First Use of Drug	18.4	15.5	19.5
African American	0	0	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	0	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	0
Hispanic	0	0	0	- Weekly Injection Use	0	0	*
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	0	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	5	*	6	0	6	10	16
High School Graduate or G.E.D.	8	13	15	1 or 2	6	9	6
Associate Degree or Some College	*	*	5	3 or More	*	0	*
Bachelor or Advanced Degree	0	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	*	*	5
Employed	8	8	12	School	0	0	0
Unemployed	8	8	10	Mental Health Provider	0	0	*
Not in Labor Force	0	*	*	Health Care Provider	0	*	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	5	12	15
Independent Living	16	18	25	Other Referral Source	7	*	5
Dependent Living	0	*	*	TREATMENT ACCOMMODATION			
Homeless	0	0	0	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	0	*	*
Never Married	7	7	8	Special Education Services Needed	0	*	0
Married / Cohabiting	*	8	10	Co-Occurring Psychological Problem	6	7	11
Previously Married	6	*	8	Co-Occurring Developmental Problem	0	*	0

# MERCER COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 13  
**CENSUS 2010** 3,785  
**2013 POPULATION ESTIMATE** 3,695

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	*	*	0
Anxiety Disorder	20	22	14
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	7	5	*
Mood Disorder	30	32	27
Personality Disorder	6	5	5
Psychotic Disorder	*	6	7
Sexual Disorder	0	0	0
Other Diagnosis	5	6	*
Diagnosis Unknown	0	*	8

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	38	44	46	Less than High School Diploma	15	7	*
<b>AGE</b>				High School Grad or G.E.D.	*	9	13
Under 6	0	0	0	Associate Degree or Some College	0	*	*
6 to 9	*	*	*	Bachelor or Advanced Degree	0	*	*
10 to 13	5	*	*	Education Level Unknown	21	23	27
14 to 17	7	5	*	<b>EMPLOYMENT</b>			
18 to 24	0	*	*	Employed	*	0	*
25 to 29	*	0	0	Unemployed	*	17	16
30 to 34	*	*	5	Not in Labor Force	27	5	*
35 to 39	0	*	*	Employment Status Unknown	6	22	27
40 to 44	*	*	*	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	*	5	8	Independent Living	16	14	16
50 to 54	6	5	7	Dependent Living	17	11	7
55 to 59	6	7	*	Homeless	0	0	0
60 and Over	*	6	8	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	5	19	23
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	12	15	12	Self / Family / Friend	15	18	15
Female	26	29	34	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	6	6	5
<b>RACE / ETHNICITY</b>				Health Care Provider	11	14	16
Caucasian	37	44	46	Court / Criminal Justice	0	*	*
African American	0	0	0	Other	6	5	8
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	0	0	Voluntary	38	44	46
Other Race	0	0	0	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	0	0	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				


# MERCER COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	32.5	43.3		Alcohol (1 or 2 drinks daily)	47.5		
Cigarettes	14.6	31.3		Alcohol (Binge: 5+ drinks once or twice a week)	65.0		
Chewing Tobacco	20.0	20.6		Alcohol (any use)		61.2	
Marijuana	0.0	7.4		Cigarettes (1+ packs per day)	82.5		
Inhalants	2.5	6.0		Cigarettes (any use)		72.1	
Prescription medications not prescribed for student	4.9	7.4		Marijuana (once or twice a week)	82.1		
Over-the-counter medications for non-medical use	2.5	5.9		Marijuana (any use)		77.6	
Methamphetamine	0.0	1.5		Other: Cocaine, LSD, Meth, Club Drug (any use)	92.3	88.2	
Cocaine	0.0	1.5		<i>Percent of students who, in past 30 days:</i>			
Heroin	0.0	1.5		Were very sad	12.5	23.9	
Hallucinogens	0.0	1.5		Were grouchy, irritable, or in a bad mood	20.0	28.4	
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	0.0		Felt hopeless about the future	12.5	9.0	
Steroids not prescribed for student	0.0	0.0		Felt like not eating or eating more than usual	12.2	13.2	
Synthetic drugs (K2, bath salts, Spice, etc)	0.0	0.0		Slept a lot more or a lot less than usual	14.6	16.4	
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	14.6	19.4	
Alcohol	12.84	12.71		<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.57	13.69		Seriously considered attempting suicide	9.8	10.4	
Marijuana		14.06		Made plan about how they would attempt suicide	9.8	4.5	
Inhalants				Attempted suicide	2.5	4.4	
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.0	0.0	
Alcohol	15.0	19.1		<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occassion)		9.0		Were threatened/injured with weapon at school	15.0	7.6	
Cigarettes	9.8	13.4		Were in a physical fight	26.8	19.1	
Chewing Tobacco	10.0	14.7		Were in a fight and had to be treated by a doctor or nurse	2.4	3.0	
Marijuana	0.0	1.5		<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.0	3.0		Were victims of mean rumors or lies spread at school	48.8	53.7	
Prescription medications not prescribed for student	2.5	1.5		Were made fun of by others	65.9	63.2	
Over-the-counter medications for non-medical use	0.0	2.9		Were victims of an embarrassing or hurtful text message or something posted on the internet	31.7	25.0	
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	31.7	28.4	
Alcohol (Binge: 5+ drinks on one occassion)	5.0			Made fun of other people	53.7	64.2	
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	17.1	20.6	
Alcohol	58.5	45.6		<i>Percent of students who agree that:</i>			
Cigarettes	41.5	35.8		Teachers notice and comment on student's good work	70.7	83.8	
Marijuana	15.0	14.9		School provides feedback to parents on positive student performance	46.3	58.2	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.5	4.5		Rules are enforced fairly	55.0	74.6	
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	80.5	91.2	
Alcohol	22.0	28.4		<i>Percent of students who agree that:</i>			
Cigarettes	10.0	19.1		Parents notice and comment on student's good work	85.0	87.9	
Marijuana	5.1	6.1		Parents involve student in making family decisions	68.3	70.1	
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	87.8	86.6	
Alcohol	68.3	56.7		Student could ask parent for help with a personal problem	82.9	77.6	
Cigarettes	90.0	75.8		<div>Page Notes:</div> <div>Similar affirmative response choices for individual questions are combined.</div> <div>Blank data cells indicate estimates are not available for item or geographic area.</div> <div>Survey is not conducted in every school district nor reported for every county.</div> <div>Estimates are not available for counties with small numbers of respondents.</div> <div>Percentages are estimates based on weighted data.</div> <div>Some year-to-year differences in percentages are not statistically significant.</div>			
Marijuana	92.3	89.6					
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.5	94.1					
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	82.5	81.5					
Cigarettes	95.0	90.9		<div>Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys</div>			
Marijuana	97.4	98.5					
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	47.5	52.2					
Cigarettes	41.5	52.2					
Marijuana	12.5	11.9					
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.5	9.0					



# MILLER COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	11
Adult Psychiatric	11
<b>POPULATION</b>	
Census 2010	24,748
2013 Estimate	25,092

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	302	273	288
Mother Reported Smoking while Pregnant	93	83	73
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1 3	2	1
Hepatitis C Chronic and Acute	1 13	12	15
Tuberculosis Infection Cases	1 0	5	3
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	273	269	252
Suicides	4	0	2
Self-inflicted Injuries	23	25	18
Homicides	0	0	2
Assault Injuries	65	58	94
Alcohol Induced Deaths	0	0	2
Drug Induced Deaths	0	2	6
Smoking Attributable Deaths	49	53	44
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 92	106	
Alcohol Primary Diagnosis	2 2	1	
Drug Primary Diagnosis	2 3	1	
Alcohol Related Diagnosis	29	25	60
Drug Related Diagnosis	45	47	44
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 112	98	
Alcohol Primary Diagnosis	2 46	25	
Drug Primary Diagnosis	2 12	12	
Alcohol Related Diagnosis	126	137	85
Drug Related Diagnosis	89	92	57
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 175	186	
Alcohol Primary Diagnosis	2 27	25	
Drug Primary Diagnosis	2 40	35	
Alcohol Related Diagnosis	71	63	81
Drug Related Diagnosis	89	71	96
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	48	45	60
Fatal Crashes	2	4	2
Injury Crashes	24	21	29
Property Damage Crashes	22	20	29
Crash Fatalities	2	4	2
Crash Injuries	31	28	42
Drug Involved Crashes--Total	8	4	7
Fatal Crashes	0	0	0
Injury Crashes	4	1	3
Property Damage Crashes	4	3	4
Crash Fatalities	0	0	0
Crash Injuries	5	1	4

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	12,231	11,522	11,608
Employed	11,269	10,506	10,294
Unemployed	962	1,016	1,314
Unemployment Rate	7.9%	8.8%	11.3%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	1,452	1,456	1,507
Drop-outs	15	34	49
Drop-out Rate	1.0%	2.3%	3.3%
School Suspensions:			
Alcohol Incidents	0	2	1
Drug Incidents	10	12	15
Tobacco Incidents	2	0	2

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	246	221	262
Liquor Law Arrests	38	60	58
Drug Arrests	147	182	107
Methamphetamine Lab Incidents	3	10	16
Violent Offenses	39	95	62
Property Offenses	618	513	404
Domestic Violence Reports	547	501	156

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	70	147	88
Violent Offenses	15	43	31
Alcohol Offenses	6	14	5
Drug Offenses	9	16	10
Status Offenses--Total	86	121	100
Truancy	31	44	22
Beyond Parental Control	6	17	14
Habitually Absent from Home	18	27	15
Injurious Behavior	24	24	46
Abuse/Neglect/Custody--Total	35	82	82
Abuse	5	18	7
Neglect	30	64	75
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	19	45	38
Parental Alcohol Use Related	0	0	1
Parental Drug Use Related	2	13	11
Parental Alcohol and Drug Use	0	0	2
Child Removed for Other Reason	17	32	24

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	276	234	233
Probation/Parole Admissions--Drug	96	75	76
Probation/Parole Admissions--DWI	21	21	24
Prison Admissions--Total	139	103	125
Prison Admissions--Drug	45	29	46
Prison Admissions--DWI	8	11	13

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	59	55	54
Alcohol Package Carry-out Licenses	38	38	38

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# MILLER COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	9	16	14
CSTAR Adolescent	10	8	5
CSTAR Women and Children	10	13	16
CSTAR General Adult	91	70	68
CSTAR Opioid	0	0	*
Primary Recovery Treatment	12	17	41
Clinical SATOP (CIP, YCIP, SROP)	20	25	19
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	136	126	127
- Adolescent Diversion Education Program	0	*	0
- Offender Education Program	54	56	46
- Weekend Intervention Program	33	26	37
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	7	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	*	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	136	128	139	Alcohol	55	57	67
AGE				Marijuana / Hashish	25	20	29
Under 18	10	7	6	Cocaine (total)	0	*	*
18 to 24	28	20	24	- Crack	0	*	0
25 to 29	20	30	19	Stimulant (total)	27	25	21
30 to 34	21	22	18	- Methamphetamine	22	25	21
35 to 39	7	14	21	Heroin	*	*	*
40 to 44	11	15	16	Analgesic except Heroin	17	16	16
45 to 54	28	14	28	- Non-Prescription Methadone	*	0	0
55 and Over	11	6	7	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	*
Male	81	78	92	Inhalant	0	0	0
Female	55	50	47	Sedative	0	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	10	*	0
Caucasian	131	124	136	Average Age at First Use of Drug	17.8	17.9	17.7
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	16	19	12
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	*	0	*	- Weekly Injection Use	*	5	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	11	11	5
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	52	53	50	0	68	55	62
High School Graduate or G.E.D.	58	40	60	1 or 2	46	46	45
Associate Degree or Some College	23	35	28	3 or More	22	27	32
Bachelor or Advanced Degree	*	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	57	41	34
Employed	33	38	41	School	0	*	0
Unemployed	47	52	59	Mental Health Provider	*	*	*
Not in Labor Force	56	38	39	Health Care Provider	6	*	6
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	56	69	90
Independent Living	113	106	125	Other Referral Source	14	11	8
Dependent Living	17	14	11	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	7	7	7
Never Married	69	65	66	Special Education Services Needed	7	11	13
Married / Cohabiting	35	36	38	Co-Occurring Psychological Problem	41	45	48
Previously Married	32	27	35	Co-Occurring Developmental Problem	*	*	*

# MILLER COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 11  
**CENSUS 2010** 24,748  
**2013 POPULATION ESTIMATE** 25,092

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	24	17	9
Anxiety Disorder	161	143	109
Dementia	0	0	0
Developmental Disorder	0	*	*
Impulse Control Disorder	43	37	28
Mood Disorder	233	210	175
Personality Disorder	15	21	26
Psychotic Disorder	41	46	42
Sexual Disorder	0	0	0
Other Diagnosis	27	22	8
Diagnosis Unknown	15	17	39

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	332	298	272	Less than High School Diploma	157	87	59
<b>AGE</b>				High School Grad or G.E.D.	0	70	56
Under 6	7	*	*	Associate Degree or Some College	0	23	18
6 to 9	16	17	17	Bachelor or Advanced Degree	0	*	*
10 to 13	31	31	19	Education Level Unknown	175	115	135
14 to 17	37	28	19	<b>EMPLOYMENT</b>			
18 to 24	35	31	23	Employed	18	19	14
25 to 29	24	18	27	Unemployed	44	134	116
30 to 34	31	36	33	Not in Labor Force	229	49	7
35 to 39	35	31	34	Employment Status Unknown	41	96	135
40 to 44	26	21	17	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	35	33	38	Independent Living	184	167	131
50 to 54	23	20	22	Dependent Living	109	39	44
55 to 59	17	15	11	Homeless	*	*	0
60 and Over	15	13	10	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	38	85	95
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	155	133	114	Self / Family / Friend	216	192	167
Female	177	165	158	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	*	8	15
<b>RACE / ETHNICITY</b>				Health Care Provider	35	28	22
Caucasian	321	291	266	Court / Criminal Justice	24	23	22
African American	*	0	0	Other	52	46	44
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	5	Voluntary	330	297	272
Other Race	8	5	*	Civil	*	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	*	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

# MILLER COUNTY


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	34.7	34.6	44.6	Alcohol (1 or 2 drinks daily)	56.7		
Cigarettes	21.7	21.4	29.5	Alcohol (Binge: 5+ drinks once or twice a week)	68.2		
Chewing Tobacco	16.6	13.3	19.6	Alcohol (any use)		74.3	78.8
Marijuana	8.6	9.6	12.2	Cigarettes (1+ packs per day)	84.1		
Inhalants	3.3	4.9	5.0	Cigarettes (any use)		82.5	83.2
Prescription medications not prescribed for student	6.5	7.6	10.0	Marijuana (once or twice a week)	74.0		
Over-the-counter medications for non-medical use	2.5	4.4	6.9	Marijuana (any use)		77.4	74.1
Methamphetamine	0.7	1.0	0.4	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.4	92.3	94.1
Cocaine	0.7	1.5	1.5				
Heroin	0.4	1.0	0.6	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	1.1	2.7	2.1	Were very sad	20.1	19.2	24.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.7	1.7	2.1	Were grouchy, irritable, or in a bad mood	28.0	23.2	32.7
Steroids not prescribed for student	1.1	1.2	1.7	Felt hopeless about the future	12.6	9.4	14.2
Synthetic drugs (K2, bath salts, Spice, etc)	3.6	5.4		Felt like not eating or eating more than usual	20.1	15.6	23.3
				Slept a lot more or a lot less than usual	16.8	19.5	28.2
				Had difficulty concentrating on school work	23.7	23.9	28.9
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	12.67	12.54	12.17	Seriously considered attempting suicide	11.1	10.1	10.4
Cigarettes	12.29	12.17	12.22	Made plan about how they would attempt suicide	7.6	8.1	7.3
Marijuana	13.59	12.97	13.19	Attempted suicide	4.7	5.7	3.5
Inhalants	12.36	12.55	12.51	Attempted suicide and resulting injury, poisoning, or overdose	3.0	2.3	1.3
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	14.1	12.1	19.7	Were threatened/injured with weapon at school	7.1	5.9	9.2
Alcohol (Binge: 5+ drinks on one occasion)		7.4	12.8	Were in a physical fight	18.9	20.7	23.8
Cigarettes	9.4	8.9	14.5	Were in a fight and had to be treated by a doctor or nurse	3.6	4.0	4.3
Chewing Tobacco	6.9	6.4	11.7				
Marijuana	3.2	3.7	4.1	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.1	2.0	2.4	Were victims of mean rumors or lies spread at school	47.0	49.6	53.7
Prescription medications not prescribed for student	3.2	4.2	5.4	Were made fun of by others	56.8	59.9	67.3
Over-the-counter medications for non-medical use	1.8	2.9	3.8	Were victims of an embarrassing or hurtful text message or something posted on the Internet	22.6	17.4	18.2
				Spread mean rumors or lies about other kids at school	21.6	26.4	29.8
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	49.8	57.3	71.4
Alcohol (Binge: 5+ drinks on one occasion)	7.3			Posted something on the internet or sent a text that might embarrass or hurt another student	13.9	10.4	14.2
<i>Percent whose friends used in past 12 months:</i>				<i>Percent of students who agree that:</i>			
Alcohol	44.1	51.4	59.0	Teachers notice and comment on student's good work	77.1	68.7	66.6
Cigarettes	33.9	42.4	47.3	School provides feedback to parents on positive student performance	48.0	42.7	45.8
Marijuana	19.6	27.2	28.1	Rules are enforced fairly	67.7	64.4	61.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.2	13.6	15.3	Students of all races/ethnicities are treated equal	87.8	80.2	81.7
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	23.8	24.1	32.2	Parents notice and comment on student's good work	83.1	83.3	83.1
Cigarettes	10.8	11.1	15.1	Parents involve student in making family decisions	73.3	68.7	70.7
Marijuana	6.8	7.4	7.2	It is important to be honest with parents regardless of consequences	89.6	85.2	85.3
				Student could ask parent for help with a personal problem	81.7	77.7	77.6
<i>Percent who say it would be wrong to use:</i>							
Alcohol	69.4	68.5	63.0				
Cigarettes	85.1	84.7	80.3				
Marijuana	90.5	89.1	86.8				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.5	95.8	96.3				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	81.2	81.3	80.2				
Cigarettes	91.7	93.3	91.6				
Marijuana	95.3	94.8	94.5				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	55.2	53.2	58.6				
Cigarettes	53.2	50.1	57.5				
Marijuana	24.9	29.7	30.2				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.4	15.4	16.8				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# MISSISSIPPI COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	20
Adult Psychiatric	20
<b>POPULATION</b>	
Census 2010	14,358
2013 Estimate	14,282

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	180	194	179
Mother Reported Smoking while Pregnant	55	59	53
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	1	0
Hepatitis B Chronic, Acute, Prenatal	1	0	2
Hepatitis C Chronic and Acute	1	13	18
Tuberculosis Infection Cases	1	2	1
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	193	193	199
Suicides	1	1	0
Self-inflicted Injuries	19	30	47
Homicides	1	0	2
Assault Injuries	70	56	81
Alcohol Induced Deaths	0	3	1
Drug Induced Deaths	0	0	0
Smoking Attributable Deaths	41	43	45
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	128	109
Alcohol Primary Diagnosis	2	4	11
Drug Primary Diagnosis	2	11	8
Alcohol Related Diagnosis	45	60	74
Drug Related Diagnosis	62	78	94
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	24	17
Alcohol Primary Diagnosis	2	9	5
Drug Primary Diagnosis	2	5	3
Alcohol Related Diagnosis	38	23	36
Drug Related Diagnosis	38	19	61
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	112	99
Alcohol Primary Diagnosis	2	17	18
Drug Primary Diagnosis	2	24	19
Alcohol Related Diagnosis	49	50	49
Drug Related Diagnosis	59	67	51
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	7	7	15
Fatal Crashes	0	0	1
Injury Crashes	4	3	8
Property Damage Crashes	3	4	6
Crash Fatalities	0	0	1
Crash Injuries	5	3	15
Drug Involved Crashes--Total	2	1	1
Fatal Crashes	0	0	0
Injury Crashes	0	1	1
Property Damage Crashes	2	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	1	1

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	6,229	6,099	5,945
Employed	5,719	5,586	5,321
Unemployed	510	513	624
Unemployment Rate	8.2%	8.4%	10.5%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	578	542	589
Drop-outs	3	10	6
Drop-out Rate	0.5%	1.8%	1.0%
School Suspensions:			
Alcohol Incidents	1	1	0
Drug Incidents	6	1	4
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	76	80	94
Liquor Law Arrests	17	17	20
Drug Arrests	70	93	136
Methamphetamine Lab Incidents	9	4	11
Violent Offenses	99	64	71
Property Offenses	402	390	331
Domestic Violence Reports	258	235	208

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	195	137	200
Violent Offenses	80	51	77
Alcohol Offenses	6	3	6
Drug Offenses	6	11	10
Status Offenses--Total	57	41	58
Truancy	26	19	17
Beyond Parental Control	2	1	2
Habitually Absent from Home	1	2	3
Injurious Behavior	28	19	36
Abuse/Neglect/Custody--Total	14	43	26
Abuse	1	0	0
Neglect	13	43	26
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	22	16	19
Parental Alcohol Use Related	1	0	0
Parental Drug Use Related	7	5	8
Parental Alcohol and Drug Use	0	2	0
Child Removed for Other Reason	14	9	11

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	18	27	24
Probation/Parole Admissions--Total	152	161	171
Probation/Parole Admissions--Drug	63	62	67
Probation/Parole Admissions--DWI	6	4	14
Prison Admissions--Total	80	106	77
Prison Admissions--Drug	34	39	23
Prison Admissions--DWI	2	4	3

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	11	12	11
Alcohol Package Carry-out Licenses	15	14	13

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# MISSISSIPPI COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	33	34	33
CSTAR Adolescent	7	11	14
CSTAR Women and Children	13	30	12
CSTAR General Adult	65	12	10
CSTAR Opioid	*	0	0
Primary Recovery Treatment	73	100	93
Clinical SATOP (CIP, YCIP, SROP)	11	13	5
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	53	42	61
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	25	18	28
- Weekend Intervention Program	10	9	17
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	32	35	32
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	176	173	136	Alcohol	51	59	40
AGE				Marijuana / Hashish	58	57	48
Under 18	8	10	15	Cocaine (total)	9	13	17
18 to 24	38	32	27	- Crack	5	8	13
25 to 29	30	32	15	Stimulant (total)	33	26	14
30 to 34	28	19	23	- Methamphetamine	33	26	14
35 to 39	19	23	17	Heroin	5	5	*
40 to 44	12	14	10	Analgesic except Heroin	15	9	11
45 to 54	32	32	25	- Non-Prescription Methadone	0	0	0
55 and Over	9	11	*	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	*	*	*
Male	128	122	93	Inhalant	0	0	0
Female	48	51	43	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	128	127	100	Average Age at First Use of Drug	18.0	17.3	18.2
African American	46	44	34	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	18	12	9
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	0
Hispanic	*	0	*	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	10	5	5
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	80	79	68	0	113	122	98
High School Graduate or G.E.D.	82	71	57	1 or 2	47	36	25
Associate Degree or Some College	14	23	10	3 or More	16	15	13
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	27	36	18
Employed	53	55	31	School	0	0	0
Unemployed	69	61	61	Mental Health Provider	*	0	5
Not in Labor Force	54	57	44	Health Care Provider	9	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	117	116	100
Independent Living	153	139	107	Other Referral Source	19	19	10
Dependent Living	16	28	27	TREATMENT ACCOMMODATION			
Homeless	0	*	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	6	5	5
Never Married	91	81	76	Special Education Services Needed	7	10	7
Married / Cohabiting	53	45	30	Co-Occurring Psychological Problem	25	25	29
Previously Married	32	47	30	Co-Occurring Developmental Problem	*	*	*



# MISSISSIPPI COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 20  
**CENSUS 2010** 14,358  
**2013 POPULATION ESTIMATE** 14,282

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	13	12	22
Anxiety Disorder	101	94	81
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	68	53	50
Mood Disorder	247	208	169
Personality Disorder	31	33	35
Psychotic Disorder	51	48	44
Sexual Disorder	0	0	0
Other Diagnosis	35	36	29
Diagnosis Unknown	30	28	37

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	398	325	295	Less than High School Diploma	204	62	31
<b>AGE</b>				High School Grad or G.E.D.	0	31	26
Under 6	*	*	*	Associate Degree or Some College	0	6	7
6 to 9	26	15	24	Bachelor or Advanced Degree	0	*	0
10 to 13	31	36	34	Education Level Unknown	194	225	231
14 to 17	59	44	42	<b>EMPLOYMENT</b>			
18 to 24	37	22	20	Employed	18	8	*
25 to 29	37	23	16	Unemployed	34	69	59
30 to 34	33	23	17	Not in Labor Force	241	31	*
35 to 39	24	23	19	Employment Status Unknown	105	217	231
40 to 44	34	25	21	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	35	35	30	Independent Living	198	93	61
50 to 54	28	28	26	Dependent Living	130	35	26
55 to 59	28	24	21	Homeless	*	*	0
60 and Over	23	25	22	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	69	195	205
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	174	141	131	Self / Family / Friend	147	136	131
Female	224	184	164	School	7	*	5
Gender Unknown	0	0	0	Mental Health Provider	37	35	33
<b>RACE / ETHNICITY</b>				Health Care Provider	47	37	38
Caucasian	322	259	230	Court / Criminal Justice	58	41	14
African American	64	52	53	Other	102	72	68
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	6
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	7	9	9	Voluntary	397	325	287
Other Race	5	5	*	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	8	6	*	Commitment Type Unknown	0	0	6
Past or Current Military Service	*	*	*				



# MISSISSIPPI COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	46.7	39.3	43.3	Alcohol (1 or 2 drinks daily)	62.5		
Cigarettes	32.9	41.8	33.4	Alcohol (Binge: 5+ drinks once or twice a week)	72.4		
Chewing Tobacco	20.4	19.3	23.2	Alcohol (any use)		67.5	70.9
Marijuana	23.3	27.0	17.9	Cigarettes (1+ packs per day)	86.7		
Inhalants	3.3	9.6	9.9	Cigarettes (any use)		75.0	70.9
Prescription medications not prescribed for student	7.2	17.9	12.1	Marijuana (once or twice a week)	55.3		
Over-the-counter medications for non-medical use	2.6	5.1	4.9	Marijuana (any use)		69.0	71.2
Methamphetamine	2.0	0.0	1.4	Other: Cocaine, LSD, Meth, Club Drug (any use)	89.4	86.2	83.4
Cocaine	0.7	4.1	4.2				
Heroin	2.0	0.0	1.4	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	2.0	0.0	4.6	Were very sad	18.4	18.4	31.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.0	0.5	3.5	Were grouchy, irritable, or in a bad mood	25.8	36.0	41.6
Steroids not prescribed for student	0.7	1.0	2.1	Felt hopeless about the future	15.2	8.7	21.2
Synthetic drugs (K2, bath salts, Spice, etc)	2.6	2.6		Felt like not eating or eating more than usual	15.8	17.9	35.1
				Slept a lot more or a lot less than usual	17.9	15.2	40.5
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	22.9	20.4	38.0
Alcohol	13.20	12.02	12.57				
Cigarettes	12.87	10.90	11.91	<i>Percent of students who, in past 12 months:</i>			
Marijuana	13.72	14.31	13.60	Seriously considered attempting suicide	15.8	19.4	13.9
Inhalants	13.03	11.05	11.86	Made plan about how they would attempt suicide	11.8	21.5	9.5
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide	7.9	12.2	9.5
Alcohol	17.1	10.7	21.4	Attempted suicide and resulting injury, poisoning, or overdose	1.4	4.1	3.1
Alcohol (Binge: 5+ drinks on one occasion)		9.6	13.9				
Cigarettes	15.1	25.0	18.3	<i>Percent of students who, in past 12 months:</i>			
Chewing Tobacco	11.8	10.7	13.7	Were threatened/injured with weapon at school	14.5	8.9	11.8
Marijuana	10.7	18.4	7.9	Were in a physical fight	23.0	31.9	22.6
Inhalants	2.6	5.1	3.1	Were in a fight and had to be treated by a doctor or nurse	2.0	2.1	7.1
Prescription medications not prescribed for student	3.9	11.7	7.3				
Over-the-counter medications for non-medical use	2.0	5.1	4.5	<i>Percent of students who, in past 3 months:</i>			
<i>Percent of students who, in past 2 weeks, used:</i>				Were victims of mean rumors or lies spread at school	60.5	54.8	58.1
Alcohol (Binge: 5+ drinks on one occasion)	10.6			Were made fun of by others	64.9	68.0	62.2
<i>Percent whose friends used in past 12 months:</i>				Were victims of an embarrassing or hurtful text message or something posted on the Internet	26.8	12.6	20.2
Alcohol	58.6	48.0	56.1	Spread mean rumors or lies about other kids at school	22.1	22.3	24.7
Cigarettes	55.3	54.6	51.4	Made fun of other people	61.4	67.3	62.2
Marijuana	47.0	37.1	40.3	Posted something on the internet or sent a text that might embarrass or hurt another student	17.2	10.9	15.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.9	8.2	15.2				
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	33.1	33.0	41.1	Teachers notice and comment on student's good work	79.5	82.7	75.3
Cigarettes	18.3	24.9	19.7	School provides feedback to parents on positive student performance	44.1	51.3	41.1
Marijuana	21.3	24.1	13.0	Rules are enforced fairly	44.7	54.8	55.5
<i>Percent who say it would be wrong to use:</i>				Students of all races/ethnicities are treated equal	58.6	66.3	59.2
Alcohol	61.3	56.6	55.1				
Cigarettes	79.9	71.9	68.5	<i>Percent of students who agree that:</i>			
Marijuana	70.2	76.5	75.5	Parents notice and comment on student's good work	86.8	85.7	75.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.4	94.8	89.2	Parents involve student in making family decisions	72.8	74.0	64.9
<i>Percent whose parents would disapprove if they use:</i>				It is important to be honest with parents regardless of consequences	89.9	83.2	77.3
Alcohol	79.6	76.5	74.7	Student could ask parent for help with a personal problem	77.0	80.8	72.0
Cigarettes	89.3	84.1	84.9				
Marijuana	90.7	88.7	86.6				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	57.6	43.1	60.5				
Cigarettes	58.3	49.7	66.1				
Marijuana	50.3	35.2	52.7				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	20.5	13.8	29.5				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# MONITEAU COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	11
Adult Psychiatric	12
<b>POPULATION</b>	
Census 2010	15,607
2013 Estimate	15,748

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	7,347	7,391	7,584
Employed	6,899	6,907	7,006
Unemployed	448	484	578
Unemployment Rate	6.1%	6.5%	7.6%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	678	706	700
Drop-outs	7	19	10
Drop-out Rate	1.0%	2.7%	1.4%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	1	3	1
Tobacco Incidents	0	0	0

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	216	200	208
Mother Reported Smoking while Pregnant	38	33	58

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	2	3
Hepatitis C Chronic and Acute	1	2	5
Tuberculosis Infection Cases	1	2	6

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	145	139	150
Suicides	2	2	0
Self-inflicted Injuries	14	13	13
Homicides	0	2	1
Assault Injuries	28	44	34
Alcohol Induced Deaths	0	0	2
Drug Induced Deaths	0	0	1
Smoking Attributable Deaths	26	20	19

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	27	28
Alcohol Primary Diagnosis	2	0	1
Drug Primary Diagnosis	2	2	1
Alcohol Related Diagnosis	10	10	21
Drug Related Diagnosis	11	12	24
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	49	51
Alcohol Primary Diagnosis	2	15	10
Drug Primary Diagnosis	2	7	10
Alcohol Related Diagnosis	44	35	27
Drug Related Diagnosis	29	37	33
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	81	94
Alcohol Primary Diagnosis	2	8	5
Drug Primary Diagnosis	2	10	9
Alcohol Related Diagnosis	28	26	39
Drug Related Diagnosis	29	24	33

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	16	13	11
Fatal Crashes	1	0	1
Injury Crashes	5	4	4
Property Damage Crashes	10	9	6
Crash Fatalities	1	0	1
Crash Injuries	7	5	4
Drug Involved Crashes--Total	1	2	1
Fatal Crashes	0	0	0
Injury Crashes	0	1	1
Property Damage Crashes	1	1	0
Crash Fatalities	0	0	0
Crash Injuries	0	1	1

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	68	52	48
Liquor Law Arrests	5	1	6
Drug Arrests	25	51	54
Methamphetamine Lab Incidents	3	5	9
Violent Offenses	24	14	19
Property Offenses	209	128	153
Domestic Violence Reports	43	29	31

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	33	27	21
Violent Offenses	4	3	6
Alcohol Offenses	3	4	6
Drug Offenses	5	0	2
Status Offenses--Total	20	18	16
Truancy	6	7	4
Beyond Parental Control	3	1	0
Habitually Absent from Home	1	0	2
Injurious Behavior	8	7	10
Abuse/Neglect/Custody--Total	23	16	26
Abuse	4	0	6
Neglect	19	16	20
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	2	6	10
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	3	2
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	2	3	8

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	88	81	64
Probation/Parole Admissions--Drug	26	20	8
Probation/Parole Admissions--DWI	8	4	8
Prison Admissions--Total	42	50	48
Prison Admissions--Drug	12	19	11
Prison Admissions--DWI	6	5	5

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	9	9	12
Alcohol Package Carry-out Licenses	17	18	20

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# MONITEAU COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	*	*	8
CSTAR Adolescent	*	*	*
CSTAR Women and Children	9	8	6
CSTAR General Adult	80	53	55
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	14	18
Clinical SATOP (CIP, YCIP, SROP)	5	8	11
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	43	45	56
- Adolescent Diversion Education Program	5	*	0
- Offender Education Program	19	18	16
- Weekend Intervention Program	14	13	18
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	*	0	0
Recovery Supports	*	*	*
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	98	73	81	Alcohol	39	24	36
AGE				Marijuana / Hashish	24	20	20
Under 18	*	5	*	Cocaine (total)	0	*	*
18 to 24	14	13	17	- Crack	0	0	0
25 to 29	22	16	17	Stimulant (total)	27	24	17
30 to 34	18	11	11	- Methamphetamine	18	22	17
35 to 39	13	13	8	Heroin	*	*	0
40 to 44	6	5	6	Analgesic except Heroin	6	*	5
45 to 54	17	9	15	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	64	44	57	Inhalant	0	0	0
Female	34	29	24	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	0
Caucasian	90	66	72	Average Age at First Use of Drug	17.7	17.8	17.8
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	*	0	0	Any Injection Use at Admission	15	12	8
Asian / Pacific Islander	*	0	0	- Daily Injection Use	*	*	0
Hispanic	*	6	6	- Weekly Injection Use	*	0	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	10	11	7
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	25	26	28	0	54	45	40
High School Graduate or G.E.D.	51	36	39	1 or 2	28	19	25
Associate Degree or Some College	22	10	13	3 or More	16	9	16
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	22	9	15
Employed	31	20	26	School	0	0	0
Unemployed	33	24	32	Mental Health Provider	*	0	0
Not in Labor Force	34	29	23	Health Care Provider	0	*	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	62	57	63
Independent Living	87	67	68	Other Referral Source	11	5	*
Dependent Living	5	6	7	TREATMENT ACCOMMODATION			
Homeless	0	0	*	Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS				Military Veteran	7	*	*
Never Married	49	35	39	Special Education Services Needed	*	8	7
Married / Cohabiting	22	20	20	Co-Occurring Psychological Problem	32	36	29
Previously Married	27	18	22	Co-Occurring Developmental Problem	*	*	*

# MONITEAU COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 12  
**CENSUS 2010** 15,607  
**2013 POPULATION ESTIMATE** 15,748

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	*	*	*
Anxiety Disorder	48	46	38
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	14	17	12
Mood Disorder	70	66	61
Personality Disorder	7	8	8
Psychotic Disorder	14	15	11
Sexual Disorder	0	0	0
Other Diagnosis	8	7	5
Diagnosis Unknown	*	*	14

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	88	85	87	Less than High School Diploma	27	23	15
<b>AGE</b>				High School Grad or G.E.D.	0	29	27
Under 6	*	0	0	Associate Degree or Some College	0	8	10
6 to 9	*	*	*	Bachelor or Advanced Degree	0	*	*
10 to 13	5	6	*	Education Level Unknown	61	23	31
14 to 17	*	*	*	<b>EMPLOYMENT</b>			
18 to 24	*	5	8	Employed	*	7	9
25 to 29	5	*	*	Unemployed	*	46	47
30 to 34	8	8	7	Not in Labor Force	65	13	0
35 to 39	*	*	7	Employment Status Unknown	15	19	31
40 to 44	11	9	7	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	9	13	13	Independent Living	59	59	52
50 to 54	16	8	7	Dependent Living	16	9	8
55 to 59	9	9	11	Homeless	*	0	0
60 and Over	14	17	15	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	12	15	26
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	27	24	25	Self / Family / Friend	42	43	45
Female	61	61	62	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	5	8	10
<b>RACE / ETHNICITY</b>				Health Care Provider	24	15	10
Caucasian	86	81	82	Court / Criminal Justice	0	0	*
African American	*	*	*	Other	17	19	20
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	88	85	85
Other Race	0	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	*
Past or Current Military Service	*	*	*				


# MONITEAU COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	43.9	47.7	51.7	Alcohol (1 or 2 drinks daily)	55.1		
Cigarettes	28.8	19.2	24.6	Alcohol (Binge: 5+ drinks once or twice a week)	69.1		
Chewing Tobacco	17.6	19.2	24.7	Alcohol (any use)		69.4	88.0
Marijuana	17.6	11.3	10.4	Cigarettes (1+ packs per day)	80.7		
Inhalants	2.1	4.5	3.8	Cigarettes (any use)		82.7	81.9
Prescription medications not prescribed for student	3.7	6.4	5.1	Marijuana (once or twice a week)	72.9		
Over-the-counter medications for non-medical use	2.1	4.9	3.5	Marijuana (any use)		75.2	69.4
Methamphetamine	1.6	1.2	1.3	Other: Cocaine, LSD, Meth, Club Drug (any use)	94.6	92.8	95.2
Cocaine	4.3	1.1	1.0	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.0	0.4	0.9	Were very sad	14.4	15.4	16.5
Hallucinogens	2.7	0.4	1.6	Were grouchy, irritable, or in a bad mood	16.6	16.5	29.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	1.5	0.3	Felt hopeless about the future	8.5	7.5	12.1
Steroids not prescribed for student	1.1	1.5	1.9	Felt like not eating or eating more than usual	13.0	13.2	19.9
Synthetic drugs (K2, bath salts, Spice, etc)	3.2	3.4		Slept a lot more or a lot less than usual	8.5	15.4	28.6
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	16.0	17.7	31.1
Alcohol	13.15	12.19	12.06	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	13.20	11.63	12.64	Seriously considered attempting suicide	9.0	12.8	9.8
Marijuana	14.03	13.25	13.83	Made plan about how they would attempt suicide	7.0	8.6	5.7
Inhalants	14.23	11.08	10.26	Attempted suicide	4.3	6.7	3.5
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	3.3	1.2	0.6
Alcohol	20.2	20.3	21.9	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occassion)		9.8	15.5	Were threatened/injured with weapon at school	6.3	7.9	13.3
Cigarettes	15.2	8.6	11.1	Were in a physical fight	18.2	25.5	27.8
Chewing Tobacco	11.7	5.6	15.1	Were in a fight and had to be treated by a doctor or nurse	2.7	4.9	1.9
Marijuana	13.3	4.9	6.6	<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.5	2.6	1.6	Were victims of mean rumors or lies spread at school	52.7	47.7	60.4
Prescription medications not prescribed for student	2.7	2.3	2.6	Were made fun of by others	56.4	63.5	77.6
Over-the-counter medications for non-medical use	1.6	3.0	1.6	Were victims of an embarrassing or hurtful text message or something posted on the internet	18.1	24.0	19.2
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	33.9	32.6	45.3
Alcohol (Binge: 5+ drinks on one occassion)	9.1			Made fun of other people	65.1	68.6	82.3
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	13.4	14.0	17.9
Alcohol	45.5	63.2	69.6	<i>Percent of students who agree that:</i>			
Cigarettes	31.9	32.5	42.6	Teachers notice and comment on student's good work	75.5	64.3	74.1
Marijuana	30.9	27.5	29.1	School provides feedback to parents on positive student performance	41.7	36.5	43.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.6	9.0	18.1	Rules are enforced fairly	67.6	66.2	74.0
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	84.6	80.1	83.7
Alcohol	34.2	38.0	43.2	<i>Percent of students who agree that:</i>			
Cigarettes	21.3	9.0	13.2	Parents notice and comment on student's good work	79.8	80.5	82.5
Marijuana	14.4	13.2	10.1	Parents involve student in making family decisions	71.3	69.3	74.2
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	88.8	86.1	89.2
Alcohol	62.2	56.0	53.6	Student could ask parent for help with a personal problem	82.3	77.1	78.7
Cigarettes	83.9	86.4	85.7	<div>Page Notes:</div> <div>Similar affirmative response choices for individual questions are combined.</div> <div>Blank data cells indicate estimates are not available for item or geographic area.</div> <div>Survey is not conducted in every school district nor reported for every county.</div> <div>Estimates are not available for counties with small numbers of respondents.</div> <div>Percentages are estimates based on weighted data.</div> <div>Some year-to-year differences in percentages are not statistically significant.</div>			
Marijuana	79.0	84.5	90.5				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.4	96.6	98.7				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	74.5	73.2	72.8				
Cigarettes	89.9	95.1	93.2				
Marijuana	91.8	97.7	97.5				
<i>Percent who say it would be easy to obtain:</i>				Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Alcohol	55.0	60.8	65.3				
Cigarettes	51.9	44.0	51.4				
Marijuana	29.3	31.2	28.5				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.4	14.8	15.6				



# MONROE COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	15
Adult Psychiatric	15
<b>POPULATION</b>	
Census 2010	8,840
2013 Estimate	8,774

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	4,059	3,851	3,930
Employed	3,761	3,534	3,515
Unemployed	298	317	415
Unemployment Rate	7.3%	8.2%	10.6%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	470	498	508
Drop-outs	5	15	11
Drop-out Rate	1.1%	3.0%	2.2%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	1	4	4
Tobacco Incidents	0	0	0

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	85	96	97
Mother Reported Smoking while Pregnant	19	25	26

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	1	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	1	3	2
Tuberculosis Infection Cases	1	0	1

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	74	94	92
Suicides	1	3	1
Self-inflicted Injuries	12	21	8
Homicides	0	0	0
Assault Injuries	17	11	20
Alcohol Induced Deaths	1	0	0
Drug Induced Deaths	1	0	2
Smoking Attributable Deaths	16	13	21

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	54	58
Alcohol Primary Diagnosis	2	0	1
Drug Primary Diagnosis	2	2	3
Alcohol Related Diagnosis	10	29	18
Drug Related Diagnosis	11	16	9
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	18	12
Alcohol Primary Diagnosis	2	1	2
Drug Primary Diagnosis	2	1	2
Alcohol Related Diagnosis	24	11	22
Drug Related Diagnosis	25	13	11
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	45	53
Alcohol Primary Diagnosis	2	3	8
Drug Primary Diagnosis	2	6	7
Alcohol Related Diagnosis	18	21	21
Drug Related Diagnosis	21	16	13

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	9	4	12
Fatal Crashes	0	1	2
Injury Crashes	7	3	5
Property Damage Crashes	2	0	5
Crash Fatalities	0	0	3
Crash Injuries	12	9	9
Drug Involved Crashes--Total	1	0	2
Fatal Crashes	0	0	0
Injury Crashes	1	0	1
Property Damage Crashes	0	0	1
Crash Fatalities	0	0	0
Crash Injuries	1	0	1

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	44	39	48
Liquor Law Arrests	8	25	17
Drug Arrests	35	28	24
Methamphetamine Lab Incidents	6	0	2
Violent Offenses	10	28	35
Property Offenses	99	122	150
Domestic Violence Reports	14	25	38

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	32	47	52
Violent Offenses	5	7	15
Alcohol Offenses	3	0	0
Drug Offenses	2	2	2
Status Offenses--Total	36	18	15
Truancy	6	1	1
Beyond Parental Control	0	1	1
Habitually Absent from Home	2	1	2
Injurious Behavior	28	15	11
Abuse/Neglect/Custody--Total	14	21	1
Abuse	2	1	0
Neglect	12	20	1
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	13	12	0
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	1	5	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	12	7	0

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	64	51	36
Probation/Parole Admissions--Drug	19	13	9
Probation/Parole Admissions--DWI	4	2	2
Prison Admissions--Total	30	26	23
Prison Admissions--Drug	7	5	5
Prison Admissions--DWI	1	1	0

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	10	10	9
Alcohol Package Carry-out Licenses	12	12	12

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# MONROE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	6	*	9
CSTAR Adolescent	8	7	10
CSTAR Women and Children	10	6	5
CSTAR General Adult	7	*	5
CSTAR Opioid	0	0	0
Primary Recovery Treatment	18	29	31
Clinical SATOP (CIP, YCIP, SROP)	8	6	6
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	27	43	35
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	8	13	14
- Weekend Intervention Program	6	15	11
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	*
Recovery Supports	0	0	*
Early Intervention	0	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	45	50	59	Alcohol	17	21	25
AGE				Marijuana / Hashish	19	19	27
Under 18	8	8	10	Cocaine (total)	0	*	*
18 to 24	9	13	18	- Crack	0	0	0
25 to 29	7	10	10	Stimulant (total)	5	*	*
30 to 34	7	8	9	- Methamphetamine	5	*	*
35 to 39	*	*	*	Heroin	*	0	*
40 to 44	6	*	*	Analgesic except Heroin	*	*	0
45 to 54	*	6	*	- Non-Prescription Methadone	0	0	0
55 and Over	*	0	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	0	0
Male	26	40	46	Inhalant	0	0	0
Female	19	10	13	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	42	44	52	Average Age at First Use of Drug	16.1	16.3	16.4
African American	*	5	5	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	*
Hispanic	0	0	*	- Weekly Injection Use	0	0	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	*	*	0
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	14	18	19	0	27	21	31
High School Graduate or G.E.D.	22	25	31	1 or 2	14	21	18
Associate Degree or Some College	8	7	7	3 or More	*	8	10
Bachelor or Advanced Degree	*	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	6	*	12
Employed	13	20	24	School	0	0	0
Unemployed	15	18	21	Mental Health Provider	0	*	0
Not in Labor Force	17	12	14	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	21	35	45
Independent Living	28	34	45	Other Referral Source	12	6	*
Dependent Living	17	13	10	TREATMENT ACCOMMODATION			
Homeless	0	*	*	Pregnant when Admitted to any Episode	0	0	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	5
Never Married	29	31	43	Special Education Services Needed	*	*	*
Married / Cohabiting	8	10	9	Co-Occurring Psychological Problem	14	13	13
Previously Married	8	9	7	Co-Occurring Developmental Problem	*	*	*

# MONROE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 15  
**CENSUS 2010** 8,840  
**2013 POPULATION ESTIMATE** 8,774

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	9	6	*
Anxiety Disorder	41	41	34
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	41	37	24
Mood Disorder	58	53	55
Personality Disorder	6	7	8
Psychotic Disorder	11	7	7
Sexual Disorder	*	*	*
Other Diagnosis	9	8	6
Diagnosis Unknown	*	10	20

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	101	97	101	Less than High School Diploma	47	16	12
<b>AGE</b>				High School Grad or G.E.D.	0	15	14
Under 6	0	*	*	Associate Degree or Some College	0	*	5
6 to 9	7	8	6	Bachelor or Advanced Degree	0	*	*
10 to 13	16	8	15	Education Level Unknown	54	61	69
14 to 17	22	24	16	<b>EMPLOYMENT</b>			
18 to 24	8	6	7	Employed	8	6	7
25 to 29	5	5	7	Unemployed	*	22	24
30 to 34	7	7	*	Not in Labor Force	73	12	*
35 to 39	6	6	8	Employment Status Unknown	17	57	69
40 to 44	8	5	*	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	6	9	10	Independent Living	32	31	19
50 to 54	6	*	12	Dependent Living	45	12	36
55 to 59	7	6	*	Homeless	*	0	*
60 and Over	*	8	8	Other	0	*	0
Age Unknown	0	0	0	Housing Unknown	23	53	44
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	51	46	45	Self / Family / Friend	47	49	58
Female	50	51	56	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	10	6	9
<b>RACE / ETHNICITY</b>				Health Care Provider	6	7	7
Caucasian	90	89	92	Court / Criminal Justice	6	6	*
African American	7	*	6	Other	30	27	21
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	0	*	Voluntary	99	95	98
Other Race	*	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	*	*	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	*	*				

# MONROE COUNTY


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	37.9	52.2	40.1	Alcohol (1 or 2 drinks daily)	51.5		
Cigarettes	27.5	35.3	29.2	Alcohol (Binge: 5+ drinks once or twice a week)	69.6		
Chewing Tobacco	19.4	15.6	15.3	Alcohol (any use)		62.2	82.6
Marijuana	6.8	14.1	9.5	Cigarettes (1+ packs per day)	76.5		
Inhalants	2.9	3.7	3.7	Cigarettes (any use)		77.0	75.6
Prescription medications not prescribed for student	10.8	7.4	9.5	Marijuana (once or twice a week)	76.7		
Over-the-counter medications for non-medical use	1.9	5.2	5.3	Marijuana (any use)		74.8	72.4
Methamphetamine	1.0	0.8	0.5	Other: Cocaine, LSD, Meth, Club Drug (any use)	94.1	93.3	92.7
Cocaine	1.0	0.7	0.5				
Heroin	0.0	0.0	0.0	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	1.0	0.7	1.1	Were very sad	12.6	19.1	25.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.0	0.7	1.6	Were grouchy, irritable, or in a bad mood	16.5	26.7	33.0
Steroids not prescribed for student	1.9	0.7	0.5	Felt hopeless about the future	7.8	11.8	17.9
Synthetic drugs (K2, bath salts, Spice, etc)	2.9	4.4		Felt like not eating or eating more than usual	12.6	17.0	20.3
				Slept a lot more or a lot less than usual	9.7	17.6	32.1
				Had difficulty concentrating on school work	15.7	21.8	32.8
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	13.43	12.55	11.67	Seriously considered attempting suicide	5.9	11.2	11.9
Cigarettes	13.72	12.59	11.49	Made plan about how they would attempt suicide	4.9	9.0	8.8
Marijuana	13.80	13.29	12.95	Attempted suicide	3.9	5.1	7.3
Inhalants	11.51	10.47	11.31	Attempted suicide and resulting injury, poisoning, or overdose	2.0	3.0	2.1
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	19.6	22.2	16.8	Were threatened/injured with weapon at school	6.7	3.7	14.0
Alcohol (Binge: 5+ drinks on one occasion)		13.2	9.3	Were in a physical fight	15.5	22.8	26.8
Cigarettes	6.9	13.2	17.2	Were in a fight and had to be treated by a doctor or nurse	2.9	3.0	4.2
Chewing Tobacco	11.7	9.6	9.5				
Marijuana	2.9	5.1	4.7	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.0	2.2	2.1	Were victims of mean rumors or lies spread at school	47.6	55.6	71.9
Prescription medications not prescribed for student	4.9	3.0	3.7	Were made fun of by others	58.3	65.7	78.9
Over-the-counter medications for non-medical use	1.0	3.7	2.1	Were victims of an embarrassing or hurtful text message or something posted on the Internet	18.4	20.9	27.0
				Spread mean rumors or lies about other kids at school	23.5	34.1	35.9
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	53.5	71.9	76.8
Alcohol (Binge: 5+ drinks on one occasion)	6.9			Posted something on the internet or sent a text that might embarrass or hurt another student	11.7	20.0	17.7
<i>Percent whose friends used in past 12 months:</i>				<i>Percent of students who agree that:</i>			
Alcohol	43.1	61.0	56.3	Teachers notice and comment on student's good work	68.6	71.3	76.4
Cigarettes	30.4	54.1	50.5	School provides feedback to parents on positive student performance	47.1	44.8	49.2
Marijuana	13.7	29.6	28.6	Rules are enforced fairly	67.0	65.7	64.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.9	11.2	11.9	Students of all races/ethnicities are treated equal	79.6	78.7	80.3
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	35.0	40.4	28.8	Parents notice and comment on student's good work	81.4	80.0	86.8
Cigarettes	10.7	20.0	17.6	Parents involve student in making family decisions	70.3	65.2	70.4
Marijuana	4.9	8.9	7.8	It is important to be honest with parents regardless of consequences	90.4	84.4	89.7
				Student could ask parent for help with a personal problem	81.4	71.1	74.3
<i>Percent who say it would be wrong to use:</i>							
Alcohol	57.4	51.9	60.4				
Cigarettes	81.2	74.1	77.5				
Marijuana	92.2	85.3	87.6				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.0	95.6	96.8				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	72.5	69.6	81.3				
Cigarettes	85.3	88.1	91.5				
Marijuana	94.1	94.8	96.8				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	53.5	58.2	51.3				
Cigarettes	57.3	55.2	55.5				
Marijuana	21.0	31.3	27.7				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.7	14.3	13.0				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# MONTGOMERY COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	15
Adult Psychiatric	15
<b>POPULATION</b>	
Census 2010	12,236
2013 Estimate	11,965

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	146	167	142
Mother Reported Smoking while Pregnant	51	48	40

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	1
Hepatitis C Chronic and Acute	1	5	7
Tuberculosis Infection Cases	1	2	3

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	135	172	153
Suicides	2	0	1
Self-inflicted Injuries	18	18	19
Homicides	0	0	0
Assault Injuries	42	28	28
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	0	4	4
Smoking Attributable Deaths	25	35	32

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	67	73
Alcohol Primary Diagnosis	2	1	5
Drug Primary Diagnosis	2	5	2
Alcohol Related Diagnosis	27	28	53
Drug Related Diagnosis	24	33	41
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	82	81
Alcohol Primary Diagnosis	2	6	9
Drug Primary Diagnosis	2	6	5
Alcohol Related Diagnosis	36	44	26
Drug Related Diagnosis	49	38	30
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	83	73
Alcohol Primary Diagnosis	2	13	14
Drug Primary Diagnosis	2	11	18
Alcohol Related Diagnosis	33	25	33
Drug Related Diagnosis	47	42	29

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	17	16	18
Fatal Crashes	1	0	1
Injury Crashes	9	6	5
Property Damage Crashes	7	10	12
Crash Fatalities	1	0	1
Crash Injuries	12	8	9
Drug Involved Crashes--Total	1	3	3
Fatal Crashes	0	0	0
Injury Crashes	0	2	0
Property Damage Crashes	1	1	3
Crash Fatalities	0	0	0
Crash Injuries	0	4	0

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	5,733	5,662	5,900
Employed	5,331	5,208	5,307
Unemployed	402	454	593
Unemployment Rate	7.0%	8.0%	10.1%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	461	514	517
Drop-outs	15	7	13
Drop-out Rate	3.3%	1.4%	2.5%
School Suspensions:			
Alcohol Incidents	1	0	1
Drug Incidents	11	3	2
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	47	75	105
Liquor Law Arrests	4	9	2
Drug Arrests	48	36	63
Methamphetamine Lab Incidents	19	18	21
Violent Offenses	18	18	16
Property Offenses	189	208	163
Domestic Violence Reports	51	51	27

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	42	31	54
Violent Offenses	11	7	23
Alcohol Offenses	2	1	6
Drug Offenses	5	1	1
Status Offenses--Total	35	44	60
Truancy	6	10	3
Beyond Parental Control	0	5	7
Habitually Absent from Home	2	2	3
Injurious Behavior	7	9	10
Abuse/Neglect/Custody--Total	26	27	33
Abuse	9	1	9
Neglect	17	25	24
Custody Disputes	0	1	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	20	22	13
Parental Alcohol Use Related	3	4	0
Parental Drug Use Related	5	4	4
Parental Alcohol and Drug Use	0	1	0
Child Removed for Other Reason	12	13	9

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	6	12	15
Probation/Parole Admissions--Total	117	163	147
Probation/Parole Admissions--Drug	46	62	65
Probation/Parole Admissions--DWI	8	6	8
Prison Admissions--Total	75	73	68
Prison Admissions--Drug	26	34	29
Prison Admissions--DWI	9	3	2

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	22	22	27
Alcohol Package Carry-out Licenses	20	22	19

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# MONTGOMERY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Detoxification	9	5	7
CSTAR Adolescent	7	*	7
CSTAR Women and Children	6	8	12
CSTAR General Adult	46	44	14
CSTAR Opioid	0	0	*
Primary Recovery Treatment	23	22	63
Clinical SATOP (CIP, YCIP, SROP)	9	17	12
Other Substance Abuse Treatment	0	*	0

<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Offender Management Unit	32	57	55
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	7	15	7
- Weekend Intervention Program	*	13	23
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	*	*	0
Compulsive Gambling	0	0	*
Recovery Supports	0	*	*
Early Intervention	*	*	*


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	82	86	105	Alcohol	31	37	44
<b>AGE</b>				Marijuana / Hashish	25	23	35
Under 18	6	*	5	Cocaine (total)	0	0	*
18 to 24	15	19	18	- Crack	0	0	*
25 to 29	16	20	18	Stimulant (total)	15	14	14
30 to 34	9	16	21	- Methamphetamine	15	12	14
35 to 39	10	8	12	Heroin	*	6	*
40 to 44	7	7	7	Analgesic except Heroin	*	*	8
45 to 54	14	11	20	- Non-Prescription Methadone	*	0	0
55 and Over	5	*	*	PCP, LSD, other Hallucinogen	*	*	0
<b>GENDER</b>				Tranquilizer	0	*	*
Male	53	60	70	Inhalant	0	0	0
Female	29	26	35	Sedative	0	0	0
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	*	0	0
Caucasian	75	81	100	Average Age at First Use of Drug	17.9	16.9	17.3
African American	*	*	5	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	12	13	8
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	*	0	0	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	*	*	0	- Less than Weekly Injection Use	8	8	*
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	38	24	40	0	47	41	52
High School Graduate or G.E.D.	33	49	55	1 or 2	23	28	38
Associate Degree or Some College	10	13	10	3 or More	12	17	15
Bachelor or Advanced Degree	*	0	0	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	13	11	17
Employed	20	30	33	School	*	0	0
Unemployed	42	39	48	Mental Health Provider	0	*	*
Not in Labor Force	20	17	24	Health Care Provider	*	*	*
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	56	67	80
Independent Living	67	70	94	Other Referral Source	8	5	5
Dependent Living	13	9	8	<b>TREATMENT ACCOMMODATION</b>			
Homeless	0	*	0	Pregnant when Admitted to any Episode	0	0	*
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	5	*	*
Never Married	48	49	50	Special Education Services Needed	12	9	6
Married / Cohabiting	20	21	26	Co-Occurring Psychological Problem	23	27	25
Previously Married	14	16	29	Co-Occurring Developmental Problem	0	*	*



# MONTGOMERY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 15  
**CENSUS 2010** 12,236  
**2013 POPULATION ESTIMATE** 11,965

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	16	16	11
Anxiety Disorder	84	74	58
Dementia	0	0	0
Developmental Disorder	16	16	11
Impulse Control Disorder	70	78	64
Mood Disorder	127	138	110
Personality Disorder	21	21	16
Psychotic Disorder	28	25	20
Sexual Disorder	0	0	0
Other Diagnosis	25	28	23
Diagnosis Unknown	10	17	41

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	199	214	197	Less than High School Diploma	79	32	14
<b>AGE</b>				High School Grad or G.E.D.	*	22	21
Under 6	6	*	7	Associate Degree or Some College	0	6	*
6 to 9	23	22	13	Bachelor or Advanced Degree	0	0	*
10 to 13	16	29	27	Education Level Unknown	119	154	156
14 to 17	25	25	23	<b>EMPLOYMENT</b>			
18 to 24	16	19	16	Employed	11	*	*
25 to 29	16	19	19	Unemployed	14	47	37
30 to 34	13	14	17	Not in Labor Force	121	15	*
35 to 39	20	16	17	Employment Status Unknown	53	149	156
40 to 44	14	14	10	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	18	20	21	Independent Living	67	52	37
50 to 54	17	14	10	Dependent Living	67	24	32
55 to 59	10	11	10	Homeless	*	0	*
60 and Over	5	7	7	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	64	138	126
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	100	109	107	Self / Family / Friend	126	143	142
Female	99	105	90	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	9	8	9
<b>RACE / ETHNICITY</b>				Health Care Provider	24	29	17
Caucasian	189	199	183	Court / Criminal Justice	7	5	8
African American	5	7	6	Other	31	26	17
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	199	214	194
Other Race	*	6	6	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				



# MONTGOMERY COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	39.6	48.9	68.4	Alcohol (1 or 2 drinks daily)	55.9		
Cigarettes	16.3	28.3	36.2	Alcohol (Binge: 5+ drinks once or twice a week)	71.5		
Chewing Tobacco	18.1	16.6	19.3	Alcohol (any use)		64.0	73.2
Marijuana	11.9	13.9	18.4	Cigarettes (1+ packs per day)	88.1		
Inhalants	0.0	3.7	3.5	Cigarettes (any use)		77.0	77.7
Prescription medications not prescribed for student	3.5	9.0	14.1	Marijuana (once or twice a week)	65.0		
Over-the-counter medications for non-medical use	2.1	6.9	8.0	Marijuana (any use)		76.2	64.5
Methamphetamine	0.0	1.1	0.9	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.4	91.9	94.3
Cocaine	0.7	1.6	2.6				
Heroin	0.0	1.1	0.4	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	0.0	3.2	3.1	Were very sad	22.5	17.1	21.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	2.2	1.8	Were grouchy, irritable, or in a bad mood	31.3	19.8	36.4
Steroids not prescribed for student	0.7	0.5	3.0	Felt hopeless about the future	9.9	8.0	15.7
Synthetic drugs (K2, bath salts, Spice, etc)	1.4	7.4		Felt like not eating or eating more than usual	18.2	16.7	26.3
				Slept a lot more or a lot less than usual	21.5	16.0	34.8
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	22.9	21.5	30.3
Alcohol	13.05	12.36	12.57				
Cigarettes	11.60	12.39	12.44	<i>Percent of students who, in past 12 months:</i>			
Marijuana	13.88	13.61	13.11	Seriously considered attempting suicide	10.5	8.6	13.0
Inhalants		11.79	12.54	Made plan about how they would attempt suicide	8.5	3.8	10.0
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide	4.9	3.2	9.6
Alcohol	16.7	19.3	34.6	Attempted suicide and resulting injury, poisoning, or overdose	0.7	2.2	3.5
Alcohol (Binge: 5+ drinks on one occasion)		12.2	22.3				
Cigarettes	2.8	12.8	19.7	<i>Percent of students who, in past 12 months:</i>			
Chewing Tobacco	9.0	10.1	12.7	Were threatened/injured with weapon at school	3.5	4.3	7.4
Marijuana	2.8	5.3	7.5	Were in a physical fight	20.3	15.0	21.7
Inhalants	0.0	1.6	0.9	Were in a fight and had to be treated by a doctor or nurse	2.8	2.2	3.1
Prescription medications not prescribed for student	0.7	5.9	7.5				
Over-the-counter medications for non-medical use	0.0	3.7	4.4	<i>Percent of students who, in past 3 months:</i>			
<i>Percent of students who, in past 2 weeks, used:</i>				Were victims of mean rumors or lies spread at school	51.4	54.5	58.6
Alcohol (Binge: 5+ drinks on one occasion)	6.3			Were made fun of by others	59.9	62.6	69.1
<i>Percent whose friends used in past 12 months:</i>				Were victims of an embarrassing or hurtful text message or something posted on the Internet	22.5	17.8	20.3
Alcohol	47.9	62.6	83.8	Spread mean rumors or lies about other kids at school	21.7	25.1	27.4
Cigarettes	33.8	47.3	59.0	Made fun of other people	52.8	66.5	75.2
Marijuana	31.7	32.3	38.0	Posted something on the internet or sent a text that might embarrass or hurt another student	12.1	12.8	15.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.3	15.0	16.2				
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	28.5	36.4	60.9	Teachers notice and comment on student's good work	77.1	74.5	72.6
Cigarettes	6.3	12.4	22.4	School provides feedback to parents on positive student performance	53.8	37.2	31.0
Marijuana	7.7	7.4	10.5	Rules are enforced fairly	63.9	64.9	50.7
<i>Percent who say it would be wrong to use:</i>				Students of all races/ethnicities are treated equal	93.0	84.4	83.0
Alcohol	60.3	54.8	31.9				
Cigarettes	89.6	81.2	71.9	<i>Percent of students who agree that:</i>			
Marijuana	83.8	83.8	80.3	Parents notice and comment on student's good work	79.0	85.0	83.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.5	94.1	94.7	Parents involve student in making family decisions	69.2	70.3	74.7
<i>Percent whose parents would disapprove if they use:</i>				It is important to be honest with parents regardless of consequences	86.0	87.7	82.9
Alcohol	70.6	70.4	58.6	Student could ask parent for help with a personal problem	75.0	77.3	80.3
Cigarettes	90.3	89.8	85.5				
Marijuana	91.7	95.1	94.3				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	54.5	51.9	73.2				
Cigarettes	50.0	50.3	66.7				
Marijuana	30.6	28.6	35.5				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.6	14.8	15.9				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# MORGAN COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	12
Adult Psychiatric	12
<b>POPULATION</b>	
Census 2010	20,565
2013 Estimate	20,265

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	9,053	8,695	8,767
Employed	8,360	7,931	7,761
Unemployed	693	764	1,006
Unemployment Rate	7.7%	8.8%	11.5%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	604	613	619
Drop-outs	1	1	1
Drop-out Rate	0.2%	0.2%	0.2%
School Suspensions:			
Alcohol Incidents	1	2	0
Drug Incidents	4	12	9
Tobacco Incidents	0	0	1

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	264	254	234
Mother Reported Smoking while Pregnant	65	69	55

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	1	14	11
Tuberculosis Infection Cases	1	0	1

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	296	326	272
Suicides	4	8	1
Self-inflicted Injuries	21	24	24
Homicides	3	0	1
Assault Injuries	40	36	34
Alcohol Induced Deaths	3	3	1
Drug Induced Deaths	2	3	3
Smoking Attributable Deaths	62	57	51

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	86	91
Alcohol Primary Diagnosis	2	4	13
Drug Primary Diagnosis	2	3	1
Alcohol Related Diagnosis	32	49	47
Drug Related Diagnosis	27	24	27

Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	96	74
Alcohol Primary Diagnosis	2	23	22
Drug Primary Diagnosis	2	13	11
Alcohol Related Diagnosis	122	124	112
Drug Related Diagnosis	84	61	52

Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	145	117
Alcohol Primary Diagnosis	2	18	26
Drug Primary Diagnosis	2	28	12
Alcohol Related Diagnosis	68	66	60
Drug Related Diagnosis	64	43	55

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	31	32	35
Fatal Crashes	1	3	0
Injury Crashes	16	21	13
Property Damage Crashes	14	8	22
Crash Fatalities	1	3	0
Crash Injuries	20	33	20
Drug Involved Crashes--Total	4	1	2
Fatal Crashes	1	1	0
Injury Crashes	2	0	1
Property Damage Crashes	1	0	1
Crash Fatalities	1	1	0
Crash Injuries	3	0	2

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	106	90	78
Liquor Law Arrests	19	10	7
Drug Arrests	137	110	128
Methamphetamine Lab Incidents	3	13	5
Violent Offenses	108	63	47
Property Offenses	436	436	439
Domestic Violence Reports	249	202	157

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	81	70	80
Violent Offenses	25	26	26
Alcohol Offenses	1	6	1
Drug Offenses	4	9	9
Status Offenses--Total	42	25	22
Truancy	14	3	5
Beyond Parental Control	5	0	1
Habitually Absent from Home	4	3	1
Injurious Behavior	13	17	12
Abuse/Neglect/Custody--Total	25	30	37
Abuse	3	8	4
Neglect	22	22	33
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	12	17	20
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	1	1	2
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	11	16	18

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	172	142	117
Probation/Parole Admissions--Drug	61	60	46
Probation/Parole Admissions--DWI	11	11	8
Prison Admissions--Total	85	71	49
Prison Admissions--Drug	31	29	20
Prison Admissions--DWI	6	8	3

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	39	45	43
Alcohol Package Carry-out Licenses	37	36	34

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# MORGAN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	*	7	12
CSTAR Adolescent	*	*	0
CSTAR Women and Children	*	11	8
CSTAR General Adult	58	49	34
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	33	21
Clinical SATOP (CIP, YCIP, SROP)	21	14	9
Other Substance Abuse Treatment	0	*	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	74	61	50
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	30	15	24
- Weekend Intervention Program	14	13	12
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	13
Compulsive Gambling	0	0	0
Recovery Supports	6	*	*
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	89	99	73	Alcohol	42	45	33
AGE				Marijuana / Hashish	15	13	19
Under 18	*	*	0	Cocaine (total)	*	0	0
18 to 24	14	18	15	- Crack	0	0	0
25 to 29	16	18	12	Stimulant (total)	24	28	12
30 to 34	10	19	10	- Methamphetamine	22	28	12
35 to 39	11	16	14	Heroin	*	*	*
40 to 44	9	6	6	Analgesic except Heroin	5	9	8
45 to 54	17	17	10	- Non-Prescription Methadone	0	0	0
55 and Over	10	*	6	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	0	0
Male	57	58	44	Inhalant	0	0	0
Female	32	41	29	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	87	97	71	Average Age at First Use of Drug	18.8	17.4	17.1
African American	0	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	12	13	9
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	*	0	*	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	*	*	0	- Less than Weekly Injection Use	5	9	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	30	40	29	0	34	45	36
High School Graduate or G.E.D.	36	42	31	1 or 2	30	38	20
Associate Degree or Some College	22	17	12	3 or More	25	16	17
Bachelor or Advanced Degree	*	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	35	29	31
Employed	28	26	15	School	0	*	0
Unemployed	21	42	31	Mental Health Provider	*	*	*
Not in Labor Force	40	31	27	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	38	56	33
Independent Living	77	82	67	Other Referral Source	10	8	5
Dependent Living	*	8	*	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	0	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	37	38	36	Special Education Services Needed	*	10	6
Married / Cohabiting	29	35	17	Co-Occurring Psychological Problem	22	28	28
Previously Married	23	26	20	Co-Occurring Developmental Problem	*	*	0

# MORGAN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 12  
**CENSUS 2010** 20,565  
**2013 POPULATION ESTIMATE** 20,265

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2013	FY2012	FY2011
Adjustment Disorder	6	7	*
Anxiety Disorder	128	139	103
Dementia	0	0	0
Developmental Disorder	8	*	*
Impulse Control Disorder	37	53	33
Mood Disorder	174	173	145
Personality Disorder	21	18	13
Psychotic Disorder	34	39	25
Sexual Disorder	*	0	*
Other Diagnosis	14	16	12
Diagnosis Unknown	5	6	21

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2013	FY2012	FY2011	EDUCATION	FY2013	FY2012	FY2011
Total Individuals	223	229	192	Less than High School Diploma	79	68	41
<b>AGE</b>				High School Grad or G.E.D.	0	57	57
Under 6	0	*	*	Associate Degree or Some College	0	22	15
6 to 9	8	7	*	Bachelor or Advanced Degree	0	*	*
10 to 13	13	13	12	Education Level Unknown	144	81	77
14 to 17	15	19	12	<b>EMPLOYMENT</b>			
18 to 24	25	22	28	Employed	7	15	19
25 to 29	15	20	14	Unemployed	11	116	94
30 to 34	20	19	15	Not in Labor Force	156	41	*
35 to 39	20	22	17	Employment Status Unknown	49	57	77
40 to 44	23	17	15	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	30	33	29	Independent Living	138	156	108
50 to 54	21	21	13	Dependent Living	41	21	27
55 to 59	17	20	21	Homeless	*	*	0
60 and Over	16	13	11	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	43	48	53
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	102	93	72	Self / Family / Friend	113	113	84
Female	121	136	120	School	5	*	*
Gender Unknown	0	0	0	Mental Health Provider	17	17	23
<b>RACE / ETHNICITY</b>				Health Care Provider	45	50	37
Caucasian	217	216	184	Court / Criminal Justice	9	8	9
African American	*	*	*	Other	34	39	38
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	223	228	191
Other Race	*	6	*	Civil	0	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	5	5	*				


# MORGAN COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	42.4	51.6	47.4	Alcohol (1 or 2 drinks daily)	53.0		
Cigarettes	31.0	33.7	33.3	Alcohol (Binge: 5+ drinks once or twice a week)	63.3		
Chewing Tobacco	19.7	21.8	20.8	Alcohol (any use)		67.9	76.2
Marijuana	16.2	22.4	18.9	Cigarettes (1+ packs per day)	81.6		
Inhalants	2.0	6.7	7.9	Cigarettes (any use)		76.9	81.1
Prescription medications not prescribed for student	11.2	10.6	10.8	Marijuana (once or twice a week)	59.9		
Over-the-counter medications for non-medical use	6.1	9.3	7.5	Marijuana (any use)		64.7	74.4
Methamphetamine	2.6	2.0	1.4	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.3	89.1	94.3
Cocaine	1.5	2.3	1.0	<i>Percent of students who, in past 30 days:</i>			
Heroin	1.0	1.0	0.5	Were very sad	24.1	19.9	21.1
Hallucinogens	3.6	5.5	2.9	Were grouchy, irritable, or in a bad mood	35.0	34.2	30.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	3.6	1.9	2.1	Felt hopeless about the future	11.7	14.9	16.9
Steroids not prescribed for student	1.0	1.9	1.0	Felt like not eating or eating more than usual	19.2	23.2	25.9
Synthetic drugs (K2, bath salts, Spice, etc)	7.3	7.7		Slept a lot more or a lot less than usual	18.3	21.5	29.3
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	32.1	26.9	28.9
Alcohol	12.98	12.41	12.50	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.94	11.62	12.10	Seriously considered attempting suicide	13.1	15.4	12.8
Marijuana	13.32	12.87	13.76	Made plan about how they would attempt suicide	8.6	14.1	8.5
Inhalants	11.46	11.73	13.21	Attempted suicide	5.6	4.2	5.4
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.5	1.0	1.7
Alcohol	16.8	25.3	23.4	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occassion)		14.7	16.4	Were threatened/injured with weapon at school	9.1	6.8	10.0
Cigarettes	13.7	17.0	18.4	Were in a physical fight	22.7	27.9	24.6
Chewing Tobacco	11.6	13.5	13.2	Were in a fight and had to be treated by a doctor or nurse	4.0	4.2	4.7
Marijuana	9.7	11.9	9.5	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.0	3.5	3.3	Were victims of mean rumors or lies spread at school	56.1	56.6	54.5
Prescription medications not prescribed for student	4.1	6.1	6.5	Were made fun of by others	69.5	69.1	69.7
Over-the-counter medications for non-medical use	3.6	6.7	3.8	Were victims of an embarrassing or hurtful text message or something posted on the internet	25.1	23.4	19.4
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	27.9	35.9	30.0
Alcohol (Binge: 5+ drinks on one occassion)	9.7			Made fun of other people	64.0	75.6	70.9
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	16.3	19.2	18.3
Alcohol	57.9	66.0	62.6	<i>Percent of students who agree that:</i>			
Cigarettes	47.2	57.7	53.1	Teachers notice and comment on student's good work	64.8	66.7	70.4
Marijuana	34.5	48.7	39.7	School provides feedback to parents on positive student performance	31.2	31.4	43.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.7	18.4	18.5	Rules are enforced fairly	51.3	57.1	56.7
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	75.3	74.3	78.4
Alcohol	31.2	42.6	37.9	<i>Percent of students who agree that:</i>			
Cigarettes	14.6	20.6	19.9	Parents notice and comment on student's good work	83.3	81.7	85.9
Marijuana	14.8	17.6	13.9	Parents involve student in making family decisions	61.9	62.6	72.0
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	88.9	85.6	83.7
Alcohol	63.5	48.2	56.5	Student could ask parent for help with a personal problem	75.8	74.9	77.2
Cigarettes	80.3	70.5	73.3	<div>Page Notes:</div> <div>Similar affirmative response choices for individual questions are combined.</div> <div>Blank data cells indicate estimates are not available for item or geographic area.</div> <div>Survey is not conducted in every school district nor reported for every county.</div> <div>Estimates are not available for counties with small numbers of respondents.</div> <div>Percentages are estimates based on weighted data.</div> <div>Some year-to-year differences in percentages are not statistically significant.</div>			
Marijuana	77.4	71.9	81.4				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.9	93.3	94.2				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	74.7	74.9	73.4				
Cigarettes	87.9	91.0	84.9				
Marijuana	90.8	91.8	94.0				
<i>Percent who say it would be easy to obtain:</i>				Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Alcohol	55.3	65.7	56.6				
Cigarettes	55.8	62.2	54.8				
Marijuana	38.5	42.9	36.1				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.9	21.0	19.3				



# NEW MADRID COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	20
Adult Psychiatric	20
<b>POPULATION</b>	
Census 2010	18,956
2013 Estimate	18,365

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	8,799	8,417	8,484
Employed	8,185	7,771	7,683
Unemployed	614	646	801
Unemployment Rate	7.0%	7.7%	9.4%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	812	800	827
Drop-outs	1	11	12
Drop-out Rate	0.1%	1.4%	1.5%
School Suspensions:			
Alcohol Incidents	0	5	3
Drug Incidents	1	3	5
Tobacco Incidents	0	0	0

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	216	209	248
Mother Reported Smoking while Pregnant	55	65	73

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	1
Hepatitis C Chronic and Acute	1	12	8
Tuberculosis Infection Cases	1	3	0

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	255	256	257
Suicides	2	2	4
Self-inflicted Injuries	14	30	38
Homicides	4	0	2
Assault Injuries	75	70	94
Alcohol Induced Deaths	2	0	1
Drug Induced Deaths	1	0	1
Smoking Attributable Deaths	54	67	50

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	266	285
Alcohol Primary Diagnosis	2	9	17
Drug Primary Diagnosis	2	8	13
Alcohol Related Diagnosis	61	78	72
Drug Related Diagnosis	79	99	98
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	26	22
Alcohol Primary Diagnosis	2	12	3
Drug Primary Diagnosis	2	6	6
Alcohol Related Diagnosis	52	31	41
Drug Related Diagnosis	38	30	53
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	133	143
Alcohol Primary Diagnosis	2	18	32
Drug Primary Diagnosis	2	16	28
Alcohol Related Diagnosis	59	71	67
Drug Related Diagnosis	51	67	67

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	17	21	29
Fatal Crashes	0	2	3
Injury Crashes	8	9	14
Property Damage Crashes	9	10	12
Crash Fatalities	0	4	3
Crash Injuries	10	18	24
Drug Involved Crashes--Total	6	9	12
Fatal Crashes	0	2	3
Injury Crashes	2	5	5
Property Damage Crashes	4	2	4
Crash Fatalities	0	4	3
Crash Injuries	3	6	11

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	150	160	187
Liquor Law Arrests	4	6	19
Drug Arrests	145	129	171
Methamphetamine Lab Incidents	21	25	49
Violent Offenses	41	42	33
Property Offenses	181	165	128
Domestic Violence Reports	62	90	114

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	139	85	75
Violent Offenses	15	4	5
Alcohol Offenses	2	12	5
Drug Offenses	11	5	6
Status Offenses--Total	76	93	76
Truancy	11	20	10
Beyond Parental Control	15	29	23
Habitually Absent from Home	9	4	5
Injurious Behavior	41	40	38
Abuse/Neglect/Custody--Total	50	32	34
Abuse	9	5	6
Neglect	41	27	28
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	35	30	26
Parental Alcohol Use Related	0	1	0
Parental Drug Use Related	18	16	14
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	17	13	12

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	8	0	0
Probation/Parole Admissions--Total	284	257	278
Probation/Parole Admissions--Drug	91	75	88
Probation/Parole Admissions--DWI	24	19	18
Prison Admissions--Total	135	139	131
Prison Admissions--Drug	53	47	41
Prison Admissions--DWI	5	13	5

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	16	15	15
Alcohol Package Carry-out Licenses	23	25	26

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# NEW MADRID COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Detoxification	44	47	28
CSTAR Adolescent	20	15	13
CSTAR Women and Children	17	14	16
CSTAR General Adult	73	40	19
CSTAR Opioid	0	0	0
Primary Recovery Treatment	103	136	141
Clinical SATOP (CIP, YCIP, SROP)	20	14	12
Other Substance Abuse Treatment	0	0	0


<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Offender Management Unit	79	61	70
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	31	26	29
- Weekend Intervention Program	12	15	18
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	*	*	0
Compulsive Gambling	0	0	0
Recovery Supports	38	27	25
Early Intervention	*	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	228	215	211	Alcohol	69	60	70
<b>AGE</b>				Marijuana / Hashish	83	78	66
Under 18	23	15	13	Cocaine (total)	11	13	18
18 to 24	37	37	35	- Crack	8	8	13
25 to 29	38	48	44	Stimulant (total)	39	37	45
30 to 34	44	35	34	- Methamphetamine	39	34	43
35 to 39	24	27	31	Heroin	*	*	0
40 to 44	22	15	21	Analgesic except Heroin	18	21	7
45 to 54	28	29	32	- Non-Prescription Methadone	0	0	0
55 and Over	12	9	*	PCP, LSD, other Hallucinogen	*	0	0
<b>GENDER</b>				Tranquilizer	*	*	*
Male	158	147	159	Inhalant	0	0	0
Female	70	68	52	Sedative	*	*	*
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	0	0	0
Caucasian	180	163	167	Average Age at First Use of Drug	17.8	18.2	17.6
African American	42	49	41	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	12	10	10
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	*	*	*	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	6	0	*	- Less than Weekly Injection Use	5	6	*
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	106	95	81	0	134	127	135
High School Graduate or G.E.D.	105	108	114	1 or 2	47	55	45
Associate Degree or Some College	16	12	15	3 or More	47	33	31
Bachelor or Advanced Degree	*	0	*	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	42	30	30
Employed	47	48	51	School	0	*	*
Unemployed	87	74	105	Mental Health Provider	0	*	*
Not in Labor Force	94	93	55	Health Care Provider	9	9	*
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	138	148	151
Independent Living	186	182	177	Other Referral Source	37	26	24
Dependent Living	34	26	28	<b>TREATMENT ACCOMMODATION</b>			
Homeless	0	*	*	Pregnant when Admitted to any Episode	*	*	*
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	9	5	*
Never Married	104	106	108	Special Education Services Needed	16	9	14
Married / Cohabiting	68	67	58	Co-Occurring Psychological Problem	63	46	34
Previously Married	56	42	45	Co-Occurring Developmental Problem	*	0	*

# NEW MADRID COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 20  
**CENSUS 2010** 18,956  
**2013 POPULATION ESTIMATE** 18,365

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	17	20	17
Anxiety Disorder	113	109	101
Dementia	*	*	*
Developmental Disorder	6	6	9
Impulse Control Disorder	54	52	44
Mood Disorder	219	200	143
Personality Disorder	23	26	30
Psychotic Disorder	54	54	45
Sexual Disorder	0	0	0
Other Diagnosis	37	32	29
Diagnosis Unknown	30	20	49

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	385	331	286	Less than High School Diploma	146	56	26
<b>AGE</b>				High School Grad or G.E.D.	0	30	29
Under 6	*	5	*	Associate Degree or Some College	0	8	8
6 to 9	23	19	17	Bachelor or Advanced Degree	0	0	0
10 to 13	31	29	27	Education Level Unknown	239	237	223
14 to 17	31	24	31	<b>EMPLOYMENT</b>			
18 to 24	30	27	24	Employed	25	9	*
25 to 29	32	21	17	Unemployed	32	62	59
30 to 34	38	36	24	Not in Labor Force	193	30	*
35 to 39	31	36	25	Employment Status Unknown	135	230	223
40 to 44	36	25	20	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	26	24	25	Independent Living	179	81	59
50 to 54	44	37	28	Dependent Living	106	35	26
55 to 59	28	22	26	Homeless	*	*	0
60 and Over	31	26	20	Other	0	*	0
Age Unknown	0	0	0	Housing Unknown	98	213	201
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	169	140	129	Self / Family / Friend	151	136	109
Female	216	191	157	School	9	6	*
Gender Unknown	0	0	0	Mental Health Provider	48	46	52
<b>RACE / ETHNICITY</b>				Health Care Provider	77	59	35
Caucasian	304	260	230	Court / Criminal Justice	18	10	14
African American	64	56	44	Other	80	72	67
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	7
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	5	5	*	Voluntary	380	327	277
Other Race	11	9	7	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	12	15	11	Commitment Type Unknown	*	*	7
Past or Current Military Service	6	6	6				

# NEW MADRID COUNTY


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	44.0	46.4	42.0	Alcohol (1 or 2 drinks daily)	48.1		
Cigarettes	31.7	33.4	35.7	Alcohol (Binge: 5+ drinks once or twice a week)	66.7		
Chewing Tobacco	19.1	14.3	12.8	Alcohol (any use)		73.8	81.6
Marijuana	14.0	17.7	10.1	Cigarettes (1+ packs per day)	81.6		
Inhalants	5.7	6.5	4.9	Cigarettes (any use)		82.5	80.4
Prescription medications not prescribed for student	7.2	10.2	10.2	Marijuana (once or twice a week)	67.1		
Over-the-counter medications for non-medical use	4.8	3.1	4.4	Marijuana (any use)		76.0	74.0
Methamphetamine	1.4	0.7	0.3	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.6	95.5	91.7
Cocaine	1.4	1.7	0.8				
Heroin	0.5	0.7	0.5	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	2.0	1.4	0.5	Were very sad	18.8	20.1	16.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	0.7	0.5	Were grouchy, irritable, or in a bad mood	25.5	32.9	27.8
Steroids not prescribed for student	1.9	1.0	1.6	Felt hopeless about the future	11.1	10.0	9.7
Synthetic drugs (K2, bath salts, Spice, etc)	3.9	5.8		Felt like not eating or eating more than usual	18.4	16.2	18.8
				Slept a lot more or a lot less than usual	16.1	22.4	23.8
				Had difficulty concentrating on school work	19.1	23.4	29.4
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	12.48	12.52	12.43	Seriously considered attempting suicide	15.2	8.2	7.9
Cigarettes	12.90	12.19	11.76	Made plan about how they would attempt suicide	8.6	6.2	4.9
Marijuana	14.19	13.85	13.35	Attempted suicide	6.7	2.7	3.8
Inhalants	11.69	12.36	10.99	Attempted suicide and resulting injury, poisoning, or overdose	3.4	1.7	3.2
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	18.4	22.9	18.6	Were threatened/injured with weapon at school	6.2	4.5	8.0
Alcohol (Binge: 5+ drinks on one occasion)		14.3	10.7	Were in a physical fight	23.4	22.3	25.8
Cigarettes	13.0	16.7	10.8	Were in a fight and had to be treated by a doctor or nurse	2.9	3.5	4.6
Chewing Tobacco	8.7	6.8	5.5				
Marijuana	6.8	8.2	3.6	<i>Percent of students who, in past 3 months:</i>			
Inhalants	2.4	1.0	1.6	Were victims of mean rumors or lies spread at school	53.6	49.1	58.6
Prescription medications not prescribed for student	2.9	6.2	6.8	Were made fun of by others	61.2	60.4	68.4
Over-the-counter medications for non-medical use	2.4	2.0	2.6	Were victims of an embarrassing or hurtful text message or something posted on the Internet	25.1	19.4	22.2
				Spread mean rumors or lies about other kids at school	29.2	29.0	31.2
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	63.0	67.9	73.1
Alcohol (Binge: 5+ drinks on one occasion)	10.6			Posted something on the internet or sent a text that might embarrass or hurt another student	20.8	16.0	17.5
<i>Percent whose friends used in past 12 months:</i>				<i>Percent of students who agree that:</i>			
Alcohol	51.7	57.8	58.9	Teachers notice and comment on student's good work	71.9	72.1	72.5
Cigarettes	48.8	49.3	52.7	School provides feedback to parents on positive student performance	50.7	47.9	41.5
Marijuana	34.0	38.0	35.1	Rules are enforced fairly	66.5	63.6	56.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.4	10.7	13.0	Students of all races/ethnicities are treated equal	79.9	72.4	74.7
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	37.2	36.9	31.6	Parents notice and comment on student's good work	81.8	85.0	82.8
Cigarettes	18.8	18.8	13.3	Parents involve student in making family decisions	67.5	69.9	71.1
Marijuana	11.2	11.9	5.1	It is important to be honest with parents regardless of consequences	82.8	84.9	85.1
				Student could ask parent for help with a personal problem	76.1	81.5	78.6
<i>Percent who say it would be wrong to use:</i>							
Alcohol	58.7	60.1	63.7				
Cigarettes	76.9	75.4	81.0				
Marijuana	82.3	83.2	87.9				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.7	96.1	96.6				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	77.0	81.0	82.7				
Cigarettes	89.5	90.3	92.3				
Marijuana	93.8	96.1	96.3				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	53.4	54.3	57.3				
Cigarettes	55.8	55.7	55.5				
Marijuana	31.6	35.9	32.3				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.1	20.1	15.5				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# NEWTON COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	9
Adult Psychiatric	9
<b>POPULATION</b>	
Census 2010	58,114
2013 Estimate	58,845

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	29,511	28,754	29,310
Employed	27,848	26,971	26,995
Unemployed	1,663	1,783	2,315
Unemployment Rate	5.6%	6.2%	7.9%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	2,450	2,457	2,578
Drop-outs	44	57	64
Drop-out Rate	1.8%	2.3%	2.5%
School Suspensions:			
Alcohol Incidents	5	7	3
Drug Incidents	16	29	46
Tobacco Incidents	0	1	0

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	746	754	753
Mother Reported Smoking while Pregnant	143	144	176

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	1	0	1
Hepatitis B Chronic, Acute, Prenatal	1	5	4
Hepatitis C Chronic and Acute	1	44	35
Tuberculosis Infection Cases	1	4	6

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	619	581	571
Suicides	12	8	6
Self-inflicted Injuries	49	59	64
Homicides	3	2	1
Assault Injuries	127	131	167
Alcohol Induced Deaths	2	2	2
Drug Induced Deaths	2	10	11
Smoking Attributable Deaths	110	107	106

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	276	373
Alcohol Primary Diagnosis	2	39	50
Drug Primary Diagnosis	2	30	23
Alcohol Related Diagnosis	187	232	220
Drug Related Diagnosis	148	179	208
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	170	45
Alcohol Primary Diagnosis	2	49	18
Drug Primary Diagnosis	2	26	11
Alcohol Related Diagnosis	162	48	76
Drug Related Diagnosis	109	34	63
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	411	440
Alcohol Primary Diagnosis	2	78	70
Drug Primary Diagnosis	2	66	69
Alcohol Related Diagnosis	209	187	206
Drug Related Diagnosis	220	214	197

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	69	76	68
Fatal Crashes	2	3	4
Injury Crashes	31	31	35
Property Damage Crashes	36	42	29
Crash Fatalities	2	3	4
Crash Injuries	42	37	49
Drug Involved Crashes--Total	19	21	8
Fatal Crashes	0	2	0
Injury Crashes	10	9	5
Property Damage Crashes	9	10	3
Crash Fatalities	0	2	0
Crash Injuries	13	12	6

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	341	370	326
Liquor Law Arrests	39	28	54
Drug Arrests	160	176	364
Methamphetamine Lab Incidents	34	36	45
Violent Offenses	114	73	126
Property Offenses	1,549	1,298	1,305
Domestic Violence Reports	424	352	422

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	274	254	267
Violent Offenses	68	68	67
Alcohol Offenses	16	12	24
Drug Offenses	17	20	11
Status Offenses--Total	108	105	107
Truancy	11	6	21
Beyond Parental Control	30	29	25
Habitually Absent from Home	29	25	29
Injurious Behavior	24	22	15
Abuse/Neglect/Custody--Total	393	229	291
Abuse	39	61	65
Neglect	154	133	173
Custody Disputes	200	35	53

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	185	173	192
Parental Alcohol Use Related	15	12	4
Parental Drug Use Related	52	51	50
Parental Alcohol and Drug Use	1	0	11
Child Removed for Other Reason	117	110	127

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	119	95	61
Probation/Parole Admissions--Total	230	236	295
Probation/Parole Admissions--Drug	61	65	121
Probation/Parole Admissions--DWI	44	37	28
Prison Admissions--Total	114	101	124
Prison Admissions--Drug	32	26	34
Prison Admissions--DWI	28	11	13

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	41	41	43
Alcohol Package Carry-out Licenses	50	59	59

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# NEWTON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	49	29	36
CSTAR Adolescent	27	40	8
CSTAR Women and Children	60	52	53
CSTAR General Adult	101	104	124
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	15	120
Clinical SATOP (CIP, YCIP, SROP)	61	45	40
Other Substance Abuse Treatment	*	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	232	246	217
- Adolescent Diversion Education Program	10	*	17
- Offender Education Program	76	88	84
- Weekend Intervention Program	64	36	40
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	16	23	27
Compulsive Gambling	*	*	*
Recovery Supports	36	32	31
Early Intervention	14	26	7


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	290	302	354	Alcohol	137	136	159
AGE				Marijuana / Hashish	54	67	81
Under 18	25	39	8	Cocaine (total)	*	*	*
18 to 24	43	50	70	- Crack	0	*	*
25 to 29	57	53	64	Stimulant (total)	66	68	90
30 to 34	49	46	68	- Methamphetamine	64	64	86
35 to 39	30	39	43	Heroin	0	0	*
40 to 44	25	25	38	Analgesic except Heroin	23	16	14
45 to 54	51	39	48	- Non-Prescription Methadone	*	0	0
55 and Over	10	11	15	PCP, LSD, other Hallucinogen	*	*	0
GENDER				Tranquilizer	*	*	5
Male	179	190	240	Inhalant	*	0	0
Female	111	112	114	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	5	*
Caucasian	268	272	322	Average Age at First Use of Drug	17.6	16.8	17.5
African American	*	11	9	INJECTION DRUG USE			
Native American / Alaskan	*	0	*	Any Injection Use at Admission	29	31	42
Asian / Pacific Islander	*	*	*	- Daily Injection Use	11	7	*
Hispanic	7	8	6	- Weekly Injection Use	8	8	11
Other Race / Two or More Races	13	10	14	- Less than Weekly Injection Use	10	16	27
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	111	121	129	0	136	145	160
High School Graduate or G.E.D.	111	109	159	1 or 2	95	98	124
Associate Degree or Some College	65	67	63	3 or More	59	59	70
Bachelor or Advanced Degree	*	5	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	138	104	92
Employed	99	87	117	School	*	*	0
Unemployed	84	94	145	Mental Health Provider	*	*	*
Not in Labor Force	107	121	92	Health Care Provider	23	14	15
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	79	133	200
Independent Living	242	234	310	Other Referral Source	46	45	44
Dependent Living	33	52	31	TREATMENT ACCOMMODATION			
Homeless	8	10	*	Pregnant when Admitted to any Episode	*	5	5
MARITAL / FAMILY STATUS				Military Veteran	16	6	21
Never Married	127	153	163	Special Education Services Needed	35	40	36
Married / Cohabiting	99	81	92	Co-Occurring Psychological Problem	147	145	146
Previously Married	64	68	99	Co-Occurring Developmental Problem	12	9	7



# NEWTON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 9  
**CENSUS 2010** 58,114  
**2013 POPULATION ESTIMATE** 58,845

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	29	39	39
Anxiety Disorder	257	202	161
Dementia	*	0	0
Developmental Disorder	9	9	*
Impulse Control Disorder	127	143	137
Mood Disorder	411	398	313
Personality Disorder	65	38	32
Psychotic Disorder	92	93	80
Sexual Disorder	*	0	0
Other Diagnosis	50	48	27
Diagnosis Unknown	149	146	186

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	841	909	826	Less than High School Diploma	180	91	53
<b>AGE</b>				High School Grad or G.E.D.	*	94	88
Under 6	21	11	9	Associate Degree or Some College	*	35	21
6 to 9	64	62	64	Bachelor or Advanced Degree	0	7	5
10 to 13	64	72	79	Education Level Unknown	658	682	659
14 to 17	78	93	97	<b>EMPLOYMENT</b>			
18 to 24	73	99	97	Employed	42	34	22
25 to 29	84	76	62	Unemployed	37	172	140
30 to 34	67	73	63	Not in Labor Force	344	63	5
35 to 39	57	82	69	Employment Status Unknown	418	640	659
40 to 44	81	81	62	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	75	93	82	Independent Living	204	195	123
50 to 54	86	92	68	Dependent Living	181	77	82
55 to 59	55	47	46	Homeless	9	*	6
60 and Over	36	28	28	Other	0	*	10
Age Unknown	0	0	0	Housing Unknown	447	632	605
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	395	448	404	Self / Family / Friend	666	695	631
Female	446	461	422	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	23	33	43
<b>RACE / ETHNICITY</b>				Health Care Provider	34	39	32
Caucasian	783	849	777	Court / Criminal Justice	53	69	49
African American	9	11	7	Other	60	70	64
Native American / Alaskan	8	8	*	Referral Source Unknown	*	*	6
Asian / Pacific Islander	*	*	6	<b>TYPE OF COMMITMENT</b>			
Hispanic	13	17	10	Voluntary	795	841	773
Other Race	25	21	22	Civil	42	64	44
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	7	8	9	Commitment Type Unknown	*	*	6
Past or Current Military Service	9	18	14				



# NEWTON COUNTY


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	31.8	32.3	40.2	Alcohol (1 or 2 drinks daily)	59.0		
Cigarettes	23.8	25.0	30.2	Alcohol (Binge: 5+ drinks once or twice a week)	72.7		
Chewing Tobacco	13.5	14.5	17.7	Alcohol (any use)		74.2	77.6
Marijuana	12.9	10.9	12.0	Cigarettes (1+ packs per day)	86.9		
Inhalants	3.9	5.9	7.2	Cigarettes (any use)		81.1	80.8
Prescription medications not prescribed for student	6.8	7.8	9.6	Marijuana (once or twice a week)	67.9		
Over-the-counter medications for non-medical use	2.3	6.3	8.5	Marijuana (any use)		79.4	73.8
Methamphetamine	0.5	0.9	1.4	Other: Cocaine, LSD, Meth, Club Drug (any use)	93.8	95.1	93.8
Cocaine	0.9	1.2	1.4				
Heroin	0.1	0.5	0.7	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	2.2	2.5	2.0	Were very sad	22.6	20.0	19.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.6	1.3	1.4	Were grouchy, irritable, or in a bad mood	25.6	22.2	23.3
Steroids not prescribed for student	1.4	1.5	1.3	Felt hopeless about the future	14.0	11.7	9.7
Synthetic drugs (K2, bath salts, Spice, etc)	3.3	6.6		Felt like not eating or eating more than usual	18.3	19.0	16.3
				Slept a lot more or a lot less than usual	18.6	19.7	26.8
				Had difficulty concentrating on school work	22.5	23.7	25.6
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	12.61	12.11	12.33	Seriously considered attempting suicide	15.6	11.4	9.5
Cigarettes	12.32	11.85	12.03	Made plan about how they would attempt suicide	12.4	7.7	7.0
Marijuana	13.72	12.37	13.13	Attempted suicide	6.9	4.9	5.2
Inhalants	10.90	12.59	11.92	Attempted suicide and resulting injury, poisoning, or overdose	1.8	1.7	0.8
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	11.0	11.2	19.4	Were threatened/injured with weapon at school	7.8	4.7	8.8
Alcohol (Binge: 5+ drinks on one occasion)		4.6	10.1	Were in a physical fight	19.3	19.7	25.8
Cigarettes	8.6	8.4	15.1	Were in a fight and had to be treated by a doctor or nurse	3.4	2.8	4.2
Chewing Tobacco	5.2	7.8	9.5				
Marijuana	4.7	3.3	5.1	<i>Percent of students who, in past 3 months:</i>			
Inhalants	2.2	2.3	2.3	Were victims of mean rumors or lies spread at school	49.9	50.0	56.6
Prescription medications not prescribed for student	3.3	4.3	5.2	Were made fun of by others	60.1	59.5	66.5
Over-the-counter medications for non-medical use	1.1	4.4	5.1	Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.6	18.8	16.1
				Spread mean rumors or lies about other kids at school	20.1	23.4	31.0
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	47.7	54.5	66.1
Alcohol (Binge: 5+ drinks on one occasion)	4.6			Posted something on the internet or sent a text that might embarrass or hurt another student	11.1	10.6	14.6
<i>Percent whose friends used in past 12 months:</i>				<i>Percent of students who agree that:</i>			
Alcohol	42.1	43.7	54.5	Teachers notice and comment on student's good work	69.3	66.8	66.9
Cigarettes	38.7	38.1	47.0	School provides feedback to parents on positive student performance	41.2	41.4	38.9
Marijuana	26.6	23.7	30.5	Rules are enforced fairly	59.7	62.9	61.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.0	13.2	16.5	Students of all races/ethnicities are treated equal	78.2	72.7	81.6
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	21.0	21.7	29.9	Parents notice and comment on student's good work	83.2	84.1	83.6
Cigarettes	12.0	12.5	15.8	Parents involve student in making family decisions	68.3	74.1	71.5
Marijuana	10.8	8.6	10.6	It is important to be honest with parents regardless of consequences	89.2	89.6	86.3
				Student could ask parent for help with a personal problem	77.2	77.7	77.6
<i>Percent who say it would be wrong to use:</i>							
Alcohol	68.2	69.7	63.5				
Cigarettes	84.9	82.0	77.4				
Marijuana	83.7	87.1	84.6				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.6	94.9	94.7				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	82.0	85.3	80.3				
Cigarettes	92.8	94.0	92.3				
Marijuana	93.6	96.8	95.3				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	49.7	43.8	51.5				
Cigarettes	50.8	44.2	53.8				
Marijuana	29.1	25.7	31.1				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.5	15.1	15.4				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# NODAWAY COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	1
Adult Psychiatric	1
<b>POPULATION</b>	
Census 2010	23,370
2013 Estimate	23,261

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	226	206	260
Mother Reported Smoking while Pregnant	39	42	40

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	1	0
Hepatitis C Chronic and Acute	1	7	12
Tuberculosis Infection Cases	1	2	0

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	188	200	189
Suicides	6	0	2
Self-inflicted Injuries	13	6	7
Homicides	0	0	0
Assault Injuries	29	27	33
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	2	1	0
Smoking Attributable Deaths	33	40	31

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	159	146
Alcohol Primary Diagnosis	2	6	4
Drug Primary Diagnosis	2	1	1
Alcohol Related Diagnosis	43	43	40
Drug Related Diagnosis	38	36	38
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	50	30
Alcohol Primary Diagnosis	2	4	7
Drug Primary Diagnosis	2	0	1
Alcohol Related Diagnosis	30	20	16
Drug Related Diagnosis	14	20	14
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	126	127
Alcohol Primary Diagnosis	2	16	24
Drug Primary Diagnosis	2	12	11
Alcohol Related Diagnosis	34	38	50
Drug Related Diagnosis	23	18	35

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	11	12	21
Fatal Crashes	1	1	1
Injury Crashes	4	5	12
Property Damage Crashes	6	6	8
Crash Fatalities	1	3	1
Crash Injuries	5	10	25
Drug Involved Crashes--Total	0	4	1
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	0	4	1
Crash Fatalities	0	0	0
Crash Injuries	0	0	0

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	12,168	11,834	11,859
Employed	11,450	11,183	11,059
Unemployed	718	651	800
Unemployment Rate	5.9%	5.5%	6.7%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	818	820	867
Drop-outs	8	3	16
Drop-out Rate	1.0%	0.4%	1.8%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	1	1	3
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	145	160	181
Liquor Law Arrests	360	358	311
Drug Arrests	98	130	155
Methamphetamine Lab Incidents	0	1	0
Violent Offenses	28	70	36
Property Offenses	383	430	326
Domestic Violence Reports	76	88	62

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	63	48	51
Violent Offenses	7	6	10
Alcohol Offenses	7	9	5
Drug Offenses	3	4	2
Status Offenses--Total	86	67	102
Truancy	6	9	21
Beyond Parental Control	44	25	58
Habitually Absent from Home	0	2	1
Injurious Behavior	35	30	21
Abuse/Neglect/Custody--Total	110	102	139
Abuse	3	0	10
Neglect	94	102	125
Custody Disputes	13	0	4

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	31	49	32
Parental Alcohol Use Related	0	2	4
Parental Drug Use Related	4	7	9
Parental Alcohol and Drug Use	1	0	0
Child Removed for Other Reason	26	40	19

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	14	14	6
Probation/Parole Admissions--Total	140	170	159
Probation/Parole Admissions--Drug	41	60	74
Probation/Parole Admissions--DWI	12	9	11
Prison Admissions--Total	87	78	71
Prison Admissions--Drug	26	25	25
Prison Admissions--DWI	7	5	8

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	27	24	28
Alcohol Package Carry-out Licenses	18	19	19

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# NODAWAY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	*	7	8
CSTAR Adolescent	0	*	8
CSTAR Women and Children	*	0	0
CSTAR General Adult	9	16	*
CSTAR Opioid	0	0	0
Primary Recovery Treatment	54	64	51
Clinical SATOP (CIP, YCIP, SROP)	11	12	11
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	135	161	150
- Adolescent Diversion Education Program	53	76	59
- Offender Education Program	43	46	39
- Weekend Intervention Program	17	26	27
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	10	28	46

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	67	92	71	Alcohol	40	37	25
AGE				Marijuana / Hashish	14	24	25
Under 18	0	*	7	Cocaine (total)	0	0	*
18 to 24	25	35	27	- Crack	0	0	*
25 to 29	11	9	11	Stimulant (total)	9	16	14
30 to 34	9	19	7	- Methamphetamine	9	16	14
35 to 39	6	7	*	Heroin	0	0	0
40 to 44	8	5	6	Analgesic except Heroin	*	10	*
45 to 54	5	12	9	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	0	PCP, LSD, other Hallucinogen	0	*	0
GENDER				Tranquilizer	0	0	0
Male	46	58	49	Inhalant	0	*	*
Female	21	34	22	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	66	88	69	Average Age at First Use of Drug	17.7	17.6	16.5
African American	0	0	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	7	7	9
Asian / Pacific Islander	0	*	*	- Daily Injection Use	0	*	*
Hispanic	0	*	0	- Weekly Injection Use	*	*	0
Other Race / Two or More Races	*	*	0	- Less than Weekly Injection Use	*	*	5
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	9	19	15	0	31	60	38
High School Graduate or G.E.D.	37	44	38	1 or 2	22	21	21
Associate Degree or Some College	19	26	16	3 or More	14	11	12
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	9	10	9
Employed	28	35	33	School	0	0	0
Unemployed	22	35	24	Mental Health Provider	*	*	*
Not in Labor Force	17	22	14	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	48	70	52
Independent Living	64	87	62	Other Referral Source	5	5	6
Dependent Living	0	*	7	TREATMENT ACCOMMODATION			
Homeless	*	*	0	Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	42	56	39	Special Education Services Needed	*	8	*
Married / Cohabiting	9	19	9	Co-Occurring Psychological Problem	25	30	27
Previously Married	16	17	23	Co-Occurring Developmental Problem	*	*	0

# NODAWAY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 1  
**CENSUS 2010** 23,370  
**2013 POPULATION ESTIMATE** 23,261

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	6	5	*
Anxiety Disorder	53	44	30
Dementia	0	*	*
Developmental Disorder	*	*	0
Impulse Control Disorder	27	24	17
Mood Disorder	88	75	59
Personality Disorder	14	12	8
Psychotic Disorder	17	17	17
Sexual Disorder	*	0	0
Other Diagnosis	14	12	9
Diagnosis Unknown	12	10	34

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	142	121	123	Less than High School Diploma	44	11	9
<b>AGE</b>				High School Grad or G.E.D.	5	34	11
Under 6	*	*	*	Associate Degree or Some College	*	15	10
6 to 9	15	12	10	Bachelor or Advanced Degree	*	8	*
10 to 13	18	13	13	Education Level Unknown	90	53	91
14 to 17	7	10	8	<b>EMPLOYMENT</b>			
18 to 24	15	7	8	Employed	9	6	5
25 to 29	6	8	12	Unemployed	27	58	27
30 to 34	12	7	9	Not in Labor Force	72	5	0
35 to 39	9	10	10	Employment Status Unknown	34	52	91
40 to 44	10	5	*	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	11	14	15	Independent Living	74	65	32
50 to 54	14	13	15	Dependent Living	46	17	8
55 to 59	13	11	7	Homeless	*	*	0
60 and Over	9	10	11	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	21	38	83
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	71	56	55	Self / Family / Friend	37	40	43
Female	71	65	68	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	32	27	27
<b>RACE / ETHNICITY</b>				Health Care Provider	22	20	18
Caucasian	137	118	121	Court / Criminal Justice	11	6	9
African American	*	*	*	Other	35	25	21
Native American / Alaskan	0	*	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	0	*	Voluntary	140	119	122
Other Race	*	*	0	Civil	0	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	13	11	10	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	*	*				

# NODAWAY COUNTY

## MISSOURI STUDENT SURVEY


	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	42.4	46.8	38.8	Alcohol (1 or 2 drinks daily)	54.1		
Cigarettes	20.7	23.8	19.3	Alcohol (Binge: 5+ drinks once or twice a week)	64.1		
Chewing Tobacco	14.3	16.2	14.7	Alcohol (any use)		63.3	86.8
Marijuana	12.9	10.0	5.5	Cigarettes (1+ packs per day)	86.5		
Inhalants	2.1	3.0	2.1	Cigarettes (any use)		80.2	84.0
Prescription medications not prescribed for student	7.0	7.4	5.3	Marijuana (once or twice a week)	66.6		
Over-the-counter medications for non-medical use	1.8	4.7	3.6	Marijuana (any use)		72.9	75.0
Methamphetamine	0.3	0.9	0.2	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.9	93.6	95.8
Cocaine	2.1	0.6	0.6				
Heroin	0.3	0.4	0.0	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	2.0	2.8	0.8	Were very sad	17.3	17.0	13.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	3.2	1.5	0.6	Were grouchy, irritable, or in a bad mood	26.4	23.2	22.7
Steroids not prescribed for student	2.1	1.7	0.6	Felt hopeless about the future	10.9	10.1	12.0
Synthetic drugs (K2, bath salts, Spice, etc)	2.6	3.4		Felt like not eating or eating more than usual	16.0	12.6	12.1
				Slept a lot more or a lot less than usual	17.5	18.5	20.6
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	22.5	22.4	30.8
Alcohol	13.64	13.68	12.74				
Cigarettes	13.34	13.47	12.42	<i>Percent of students who, in past 12 months:</i>			
Marijuana	14.77	14.62	13.64	Seriously considered attempting suicide	7.9	6.4	11.0
Inhalants	9.60	14.34	11.21	Made plan about how they would attempt suicide	6.7	4.7	6.9
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide	3.8	2.1	3.9
Alcohol	21.8	20.1	14.2	Attempted suicide and resulting injury, poisoning, or overdose	2.1	0.7	2.0
Alcohol (Binge: 5+ drinks on one occasion)		11.3	10.3				
Cigarettes	8.5	10.7	8.3	<i>Percent of students who, in past 12 months:</i>			
Chewing Tobacco	10.0	9.1	7.6	Were threatened/injured with weapon at school	5.8	3.6	9.5
Marijuana	4.7	4.5	1.7	Were in a physical fight	17.5	14.1	16.6
Inhalants	0.6	1.1	1.1	Were in a fight and had to be treated by a doctor or nurse	2.3	1.7	2.1
Prescription medications not prescribed for student	3.2	3.4	3.6				
Over-the-counter medications for non-medical use	0.9	3.0	2.5	<i>Percent of students who, in past 3 months:</i>			
<i>Percent of students who, in past 2 weeks, used:</i>				Were victims of mean rumors or lies spread at school	44.9	43.8	56.6
Alcohol (Binge: 5+ drinks on one occasion)	14.7			Were made fun of by others	57.6	63.5	74.8
<i>Percent whose friends used in past 12 months:</i>				Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.2	20.9	17.7
Alcohol	51.3	57.3	58.6	Spread mean rumors or lies about other kids at school	26.4	26.7	32.9
Cigarettes	31.9	35.5	39.6	Made fun of other people	55.7	63.2	73.3
Marijuana	26.8	28.8	17.5	Posted something on the internet or sent a text that might embarrass or hurt another student	18.7	14.7	16.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.4	10.0	6.6				
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	35.1	37.5	29.1	Teachers notice and comment on student's good work	74.6	73.2	73.9
Cigarettes	12.3	12.6	12.1	School provides feedback to parents on positive student performance	47.2	45.2	53.1
Marijuana	15.5	9.8	4.6	Rules are enforced fairly	55.1	55.6	72.0
<i>Percent who say it would be wrong to use:</i>				Students of all races/ethnicities are treated equal	87.8	86.4	90.4
Alcohol	53.1	54.5	63.6				
Cigarettes	79.2	77.8	84.1	<i>Percent of students who agree that:</i>			
Marijuana	76.4	85.2	91.7	Parents notice and comment on student's good work	83.9	87.6	87.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	92.9	96.1	97.9	Parents involve student in making family decisions	74.9	72.0	74.8
<i>Percent whose parents would disapprove if they use:</i>				It is important to be honest with parents regardless of consequences	84.5	87.0	87.3
Alcohol	73.2	71.9	82.0	Student could ask parent for help with a personal problem	81.2	85.3	82.6
Cigarettes	87.9	88.1	91.5				
Marijuana	89.4	95.4	98.3				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	62.6	67.1	62.3				
Cigarettes	56.9	61.7	52.5				
Marijuana	36.1	35.6	22.9				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.5	14.4	9.9				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys



# OREGON COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	18
Adult Psychiatric	18
<b>POPULATION</b>	
Census 2010	10,881
2013 Estimate	10,996

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	130	132	132
Mother Reported Smoking while Pregnant	32	46	41

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	2	1
Hepatitis C Chronic and Acute	1	7	10
Tuberculosis Infection Cases	1	3	2

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	135	137	131
Suicides	4	3	2
Self-inflicted Injuries	23	25	16
Homicides	1	0	1
Assault Injuries	31	29	14
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	4	0	0
Smoking Attributable Deaths	21	24	26

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 149	124	
Alcohol Primary Diagnosis	2 13	8	
Drug Primary Diagnosis	2 19	10	
Alcohol Related Diagnosis	70	41	43
Drug Related Diagnosis	82	59	48
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 7	1	
Alcohol Primary Diagnosis	2 1	0	
Drug Primary Diagnosis	2 3	0	
Alcohol Related Diagnosis	8	6	8
Drug Related Diagnosis	9	4	18
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 92	106	
Alcohol Primary Diagnosis	2 16	8	
Drug Primary Diagnosis	2 9	10	
Alcohol Related Diagnosis	37	28	38
Drug Related Diagnosis	38	28	39

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	19	17	17
Fatal Crashes	1	0	0
Injury Crashes	9	8	9
Property Damage Crashes	9	9	8
Crash Fatalities	1	0	0
Crash Injuries	12	9	11
Drug Involved Crashes--Total	7	6	3
Fatal Crashes	0	0	0
Injury Crashes	4	2	1
Property Damage Crashes	3	4	2
Crash Fatalities	0	0	0
Crash Injuries	7	2	1

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	4,693	4,488	4,556
Employed	4,383	4,175	4,159
Unemployed	310	313	397
Unemployment Rate	6.6%	7.0%	8.7%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	652	632	695
Drop-outs	2	1	3
Drop-out Rate	0.3%	0.2%	0.4%
School Suspensions:			
Alcohol Incidents	0	1	0
Drug Incidents	3	8	3
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	75	66	47
Liquor Law Arrests	8	20	24
Drug Arrests	56	31	48
Methamphetamine Lab Incidents	3	1	3
Violent Offenses	40	11	19
Property Offenses	117	95	89
Domestic Violence Reports	29	7	22

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	46	26	30
Violent Offenses	13	2	6
Alcohol Offenses	3	4	0
Drug Offenses	3	1	0
Status Offenses--Total	38	39	53
Truancy	7	23	15
Beyond Parental Control	6	7	9
Habitually Absent from Home	1	0	3
Injurious Behavior	14	7	20
Abuse/Neglect/Custody--Total	19	39	23
Abuse	1	3	0
Neglect	12	31	20
Custody Disputes	6	5	3

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	10	6	7
Parental Alcohol Use Related	3	0	0
Parental Drug Use Related	6	0	2
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	1	6	5

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	54	57	29
Probation/Parole Admissions--Drug	19	11	3
Probation/Parole Admissions--DWI	5	5	2
Prison Admissions--Total	29	19	20
Prison Admissions--Drug	4	6	3
Prison Admissions--DWI	7	2	1

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	5	7	7
Alcohol Package Carry-out Licenses	10	10	11

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# OREGON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	8	13	10
CSTAR Adolescent	*	*	*
CSTAR Women and Children	6	*	*
CSTAR General Adult	16	13	10
CSTAR Opioid	0	0	0
Primary Recovery Treatment	5	25	22
Clinical SATOP (CIP, YCIP, SROP)	10	6	6
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	28	40	24
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	8	22	8
- Weekend Intervention Program	*	5	5
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	0
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	42	38	40	Alcohol	17	18	21
AGE				Marijuana / Hashish	*	7	9
Under 18	*	*	*	Cocaine (total)	*	0	0
18 to 24	8	10	6	- Crack	*	0	0
25 to 29	7	*	9	Stimulant (total)	14	6	5
30 to 34	9	5	*	- Methamphetamine	14	6	5
35 to 39	7	*	5	Heroin	0	0	0
40 to 44	0	*	*	Analgesic except Heroin	7	6	5
45 to 54	*	10	8	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	5	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	0	0
Male	23	24	27	Inhalant	0	0	0
Female	19	14	13	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	40	38	40	Average Age at First Use of Drug	18.5	15.9	16.8
African American	*	0	0	INJECTION DRUG USE			
Native American / Alaskan	*	0	0	Any Injection Use at Admission	12	5	5
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	*
Hispanic	*	0	0	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	8	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	13	23	12	0	17	19	17
High School Graduate or G.E.D.	24	15	23	1 or 2	16	13	17
Associate Degree or Some College	5	0	*	3 or More	9	6	6
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	17	8	7
Employed	5	*	5	School	0	0	0
Unemployed	18	19	24	Mental Health Provider	*	0	*
Not in Labor Force	19	17	11	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	15	25	25
Independent Living	34	35	37	Other Referral Source	8	*	*
Dependent Living	7	*	*	TREATMENT ACCOMMODATION			
Homeless	0	0	*	Pregnant when Admitted to any Episode	*	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	0	*
Never Married	19	16	17	Special Education Services Needed	*	*	0
Married / Cohabiting	12	6	11	Co-Occurring Psychological Problem	14	10	12
Previously Married	11	16	12	Co-Occurring Developmental Problem	*	0	*

# OREGON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 18  
**CENSUS 2010** 10,881  
**2013 POPULATION ESTIMATE** 10,996

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	18	*	*
Anxiety Disorder	108	89	43
Dementia	*	*	*
Developmental Disorder	0	0	0
Impulse Control Disorder	39	23	11
Mood Disorder	170	124	64
Personality Disorder	9	6	*
Psychotic Disorder	20	12	7
Sexual Disorder	0	0	0
Other Diagnosis	6	8	*
Diagnosis Unknown	11	9	38

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.


<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	239	179	124	Less than High School Diploma	57	38	10
<b>AGE</b>				High School Grad or G.E.D.	0	20	24
Under 6	0	*	*	Associate Degree or Some College	0	*	8
6 to 9	*	7	10	Bachelor or Advanced Degree	0	0	*
10 to 13	11	6	7	Education Level Unknown	182	118	81
14 to 17	11	13	8	<b>EMPLOYMENT</b>			
18 to 24	31	25	13	Employed	30	5	*
25 to 29	18	13	9	Unemployed	40	47	42
30 to 34	21	8	12	Not in Labor Force	135	36	0
35 to 39	22	19	11	Employment Status Unknown	34	91	81
40 to 44	24	23	14	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	32	25	22	Independent Living	151	72	39
50 to 54	30	21	8	Dependent Living	30	19	14
55 to 59	17	10	6	Homeless	6	0	*
60 and Over	18	8	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	52	88	67
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	103	74	51	Self / Family / Friend	161	93	34
Female	136	105	73	School	*	*	0
Gender Unknown	0	0	0	Mental Health Provider	*	*	*
<b>RACE / ETHNICITY</b>				Health Care Provider	51	43	46
Caucasian	230	172	119	Court / Criminal Justice	*	*	*
African American	*	*	*	Other	22	34	36
Native American / Alaskan	*	*	*	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	239	179	124
Other Race	*	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	8	11	9	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

# OREGON COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol		37.6	37.2	Alcohol (1 or 2 drinks daily)			
Cigarettes		31.2	33.6	Alcohol (Binge: 5+ drinks once or twice a week)			
Chewing Tobacco		23.1	22.8	Alcohol (any use)		78.0	81.7
Marijuana		12.7	10.3	Cigarettes (1+ packs per day)			
Inhalants		5.8	5.7	Cigarettes (any use)		80.3	78.4
Prescription medications not prescribed for student		12.6	8.2	Marijuana (once or twice a week)			
Over-the-counter medications for non-medical use		8.1	6.5	Marijuana (any use)		81.4	80.3
Methamphetamine		1.8	0.4	Other: Cocaine, LSD, Meth, Club Drug (any use)		93.0	94.5
Cocaine		1.8	0.4				
Heroin		1.2	0.0	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens		3.5	2.2	Were very sad		20.2	12.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		1.7	2.2	Were grouchy, irritable, or in a bad mood		24.3	23.1
Steroids not prescribed for student		1.7	1.3	Felt hopeless about the future		11.0	11.1
Synthetic drugs (K2, bath salts, Spice, etc)		10.3		Felt like not eating or eating more than usual		16.8	15.5
				Slept a lot more or a lot less than usual		20.8	21.6
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work		23.3	27.2
Alcohol		12.60	12.47	<i>Percent of students who, in past 12 months:</i>			
Cigarettes		12.71	11.91	Seriously considered attempting suicide		12.7	8.1
Marijuana		13.51	13.58	Made plan about how they would attempt suicide		9.9	5.1
Inhalants		11.79	11.83	Attempted suicide		5.7	2.1
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse		1.7	0.9
Alcohol		12.1	18.5	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		8.0	12.3	Were threatened/injured with weapon at school		7.5	7.6
Cigarettes		14.5	19.4	Were in a physical fight		17.4	20.8
Chewing Tobacco		12.1	13.8	Were in a fight and had to be treated by a doctor or nurse		2.9	4.3
Marijuana		5.8	6.8	<i>Percent of students who, in past 3 months:</i>			
Inhalants		2.3	2.2	Were victims of mean rumors or lies spread at school		52.6	58.1
Prescription medications not prescribed for student		5.7	5.6	Were made fun of by others		65.5	68.2
Over-the-counter medications for non-medical use		5.2	3.9	Were victims of an embarrassing or hurtful text message or something posted on the internet		22.9	19.8
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school		23.8	25.1
Alcohol (Binge: 5+ drinks on one occasion)				Made fun of other people		60.1	64.8
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student		11.7	11.2
Alcohol		45.9	57.0	<i>Percent of students who agree that:</i>			
Cigarettes		44.5	51.7	Teachers notice and comment on student's good work		79.1	78.2
Marijuana		22.2	30.5	School provides feedback to parents on positive student performance		46.8	49.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		11.6	12.4	Rules are enforced fairly		66.5	63.5
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal		83.2	82.1
Alcohol		23.1	29.4	<i>Percent of students who agree that:</i>			
Cigarettes		14.5	20.2	Parents notice and comment on student's good work		85.5	88.5
Marijuana		8.1	9.9	Parents involve student in making family decisions		74.3	76.1
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences		88.4	88.6
Alcohol		70.2	64.2	Student could ask parent for help with a personal problem		77.3	82.3
Cigarettes		82.1	74.7	<div>Page Notes:</div> <div>Similar affirmative response choices for individual questions are combined.</div> <div>Blank data cells indicate estimates are not available for item or geographic area.</div> <div>Survey is not conducted in every school district nor reported for every county.</div> <div>Estimates are not available for counties with small numbers of respondents.</div> <div>Percentages are estimates based on weighted data.</div> <div>Some year-to-year differences in percentages are not statistically significant.</div>			
Marijuana		88.5	84.5				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		95.9	94.4				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol		83.1	83.2				
Cigarettes		91.3	90.0				
Marijuana		94.7	95.7				
<i>Percent who say it would be easy to obtain:</i>				Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Alcohol		50.3	52.8				
Cigarettes		52.9	60.3				
Marijuana		31.6	35.7				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		17.5	19.9				

# OSAGE COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	11
Adult Psychiatric	11
<b>POPULATION</b>	
Census 2010	13,878
2013 Estimate	13,688

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	155	144	151
Mother Reported Smoking while Pregnant	35	22	24

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	1	5	1
Tuberculosis Infection Cases	1	0	0

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	138	131	119
Suicides	1	2	4
Self-inflicted Injuries	9	6	15
Homicides	0	0	0
Assault Injuries	21	28	30
Alcohol Induced Deaths	0	1	0
Drug Induced Deaths	3	0	2
Smoking Attributable Deaths	28	27	20

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	27	23
Alcohol Primary Diagnosis	2	3	3
Drug Primary Diagnosis	2	4	1
Alcohol Related Diagnosis	16	15	17
Drug Related Diagnosis	9	7	24
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	82	47
Alcohol Primary Diagnosis	2	4	9
Drug Primary Diagnosis	2	5	6
Alcohol Related Diagnosis	30	35	38
Drug Related Diagnosis	32	29	18
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	87	90
Alcohol Primary Diagnosis	2	3	15
Drug Primary Diagnosis	2	15	10
Alcohol Related Diagnosis	16	37	33
Drug Related Diagnosis	41	22	25

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	16	12	15
Fatal Crashes	1	1	2
Injury Crashes	4	3	6
Property Damage Crashes	11	8	7
Crash Fatalities	1	1	2
Crash Injuries	8	7	10
Drug Involved Crashes--Total	5	0	3
Fatal Crashes	2	0	0
Injury Crashes	2	0	2
Property Damage Crashes	1	0	1
Crash Fatalities	2	0	0
Crash Injuries	5	0	2

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	7,162	7,190	7,409
Employed	6,814	6,819	6,939
Unemployed	348	371	470
Unemployment Rate	4.9%	5.2%	6.3%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	706	660	652
Drop-outs	3	4	6
Drop-out Rate	0.4%	0.6%	0.9%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	1	0	1
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	73	46	48
Liquor Law Arrests	38	38	53
Drug Arrests	21	21	23
Methamphetamine Lab Incidents	6	2	2
Violent Offenses	9	41	23
Property Offenses	141	110	143
Domestic Violence Reports	36	16	7

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	34	12	26
Violent Offenses	15	4	7
Alcohol Offenses	0	0	1
Drug Offenses	2	0	0
Status Offenses--Total	21	26	55
Truancy	5	15	20
Beyond Parental Control	0	0	1
Habitually Absent from Home	1	0	0
Injurious Behavior	14	11	32
Abuse/Neglect/Custody--Total	0	5	8
Abuse	0	0	0
Neglect	0	5	8
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	0	4	6
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	2	2
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	0	2	4

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	14	16	17
Probation/Parole Admissions--Total	39	32	30
Probation/Parole Admissions--Drug	10	7	7
Probation/Parole Admissions--DWI	6	3	6
Prison Admissions--Total	16	10	16
Prison Admissions--Drug	3	2	4
Prison Admissions--DWI	0	1	0

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	23	20	24
Alcohol Package Carry-out Licenses	13	13	14

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# OSAGE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	*	*	8
CSTAR Adolescent	*	*	*
CSTAR Women and Children	7	*	5
CSTAR General Adult	34	25	38
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	10	11
Clinical SATOP (CIP, YCIP, SROP)	14	15	8
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	69	62	47
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	28	25	20
- Weekend Intervention Program	19	12	7
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	*	0
Recovery Supports	0	0	*
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	62	59	57	Alcohol	27	27	30
AGE				Marijuana / Hashish	12	17	10
Under 18	*	*	*	Cocaine (total)	*	*	*
18 to 24	10	16	12	- Crack	0	0	*
25 to 29	17	8	9	Stimulant (total)	12	8	9
30 to 34	14	12	12	- Methamphetamine	8	7	9
35 to 39	8	10	6	Heroin	*	*	*
40 to 44	*	*	*	Analgesic except Heroin	5	*	*
45 to 54	5	8	9	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	0	0	0
Male	39	38	40	Inhalant	0	0	0
Female	23	21	17	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	0
Caucasian	61	59	57	Average Age at First Use of Drug	17.8	16.7	16.5
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	9	7	5
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	*	0	0	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	5	5	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	18	18	12	0	30	30	27
High School Graduate or G.E.D.	30	27	29	1 or 2	25	19	15
Associate Degree or Some College	13	13	15	3 or More	7	10	15
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	14	15	19
Employed	18	29	19	School	0	0	*
Unemployed	22	15	22	Mental Health Provider	0	0	*
Not in Labor Force	22	15	16	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	39	38	29
Independent Living	51	51	47	Other Referral Source	*	*	6
Dependent Living	7	7	7	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	*	0
MARITAL / FAMILY STATUS				Military Veteran	0	0	*
Never Married	39	30	34	Special Education Services Needed	*	6	5
Married / Cohabiting	12	17	15	Co-Occurring Psychological Problem	25	29	20
Previously Married	11	12	8	Co-Occurring Developmental Problem	*	*	*

# OSAGE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 11  
**CENSUS 2010** 13,878  
**2013 POPULATION ESTIMATE** 13,688

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	*	0	*
Anxiety Disorder	24	22	18
Dementia	*	0	0
Developmental Disorder	*	*	0
Impulse Control Disorder	*	*	5
Mood Disorder	31	33	27
Personality Disorder	8	5	7
Psychotic Disorder	11	9	11
Sexual Disorder	0	0	0
Other Diagnosis	*	*	*
Diagnosis Unknown	10	12	18

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	61	58	61	Less than High School Diploma	16	10	8
<b>AGE</b>				High School Grad or G.E.D.	0	17	20
Under 6	*	0	*	Associate Degree or Some College	*	9	7
6 to 9	*	*	*	Bachelor or Advanced Degree	0	0	*
10 to 13	*	*	6	Education Level Unknown	44	22	25
14 to 17	*	*	*	<b>EMPLOYMENT</b>			
18 to 24	6	5	*	Employed	*	*	*
25 to 29	*	5	10	Unemployed	*	32	34
30 to 34	8	8	*	Not in Labor Force	38	6	*
35 to 39	*	*	*	Employment Status Unknown	17	17	23
40 to 44	*	*	5	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	7	10	9	Independent Living	22	27	21
50 to 54	7	5	*	Dependent Living	24	17	24
55 to 59	8	7	7	Homeless	*	0	0
60 and Over	5	*	5	Other	0	*	0
Age Unknown	0	0	0	Housing Unknown	13	13	16
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	32	30	35	Self / Family / Friend	33	30	28
Female	29	28	26	School	0	0	*
Gender Unknown	0	0	0	Mental Health Provider	11	11	12
<b>RACE / ETHNICITY</b>				Health Care Provider	8	9	7
Caucasian	56	56	58	Court / Criminal Justice	*	0	*
African American	*	*	*	Other	7	8	12
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	0	0	Voluntary	60	58	61
Other Race	0	0	0	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	0	0	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				




# OSAGE COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	42.5	47.9	64.1	Alcohol (1 or 2 drinks daily)	63.9		
Cigarettes	14.6	22.3	41.3	Alcohol (Binge: 5+ drinks once or twice a week)	76.5		
Chewing Tobacco	17.6	17.7	11.5	Alcohol (any use)		62.3	90.4
Marijuana	6.8	5.5	23.6	Cigarettes (1+ packs per day)	86.7		
Inhalants	2.8	3.8	3.8	Cigarettes (any use)		82.8	90.1
Prescription medications not prescribed for student	4.4	9.7	7.8	Marijuana (once or twice a week)	81.5		
Over-the-counter medications for non-medical use	1.6	5.1	10.1	Marijuana (any use)		83.5	53.9
Methamphetamine	1.7	0.0	2.2	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.2	91.9	98.3
Cocaine	1.7	0.8	0.0				
Heroin	0.0	0.0	0.0	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	1.7	0.8	0.0	Were very sad	25.1	19.6	30.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.7	0.0	1.0	Were grouchy, irritable, or in a bad mood	18.6	22.6	32.1
Steroids not prescribed for student	0.0	0.8	1.1	Felt hopeless about the future	12.5	14.8	21.8
Synthetic drugs (K2, bath salts, Spice, etc)	1.7	5.9		Felt like not eating or eating more than usual	18.0	24.3	26.7
				Slept a lot more or a lot less than usual	16.9	23.1	33.1
				Had difficulty concentrating on school work	26.9	25.6	33.4
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	12.53	12.81	11.98	Seriously considered attempting suicide	12.1	12.4	12.6
Cigarettes	13.01	13.12	12.25	Made plan about how they would attempt suicide	9.8	10.2	6.5
Marijuana	13.68	14.18	14.02	Attempted suicide	4.5	3.8	6.5
Inhalants	12.89	12.16	10.00	Attempted suicide and resulting injury, poisoning, or overdose	0.6	1.7	2.8
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	14.4	24.9	42.9	Were threatened/injured with weapon at school	8.2	3.8	19.1
Alcohol (Binge: 5+ drinks on one occasion)		12.2	32.9	Were in a physical fight	16.5	21.4	51.9
Cigarettes	5.1	10.1	9.3	Were in a fight and had to be treated by a doctor or nurse	1.6	3.8	12.6
Chewing Tobacco	8.8	10.9	7.7				
Marijuana	1.7	3.0	2.4	<i>Percent of students who, in past 3 months:</i>			
Inhalants	2.2	2.1	2.8	Were victims of mean rumors or lies spread at school	53.8	52.3	50.9
Prescription medications not prescribed for student	4.4	4.6	5.7	Were made fun of by others	59.9	65.1	59.4
Over-the-counter medications for non-medical use	1.6	3.4	7.3	Were victims of an embarrassing or hurtful text message or something posted on the Internet	14.8	21.8	18.3
				Spread mean rumors or lies about other kids at school	24.5	18.7	32.5
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	50.5	62.9	77.8
Alcohol (Binge: 5+ drinks on one occasion)	4.6			Posted something on the internet or sent a text that might embarrass or hurt another student	10.9	9.4	13.0
<i>Percent whose friends used in past 12 months:</i>				<i>Percent of students who agree that:</i>			
Alcohol	44.8	60.3	57.0	Teachers notice and comment on student's good work	77.0	73.8	82.9
Cigarettes	34.3	42.6	51.2	School provides feedback to parents on positive student performance	50.8	39.8	37.2
Marijuana	11.5	20.7	34.8	Rules are enforced fairly	74.7	67.2	71.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.4	12.9	6.8	Students of all races/ethnicities are treated equal	83.6	84.3	84.1
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	23.6	35.0	48.3	Parents notice and comment on student's good work	89.1	82.3	79.9
Cigarettes	9.3	13.9	7.5	Parents involve student in making family decisions	68.4	68.4	68.3
Marijuana	5.6	5.5	4.2	It is important to be honest with parents regardless of consequences	88.6	91.6	83.6
				Student could ask parent for help with a personal problem	77.7	73.5	81.1
<i>Percent who say it would be wrong to use:</i>							
Alcohol	72.5	54.9	49.8	Page Notes: Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.			
Cigarettes	89.4	81.4	64.8				
Marijuana	89.3	92.0	95.9				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.8	97.1	99.0				
<i>Percent whose parents would disapprove if they use:</i>				Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Alcohol	81.5	69.9	62.9				
Cigarettes	92.7	89.4	92.9				
Marijuana	97.1	97.0	100.0				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	49.2	63.0	67.9				
Cigarettes	41.8	59.3	53.9				
Marijuana	21.0	30.6	15.1				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.4	22.3	10.9				

# OZARK COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	18
Adult Psychiatric	18
<b>POPULATION</b>	
Census 2010	9,723
2013 Estimate	9,560

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	109	82	84
Mother Reported Smoking while Pregnant	24	19	23

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	1	0
Hepatitis C Chronic and Acute	1	7	5
Tuberculosis Infection Cases	1	0	1

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	124	128	114
Suicides	2	3	2
Self-inflicted Injuries	11	9	4
Homicides	1	0	0
Assault Injuries	17	9	11
Alcohol Induced Deaths	1	1	1
Drug Induced Deaths	3	0	4
Smoking Attributable Deaths	20	26	25

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	67	65
Alcohol Primary Diagnosis	2	10	13
Drug Primary Diagnosis	2	6	6
Alcohol Related Diagnosis	43	40	44
Drug Related Diagnosis	37	46	29
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	14	8
Alcohol Primary Diagnosis	2	3	4
Drug Primary Diagnosis	2	3	1
Alcohol Related Diagnosis	14	13	15
Drug Related Diagnosis	6	5	12
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	38	48
Alcohol Primary Diagnosis	2	9	6
Drug Primary Diagnosis	2	8	4
Alcohol Related Diagnosis	28	24	29
Drug Related Diagnosis	27	19	18

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	17	20	20
Fatal Crashes	1	1	0
Injury Crashes	6	10	9
Property Damage Crashes	10	9	11
Crash Fatalities	1	1	0
Crash Injuries	10	10	16
Drug Involved Crashes--Total	1	2	3
Fatal Crashes	0	0	0
Injury Crashes	0	2	1
Property Damage Crashes	1	0	2
Crash Fatalities	0	0	0
Crash Injuries	0	3	3

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	4,504	4,287	4,388
Employed	4,163	3,940	3,968
Unemployed	341	347	420
Unemployment Rate	7.6%	8.1%	9.6%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	527	546	533
Drop-outs	0	9	5
Drop-out Rate	0.0%	1.6%	0.9%
School Suspensions:			
Alcohol Incidents	0	0	3
Drug Incidents	2	5	6
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	55	55	48
Liquor Law Arrests	5	4	21
Drug Arrests	74	56	47
Methamphetamine Lab Incidents	3	2	3
Violent Offenses	30	12	22
Property Offenses	140	149	127
Domestic Violence Reports	35	21	32

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	12	10	25
Violent Offenses	3	1	9
Alcohol Offenses	0	1	0
Drug Offenses	0	1	3
Status Offenses--Total	6	7	12
Truancy	0	0	2
Beyond Parental Control	5	4	8
Habitually Absent from Home	0	2	1
Injurious Behavior	1	1	1
Abuse/Neglect/Custody--Total	11	12	11
Abuse	0	1	1
Neglect	11	9	6
Custody Disputes	0	2	4

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	10	12	10
Parental Alcohol Use Related	0	2	1
Parental Drug Use Related	1	3	2
Parental Alcohol and Drug Use	1	3	0
Child Removed for Other Reason	8	4	7

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	15	13	9
Probation/Parole Admissions--Total	57	50	37
Probation/Parole Admissions--Drug	14	16	9
Probation/Parole Admissions--DWI	1	3	2
Prison Admissions--Total	23	14	28
Prison Admissions--Drug	5	2	6
Prison Admissions--DWI	1	1	1

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	11	13	14
Alcohol Package Carry-out Licenses	17	20	20

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# OZARK COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	9	13	10
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	0
CSTAR General Adult	17	*	*
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	20	33
Clinical SATOP (CIP, YCIP, SROP)	10	8	9
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	37	40	37
- Adolescent Diversion Education Program	*	0	0
- Offender Education Program	17	7	12
- Weekend Intervention Program	12	10	5
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	0	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	31	45	51	Alcohol	19	28	30
AGE				Marijuana / Hashish	5	8	7
Under 18	*	*	*	Cocaine (total)	0	0	0
18 to 24	*	9	9	- Crack	0	0	0
25 to 29	8	6	7	Stimulant (total)	5	5	6
30 to 34	*	5	5	- Methamphetamine	5	5	6
35 to 39	*	*	8	Heroin	*	0	*
40 to 44	*	6	6	Analgesic except Heroin	*	*	7
45 to 54	*	8	9	- Non-Prescription Methadone	0	0	0
55 and Over	*	5	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	19	35	35	Inhalant	0	0	0
Female	12	10	16	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	31	44	48	Average Age at First Use of Drug	16.9	16.6	16.8
African American	0	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	7
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	*
Hispanic	0	0	*	- Weekly Injection Use	*	0	*
Other Race / Two or More Races	0	0	*	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	5	15	19	0	10	22	20
High School Graduate or G.E.D.	17	22	23	1 or 2	12	13	16
Associate Degree or Some College	9	8	9	3 or More	9	10	15
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	12	16	10
Employed	5	8	8	School	0	0	0
Unemployed	11	24	30	Mental Health Provider	0	0	*
Not in Labor Force	15	13	13	Health Care Provider	*	0	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	12	28	36
Independent Living	28	39	47	Other Referral Source	6	*	0
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	*	0	*	Pregnant when Admitted to any Episode	0	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	0	*
Never Married	12	19	18	Special Education Services Needed	*	0	0
Married / Cohabiting	10	12	11	Co-Occurring Psychological Problem	7	11	10
Previously Married	9	14	22	Co-Occurring Developmental Problem	0	0	0

# OZARK COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 18  
**CENSUS 2010** 9,723  
**2013 POPULATION ESTIMATE** 9,560

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	*	*	0
Anxiety Disorder	64	51	27
Dementia	0	0	*
Developmental Disorder	0	0	0
Impulse Control Disorder	14	10	*
Mood Disorder	92	75	45
Personality Disorder	*	6	*
Psychotic Disorder	10	11	6
Sexual Disorder	0	0	0
Other Diagnosis	5	*	0
Diagnosis Unknown	6	5	16

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	125	106	74	Less than High School Diploma	28	21	7
<b>AGE</b>				High School Grad or G.E.D.	0	9	15
Under 6	0	0	0	Associate Degree or Some College	0	*	*
6 to 9	*	*	0	Bachelor or Advanced Degree	0	*	0
10 to 13	*	*	*	Education Level Unknown	97	70	49
14 to 17	7	*	*	<b>EMPLOYMENT</b>			
18 to 24	12	11	6	Employed	16	*	0
25 to 29	15	17	9	Unemployed	18	28	25
30 to 34	15	11	7	Not in Labor Force	67	15	0
35 to 39	12	7	5	Employment Status Unknown	24	60	49
40 to 44	17	13	12	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	18	13	13	Independent Living	81	42	24
50 to 54	17	11	10	Dependent Living	10	5	*
55 to 59	7	12	6	Homeless	*	0	*
60 and Over	*	*	0	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	32	59	46
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	57	49	30	Self / Family / Friend	87	54	23
Female	68	57	44	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	5	5	*
<b>RACE / ETHNICITY</b>				Health Care Provider	20	21	24
Caucasian	125	104	72	Court / Criminal Justice	*	*	*
African American	0	0	0	Other	12	22	19
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	*	*	Voluntary	124	106	72
Other Race	0	0	*	Civil	*	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				


# OZARK COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	36.4	33.8	45.4	Alcohol (1 or 2 drinks daily)	57.1		
Cigarettes	27.8	20.3	33.9	Alcohol (Binge: 5+ drinks once or twice a week)	66.0		
Chewing Tobacco	17.3	16.5	24.0	Alcohol (any use)		66.9	74.9
Marijuana	14.3	16.5	13.8	Cigarettes (1+ packs per day)	89.5		
Inhalants	3.1	3.0	6.9	Cigarettes (any use)		80.5	75.9
Prescription medications not prescribed for student	5.2	4.5	10.4	Marijuana (once or twice a week)	71.1		
Over-the-counter medications for non-medical use	1.1	5.3	8.0	Marijuana (any use)		68.4	71.1
Methamphetamine	0.0	0.0	1.2	Other: Cocaine, LSD, Meth, Club Drug (any use)	96.8	92.3	91.9
Cocaine	1.0	0.0	1.7	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.0	0.0	0.0	Were very sad	15.2	20.3	24.1
Hallucinogens	0.0	3.1	3.5	Were grouchy, irritable, or in a bad mood	21.0	25.8	27.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	0.8	3.4	Felt hopeless about the future	9.0	9.0	12.1
Steroids not prescribed for student	0.0	0.0	0.6	Felt like not eating or eating more than usual	12.0	12.8	23.4
Synthetic drugs (K2, bath salts, Spice, etc)	3.0	6.8		Slept a lot more or a lot less than usual	12.1	18.8	29.9
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	16.0	20.9	24.9
Alcohol	13.15	12.34	12.12	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	13.57	12.16	11.44	Seriously considered attempting suicide	12.0	9.0	10.9
Marijuana	14.93	12.61	13.59	Made plan about how they would attempt suicide	7.0	6.1	7.4
Inhalants	10.69		13.38	Attempted suicide	4.0	3.1	4.0
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.1	3.1	1.8
Alcohol	14.1	8.3	17.7	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occassion)		5.3	8.6	Were threatened/injured with weapon at school	4.0	10.6	8.7
Cigarettes	11.1	6.0	14.9	Were in a physical fight	13.0	22.0	25.3
Chewing Tobacco	8.2	7.6	10.9	Were in a fight and had to be treated by a doctor or nurse	5.0	3.1	6.3
Marijuana	4.1	7.5	6.3	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.0	1.5	2.9	Were victims of mean rumors or lies spread at school	46.5	52.6	65.3
Prescription medications not prescribed for student	3.1	3.0	4.6	Were made fun of by others	48.5	60.2	73.7
Over-the-counter medications for non-medical use	0.0	4.5	4.6	Were victims of an embarrassing or hurtful text message or something posted on the internet	18.4	18.5	17.8
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	30.3	28.0	36.2
Alcohol (Binge: 5+ drinks on one occassion)	7.1			Made fun of other people	59.0	56.4	69.1
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	13.0	13.1	15.7
Alcohol	38.4	50.4	55.4	<i>Percent of students who agree that:</i>			
Cigarettes	39.0	45.5	45.7	Teachers notice and comment on student's good work	74.3	76.7	67.0
Marijuana	27.6	35.3	31.6	School provides feedback to parents on positive student performance	39.8	35.9	39.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.0	11.3	14.9	Rules are enforced fairly	61.0	56.4	55.4
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	87.0	85.7	84.5
Alcohol	25.7	27.3	36.4	<i>Percent of students who agree that:</i>			
Cigarettes	12.1	10.4	21.1	Parents notice and comment on student's good work	80.8	78.8	78.7
Marijuana	8.1	13.0	10.4	Parents involve student in making family decisions	73.7	64.7	69.7
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	94.9	83.5	83.3
Alcohol	66.0	55.4	58.0	Student could ask parent for help with a personal problem	83.7	71.8	77.0
Cigarettes	82.7	78.9	76.9	<div>Page Notes:</div> <div>Similar affirmative response choices for individual questions are combined.</div> <div>Blank data cells indicate estimates are not available for item or geographic area.</div> <div>Survey is not conducted in every school district nor reported for every county.</div> <div>Estimates are not available for counties with small numbers of respondents.</div> <div>Percentages are estimates based on weighted data.</div> <div>Some year-to-year differences in percentages are not statistically significant.</div>			
Marijuana	79.4	81.2	83.3				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.8	94.7	94.8				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	80.4	87.0	85.0				
Cigarettes	87.8	94.7	91.9				
Marijuana	88.5	94.5	94.7				
<i>Percent who say it would be easy to obtain:</i>				Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Alcohol	52.6	61.1	57.5				
Cigarettes	50.0	57.1	60.1				
Marijuana	28.4	36.2	35.3				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.0	15.9	18.6				



# PEMISCOT COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	20
Adult Psychiatric	19
<b>POPULATION</b>	
Census 2010	18,296
2013 Estimate	17,823

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	8,247	8,205	8,256
Employed	7,567	7,541	7,416
Unemployed	680	664	840
Unemployment Rate	8.2%	8.1%	10.2%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	1,037	990	1,046
Drop-outs	20	56	43
Drop-out Rate	1.9%	5.7%	4.1%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	1	0	1
Tobacco Incidents	0	0	0

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	282	288	289
Mother Reported Smoking while Pregnant	68	64	79

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	1	1	1
Hepatitis B Chronic, Acute, Prenatal	1	1	1
Hepatitis C Chronic and Acute	1	39	22
Tuberculosis Infection Cases	1	22	8

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	226	218	218
Suicides	3	3	3
Self-inflicted Injuries	21	42	34
Homicides	0	2	3
Assault Injuries	157	126	121
Alcohol Induced Deaths	4	0	1
Drug Induced Deaths	5	4	11
Smoking Attributable Deaths	55	45	43

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	342	395
Alcohol Primary Diagnosis	2	14	13
Drug Primary Diagnosis	2	7	16
Alcohol Related Diagnosis	78	122	86
Drug Related Diagnosis	85	153	135
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	46	37
Alcohol Primary Diagnosis	2	7	6
Drug Primary Diagnosis	2	9	10
Alcohol Related Diagnosis	47	29	63
Drug Related Diagnosis	42	33	79
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	174	182
Alcohol Primary Diagnosis	2	36	56
Drug Primary Diagnosis	2	30	33
Alcohol Related Diagnosis	66	110	138
Drug Related Diagnosis	78	106	75

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	29	25	32
Fatal Crashes	1	1	1
Injury Crashes	15	12	12
Property Damage Crashes	13	12	19
Crash Fatalities	1	1	1
Crash Injuries	23	15	17
Drug Involved Crashes--Total	8	4	19
Fatal Crashes	0	0	1
Injury Crashes	4	3	8
Property Damage Crashes	4	1	10
Crash Fatalities	0	0	1
Crash Injuries	4	2	16

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	178	190	231
Liquor Law Arrests	18	47	51
Drug Arrests	242	365	323
Methamphetamine Lab Incidents	0	1	8
Violent Offenses	179	144	102
Property Offenses	688	674	763
Domestic Violence Reports	248	128	154

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	124	20	29
Violent Offenses	33	7	11
Alcohol Offenses	0	0	1
Drug Offenses	6	1	3
Status Offenses--Total	58	4	4
Truancy	8	0	0
Beyond Parental Control	22	4	2
Habitually Absent from Home	9	0	0
Injurious Behavior	17	0	2
Abuse/Neglect/Custody--Total	75	14	40
Abuse	21	2	5
Neglect	48	12	35
Custody Disputes	6	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	52	45	62
Parental Alcohol Use Related	8	9	4
Parental Drug Use Related	7	7	26
Parental Alcohol and Drug Use	0	1	4
Child Removed for Other Reason	37	28	28

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	375	403	354
Probation/Parole Admissions--Drug	113	146	128
Probation/Parole Admissions--DWI	22	25	22
Prison Admissions--Total	182	182	172
Prison Admissions--Drug	65	67	62
Prison Admissions--DWI	10	20	16

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	17	19	21
Alcohol Package Carry-out Licenses	28	28	29

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# PEMISCOT COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	60	99	58
CSTAR Adolescent	17	17	20
CSTAR Women and Children	19	12	35
CSTAR General Adult	117	47	29
CSTAR Opioid	0	0	0
Primary Recovery Treatment	135	233	263
Clinical SATOP (CIP, YCIP, SROP)	18	17	15
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	76	81	79
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	20	27	26
- Weekend Intervention Program	15	16	5
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	5	*	*
Compulsive Gambling	0	0	0
Recovery Supports	5	6	*
Early Intervention	*	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	279	342	354	Alcohol	84	98	119
AGE				Marijuana / Hashish	106	124	126
Under 18	19	19	22	Cocaine (total)	23	47	48
18 to 24	63	71	64	- Crack	10	28	35
25 to 29	54	59	68	Stimulant (total)	48	43	25
30 to 34	36	45	40	- Methamphetamine	44	42	25
35 to 39	29	41	34	Heroin	*	*	*
40 to 44	16	40	40	Analgesic except Heroin	10	18	21
45 to 54	42	42	61	- Non-Prescription Methadone	0	0	*
55 and Over	20	25	25	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	5	10	12
Male	193	255	241	Inhalant	0	0	0
Female	86	87	113	Sedative	*	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	*
Caucasian	160	202	206	Average Age at First Use of Drug	18.1	18.4	18.2
African American	116	133	140	INJECTION DRUG USE			
Native American / Alaskan	0	*	*	Any Injection Use at Admission	8	7	5
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	*
Hispanic	0	*	*	- Weekly Injection Use	0	*	0
Other Race / Two or More Races	*	*	5	- Less than Weekly Injection Use	6	5	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	120	167	167	0	216	255	271
High School Graduate or G.E.D.	139	155	162	1 or 2	39	67	51
Associate Degree or Some College	20	18	24	3 or More	24	20	32
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	25	55	42
Employed	63	86	90	School	0	0	0
Unemployed	73	102	129	Mental Health Provider	*	*	*
Not in Labor Force	143	154	135	Health Care Provider	12	16	10
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	193	246	259
Independent Living	243	305	306	Other Referral Source	46	24	41
Dependent Living	28	25	40	TREATMENT ACCOMMODATION			
Homeless	*	*	7	Pregnant when Admitted to any Episode	8	*	7
MARITAL / FAMILY STATUS				Military Veteran	13	8	5
Never Married	161	167	188	Special Education Services Needed	28	19	30
Married / Cohabiting	77	107	88	Co-Occurring Psychological Problem	52	65	75
Previously Married	41	68	78	Co-Occurring Developmental Problem	6	7	6

# PEMISCOT COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 19  
**CENSUS 2010** 18,296  
**2013 POPULATION ESTIMATE** 17,823

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	*	*	*
Anxiety Disorder	14	9	8
Dementia	0	0	0
Developmental Disorder	*	0	0
Impulse Control Disorder	24	21	26
Mood Disorder	110	88	66
Personality Disorder	*	*	*
Psychotic Disorder	42	33	30
Sexual Disorder	*	*	*
Other Diagnosis	9	14	10
Diagnosis Unknown	31	26	21

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	226	181	157	Less than High School Diploma	73	34	15
<b>AGE</b>				High School Grad or G.E.D.	0	21	19
Under 6	*	0	*	Associate Degree or Some College	0	5	6
6 to 9	18	16	10	Bachelor or Advanced Degree	0	0	0
10 to 13	26	20	25	Education Level Unknown	153	121	117
14 to 17	15	13	6	<b>EMPLOYMENT</b>			
18 to 24	21	10	8	Employed	7	*	*
25 to 29	18	21	21	Unemployed	18	47	39
30 to 34	24	20	18	Not in Labor Force	102	19	0
35 to 39	26	16	18	Employment Status Unknown	99	114	117
40 to 44	18	16	12	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	15	14	14	Independent Living	92	51	36
50 to 54	22	15	7	Dependent Living	31	17	16
55 to 59	10	12	9	Homeless	*	*	0
60 and Over	9	8	8	Other	0	5	5
Age Unknown	0	0	0	Housing Unknown	102	107	100
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	114	96	89	Self / Family / Friend	47	33	26
Female	112	85	68	School	6	9	13
Gender Unknown	0	0	0	Mental Health Provider	20	20	19
<b>RACE / ETHNICITY</b>				Health Care Provider	52	35	23
Caucasian	145	103	86	Court / Criminal Justice	61	63	56
African American	75	72	70	Other	38	19	16
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	0	Voluntary	219	174	147
Other Race	5	5	*	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	*	*	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	10	*	*				

# PEMISCOT COUNTY


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	27.6	44.1	49.0	Alcohol (1 or 2 drinks daily)	49.6		
Cigarettes	20.8	30.8	37.9	Alcohol (Binge: 5+ drinks once or twice a week)	62.5		
Chewing Tobacco	10.9	11.7	16.7	Alcohol (any use)		79.3	76.8
Marijuana	11.5	15.3	20.1	Cigarettes (1+ packs per day)	70.9		
Inhalants	3.5	5.7	10.2	Cigarettes (any use)		85.4	77.5
Prescription medications not prescribed for student	9.2	14.6	21.0	Marijuana (once or twice a week)	59.1		
Over-the-counter medications for non-medical use	3.5	8.0	10.9	Marijuana (any use)		77.1	74.8
Methamphetamine	0.0	1.3	0.7	Other: Cocaine, LSD, Meth, Club Drug (any use)	79.7	92.3	91.9
Cocaine	0.4	1.3	2.2				
Heroin	0.4	1.0	1.3	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	1.3	1.0	1.8	Were very sad	23.1	19.1	15.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.4	1.0	2.7	Were grouchy, irritable, or in a bad mood	28.2	32.8	20.8
Steroids not prescribed for student	1.8	1.6	1.6	Felt hopeless about the future	15.5	8.6	10.1
Synthetic drugs (K2, bath salts, Spice, etc)	2.2	8.3		Felt like not eating or eating more than usual	23.3	20.3	16.4
				Slept a lot more or a lot less than usual	22.3	22.4	23.2
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	19.7	23.9	19.3
Alcohol	12.90	12.85	12.77	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	11.93	12.02	12.42	Seriously considered attempting suicide	12.5	13.0	13.0
Marijuana	13.34	14.02	14.02	Made plan about how they would attempt suicide	10.8	11.3	10.9
Inhalants	10.77	12.62	12.62	Attempted suicide	7.4	7.3	8.0
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose	3.1	2.9	3.8
Alcohol	11.8	17.8	25.4	had to be treated by doctor or nurse			
Alcohol (Binge: 5+ drinks on one occasion)		12.4	16.3	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	10.5	12.4	22.2	Were threatened/injured with weapon at school	9.4	6.7	9.4
Chewing Tobacco	7.4	5.4	10.1	Were in a physical fight	26.2	28.0	29.6
Marijuana	5.3	5.7	9.9	Were in a fight and had to be treated by a doctor or nurse	5.6	3.8	5.2
Inhalants	1.3	1.6	4.9	<i>Percent of students who, in past 3 months:</i>			
Prescription medications not prescribed for student	4.8	8.6	14.3	Were victims of mean rumors or lies spread at school	57.9	58.3	63.4
Over-the-counter medications for non-medical use	1.7	3.5	7.2	Were made fun of by others	64.8	61.0	72.0
<i>Percent of students who, in past 2 weeks, used:</i>				Were victims of an embarrassing or hurtful text message or something posted on the Internet	27.9	22.8	21.5
Alcohol (Binge: 5+ drinks on one occasion)	5.4			Spread mean rumors or lies about other kids at school	23.6	27.6	33.5
<i>Percent whose friends used in past 12 months:</i>				Made fun of other people	60.5	67.2	77.3
Alcohol	37.8	57.6	60.1	Posted something on the internet or sent a text that might embarrass or hurt another student	19.2	17.3	21.8
Cigarettes	31.2	52.2	56.6	<i>Percent of students who agree that:</i>			
Marijuana	21.5	36.5	36.2	Teachers notice and comment on student's good work	79.1	68.6	73.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.2	11.8	13.0	School provides feedback to parents on positive student performance	48.9	40.7	44.5
<i>Percent who would likely use, if offered by a best friend:</i>				Rules are enforced fairly	60.1	51.8	53.7
Alcohol	26.8	29.3	37.5	Students of all races/ethnicities are treated equal	72.5	61.8	68.0
Cigarettes	12.6	10.5	21.2	<i>Percent of students who agree that:</i>			
Marijuana	10.1	9.2	14.1	Parents notice and comment on student's good work	84.6	83.2	82.4
<i>Percent who say it would be wrong to use:</i>				Parents involve student in making family decisions	73.3	67.7	73.7
Alcohol	69.3	66.7	60.3	It is important to be honest with parents regardless of consequences	84.1	88.4	84.9
Cigarettes	82.6	80.5	73.9	Student could ask parent for help with a personal problem	78.8	77.6	76.5
Marijuana	81.7	84.3	81.1				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	92.6	95.8	95.8				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	89.4	85.0	82.3				
Cigarettes	94.2	90.7	88.7				
Marijuana	95.5	95.8	94.5				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	45.7	59.6	58.5				
Cigarettes	46.8	60.3	62.3				
Marijuana	34.8	46.9	41.9				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	21.0	25.0	24.1				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# PERRY COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	21
Adult Psychiatric	21
<b>POPULATION</b>	
Census 2010	18,971
2013 Estimate	19,072

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	223	211	251
Mother Reported Smoking while Pregnant	43	47	47

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	1
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	1	4	5
Tuberculosis Infection Cases	1	4	0

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	193	183	203
Suicides	2	1	6
Self-inflicted Injuries	15	28	15
Homicides	0	1	0
Assault Injuries	61	40	55
Alcohol Induced Deaths	1	1	1
Drug Induced Deaths	1	2	1
Smoking Attributable Deaths	34	27	44

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	140	144
Alcohol Primary Diagnosis	2	9	16
Drug Primary Diagnosis	2	10	13
Alcohol Related Diagnosis	49	59	43
Drug Related Diagnosis	62	61	44
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	26	12
Alcohol Primary Diagnosis	2	2	0
Drug Primary Diagnosis	2	4	2
Alcohol Related Diagnosis	40	15	13
Drug Related Diagnosis	19	19	10
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	192	216
Alcohol Primary Diagnosis	2	25	45
Drug Primary Diagnosis	2	30	32
Alcohol Related Diagnosis	81	102	66
Drug Related Diagnosis	117	104	73

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	25	24	27
Fatal Crashes	0	0	2
Injury Crashes	14	8	12
Property Damage Crashes	11	16	13
Crash Fatalities	0	0	2
Crash Injuries	15	12	15
Drug Involved Crashes--Total	1	8	1
Fatal Crashes	0	0	0
Injury Crashes	1	4	0
Property Damage Crashes	0	4	1
Crash Fatalities	0	0	0
Crash Injuries	1	5	0

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	11,349	10,625	10,663
Employed	10,825	10,124	10,007
Unemployed	524	501	656
Unemployment Rate	4.6%	4.7%	6.2%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	742	751	764
Drop-outs	17	18	20
Drop-out Rate	2.3%	2.4%	2.6%
School Suspensions:			
Alcohol Incidents	2	1	0
Drug Incidents	7	2	8
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	115	140	126
Liquor Law Arrests	26	25	17
Drug Arrests	93	78	109
Methamphetamine Lab Incidents	1	1	1
Violent Offenses	28	18	50
Property Offenses	271	313	325
Domestic Violence Reports	78	90	81

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	57	74	166
Violent Offenses	19	15	31
Alcohol Offenses	3	10	8
Drug Offenses	8	7	6
Status Offenses--Total	55	38	40
Truancy	3	3	2
Beyond Parental Control	21	24	30
Habitually Absent from Home	10	6	4
Injurious Behavior	19	5	4
Abuse/Neglect/Custody--Total	82	95	90
Abuse	18	22	9
Neglect	59	71	80
Custody Disputes	5	2	1

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	6	19	32
Parental Alcohol Use Related	0	1	0
Parental Drug Use Related	2	2	8
Parental Alcohol and Drug Use	0	1	0
Child Removed for Other Reason	4	15	24

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	0	6	10
Probation/Parole Admissions--Total	166	143	134
Probation/Parole Admissions--Drug	72	43	40
Probation/Parole Admissions--DWI	8	8	9
Prison Admissions--Total	56	65	64
Prison Admissions--Drug	22	19	13
Prison Admissions--DWI	2	6	2

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	34	30	33
Alcohol Package Carry-out Licenses	22	21	21

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# PERRY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	21	17	14
CSTAR Adolescent	7	9	5
CSTAR Women and Children	9	11	*
CSTAR General Adult	86	36	25
CSTAR Opioid	0	*	0
Primary Recovery Treatment	7	43	48
Clinical SATOP (CIP, YCIP, SROP)	10	13	9
Other Substance Abuse Treatment	*	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	100	112	89
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	47	59	56
- Weekend Intervention Program	28	33	23
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	*
Compulsive Gambling	0	0	0
Recovery Supports	29	45	16
Early Intervention	*	*	*


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	113	129	99	Alcohol	36	58	43
AGE				Marijuana / Hashish	41	35	28
Under 18	8	9	6	Cocaine (total)	*	*	*
18 to 24	38	28	30	- Crack	*	*	*
25 to 29	21	23	21	Stimulant (total)	12	10	7
30 to 34	12	22	11	- Methamphetamine	11	10	7
35 to 39	11	14	8	Heroin	12	5	9
40 to 44	8	*	12	Analgesic except Heroin	6	12	6
45 to 54	15	25	8	- Non-Prescription Methadone	0	0	0
55 and Over	0	5	*	PCP, LSD, other Hallucinogen	0	*	0
GENDER				Tranquilizer	*	5	*
Male	72	89	73	Inhalant	*	0	*
Female	41	40	26	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	105	122	90	Average Age at First Use of Drug	16.9	17.5	16.5
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	21	11	10
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	*	*	0	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	5	*	6	- Less than Weekly Injection Use	14	5	5
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	38	50	40	0	59	75	49
High School Graduate or G.E.D.	59	53	48	1 or 2	42	34	26
Associate Degree or Some College	16	25	11	3 or More	12	20	24
Bachelor or Advanced Degree	0	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	8	25	15
Employed	46	44	26	School	0	0	0
Unemployed	39	49	47	Mental Health Provider	0	0	*
Not in Labor Force	28	36	26	Health Care Provider	8	9	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	80	90	70
Independent Living	91	109	86	Other Referral Source	15	5	8
Dependent Living	16	18	11	TREATMENT ACCOMMODATION			
Homeless	5	*	0	Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS				Military Veteran	*	6	5
Never Married	64	70	62	Special Education Services Needed	9	21	6
Married / Cohabiting	23	31	20	Co-Occurring Psychological Problem	51	62	45
Previously Married	26	28	17	Co-Occurring Developmental Problem	5	5	*



# PERRY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 21  
**CENSUS 2010** 18,971  
**2013 POPULATION ESTIMATE** 19,072

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	56	48	14
Anxiety Disorder	64	84	42
Dementia	0	0	0
Developmental Disorder	*	*	0
Impulse Control Disorder	100	140	56
Mood Disorder	260	353	204
Personality Disorder	9	8	7
Psychotic Disorder	20	28	22
Sexual Disorder	0	0	0
Other Diagnosis	14	23	12
Diagnosis Unknown	52	108	55

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	502	717	370	Less than High School Diploma	78	39	36
<b>AGE</b>				High School Grad or G.E.D.	0	37	45
Under 6	0	*	0	Associate Degree or Some College	0	5	7
6 to 9	28	58	23	Bachelor or Advanced Degree	0	*	0
10 to 13	48	76	34	Education Level Unknown	424	634	282
14 to 17	51	75	32	<b>EMPLOYMENT</b>			
18 to 24	62	82	30	Employed	10	8	10
25 to 29	52	60	38	Unemployed	8	69	74
30 to 34	44	75	38	Not in Labor Force	127	13	5
35 to 39	48	63	30	Employment Status Unknown	357	627	281
40 to 44	38	51	37	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	42	55	30	Independent Living	83	80	84
50 to 54	38	52	42	Dependent Living	58	46	58
55 to 59	23	28	17	Homeless	*	*	0
60 and Over	28	39	19	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	359	587	225
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	212	302	155	Self / Family / Friend	342	524	270
Female	290	415	215	School	8	9	*
Gender Unknown	0	0	0	Mental Health Provider	26	32	13
<b>RACE / ETHNICITY</b>				Health Care Provider	54	74	35
Caucasian	445	627	326	Court / Criminal Justice	20	15	6
African American	5	8	5	Other	52	63	43
Native American / Alaskan	*	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	36	63	27	Voluntary	501	716	370
Other Race	15	19	12	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	23	30	22	Commitment Type Unknown	0	0	0
Past or Current Military Service	7	9	8				



# PERRY COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	36.4	44.1	42.8	Alcohol (1 or 2 drinks daily)	63.8		
Cigarettes	20.4	27.8	28.4	Alcohol (Binge: 5+ drinks once or twice a week)	69.1		
Chewing Tobacco	13.9	17.7	17.0	Alcohol (any use)		62.4	79.1
Marijuana	9.3	12.7	9.8	Cigarettes (1+ packs per day)	85.2		
Inhalants	2.6	4.0	5.1	Cigarettes (any use)		75.6	76.5
Prescription medications not prescribed for student	7.8	5.4	9.4	Marijuana (once or twice a week)	71.7		
Over-the-counter medications for non-medical use	1.3	5.0	3.6	Marijuana (any use)		76.1	63.7
Methamphetamine	1.3	2.0	0.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	91.4	89.0	89.7
Cocaine	0.0	1.4	1.0	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.0	0.7	0.5	Were very sad	19.7	18.5	17.7
Hallucinogens	0.0	2.4	1.3	Were grouchy, irritable, or in a bad mood	23.6	24.7	26.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.3	2.4	0.3	Felt hopeless about the future	7.8	12.2	13.9
Steroids not prescribed for student	1.3	1.3	0.0	Felt like not eating or eating more than usual	14.6	19.9	16.0
Synthetic drugs (K2, bath salts, Spice, etc)	3.0	5.7		Slept a lot more or a lot less than usual	13.5	21.2	27.1
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	13.7	20.3	27.0
Alcohol	13.44	12.51	12.24	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	14.52	12.54	12.78	Seriously considered attempting suicide	9.4	12.4	10.9
Marijuana	13.94	13.78	13.60	Made plan about how they would attempt suicide	6.0	7.5	8.0
Inhalants	8.95	12.61	11.05	Attempted suicide	1.3	6.0	5.4
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	0.0	2.7	1.7
Alcohol	18.0	23.1	22.8	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occassion)		15.7	14.6	Were threatened/injured with weapon at school	1.7	6.0	7.6
Cigarettes	4.8	11.7	16.5	Were in a physical fight	10.7	16.9	18.0
Chewing Tobacco	6.1	8.7	8.3	Were in a fight and had to be treated by a doctor or nurse	3.4	3.7	3.2
Marijuana	4.4	7.3	3.3	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.3	2.0	2.0	Were victims of mean rumors or lies spread at school	47.6	53.5	55.5
Prescription medications not prescribed for student	4.4	3.3	5.0	Were made fun of by others	58.8	58.6	68.6
Over-the-counter medications for non-medical use	1.3	3.7	2.6	Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.0	20.9	16.5
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	30.6	30.4	36.0
Alcohol (Binge: 5+ drinks on one occassion)	6.7			Made fun of other people	55.8	53.2	70.6
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	16.3	14.6	14.2
Alcohol	39.3	54.9	59.2	<i>Percent of students who agree that:</i>			
Cigarettes	22.2	43.1	44.7	Teachers notice and comment on student's good work	68.7	63.5	70.7
Marijuana	21.9	34.2	30.0	School provides feedback to parents on positive student performance	46.4	34.2	37.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.0	12.0	15.2	Rules are enforced fairly	63.9	50.0	49.5
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	82.0	64.1	66.1
Alcohol	25.3	36.1	37.0	<i>Percent of students who agree that:</i>			
Cigarettes	6.8	14.3	14.0	Parents notice and comment on student's good work	80.9	76.1	84.3
Marijuana	7.5	11.0	7.0	Parents involve student in making family decisions	73.4	67.0	68.9
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	86.3	80.9	83.2
Alcohol	61.0	54.5	57.3	Student could ask parent for help with a personal problem	75.1	75.3	76.3
Cigarettes	88.6	79.7	78.1	<div>Page Notes: Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</div>			
Marijuana	84.3	84.6	87.4				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	92.2	94.9	96.1				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	75.9	71.6	72.3				
Cigarettes	90.4	88.9	90.5				
Marijuana	95.5	94.5	95.0	<div>Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys</div>			
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	52.6	57.2	59.0				
Cigarettes	43.3	50.8	55.6				
Marijuana	27.8	34.7	25.7				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.2	14.9	16.7				

# 



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	12
Adult Psychiatric	12
<b>POPULATION</b>	
Census 2010	42,201
2013 Estimate	42,205

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	20,844	19,869	20,006
Employed	19,580	18,486	18,337
Unemployed	1,264	1,383	1,669
Unemployment Rate	6.1%	7.0%	8.3%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	1,877	1,848	1,803
Drop-outs	10	15	22
Drop-out Rate	0.5%	0.8%	1.2%
School Suspensions:			
Alcohol Incidents	4	0	0
Drug Incidents	15	1	2
Tobacco Incidents	0	0	0

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	585	599	601
Mother Reported Smoking while Pregnant	130	145	132

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	1	3	0
Hepatitis B Chronic, Acute, Prenatal	1	6	4
Hepatitis C Chronic and Acute	1	23	22
Tuberculosis Infection Cases	1	4	20

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	401	441	401
Suicides	8	4	1
Self-inflicted Injuries	61	48	51
Homicides	1	3	2
Assault Injuries	166	174	140
Alcohol Induced Deaths	2	2	2
Drug Induced Deaths	4	7	4
Smoking Attributable Deaths	63	72	73

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	438	376
Alcohol Primary Diagnosis	2	43	42
Drug Primary Diagnosis	2	23	19
Alcohol Related Diagnosis		221	252
Drug Related Diagnosis		198	199

Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	91	70
Alcohol Primary Diagnosis	2	22	20
Drug Primary Diagnosis	2	13	16
Alcohol Related Diagnosis		60	53
Drug Related Diagnosis		56	55

Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	418	364
Alcohol Primary Diagnosis	2	74	69
Drug Primary Diagnosis	2	40	43
Alcohol Related Diagnosis		312	261
Drug Related Diagnosis		351	352

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	43	52	60
Fatal Crashes	1	2	2
Injury Crashes	20	16	27
Property Damage Crashes	22	34	31
Crash Fatalities	1	2	2
Crash Injuries	25	23	39
Drug Involved Crashes--Total	5	9	11
Fatal Crashes	0	2	1
Injury Crashes	2	3	5
Property Damage Crashes	3	4	5
Crash Fatalities	0	2	1
Crash Injuries	2	4	9

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	161	172	251
Liquor Law Arrests	44	66	51
Drug Arrests	313	266	252
Methamphetamine Lab Incidents	5	10	18
Violent Offenses	121	159	177
Property Offenses	1,986	1,905	1,601
Domestic Violence Reports	507	500	527

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	347	315	272
Violent Offenses	98	84	90
Alcohol Offenses	5	8	5
Drug Offenses	37	44	22
Status Offenses--Total	179	129	187
Truancy	18	17	10
Beyond Parental Control	31	43	51
Habitually Absent from Home	32	30	37
Injurious Behavior	96	37	83
Abuse/Neglect/Custody--Total	23	34	23
Abuse	0	7	4
Neglect	1	8	6
Custody Disputes	22	19	13

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	56	60	26
Parental Alcohol Use Related	0	8	0
Parental Drug Use Related	23	24	9
Parental Alcohol and Drug Use	1	4	0
Child Removed for Other Reason	32	24	17

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	17	18	22
Probation/Parole Admissions--Total	349	292	260
Probation/Parole Admissions--Drug	124	112	100
Probation/Parole Admissions--DWI	14	19	25
Prison Admissions--Total	212	223	212
Prison Admissions--Drug	81	92	88
Prison Admissions--DWI	18	8	16

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	53	53	53
Alcohol Package Carry-out Licenses	41	41	41

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# **PETTIS COUNTY**

## **DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS**

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Detoxification	20	18	22
CSTAR Adolescent	16	17	21
CSTAR Women and Children	8	5	8
CSTAR General Adult	153	183	156
CSTAR Opioid	0	0	0
Primary Recovery Treatment	7	17	73
Clinical SATOP (CIP, YCIP, SROP)	35	30	27
Other Substance Abuse Treatment	0	*	*


<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Offender Management Unit	140	149	151
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	40	51	44
- Weekend Intervention Program	34	40	56
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	7	20	12
Compulsive Gambling	0	*	5
Recovery Supports	191	169	117
Early Intervention	*	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	253	258	280	Alcohol	89	91	111
<b>AGE</b>				Marijuana / Hashish	75	76	80
Under 18	18	18	23	Cocaine (total)	7	11	15
18 to 24	48	48	57	- Crack	*	*	5
25 to 29	41	47	44	Stimulant (total)	61	63	58
30 to 34	35	40	41	- Methamphetamine	59	58	55
35 to 39	33	35	36	Heroin	*	0	*
40 to 44	20	18	30	Analgesic except Heroin	14	12	12
45 to 54	39	41	40	- Non-Prescription Methadone	0	0	0
55 and Over	19	11	9	PCP, LSD, other Hallucinogen	0	*	0
<b>GENDER</b>				Tranquilizer	*	*	*
Male	157	161	178	Inhalant	0	*	0
Female	96	97	102	Sedative	*	0	0
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	*	0	0
Caucasian	220	224	242	Average Age at First Use of Drug	17.5	17.0	17.2
African American	24	16	15	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	0	*	*	Any Injection Use at Admission	26	22	26
Asian / Pacific Islander	0	0	0	- Daily Injection Use	10	8	*
Hispanic	5	8	11	- Weekly Injection Use	5	*	5
Other Race / Two or More Races	5	9	13	- Less than Weekly Injection Use	11	11	18
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	64	93	98	0	153	151	157
High School Graduate or G.E.D.	129	112	108	1 or 2	69	79	83
Associate Degree or Some College	57	51	64	3 or More	31	28	40
Bachelor or Advanced Degree	*	*	10	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	111	145	79
Employed	41	46	79	School	0	0	0
Unemployed	71	74	110	Mental Health Provider	*	*	5
Not in Labor Force	141	138	91	Health Care Provider	6	*	7
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	103	83	167
Independent Living	202	198	246	Other Referral Source	28	23	22
Dependent Living	28	25	26	<b>TREATMENT ACCOMMODATION</b>			
Homeless	13	7	*	Pregnant when Admitted to any Episode	5	5	*
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	19	11	14
Never Married	137	133	133	Special Education Services Needed	9	11	12
Married / Cohabiting	54	68	80	Co-Occurring Psychological Problem	62	36	88
Previously Married	62	57	67	Co-Occurring Developmental Problem	*	0	*

# 

## 



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 12  
**CENSUS 2010** 42,201  
**2013 POPULATION ESTIMATE** 42,205

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2013	FY2012	FY2011
Adjustment Disorder	*	6	7
Anxiety Disorder	288	298	235
Dementia	0	*	*
Developmental Disorder	*	*	*
Impulse Control Disorder	63	68	60
Mood Disorder	347	363	316
Personality Disorder	53	52	42
Psychotic Disorder	73	75	77
Sexual Disorder	0	*	*
Other Diagnosis	22	22	19
Diagnosis Unknown	33	49	112

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2013	FY2012	FY2011	EDUCATION	FY2013	FY2012	FY2011
Total Individuals	478	518	526	Less than High School Diploma	125	105	89
<b>AGE</b>				High School Grad or G.E.D.	12	114	121
Under 6	0	0	*	Associate Degree or Some College	*	61	53
6 to 9	8	11	5	Bachelor or Advanced Degree	*	9	*
10 to 13	18	17	16	Education Level Unknown	337	229	260
14 to 17	36	27	24	<b>EMPLOYMENT</b>			
18 to 24	41	52	54	Employed	33	46	43
25 to 29	45	51	59	Unemployed	67	235	217
30 to 34	57	61	67	Not in Labor Force	271	50	10
35 to 39	47	63	59	Employment Status Unknown	107	187	256
40 to 44	59	66	71	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	70	69	66	Independent Living	310	280	230
50 to 54	44	48	49	Dependent Living	84	52	49
55 to 59	35	40	37	Homeless	10	6	*
60 and Over	18	13	18	Other	*	6	8
Age Unknown	0	0	0	Housing Unknown	73	174	236
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	189	218	213	Self / Family / Friend	248	310	339
Female	289	300	313	School	*	0	*
Gender Unknown	0	0	0	Mental Health Provider	75	71	86
<b>RACE / ETHNICITY</b>				Health Care Provider	73	70	37
Caucasian	432	467	468	Court / Criminal Justice	29	30	24
African American	30	32	30	Other	49	37	38
Native American / Alaskan	0	*	*	Referral Source Unknown	0	0	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	6	*	10	Voluntary	469	513	519
Other Race	10	13	17	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	7	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	*	*
Hearing Impaired	10	12	14	Commitment Type Unknown	0	0	*
Past or Current Military Service	13	13	10				

# **PETTIS COUNTY**

## **MISSOURI STUDENT SURVEY**


	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	36.1	39.6	41.8	Alcohol (1 or 2 drinks daily)	62.7		
Cigarettes	19.1	24.0	29.0	Alcohol (Binge: 5+ drinks once or twice a week)	71.0		
Chewing Tobacco	12.2	11.6	12.1	Alcohol (any use)		67.9	75.7
Marijuana	12.0	16.5	17.5	Cigarettes (1+ packs per day)	83.9		
Inhalants	5.1	6.5	6.9	Cigarettes (any use)		78.2	80.2
Prescription medications not prescribed for student	10.4	10.9	13.7	Marijuana (once or twice a week)	65.0		
Over-the-counter medications for non-medical use	4.7	6.9	8.8	Marijuana (any use)		71.3	70.8
Methamphetamine	0.8	1.6	0.7	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.2	93.5	92.9
Cocaine	1.8	2.6	3.7				
Heroin	0.6	0.7	0.7	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	2.0	2.6	3.0	Were very sad	17.1	19.4	17.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.6	2.8	3.3	Were grouchy, irritable, or in a bad mood	23.6	24.8	22.9
Steroids not prescribed for student	1.9	1.5	2.0	Felt hopeless about the future	11.8	12.6	11.3
Synthetic drugs (K2, bath salts, Spice, etc)	4.5	7.4		Felt like not eating or eating more than usual	18.0	16.3	16.6
				Slept a lot more or a lot less than usual	17.6	20.1	23.6
				Had difficulty concentrating on school work	24.4	21.1	21.0
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	13.18	12.49	12.87	Seriously considered attempting suicide	11.0	11.4	10.3
Cigarettes	12.96	12.64	12.53	Made plan about how they would attempt suicide	8.3	8.9	6.6
Marijuana	13.26	13.80	13.50	Attempted suicide	5.0	4.9	5.2
Inhalants	12.32	11.40	11.72	Attempted suicide and resulting injury, poisoning, or overdose	1.0	1.5	1.5
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	16.5	18.9	21.4	Were threatened/injured with weapon at school	6.0	6.2	9.4
Alcohol (Binge: 5+ drinks on one occasion)		11.5	13.0	Were in a physical fight	17.5	21.7	23.4
Cigarettes	9.6	11.7	15.7	Were in a fight and had to be treated by a doctor or nurse	2.3	3.3	3.9
Chewing Tobacco	5.8	7.2	7.5				
Marijuana	5.4	8.0	9.6	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.6	3.4	3.2	Were victims of mean rumors or lies spread at school	53.9	49.6	57.2
Prescription medications not prescribed for student	5.6	5.0	9.1	Were made fun of by others	60.0	61.1	66.0
Over-the-counter medications for non-medical use	3.1	3.0	5.4	Were victims of an embarrassing or hurtful text message or something posted on the Internet	26.7	21.8	19.3
				Spread mean rumors or lies about other kids at school	26.0	27.7	29.9
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	53.3	61.2	68.3
Alcohol (Binge: 5+ drinks on one occasion)	6.1			Posted something on the internet or sent a text that might embarrass or hurt another student	14.5	12.9	15.9
				<i>Percent of students who agree that:</i>			
<i>Percent whose friends used in past 12 months:</i>				Teachers notice and comment on student's good work	70.1	69.1	72.7
Alcohol	44.2	49.3	56.8	School provides feedback to parents on positive student performance	43.2	37.0	44.3
Cigarettes	33.3	40.8	46.4	Rules are enforced fairly	60.0	60.7	66.1
Marijuana	25.9	34.4	33.9	Students of all races/ethnicities are treated equal	78.8	74.6	80.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.2	15.8	18.5				
				<i>Percent of students who agree that:</i>			
<i>Percent who would likely use, if offered by a best friend:</i>				Parents notice and comment on student's good work	81.6	84.6	82.5
Alcohol	28.2	33.6	32.8	Parents involve student in making family decisions	69.5	66.4	70.6
Cigarettes	13.0	13.4	18.4	It is important to be honest with parents regardless of consequences	89.8	87.2	84.3
Marijuana	9.5	13.1	12.7	Student could ask parent for help with a personal problem	78.3	76.9	78.0
<i>Percent who say it would be wrong to use:</i>							
Alcohol	64.5	58.9	59.1				
Cigarettes	83.9	81.1	79.3				
Marijuana	85.0	80.6	82.5				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.9	95.5	94.6				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	80.7	80.2	78.4				
Cigarettes	94.0	91.9	88.9				
Marijuana	95.9	93.2	94.2				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	48.7	52.7	53.7				
Cigarettes	45.0	49.9	54.1				
Marijuana	30.3	35.5	37.5				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.5	15.8	20.1				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys



# PHELPS COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	17
Adult Psychiatric	17A
<b>POPULATION</b>	
Census 2010	45,156
2013 Estimate	44,807

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	533	573	551
Mother Reported Smoking while Pregnant	102	118	116
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	1
Hepatitis B Chronic, Acute, Prenatal	1 5	5	4
Hepatitis C Chronic and Acute	1 75	31	46
Tuberculosis Infection Cases	1 42	81	34
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	433	420	414
Suicides	3	9	7
Self-inflicted Injuries	67	55	85
Homicides	2	2	2
Assault Injuries	186	210	227
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	11	16	12
Smoking Attributable Deaths	82	74	64
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 294	304	
Alcohol Primary Diagnosis	2 8	19	
Drug Primary Diagnosis	2 84	46	
Alcohol Related Diagnosis	82	89	107
Drug Related Diagnosis	200	127	157
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 247	218	
Alcohol Primary Diagnosis	2 52	33	
Drug Primary Diagnosis	2 28	27	
Alcohol Related Diagnosis	183	157	135
Drug Related Diagnosis	199	187	151
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 520	454	
Alcohol Primary Diagnosis	2 124	131	
Drug Primary Diagnosis	2 91	118	
Alcohol Related Diagnosis	233	246	213
Drug Related Diagnosis	201	224	229
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	66	60	49
Fatal Crashes	6	2	1
Injury Crashes	28	25	21
Property Damage Crashes	32	33	27
Crash Fatalities	6	2	1
Crash Injuries	36	31	29
Drug Involved Crashes--Total	19	18	23
Fatal Crashes	0	0	0
Injury Crashes	9	9	8
Property Damage Crashes	10	9	15
Crash Fatalities	0	0	0
Crash Injuries	12	9	10

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	22,257	21,427	21,854
Employed	20,941	20,058	20,175
Unemployed	1,316	1,369	1,679
Unemployment Rate	5.9%	6.4%	7.7%
<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	1,936	1,925	2,033
Drop-outs	50	77	67
Drop-out Rate	2.6%	4.0%	3.3%
School Suspensions:			
Alcohol Incidents	3	5	8
Drug Incidents	10	1	15
Tobacco Incidents	1	0	0
<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	279	314	320
Liquor Law Arrests	32	76	45
Drug Arrests	198	284	244
Methamphetamine Lab Incidents	48	39	35
Violent Offenses	119	139	171
Property Offenses	1,417	1,433	1,543
Domestic Violence Reports	119	149	162
<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	146	276	236
Violent Offenses	67	132	107
Alcohol Offenses	0	1	7
Drug Offenses	6	24	17
Status Offenses--Total	113	265	357
Truancy	58	118	203
Beyond Parental Control	25	34	31
Habitually Absent from Home	7	29	12
Injurious Behavior	23	84	111
Abuse/Neglect/Custody--Total	650	639	600
Abuse	218	272	234
Neglect	423	355	355
Custody Disputes	9	12	11
<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	45	48	60
Parental Alcohol Use Related	0	1	0
Parental Drug Use Related	10	13	7
Parental Alcohol and Drug Use	2	4	5
Child Removed for Other Reason	33	30	48
<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	29	34	24
Probation/Parole Admissions--Total	504	379	262
Probation/Parole Admissions--Drug	207	168	87
Probation/Parole Admissions--DWI	24	15	10
Prison Admissions--Total	209	174	116
Prison Admissions--Drug	67	68	41
Prison Admissions--DWI	8	7	0
<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	51	51	50
Alcohol Package Carry-out Licenses	39	39	41

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.  
 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# PHELPS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Detoxification	34	38	47
CSTAR Adolescent	17	24	27
CSTAR Women and Children	17	14	11
CSTAR General Adult	188	122	132
CSTAR Opioid	*	0	*
Primary Recovery Treatment	86	177	265
Clinical SATOP (CIP, YCIP, SROP)	47	42	29
Other Substance Abuse Treatment	0	*	0


<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Offender Management Unit	175	220	201
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	64	86	90
- Weekend Intervention Program	35	42	65
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	*	7	5
Compulsive Gambling	0	*	0
Recovery Supports	*	*	*
Early Intervention	*	12	7

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	319	376	437	Alcohol	121	141	121
<b>AGE</b>				Marijuana / Hashish	60	78	143
Under 18	16	27	30	Cocaine (total)	*	5	5
18 to 24	54	69	107	- Crack	0	*	*
25 to 29	70	72	89	Stimulant (total)	44	37	52
30 to 34	70	65	69	- Methamphetamine	43	37	51
35 to 39	26	35	32	Heroin	21	28	31
40 to 44	24	33	41	Analgesic except Heroin	60	70	78
45 to 54	49	60	60	- Non-Prescription Methadone	0	*	*
55 and Over	10	15	9	PCP, LSD, other Hallucinogen	0	*	0
<b>GENDER</b>				Tranquilizer	8	12	6
Male	198	239	282	Inhalant	0	0	0
Female	121	137	155	Sedative	*	*	0
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	*	*	*
Caucasian	304	353	395	Average Age at First Use of Drug	18.4	18.4	17.7
African American	8	12	21	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	*	5	*	Any Injection Use at Admission	44	36	59
Asian / Pacific Islander	0	0	*	- Daily Injection Use	15	10	13
Hispanic	*	7	8	- Weekly Injection Use	12	9	20
Other Race / Two or More Races	5	5	9	- Less than Weekly Injection Use	17	17	26
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	117	106	183	0	164	213	277
High School Graduate or G.E.D.	131	188	176	1 or 2	109	105	108
Associate Degree or Some College	69	79	69	3 or More	46	58	52
Bachelor or Advanced Degree	*	*	9	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	107	96	82
Employed	82	93	121	School	*	0	0
Unemployed	120	170	164	Mental Health Provider	5	*	*
Not in Labor Force	117	113	152	Health Care Provider	12	25	21
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	145	222	302
Independent Living	285	332	377	Other Referral Source	46	30	30
Dependent Living	28	31	48	<b>TREATMENT ACCOMMODATION</b>			
Homeless	5	8	12	Pregnant when Admitted to any Episode	*	6	*
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	13	19	21
Never Married	165	168	233	Special Education Services Needed	35	52	71
Married / Cohabiting	81	105	118	Co-Occurring Psychological Problem	129	148	142
Previously Married	73	103	86	Co-Occurring Developmental Problem	17	20	22

# PHELPS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 17A  
**CENSUS 2010** 45,156  
**2013 POPULATION ESTIMATE** 44,807

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	7	6	*
Anxiety Disorder	315	268	205
Dementia	0	*	*
Developmental Disorder	*	6	*
Impulse Control Disorder	68	66	36
Mood Disorder	378	335	272
Personality Disorder	29	36	35
Psychotic Disorder	65	73	64
Sexual Disorder	0	0	*
Other Diagnosis	26	24	15
Diagnosis Unknown	26	28	68

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	534	498	435	Less than High School Diploma	184	110	48
<b>AGE</b>				High School Grad or G.E.D.	51	153	82
Under 6	*	0	*	Associate Degree or Some College	14	48	32
6 to 9	31	26	16	Bachelor or Advanced Degree	*	8	*
10 to 13	33	29	19	Education Level Unknown	281	179	269
14 to 17	41	45	38	<b>EMPLOYMENT</b>			
18 to 24	47	47	53	Employed	23	38	19
25 to 29	63	51	47	Unemployed	124	265	142
30 to 34	51	44	41	Not in Labor Force	263	23	6
35 to 39	36	36	30	Employment Status Unknown	124	172	268
40 to 44	55	53	36	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	46	55	56	Independent Living	272	267	142
50 to 54	55	44	38	Dependent Living	132	80	69
55 to 59	37	35	31	Homeless	13	5	*
60 and Over	37	33	28	Other	0	*	6
Age Unknown	0	0	0	Housing Unknown	117	145	217
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	217	212	185	Self / Family / Friend	353	289	241
Female	317	286	250	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	7	5	7
<b>RACE / ETHNICITY</b>				Health Care Provider	53	63	46
Caucasian	507	461	402	Court / Criminal Justice	17	19	20
African American	15	24	22	Other	102	120	119
Native American / Alaskan	*	*	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	5	Voluntary	532	493	425
Other Race	7	8	6	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	5	6
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	17	12	16	Commitment Type Unknown	0	0	0
Past or Current Military Service	9	8	7				

# PHELPS COUNTY


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	41.7	41.0	41.4	Alcohol (1 or 2 drinks daily)	52.9		
Cigarettes	26.6	24.6	22.8	Alcohol (Binge: 5+ drinks once or twice a week)	66.5		
Chewing Tobacco	13.8	16.8	21.2	Alcohol (any use)		69.4	74.8
Marijuana	19.4	15.7	18.9	Cigarettes (1+ packs per day)	88.8		
Inhalants	3.9	4.5	10.4	Cigarettes (any use)		81.9	77.8
Prescription medications not prescribed for student	14.1	8.7	15.2	Marijuana (once or twice a week)	60.1		
Over-the-counter medications for non-medical use	4.3	5.9	10.3	Marijuana (any use)		75.7	72.7
Methamphetamine	0.2	1.0	1.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.3	94.9	93.9
Cocaine	1.5	1.7	2.0				
Heroin	0.2	0.9	1.4	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	3.4	2.5	3.3	Were very sad	20.6	17.0	29.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	3.8	1.9	1.6	Were grouchy, irritable, or in a bad mood	23.2	21.8	34.0
Steroids not prescribed for student	0.9	1.9	1.8	Felt hopeless about the future	13.0	10.9	19.4
Synthetic drugs (K2, bath salts, Spice, etc)	3.4	6.1		Felt like not eating or eating more than usual	20.1	17.3	30.0
				Slept a lot more or a lot less than usual	20.8	20.8	31.5
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	25.1	23.7	32.8
Alcohol	13.50	12.88	11.76				
Cigarettes	13.72	12.55	11.27	<i>Percent of students who, in past 12 months:</i>			
Marijuana	14.31	13.87	12.98	Seriously considered attempting suicide	16.1	11.3	14.4
Inhalants	12.06	12.58	11.17	Made plan about how they would attempt suicide	11.5	8.3	9.2
				Attempted suicide	5.2	3.9	5.4
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose	1.8	2.0	1.4
Alcohol	17.5	20.5	21.6	had to be treated by doctor or nurse			
Alcohol (Binge: 5+ drinks on one occasion)		12.3	15.6				
Cigarettes	12.1	12.3	13.4	<i>Percent of students who, in past 12 months:</i>			
Chewing Tobacco	6.5	9.8	12.5	Were threatened/injured with weapon at school	5.1	5.8	10.4
Marijuana	13.9	8.5	11.0	Were in a physical fight	11.8	19.4	19.8
Inhalants	2.4	2.1	5.6	Were in a fight and had to be treated by a doctor or nurse	2.2	3.6	1.8
Prescription medications not prescribed for student	8.0	5.4	7.6				
Over-the-counter medications for non-medical use	2.9	4.1	7.9	<i>Percent of students who, in past 3 months:</i>			
				Were victims of mean rumors or lies spread at school	50.7	48.1	58.6
<i>Percent of students who, in past 2 weeks, used:</i>				Were made fun of by others	62.4	59.1	68.4
Alcohol (Binge: 5+ drinks on one occasion)	7.3			Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.5	20.8	19.9
				Spread mean rumors or lies about other kids at school	19.9	28.4	32.7
<i>Percent whose friends used in past 12 months:</i>				Made fun of other people	55.6	63.2	73.9
Alcohol	48.2	54.5	58.5	Posted something on the internet or sent a text that might embarrass or hurt another student	14.5	13.9	12.9
Cigarettes	42.7	42.9	43.9				
Marijuana	45.7	34.2	39.4	<i>Percent of students who agree that:</i>			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	22.2	14.1	21.9	Teachers notice and comment on student's good work	69.6	71.4	71.5
				School provides feedback to parents on positive student performance	49.8	48.7	55.8
<i>Percent who would likely use, if offered by a best friend:</i>				Rules are enforced fairly	65.5	62.3	61.3
Alcohol	32.5	32.2	34.3	Students of all races/ethnicities are treated equal	79.9	78.7	74.9
Cigarettes	15.2	13.8	16.8				
Marijuana	20.9	13.2	18.8	<i>Percent of students who agree that:</i>			
				Parents notice and comment on student's good work	80.4	84.5	88.0
<i>Percent who say it would be wrong to use:</i>				Parents involve student in making family decisions	68.5	71.1	73.2
Alcohol	55.7	58.6	62.3	It is important to be honest with parents regardless of consequences	87.5	88.4	79.2
Cigarettes	80.8	80.7	82.1	Student could ask parent for help with a personal problem	74.9	75.2	78.9
Marijuana	71.6	80.7	79.6				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.7	95.7	93.9				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	73.5	78.4	76.6				
Cigarettes	89.8	91.4	95.1				
Marijuana	88.5	93.9	97.2				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	52.5	56.7	60.1				
Cigarettes	53.1	51.1	54.1				
Marijuana	40.9	32.7	38.8				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	21.8	17.0	25.7				

Page Notes:  
Similar affirmative response choices for individual questions are combined.  
Blank data cells indicate estimates are not available for item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Estimates are not available for counties with small numbers of respondents.  
Percentages are estimates based on weighted data.  
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# PIKE COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	15
Adult Psychiatric	15
<b>POPULATION</b>	
Census 2010	18,516
2013 Estimate	18,669

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	236	219	221
Mother Reported Smoking while Pregnant	53	59	56
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	2	0
Hepatitis C Chronic and Acute	1	12	15
Tuberculosis Infection Cases	1	2	0
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	187	178	179
Suicides	3	4	3
Self-inflicted Injuries	47	51	48
Homicides	0	0	0
Assault Injuries	54	56	54
Alcohol Induced Deaths	0	1	0
Drug Induced Deaths	0	0	0
Smoking Attributable Deaths	40	30	39
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	90	127
Alcohol Primary Diagnosis	2	14	6
Drug Primary Diagnosis	2	6	8
Alcohol Related Diagnosis	58	76	58
Drug Related Diagnosis	38	48	47
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	54	48
Alcohol Primary Diagnosis	2	4	4
Drug Primary Diagnosis	2	7	2
Alcohol Related Diagnosis	38	24	31
Drug Related Diagnosis	39	27	25
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	148	132
Alcohol Primary Diagnosis	2	30	20
Drug Primary Diagnosis	2	23	22
Alcohol Related Diagnosis	74	79	88
Drug Related Diagnosis	62	67	62
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	18	10	11
Fatal Crashes	2	0	2
Injury Crashes	10	7	3
Property Damage Crashes	6	3	6
Crash Fatalities	2	0	2
Crash Injuries	11	9	3
Drug Involved Crashes--Total	6	7	4
Fatal Crashes	2	0	2
Injury Crashes	2	3	2
Property Damage Crashes	2	4	0
Crash Fatalities	2	0	2
Crash Injuries	2	3	3

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	9,172	8,862	9,023
Employed	8,629	8,272	8,291
Unemployed	543	590	732
Unemployment Rate	5.9%	6.7%	8.1%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	794	760	842
Drop-outs	19	20	31
Drop-out Rate	2.4%	2.6%	3.7%
School Suspensions:			
Alcohol Incidents	2	0	0
Drug Incidents	4	3	11
Tobacco Incidents	0	1	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	63	79	112
Liquor Law Arrests	6	17	35
Drug Arrests	40	48	77
Methamphetamine Lab Incidents	1	0	0
Violent Offenses	15	45	45
Property Offenses	314	207	255
Domestic Violence Reports	94	138	138

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	118	72	82
Violent Offenses	27	24	33
Alcohol Offenses	6	3	6
Drug Offenses	5	6	6
Status Offenses--Total	35	48	47
Truancy	18	31	19
Beyond Parental Control	8	7	6
Habitually Absent from Home	1	2	10
Injurious Behavior	8	8	11
Abuse/Neglect/Custody--Total	42	77	50
Abuse	2	11	3
Neglect	33	64	45
Custody Disputes	7	2	2

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	27	34	17
Parental Alcohol Use Related	0	1	0
Parental Drug Use Related	4	11	3
Parental Alcohol and Drug Use	1	6	0
Child Removed for Other Reason	22	16	14

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	1	0	0
Probation/Parole Admissions--Total	185	149	150
Probation/Parole Admissions--Drug	53	51	53
Probation/Parole Admissions--DWI	9	5	6
Prison Admissions--Total	91	79	90
Prison Admissions--Drug	22	23	28
Prison Admissions--DWI	3	2	1

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	25	30	25
Alcohol Package Carry-out Licenses	22	25	22

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# PIKE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	10	19	22
CSTAR Adolescent	7	10	10
CSTAR Women and Children	14	12	26
CSTAR General Adult	7	16	17
CSTAR Opioid	*	0	*
Primary Recovery Treatment	86	120	53
Clinical SATOP (CIP, YCIP, SROP)	14	12	17
Other Substance Abuse Treatment	0	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	66	70	78
- Adolescent Diversion Education Program	*	*	6
- Offender Education Program	13	22	29
- Weekend Intervention Program	17	16	17
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	7	*	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	*
Early Intervention	5	11	7


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	112	164	115	Alcohol	53	77	51
AGE				Marijuana / Hashish	38	53	34
Under 18	7	11	7	Cocaine (total)	*	8	*
18 to 24	24	32	26	- Crack	0	*	*
25 to 29	23	36	26	Stimulant (total)	5	*	5
30 to 34	19	21	18	- Methamphetamine	5	*	5
35 to 39	10	8	7	Heroin	8	12	16
40 to 44	5	17	9	Analgesic except Heroin	*	7	*
45 to 54	18	30	19	- Non-Prescription Methadone	0	0	0
55 and Over	6	9	*	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	0	0	0
Male	79	116	72	Inhalant	*	0	0
Female	33	48	43	Sedative	0	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	0
Caucasian	97	134	102	Average Age at First Use of Drug	16.2	16.7	16.6
African American	9	24	8	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	9	11	19
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	8
Hispanic	0	*	0	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	6	6	5	- Less than Weekly Injection Use	7	7	7
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	33	48	48	0	74	83	55
High School Graduate or G.E.D.	69	93	45	1 or 2	27	53	41
Associate Degree or Some College	8	22	20	3 or More	11	28	19
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	6	17	23
Employed	37	53	29	School	0	0	*
Unemployed	50	74	62	Mental Health Provider	0	*	0
Not in Labor Force	25	37	24	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	82	127	77
Independent Living	95	139	103	Other Referral Source	11	14	12
Dependent Living	15	20	10	TREATMENT ACCOMMODATION			
Homeless	0	*	0	Pregnant when Admitted to any Episode	0	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	6	*
Never Married	60	97	63	Special Education Services Needed	*	16	21
Married / Cohabiting	36	43	29	Co-Occurring Psychological Problem	25	42	40
Previously Married	16	24	23	Co-Occurring Developmental Problem	9	11	9



# PIKE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 15  
**CENSUS 2010** 18,516  
**2013 POPULATION ESTIMATE** 18,669

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	7	7	7
Anxiety Disorder	58	61	42
Dementia	*	0	0
Developmental Disorder	10	10	7
Impulse Control Disorder	65	56	32
Mood Disorder	139	125	92
Personality Disorder	11	21	13
Psychotic Disorder	33	32	24
Sexual Disorder	*	0	0
Other Diagnosis	17	16	13
Diagnosis Unknown	7	9	46

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	196	182	169	Less than High School Diploma	66	25	25
<b>AGE</b>				High School Grad or G.E.D.	*	31	37
Under 6	*	*	0	Associate Degree or Some College	*	14	15
6 to 9	12	11	10	Bachelor or Advanced Degree	0	*	0
10 to 13	14	14	11	Education Level Unknown	128	111	92
14 to 17	14	17	20	<b>EMPLOYMENT</b>			
18 to 24	29	23	13	Employed	22	7	12
25 to 29	16	16	11	Unemployed	14	58	61
30 to 34	12	15	25	Not in Labor Force	119	18	*
35 to 39	12	8	8	Employment Status Unknown	41	99	92
40 to 44	21	16	17	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	19	17	16	Independent Living	89	64	60
50 to 54	20	17	21	Dependent Living	54	30	32
55 to 59	13	14	7	Homeless	0	0	*
60 and Over	13	10	10	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	53	88	75
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	106	88	78	Self / Family / Friend	103	105	101
Female	90	94	91	School	7	7	6
Gender Unknown	0	0	0	Mental Health Provider	14	11	13
<b>RACE / ETHNICITY</b>				Health Care Provider	23	17	10
Caucasian	181	169	156	Court / Criminal Justice	5	*	*
African American	11	9	9	Other	44	39	36
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	194	182	168
Other Race	*	*	*	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	0	0
Hearing Impaired	5	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	8	9	8				



# PIKE COUNTY


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	45.9	50.0	56.0	Alcohol (1 or 2 drinks daily)	52.3		
Cigarettes	28.4	24.0	31.9	Alcohol (Binge: 5+ drinks once or twice a week)	60.7		
Chewing Tobacco	10.5	17.8	19.7	Alcohol (any use)		62.7	75.5
Marijuana	18.1	14.5	13.8	Cigarettes (1+ packs per day)	74.3		
Inhalants	2.8	8.4	4.7	Cigarettes (any use)		71.1	78.8
Prescription medications not prescribed for student	7.8	9.1	10.5	Marijuana (once or twice a week)	54.6		
Over-the-counter medications for non-medical use	3.8	8.0	8.6	Marijuana (any use)		70.4	67.2
Methamphetamine	1.9	3.0	1.1	Other: Cocaine, LSD, Meth, Club Drug (any use)	89.4	88.6	93.1
Cocaine	1.8	2.6	1.1				
Heroin	0.9	2.2	0.3	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	1.8	3.3	2.8	Were very sad	18.7	18.6	9.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.9	3.3	1.7	Were grouchy, irritable, or in a bad mood	25.3	23.7	17.9
Steroids not prescribed for student	2.3	3.7	1.7	Felt hopeless about the future	6.9	11.0	8.0
Synthetic drugs (K2, bath salts, Spice, etc)	2.8	8.8		Felt like not eating or eating more than usual	13.2	15.0	12.4
				Slept a lot more or a lot less than usual	21.0	15.3	19.7
				Had difficulty concentrating on school work	23.1	22.0	25.6
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	12.83	12.12	12.52	Seriously considered attempting suicide	5.1	10.2	11.0
Cigarettes	13.87	12.00	12.64	Made plan about how they would attempt suicide	3.8	8.4	6.6
Marijuana	14.54	13.07	14.13	Attempted suicide	2.8	6.2	5.5
Inhalants	12.37	11.09	11.06	Attempted suicide and resulting injury, poisoning, or overdose	0.9	2.2	2.3
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	16.4	24.8	31.1	Were threatened/injured with weapon at school	4.6	11.0	10.2
Alcohol (Binge: 5+ drinks on one occasion)		17.5	22.0	Were in a physical fight	24.8	27.4	24.9
Cigarettes	11.9	14.0	15.2	Were in a fight and had to be treated by a doctor or nurse	0.9	5.1	2.5
Chewing Tobacco	5.0	9.1	11.4				
Marijuana	6.5	8.0	6.3	<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.9	2.9	1.7	Were victims of mean rumors or lies spread at school	49.1	50.9	53.2
Prescription medications not prescribed for student	3.7	7.7	6.4	Were made fun of by others	57.1	59.6	67.1
Over-the-counter medications for non-medical use	1.9	5.1	6.4	Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.8	25.3	19.6
				Spread mean rumors or lies about other kids at school	18.5	30.9	30.3
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	50.5	64.6	72.3
Alcohol (Binge: 5+ drinks on one occasion)	7.9			Posted something on the internet or sent a text that might embarrass or hurt another student	19.1	13.9	17.8
				<i>Percent of students who agree that:</i>			
<i>Percent whose friends used in past 12 months:</i>				Teachers notice and comment on student's good work	64.8	62.4	73.4
Alcohol	46.8	59.5	66.8	School provides feedback to parents on positive student performance	29.6	33.6	29.0
Cigarettes	45.2	47.3	50.4	Rules are enforced fairly	67.3	55.7	63.3
Marijuana	36.7	27.0	32.5	Students of all races/ethnicities are treated equal	83.0	73.6	78.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.7	10.9	14.9				
				<i>Percent of students who agree that:</i>			
<i>Percent who would likely use, if offered by a best friend:</i>				Parents notice and comment on student's good work	75.9	83.6	78.6
Alcohol	35.8	36.5	47.5	Parents involve student in making family decisions	69.4	71.7	67.6
Cigarettes	12.3	15.3	14.8	It is important to be honest with parents regardless of consequences	90.8	84.1	82.6
Marijuana	11.0	9.5	8.3	Student could ask parent for help with a personal problem	79.8	76.4	75.1
<i>Percent who say it would be wrong to use:</i>							
Alcohol	51.4	52.9	43.4				
Cigarettes	77.9	75.2	73.8				
Marijuana	76.6	84.7	85.3				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.0	92.6	94.8				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	74.5	73.8	64.2				
Cigarettes	97.2	90.4	87.2				
Marijuana	93.1	94.1	94.1				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	50.9	57.5	69.3				
Cigarettes	49.5	52.6	64.9				
Marijuana	25.9	29.7	35.6				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.0	18.8	16.5				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# PLATTE COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	6
Adult Psychiatric	6
<b>POPULATION</b>	
Census 2010	89,322
2013 Estimate	93,310

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	51,142	50,773	50,849
Employed	48,145	47,913	47,191
Unemployed	2,997	2,860	3,658
Unemployment Rate	5.9%	5.6%	7.2%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	4,647	4,748	4,690
Drop-outs	84	94	76
Drop-out Rate	1.8%	2.0%	1.6%
School Suspensions:			
Alcohol Incidents	8	8	13
Drug Incidents	44	40	35
Tobacco Incidents	0	0	0

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	1,136	1,158	1,157
Mother Reported Smoking while Pregnant	130	131	128

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	6	8	5
Hepatitis B Chronic, Acute, Prenatal	1	3	2
Hepatitis C Chronic and Acute	1	17	18
Tuberculosis Infection Cases	1	13	9

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	607	573	575
Suicides	6	14	9
Self-inflicted Injuries	128	124	113
Homicides	2	4	4
Assault Injuries	231	234	185
Alcohol Induced Deaths	10	4	3
Drug Induced Deaths	14	7	11
Smoking Attributable Deaths	88	107	101

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	548	590
Alcohol Primary Diagnosis	2	70	54
Drug Primary Diagnosis	2	31	29
Alcohol Related Diagnosis	208	248	259
Drug Related Diagnosis	219	203	259
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	135	113
Alcohol Primary Diagnosis	2	32	45
Drug Primary Diagnosis	2	25	25
Alcohol Related Diagnosis	205	241	186
Drug Related Diagnosis	158	155	134
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	722	680
Alcohol Primary Diagnosis	2	171	186
Drug Primary Diagnosis	2	112	99
Alcohol Related Diagnosis	368	397	341
Drug Related Diagnosis	318	262	221

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	91	73	83
Fatal Crashes	3	1	6
Injury Crashes	28	24	27
Property Damage Crashes	60	48	50
Crash Fatalities	3	1	6
Crash Injuries	40	34	35
Drug Involved Crashes--Total	11	14	14
Fatal Crashes	1	1	2
Injury Crashes	6	6	1
Property Damage Crashes	4	7	11
Crash Fatalities	1	1	2
Crash Injuries	9	7	2

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	479	483	412
Liquor Law Arrests	146	121	145
Drug Arrests	298	287	349
Methamphetamine Lab Incidents	5	1	2
Violent Offenses	94	93	68
Property Offenses	886	846	1,023
Domestic Violence Reports	206	218	150

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	253	223	208
Violent Offenses	56	48	48
Alcohol Offenses	6	15	6
Drug Offenses	38	25	19
Status Offenses--Total	55	47	36
Truancy	31	16	11
Beyond Parental Control	14	20	17
Habitually Absent from Home	1	4	0
Injurious Behavior	9	7	8
Abuse/Neglect/Custody--Total	19	17	16
Abuse	5	7	6
Neglect	14	9	8
Custody Disputes	0	1	2

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	17	13	14
Parental Alcohol Use Related	2	1	0
Parental Drug Use Related	4	3	2
Parental Alcohol and Drug Use	1	1	0
Child Removed for Other Reason	10	8	12

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	50	38	13
Probation/Parole Admissions--Total	380	326	297
Probation/Parole Admissions--Drug	89	81	61
Probation/Parole Admissions--DWI	25	42	47
Prison Admissions--Total	174	145	147
Prison Admissions--Drug	30	23	22
Prison Admissions--DWI	19	19	10

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	129	129	131
Alcohol Package Carry-out Licenses	57	56	59

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# PLATTE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	21	19	34
CSTAR Adolescent	*	8	14
CSTAR Women and Children	11	9	17
CSTAR General Adult	188	222	167
CSTAR Opioid	*	*	*
Primary Recovery Treatment	10	6	28
Clinical SATOP (CIP, YCIP, SROP)	71	82	49
Other Substance Abuse Treatment	0	*	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	284	367	305
- Adolescent Diversion Education Program	5	*	*
- Offender Education Program	105	161	122
- Weekend Intervention Program	73	106	85
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	5	*	7
Compulsive Gambling	0	*	12
Recovery Supports	10	9	*
Early Intervention	6	5	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	302	332	283	Alcohol	138	171	151
AGE				Marijuana / Hashish	86	79	54
Under 18	10	7	12	Cocaine (total)	8	13	16
18 to 24	87	78	56	- Crack	5	8	10
25 to 29	48	65	44	Stimulant (total)	38	38	34
30 to 34	43	51	42	- Methamphetamine	38	38	31
35 to 39	31	30	33	Heroin	7	*	6
40 to 44	30	36	35	Analgesic except Heroin	15	21	16
45 to 54	44	49	51	- Non-Prescription Methadone	0	0	0
55 and Over	9	16	10	PCP, LSD, other Hallucinogen	*	*	*
GENDER				Tranquilizer	*	*	*
Male	211	231	175	Inhalant	0	*	0
Female	90	101	108	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	0
Caucasian	255	288	244	Average Age at First Use of Drug	17.1	18.0	17.8
African American	24	19	20	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	23	20	18
Asian / Pacific Islander	*	*	0	- Daily Injection Use	5	5	5
Hispanic	18	19	16	- Weekly Injection Use	*	5	6
Other Race / Two or More Races	10	7	7	- Less than Weekly Injection Use	14	10	7
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	75	59	58	0	148	144	122
High School Graduate or G.E.D.	133	153	135	1 or 2	92	123	99
Associate Degree or Some College	91	108	75	3 or More	62	65	62
Bachelor or Advanced Degree	*	12	15	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	60	57	71
Employed	143	164	92	School	*	0	0
Unemployed	97	108	123	Mental Health Provider	25	38	37
Not in Labor Force	62	60	68	Health Care Provider	13	9	10
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	115	188	145
Independent Living	268	300	244	Other Referral Source	28	27	20
Dependent Living	14	12	21	TREATMENT ACCOMMODATION			
Homeless	8	10	11	Pregnant when Admitted to any Episode	*	7	5
MARITAL / FAMILY STATUS				Military Veteran	8	17	19
Never Married	200	192	161	Special Education Services Needed	11	7	5
Married / Cohabiting	49	68	52	Co-Occurring Psychological Problem	93	113	114
Previously Married	53	72	70	Co-Occurring Developmental Problem	*	0	5

# PLATTE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 6  
**CENSUS 2010** 89,322  
**2013 POPULATION ESTIMATE** 93,310

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	10	8	*
Anxiety Disorder	146	156	81
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	94	74	48
Mood Disorder	458	460	256
Personality Disorder	10	6	*
Psychotic Disorder	84	90	67
Sexual Disorder	*	*	*
Other Diagnosis	10	10	8
Diagnosis Unknown	77	97	261

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	726	740	641	Less than High School Diploma	107	32	16
<b>AGE</b>				High School Grad or G.E.D.	0	25	43
Under 6	5	*	*	Associate Degree or Some College	0	9	9
6 to 9	34	20	20	Bachelor or Advanced Degree	0	5	*
10 to 13	36	35	29	Education Level Unknown	619	669	569
14 to 17	70	66	44	<b>EMPLOYMENT</b>			
18 to 24	58	73	66	Employed	51	26	12
25 to 29	70	67	78	Unemployed	49	51	60
30 to 34	86	91	63	Not in Labor Force	214	36	*
35 to 39	67	75	64	Employment Status Unknown	412	627	568
40 to 44	63	80	65	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	69	72	70	Independent Living	210	63	50
50 to 54	75	70	53	Dependent Living	97	55	50
55 to 59	56	53	44	Homeless	12	*	*
60 and Over	37	37	42	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	407	616	539
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	305	304	243	Self / Family / Friend	666	679	559
Female	421	436	398	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	17	18	18
<b>RACE / ETHNICITY</b>				Health Care Provider	18	19	21
Caucasian	609	638	553	Court / Criminal Justice	5	*	*
African American	56	55	44	Other	14	15	24
Native American / Alaskan	*	*	*	Referral Source Unknown	5	5	14
Asian / Pacific Islander	6	6	5	<b>TYPE OF COMMITMENT</b>			
Hispanic	25	16	16	Voluntary	717	732	623
Other Race	28	22	20	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	16	15	9	Commitment Type Unknown	5	5	15
Past or Current Military Service	9	11	6				

# PLATTE COUNTY

## MISSOURI STUDENT SURVEY


	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	29.9	37.1	37.7	Alcohol (1 or 2 drinks daily)	66.5		
Cigarettes	13.2	19.3	20.2	Alcohol (Binge: 5+ drinks once or twice a week)	76.9		
Chewing Tobacco	5.5	7.4	7.5	Alcohol (any use)		70.6	72.8
Marijuana	13.2	17.9	16.2	Cigarettes (1+ packs per day)	89.6		
Inhalants	2.2	4.3	4.1	Cigarettes (any use)		83.3	83.7
Prescription medications not prescribed for student	7.0	8.3	9.9	Marijuana (once or twice a week)	64.8		
Over-the-counter medications for non-medical use	2.1	6.5	6.3	Marijuana (any use)		65.8	73.6
Methamphetamine	0.6	1.3	0.5	Other: Cocaine, LSD, Meth, Club Drug (any use)	93.0	93.1	93.2
Cocaine	0.9	2.0	1.8				
Heroin	0.3	0.9	0.4	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	1.4	3.6	2.6	Were very sad	19.0	16.9	18.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1	2.5	2.4	Were grouchy, irritable, or in a bad mood	22.9	22.7	25.2
Steroids not prescribed for student	0.7	1.6	0.8	Felt hopeless about the future	11.9	11.2	12.8
Synthetic drugs (K2, bath salts, Spice, etc)	2.3	5.8		Felt like not eating or eating more than usual	17.8	17.8	17.4
				Slept a lot more or a lot less than usual	19.2	23.5	25.7
				Had difficulty concentrating on school work	23.6	23.9	26.5
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	13.31	13.13	13.16	Seriously considered attempting suicide	12.4	11.6	9.5
Cigarettes	13.28	13.16	12.94	Made plan about how they would attempt suicide	9.1	9.3	6.4
Marijuana	14.13	13.80	13.87	Attempted suicide	5.6	5.3	3.9
Inhalants	11.24	11.85	12.32	Attempted suicide and resulting injury, poisoning, or overdose	1.9	2.0	1.6
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	12.0	18.0	18.4	Were threatened/injured with weapon at school	4.4	5.3	7.5
Alcohol (Binge: 5+ drinks on one occasion)		10.3	10.0	Were in a physical fight	10.6	13.5	16.4
Cigarettes	4.8	8.8	9.9	Were in a fight and had to be treated by a doctor or nurse	1.3	2.6	2.8
Chewing Tobacco	2.6	4.0	3.3				
Marijuana	6.5	10.2	8.3	<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.9	2.0	1.3	Were victims of mean rumors or lies spread at school	37.6	42.2	47.9
Prescription medications not prescribed for student	3.7	4.9	5.6	Were made fun of by others	48.2	56.3	64.3
Over-the-counter medications for non-medical use	1.1	4.0	3.7	Were victims of an embarrassing or hurtful text message or something posted on the Internet	19.7	20.7	19.3
				Spread mean rumors or lies about other kids at school	20.7	28.5	30.4
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	46.5	61.7	70.0
Alcohol (Binge: 5+ drinks on one occasion)	4.9			Posted something on the internet or sent a text that might embarrass or hurt another student	13.4	16.1	17.4
				<i>Percent of students who agree that:</i>			
<i>Percent whose friends used in past 12 months:</i>				Teachers notice and comment on student's good work	75.0	73.0	72.1
Alcohol	41.1	54.5	55.0	School provides feedback to parents on positive student performance	44.8	39.4	44.3
Cigarettes	27.2	39.6	41.7	Rules are enforced fairly	69.3	63.9	65.3
Marijuana	33.2	45.8	39.7	Students of all races/ethnicities are treated equal	81.4	75.6	76.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.7	18.9	19.8				
				<i>Percent of students who agree that:</i>			
<i>Percent who would likely use, if offered by a best friend:</i>				Parents notice and comment on student's good work	85.2	82.6	83.7
Alcohol	21.6	30.3	28.9	Parents involve student in making family decisions	72.6	70.2	72.1
Cigarettes	8.1	11.6	11.4	It is important to be honest with parents regardless of consequences	86.2	83.4	81.8
Marijuana	13.9	15.7	13.4	Student could ask parent for help with a personal problem	79.8	78.1	78.6
<i>Percent who say it would be wrong to use:</i>							
Alcohol	67.7	60.6	62.7				
Cigarettes	88.5	82.4	80.7				
Marijuana	78.3	77.0	79.7				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.9	93.7	94.0				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	83.3	79.7	80.7				
Cigarettes	94.7	92.2	90.5				
Marijuana	93.2	92.9	93.2				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	53.8	64.1	61.0				
Cigarettes	43.1	53.2	53.9				
Marijuana	34.7	45.4	40.8				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.5	19.5	19.2				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys



# POLK COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	10
Adult Psychiatric	10
<b>POPULATION</b>	
Census 2010	31,137
2013 Estimate	30,974

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	13,949	14,282	14,524
Employed	13,045	13,224	13,227
Unemployed	904	1,058	1,297
Unemployment Rate	6.5%	7.4%	8.9%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	1,583	1,574	1,706
Drop-outs	15	37	30
Drop-out Rate	0.9%	2.3%	1.8%
School Suspensions:			
Alcohol Incidents	7	9	1
Drug Incidents	30	13	12
Tobacco Incidents	1	0	0

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	337	424	342
Mother Reported Smoking while Pregnant	79	83	93

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	1	0	3
Hepatitis B Chronic, Acute, Prenatal	1	8	2
Hepatitis C Chronic and Acute	1	36	27
Tuberculosis Infection Cases	1	5	4

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	321	352	351
Suicides	8	6	4
Self-inflicted Injuries	46	47	57
Homicides	1	2	1
Assault Injuries	98	93	91
Alcohol Induced Deaths	0	3	2
Drug Induced Deaths	5	9	10
Smoking Attributable Deaths	63	53	71

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	346	287
Alcohol Primary Diagnosis	2	6	7
Drug Primary Diagnosis	2	16	9
Alcohol Related Diagnosis	59	57	67
Drug Related Diagnosis	127	94	136
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	132	127
Alcohol Primary Diagnosis	2	16	11
Drug Primary Diagnosis	2	22	27
Alcohol Related Diagnosis	92	86	55
Drug Related Diagnosis	116	117	89
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	380	313
Alcohol Primary Diagnosis	2	73	72
Drug Primary Diagnosis	2	69	61
Alcohol Related Diagnosis	179	149	109
Drug Related Diagnosis	289	174	170

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	25	27	27
Fatal Crashes	1	4	1
Injury Crashes	16	14	17
Property Damage Crashes	8	9	9
Crash Fatalities	1	4	1
Crash Injuries	18	23	20
Drug Involved Crashes--Total	8	19	11
Fatal Crashes	0	0	2
Injury Crashes	3	11	5
Property Damage Crashes	5	8	4
Crash Fatalities	0	0	3
Crash Injuries	3	13	8

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	130	124	116
Liquor Law Arrests	48	39	46
Drug Arrests	125	152	219
Methamphetamine Lab Incidents	7	6	5
Violent Offenses	128	142	104
Property Offenses	771	649	754
Domestic Violence Reports	245	243	243

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	135	163	171
Violent Offenses	48	46	46
Alcohol Offenses	17	4	13
Drug Offenses	7	16	19
Status Offenses--Total	58	78	76
Truancy	17	19	9
Beyond Parental Control	23	29	23
Habitually Absent from Home	7	10	27
Injurious Behavior	11	17	17
Abuse/Neglect/Custody--Total	118	119	212
Abuse	28	24	58
Neglect	90	91	154
Custody Disputes	0	4	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	20	22	40
Parental Alcohol Use Related	1	0	1
Parental Drug Use Related	11	7	18
Parental Alcohol and Drug Use	0	0	2
Child Removed for Other Reason	8	15	19

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	18	24	17
Probation/Parole Admissions--Total	214	245	196
Probation/Parole Admissions--Drug	84	104	55
Probation/Parole Admissions--DWI	15	13	6
Prison Admissions--Total	112	94	92
Prison Admissions--Drug	45	43	29
Prison Admissions--DWI	4	3	4

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	13	18	15
Alcohol Package Carry-out Licenses	18	26	24

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# POLK COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	13	25	32
CSTAR Adolescent	7	9	11
CSTAR Women and Children	12	8	6
CSTAR General Adult	86	101	69
CSTAR Opioid	0	0	0
Primary Recovery Treatment	15	31	34
Clinical SATOP (CIP, YCIP, SROP)	12	14	11
Other Substance Abuse Treatment	0	*	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	91	109	78
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	36	46	35
- Weekend Intervention Program	19	23	16
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	13	5	*
Early Intervention	*	12	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	139	170	132	Alcohol	44	54	48
AGE				Marijuana / Hashish	30	45	34
Under 18	7	9	11	Cocaine (total)	*	*	*
18 to 24	29	34	39	- Crack	*	*	*
25 to 29	33	41	34	Stimulant (total)	34	37	19
30 to 34	20	19	13	- Methamphetamine	32	33	19
35 to 39	10	20	9	Heroin	*	*	*
40 to 44	13	14	7	Analgesic except Heroin	19	23	25
45 to 54	19	24	16	- Non-Prescription Methadone	0	0	0
55 and Over	8	9	*	PCP, LSD, other Hallucinogen	0	*	*
GENDER				Tranquilizer	5	*	0
Male	91	120	86	Inhalant	0	0	0
Female	48	50	46	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	0
Caucasian	137	166	126	Average Age at First Use of Drug	17.9	17.7	16.1
African American	0	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	39	42	29
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	6	8
Hispanic	*	*	*	- Weekly Injection Use	9	9	8
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	28	27	13
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	63	74	56	0	83	97	71
High School Graduate or G.E.D.	51	64	59	1 or 2	31	43	40
Associate Degree or Some College	25	32	16	3 or More	25	30	21
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	37	36	42
Employed	34	45	25	School	0	*	0
Unemployed	59	71	63	Mental Health Provider	*	0	*
Not in Labor Force	46	54	44	Health Care Provider	*	8	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	89	119	82
Independent Living	120	143	112	Other Referral Source	7	6	*
Dependent Living	11	19	16	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	5	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	7	*
Never Married	65	75	69	Special Education Services Needed	9	28	19
Married / Cohabiting	38	54	31	Co-Occurring Psychological Problem	44	43	44
Previously Married	36	41	32	Co-Occurring Developmental Problem	*	5	*

# POLK COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 10  
**CENSUS 2010** 31,137  
**2013 POPULATION ESTIMATE** 30,974

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	6	9	8
Anxiety Disorder	81	79	79
Dementia	0	*	*
Developmental Disorder	8	11	7
Impulse Control Disorder	28	28	32
Mood Disorder	125	131	151
Personality Disorder	32	34	35
Psychotic Disorder	69	74	71
Sexual Disorder	*	0	*
Other Diagnosis	17	22	22
Diagnosis Unknown	16	38	73

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	209	250	306	Less than High School Diploma	42	35	22
<b>AGE</b>				High School Grad or G.E.D.	0	53	63
Under 6	7	5	5	Associate Degree or Some College	0	20	13
6 to 9	11	11	10	Bachelor or Advanced Degree	0	5	*
10 to 13	8	15	25	Education Level Unknown	167	137	206
14 to 17	20	19	30	<b>EMPLOYMENT</b>			
18 to 24	21	24	32	Employed	*	12	11
25 to 29	18	18	21	Unemployed	*	97	89
30 to 34	12	22	23	Not in Labor Force	129	25	*
35 to 39	17	19	23	Employment Status Unknown	76	116	204
40 to 44	23	28	32	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	25	25	25	Independent Living	55	71	47
50 to 54	15	23	29	Dependent Living	69	69	73
55 to 59	15	22	28	Homeless	*	*	*
60 and Over	17	19	23	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	81	108	182
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	104	132	165	Self / Family / Friend	101	145	202
Female	105	118	141	School	*	*	0
Gender Unknown	0	0	0	Mental Health Provider	9	9	10
<b>RACE / ETHNICITY</b>				Health Care Provider	42	32	19
Caucasian	189	227	281	Court / Criminal Justice	6	9	12
African American	*	*	*	Other	43	46	54
Native American / Alaskan	0	*	*	Referral Source Unknown	7	7	9
Asian / Pacific Islander	*	*	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	200	237	288
Other Race	14	14	17	Civil	*	*	6
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	5	6	6	Commitment Type Unknown	6	7	9
Past or Current Military Service	*	5	8				

# POLK COUNTY


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	25.4	36.5	39.0	Alcohol (1 or 2 drinks daily)	57.4		
Cigarettes	17.4	29.0	28.6	Alcohol (Binge: 5+ drinks once or twice a week)	69.2		
Chewing Tobacco	13.0	18.8	21.7	Alcohol (any use)		72.4	78.4
Marijuana	6.9	10.6	15.4	Cigarettes (1+ packs per day)	84.9		
Inhalants	3.6	8.7	6.5	Cigarettes (any use)		79.3	79.4
Prescription medications not prescribed for student	4.1	9.5	11.9	Marijuana (once or twice a week)	71.0		
Over-the-counter medications for non-medical use	0.8	5.8	7.2	Marijuana (any use)		74.8	71.7
Methamphetamine	0.5	2.2	1.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	91.2	92.5	93.5
Cocaine	0.5	1.0	1.5				
Heroin	0.0	0.8	0.6	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	0.5	3.0	2.6	Were very sad	15.5	20.0	23.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8	2.2	1.5	Were grouchy, irritable, or in a bad mood	17.7	25.8	22.7
Steroids not prescribed for student	0.5	1.5	1.0	Felt hopeless about the future	9.8	12.5	11.2
Synthetic drugs (K2, bath salts, Spice, etc)	1.3	4.8		Felt like not eating or eating more than usual	11.8	17.6	22.0
				Slept a lot more or a lot less than usual	14.7	19.5	24.6
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	18.6	20.6	18.8
Alcohol	13.06	12.35	12.56				
Cigarettes	12.40	12.27	12.29	<i>Percent of students who, in past 12 months:</i>			
Marijuana	13.37	13.30	13.69	Seriously considered attempting suicide	8.4	10.8	10.4
Inhalants	11.64	11.43	12.45	Made plan about how they would attempt suicide	5.4	9.2	6.7
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide	4.6	7.0	5.4
Alcohol	7.5	18.0	16.8	Attempted suicide and resulting injury, poisoning, or overdose	1.0	1.7	1.9
Alcohol (Binge: 5+ drinks on one occasion)		11.8	11.3				
Cigarettes	4.1	12.2	14.6	<i>Percent of students who, in past 12 months:</i>			
Chewing Tobacco	5.9	11.2	11.1	Were threatened/injured with weapon at school	6.9	5.8	10.1
Marijuana	3.3	5.3	7.9	Were in a physical fight	14.6	21.6	24.5
Inhalants	0.8	2.7	3.2	Were in a fight and had to be treated by a doctor or nurse	3.1	4.6	3.4
Prescription medications not prescribed for student	1.0	6.5	7.9				
Over-the-counter medications for non-medical use	0.5	4.3	4.7	<i>Percent of students who, in past 3 months:</i>			
<i>Percent of students who, in past 2 weeks, used:</i>				Were victims of mean rumors or lies spread at school	45.4	53.1	57.2
Alcohol (Binge: 5+ drinks on one occasion)	2.1			Were made fun of by others	53.5	64.7	71.6
<i>Percent whose friends used in past 12 months:</i>				Were victims of an embarrassing or hurtful text message or something posted on the Internet	18.2	22.4	19.5
Alcohol	35.5	45.7	58.0	Spread mean rumors or lies about other kids at school	22.0	29.3	32.5
Cigarettes	21.4	38.9	50.1	Made fun of other people	49.7	67.2	69.6
Marijuana	18.5	28.0	32.8	Posted something on the internet or sent a text that might embarrass or hurt another student	11.0	11.7	14.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	3.9	11.1	16.7				
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	16.6	31.2	31.7	Teachers notice and comment on student's good work	74.8	71.0	75.1
Cigarettes	8.2	13.5	16.6	School provides feedback to parents on positive student performance	50.4	41.8	42.5
Marijuana	6.4	10.4	12.0	Rules are enforced fairly	65.9	59.9	66.2
<i>Percent who say it would be wrong to use:</i>				Students of all races/ethnicities are treated equal	84.4	77.1	79.9
Alcohol	76.7	67.2	59.9				
Cigarettes	86.3	80.5	76.8	<i>Percent of students who agree that:</i>			
Marijuana	90.4	84.1	82.4	Parents notice and comment on student's good work	86.0	80.1	84.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.7	95.5	94.1	Parents involve student in making family decisions	73.7	64.5	69.8
<i>Percent whose parents would disapprove if they use:</i>				It is important to be honest with parents regardless of consequences	89.7	86.6	85.7
Alcohol	87.2	80.8	79.1	Student could ask parent for help with a personal problem	81.4	69.8	76.8
Cigarettes	94.4	87.5	88.6				
Marijuana	96.4	92.6	94.3				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	43.4	52.6	56.9				
Cigarettes	44.5	57.2	59.8				
Marijuana	21.4	28.6	36.7				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.4	14.0	19.5				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# PULASKI COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	11
Adult Psychiatric	11
<b>POPULATION</b>	
Census 2010	52,274
2013 Estimate	53,748

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	20,414	19,316	20,982
Employed	18,885	17,721	19,154
Unemployed	1,529	1,595	1,828
Unemployment Rate	7.5%	8.3%	8.7%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	2,540	2,598	2,619
Drop-outs	21	49	51
Drop-out Rate	0.8%	1.9%	1.9%
School Suspensions:			
Alcohol Incidents	1	11	6
Drug Incidents	20	44	21
Tobacco Incidents	0	0	0

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	842	834	918
Mother Reported Smoking while Pregnant	147	150	156

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	2	2
Hepatitis B Chronic, Acute, Prenatal	1	2	7
Hepatitis C Chronic and Acute	1	28	33
Tuberculosis Infection Cases	1	22	4

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	300	297	262
Suicides	10	8	11
Self-inflicted Injuries	30	53	30
Homicides	7	9	0
Assault Injuries	123	114	111
Alcohol Induced Deaths	3	4	1
Drug Induced Deaths	10	14	6
Smoking Attributable Deaths	56	57	46

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	308	270
Alcohol Primary Diagnosis	2	5	6
Drug Primary Diagnosis	2	39	19
Alcohol Related Diagnosis		49	60
Drug Related Diagnosis		135	106
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	131	102
Alcohol Primary Diagnosis	2	15	17
Drug Primary Diagnosis	2	30	28
Alcohol Related Diagnosis		69	105
Drug Related Diagnosis		121	121
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	238	255
Alcohol Primary Diagnosis	2	47	66
Drug Primary Diagnosis	2	62	82
Alcohol Related Diagnosis		97	127
Drug Related Diagnosis		137	136

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	48	66	58
Fatal Crashes	3	5	0
Injury Crashes	23	25	21
Property Damage Crashes	22	36	37
Crash Fatalities	3	5	0
Crash Injuries	38	39	26
Drug Involved Crashes--Total	8	13	12
Fatal Crashes	0	1	0
Injury Crashes	2	1	3
Property Damage Crashes	6	11	9
Crash Fatalities	0	1	0
Crash Injuries	2	1	3

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	290	396	354
Liquor Law Arrests	61	55	90
Drug Arrests	325	306	276
Methamphetamine Lab Incidents	7	17	27
Violent Offenses	213	160	136
Property Offenses	1,147	1,042	959
Domestic Violence Reports	399	303	282

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	202	199	219
Violent Offenses	73	61	68
Alcohol Offenses	3	3	10
Drug Offenses	17	11	17
Status Offenses--Total	286	407	558
Truancy	48	85	270
Beyond Parental Control	19	13	12
Habitually Absent from Home	20	23	21
Injurious Behavior	199	286	255
Abuse/Neglect/Custody--Total	712	894	562
Abuse	314	405	298
Neglect	390	486	257
Custody Disputes	8	3	7

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	54	87	66
Parental Alcohol Use Related	1	3	1
Parental Drug Use Related	6	30	23
Parental Alcohol and Drug Use	8	0	0
Child Removed for Other Reason	39	54	42

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	31	15	11
Probation/Parole Admissions--Total	295	228	193
Probation/Parole Admissions--Drug	77	64	66
Probation/Parole Admissions--DWI	9	11	2
Prison Admissions--Total	130	130	92
Prison Admissions--Drug	31	38	24
Prison Admissions--DWI	2	4	3

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	54	52	55
Alcohol Package Carry-out Licenses	37	38	40

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# PULASKI COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	23	25	21
CSTAR Adolescent	9	8	8
CSTAR Women and Children	26	17	15
CSTAR General Adult	82	43	34
CSTAR Opioid	0	0	0
Primary Recovery Treatment	15	33	40
Clinical SATOP (CIP, YCIP, SROP)	39	28	29
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	173	219	219
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	73	110	106
- Weekend Intervention Program	38	51	41
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	8	6	9
Compulsive Gambling	0	0	0
Recovery Supports	*	0	*
Early Intervention	0	*	0


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	160	129	126	Alcohol	58	52	54
AGE				Marijuana / Hashish	24	16	13
Under 18	9	9	8	Cocaine (total)	*	*	*
18 to 24	28	18	17	- Crack	*	0	*
25 to 29	31	29	28	Stimulant (total)	15	15	17
30 to 34	29	19	27	- Methamphetamine	15	13	16
35 to 39	16	17	11	Heroin	43	33	21
40 to 44	11	9	6	Analgesic except Heroin	14	5	15
45 to 54	25	19	22	- Non-Prescription Methadone	*	0	*
55 and Over	11	9	7	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	*	*	*
Male	87	80	83	Inhalant	0	0	0
Female	73	49	43	Sedative	0	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	0
Caucasian	134	103	109	Average Age at First Use of Drug	20.2	19.3	19.2
African American	11	14	7	INJECTION DRUG USE			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	33	36	26
Asian / Pacific Islander	5	*	0	- Daily Injection Use	14	15	12
Hispanic	5	6	*	- Weekly Injection Use	11	13	9
Other Race / Two or More Races	6	5	8	- Less than Weekly Injection Use	8	8	5
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	45	31	31	0	84	62	56
High School Graduate or G.E.D.	58	66	68	1 or 2	38	42	42
Associate Degree or Some College	56	29	25	3 or More	38	25	28
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	56	41	35
Employed	42	32	35	School	0	0	*
Unemployed	58	48	43	Mental Health Provider	*	*	*
Not in Labor Force	60	49	48	Health Care Provider	*	6	6
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	71	72	68
Independent Living	135	106	103	Other Referral Source	21	7	14
Dependent Living	17	13	16	TREATMENT ACCOMMODATION			
Homeless	*	*	5	Pregnant when Admitted to any Episode	5	*	*
MARITAL / FAMILY STATUS				Military Veteran	12	7	15
Never Married	66	67	64	Special Education Services Needed	8	10	10
Married / Cohabiting	58	32	32	Co-Occurring Psychological Problem	54	45	35
Previously Married	36	30	30	Co-Occurring Developmental Problem	7	*	*



# PULASKI COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 11  
**CENSUS 2010** 52,274  
**2013 POPULATION ESTIMATE** 53,748

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	15	11	6
Anxiety Disorder	165	132	104
Dementia	0	0	*
Developmental Disorder	5	*	*
Impulse Control Disorder	55	46	31
Mood Disorder	216	197	171
Personality Disorder	7	11	8
Psychotic Disorder	31	30	21
Sexual Disorder	0	*	0
Other Diagnosis	34	27	28
Diagnosis Unknown	14	24	61

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	301	276	276	Less than High School Diploma	127	67	30
<b>AGE</b>				High School Grad or G.E.D.	*	58	28
Under 6	5	*	*	Associate Degree or Some College	*	19	11
6 to 9	24	18	13	Bachelor or Advanced Degree	0	*	*
10 to 13	25	29	33	Education Level Unknown	171	129	203
14 to 17	34	26	31	<b>EMPLOYMENT</b>			
18 to 24	31	35	26	Employed	13	18	*
25 to 29	28	26	20	Unemployed	26	115	70
30 to 34	20	15	20	Not in Labor Force	210	27	*
35 to 39	15	18	23	Employment Status Unknown	52	116	201
40 to 44	30	21	15	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	18	28	32	Independent Living	154	135	70
50 to 54	27	23	26	Dependent Living	96	46	55
55 to 59	27	23	20	Homeless	*	*	0
60 and Over	17	13	15	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	49	92	148
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	124	123	114	Self / Family / Friend	220	196	186
Female	177	153	162	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	10	16	20
<b>RACE / ETHNICITY</b>				Health Care Provider	31	30	29
Caucasian	254	237	238	Court / Criminal Justice	9	7	6
African American	23	17	15	Other	30	26	29
Native American / Alaskan	*	*	*	Referral Source Unknown	0	0	*
Asian / Pacific Islander	5	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	5	5	5	Voluntary	298	272	269
Other Race	10	10	12	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	0
Hearing Impaired	6	8	15	Commitment Type Unknown	0	0	*
Past or Current Military Service	6	*	7				




# PULASKI COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol		55.2	47.4	Alcohol (1 or 2 drinks daily)			
Cigarettes		36.9	31.4	Alcohol (Binge: 5+ drinks once or twice a week)			
Chewing Tobacco		24.7	11.5	Alcohol (any use)		62.0	78.2
Marijuana		22.7	14.8	Cigarettes (1+ packs per day)			
Inhalants		7.7	9.1	Cigarettes (any use)		76.8	81.9
Prescription medications not prescribed for student		15.2	14.1	Marijuana (once or twice a week)			
Over-the-counter medications for non-medical use		13.3	9.6	Marijuana (any use)		65.6	73.1
Methamphetamine		2.0	1.5	Other: Cocaine, LSD, Meth, Club Drug (any use)		91.6	94.2
Cocaine		4.4	2.4				
Heroin		4.2	0.7	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens		3.5	2.7	Were very sad		23.7	22.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		5.7	3.1	Were grouchy, irritable, or in a bad mood		30.5	27.3
Steroids not prescribed for student		2.6	2.1	Felt hopeless about the future		12.9	11.5
Synthetic drugs (K2, bath salts, Spice, etc)		9.4		Felt like not eating or eating more than usual		22.4	21.8
				Slept a lot more or a lot less than usual		24.5	31.5
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work		30.3	28.5
Alcohol	12.43	12.18		<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.47	11.99		Seriously considered attempting suicide		13.6	17.1
Marijuana	13.32	13.35		Made plan about how they would attempt suicide		10.0	12.7
Inhalants	12.40	12.65		Attempted suicide		7.2	8.3
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse		3.6	4.0
Alcohol	25.9	20.0		<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)	16.9	11.8		Were threatened/injured with weapon at school		10.2	10.9
Cigarettes	18.9	13.0		Were in a physical fight		29.2	28.1
Chewing Tobacco	12.5	6.7		Were in a fight and had to be treated by a doctor or nurse		6.8	5.6
Marijuana	12.5	7.2		<i>Percent of students who, in past 3 months:</i>			
Inhalants	3.9	4.6		Were victims of mean rumors or lies spread at school		54.9	56.0
Prescription medications not prescribed for student	8.5	8.7		Were made fun of by others		59.0	69.9
Over-the-counter medications for non-medical use	10.5	5.7		Were victims of an embarrassing or hurtful text message or something posted on the internet		24.8	17.0
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school		26.9	30.0
Alcohol (Binge: 5+ drinks on one occasion)				Made fun of other people		64.6	73.2
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student		19.8	16.9
Alcohol	64.5	62.2		<i>Percent of students who agree that:</i>			
Cigarettes	60.6	48.2		Teachers notice and comment on student's good work		59.4	66.0
Marijuana	44.1	36.9		School provides feedback to parents on positive student performance		31.4	34.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	23.1	23.7		Rules are enforced fairly		49.3	61.3
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal		72.9	76.0
Alcohol	42.4	35.9		<i>Percent of students who agree that:</i>			
Cigarettes	23.2	15.0		Parents notice and comment on student's good work		74.4	83.3
Marijuana	17.5	13.3		Parents involve student in making family decisions		65.4	67.1
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences		81.2	84.0
Alcohol	47.9	58.1		Student could ask parent for help with a personal problem		70.7	75.4
Cigarettes	69.2	76.0		<div>Page Notes: Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</div>			
Marijuana	72.9	81.5					
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	89.7	93.3					
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	70.5	77.6					
Cigarettes	84.8	89.6					
Marijuana	87.9	95.1		Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	64.4	62.9					
Cigarettes	65.9	60.8					
Marijuana	51.0	36.4					
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	29.3	23.6					

# PUTNAM COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	13
Adult Psychiatric	13
<b>POPULATION</b>	
Census 2010	4,979
2013 Estimate	4,875

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	47	49	57
Mother Reported Smoking while Pregnant	15	7	13
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	1
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	1	0	3
Tuberculosis Infection Cases	1	0	0
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	72	58	56
Suicides	1	2	2
Self-inflicted Injuries	4	7	0
Homicides	0	0	0
Assault Injuries	4	11	8
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	0	0	1
Smoking Attributable Deaths	15	10	9
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	20	26
Alcohol Primary Diagnosis	2	2	1
Drug Primary Diagnosis	2	1	4
Alcohol Related Diagnosis	15	20	14
Drug Related Diagnosis	7	9	12
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	16	8
Alcohol Primary Diagnosis	2	0	1
Drug Primary Diagnosis	2	2	1
Alcohol Related Diagnosis	4	2	4
Drug Related Diagnosis	10	5	6
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	38	27
Alcohol Primary Diagnosis	2	9	5
Drug Primary Diagnosis	2	5	3
Alcohol Related Diagnosis	22	14	15
Drug Related Diagnosis	12	9	10
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	4	5	2
Fatal Crashes	0	0	0
Injury Crashes	1	4	1
Property Damage Crashes	3	1	1
Crash Fatalities	0	0	0
Crash Injuries	2	4	2
Drug Involved Crashes--Total	1	0	0
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	1	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	0

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	2,412	2,338	2,385
Employed	2,274	2,204	2,224
Unemployed	138	134	161
Unemployment Rate	5.7%	5.7%	6.8%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	218	212	228
Drop-outs	1	0	3
Drop-out Rate	0.5%	0.0%	1.3%
School Suspensions:			
Alcohol Incidents	4	0	1
Drug Incidents	0	0	0
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	24	35	23
Liquor Law Arrests	7	7	5
Drug Arrests	29	27	7
Methamphetamine Lab Incidents	3	3	1
Violent Offenses	0	0	8
Property Offenses	38	33	22
Domestic Violence Reports	28	10	13

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	17	38	11
Violent Offenses	3	5	6
Alcohol Offenses	2	8	1
Drug Offenses	0	1	0
Status Offenses--Total	11	8	8
Truancy	3	0	3
Beyond Parental Control	1	2	1
Habitually Absent from Home	0	0	0
Injurious Behavior	7	6	4
Abuse/Neglect/Custody--Total	40	38	36
Abuse	9	14	19
Neglect	31	21	17
Custody Disputes	0	3	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	10	7	9
Parental Alcohol Use Related	0	0	1
Parental Drug Use Related	0	3	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	10	4	8

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	12	8	8
Probation/Parole Admissions--Total	41	45	36
Probation/Parole Admissions--Drug	23	13	8
Probation/Parole Admissions--DWI	2	2	1
Prison Admissions--Total	22	23	23
Prison Admissions--Drug	10	6	1
Prison Admissions--DWI	3	1	1

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	2	2	3
Alcohol Package Carry-out Licenses	6	6	8

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# PUTNAM COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	0	0	*
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	0
CSTAR General Adult	38	38	31
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	*	*	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	16	13	13
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	*	*	*
- Weekend Intervention Program	*	*	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	52	46	37	Alcohol	23	23	17
AGE				Marijuana / Hashish	17	15	10
Under 18	*	*	*	Cocaine (total)	0	0	0
18 to 24	16	18	13	- Crack	0	0	0
25 to 29	9	5	*	Stimulant (total)	7	*	6
30 to 34	*	*	6	- Methamphetamine	7	*	5
35 to 39	6	*	*	Heroin	0	0	0
40 to 44	*	*	*	Analgesic except Heroin	*	*	*
45 to 54	8	6	6	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	*	0	*
GENDER				Tranquilizer	0	*	*
Male	40	35	20	Inhalant	0	0	0
Female	12	11	17	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	51	44	36	Average Age at First Use of Drug	16.4	16.8	15.7
African American	*	*	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	5	*
Asian / Pacific Islander	0	*	*	- Daily Injection Use	0	0	*
Hispanic	0	0	0	- Weekly Injection Use	0	*	*
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	16	24	17	0	32	22	24
High School Graduate or G.E.D.	32	20	16	1 or 2	15	19	11
Associate Degree or Some College	*	*	*	3 or More	5	5	*
Bachelor or Advanced Degree	*	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	7	*	12
Employed	20	18	10	School	0	0	0
Unemployed	20	13	15	Mental Health Provider	0	0	*
Not in Labor Force	12	15	12	Health Care Provider	*	*	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	11	29	16
Independent Living	44	42	33	Other Referral Source	26	10	7
Dependent Living	6	*	*	TREATMENT ACCOMMODATION			
Homeless	*	0	0	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	31	26	21	Special Education Services Needed	*	*	*
Married / Cohabiting	8	9	7	Co-Occurring Psychological Problem	15	14	9
Previously Married	13	11	9	Co-Occurring Developmental Problem	*	*	*

# PUTNAM COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 13  
**CENSUS 2010** 4,979  
**2013 POPULATION ESTIMATE** 4,875

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	*	0	*
Anxiety Disorder	21	20	13
Dementia	*	*	0
Developmental Disorder	*	*	0
Impulse Control Disorder	6	5	*
Mood Disorder	24	28	24
Personality Disorder	8	12	9
Psychotic Disorder	8	10	10
Sexual Disorder	0	0	0
Other Diagnosis	*	*	0
Diagnosis Unknown	0	0	11

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	37	41	45	Less than High School Diploma	12	5	*
<b>AGE</b>				High School Grad or G.E.D.	*	14	15
Under 6	0	0	0	Associate Degree or Some College	0	*	*
6 to 9	*	0	*	Bachelor or Advanced Degree	0	*	*
10 to 13	*	*	*	Education Level Unknown	23	18	21
14 to 17	*	*	*	<b>EMPLOYMENT</b>			
18 to 24	*	*	*	Employed	*	*	*
25 to 29	*	*	5	Unemployed	*	18	19
30 to 34	7	7	6	Not in Labor Force	26	*	*
35 to 39	*	*	*	Employment Status Unknown	7	17	21
40 to 44	*	5	6	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	*	*	*	Independent Living	25	22	23
50 to 54	*	*	6	Dependent Living	8	*	*
55 to 59	*	8	5	Homeless	0	0	0
60 and Over	6	*	*	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	*	17	18
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	16	19	22	Self / Family / Friend	15	14	19
Female	21	22	23	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	6	7	10
<b>RACE / ETHNICITY</b>				Health Care Provider	6	8	7
Caucasian	36	40	44	Court / Criminal Justice	6	6	5
African American	*	0	0	Other	*	6	*
Native American / Alaskan	0	*	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	0	0	Voluntary	37	41	44
Other Race	0	0	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	0	*	*				


# PUTNAM COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol		61.4	51.1	Alcohol (1 or 2 drinks daily)			
Cigarettes		38.6	26.6	Alcohol (Binge: 5+ drinks once or twice a week)			
Chewing Tobacco		22.9	17.0	Alcohol (any use)		56.5	80.6
Marijuana		11.4	10.6	Cigarettes (1+ packs per day)			
Inhalants		10.0	8.5	Cigarettes (any use)		48.6	81.7
Prescription medications not prescribed for student		24.6	14.1	Marijuana (once or twice a week)			
Over-the-counter medications for non-medical use		14.5	6.5	Marijuana (any use)		59.4	68.5
Methamphetamine		1.4	1.1	Other: Cocaine, LSD, Meth, Club Drug (any use)		81.2	94.7
Cocaine		1.5	2.2				
Heroin		1.4	1.1	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens		5.9	3.2	Were very sad		31.4	31.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		1.5	2.2	Were grouchy, irritable, or in a bad mood		33.3	46.2
Steroids not prescribed for student		4.3	4.3	Felt hopeless about the future		15.9	23.4
Synthetic drugs (K2, bath salts, Spice, etc)		5.8		Felt like not eating or eating more than usual		28.6	37.6
				Slept a lot more or a lot less than usual		36.2	47.8
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work		32.9	39.8
Alcohol		11.77	11.78				
Cigarettes		12.00	11.84	<i>Percent of students who, in past 12 months:</i>			
Marijuana		13.27	13.35	Seriously considered attempting suicide		17.1	4.3
Inhalants		13.05	10.48	Made plan about how they would attempt suicide		15.9	3.2
				Attempted suicide		5.8	1.1
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose			
Alcohol		24.3	22.6	had to be treated by doctor or nurse		0.0	1.1
Alcohol (Binge: 5+ drinks on one occasion)		14.3	19.1				
Cigarettes		15.9	14.0	<i>Percent of students who, in past 12 months:</i>			
Chewing Tobacco		22.9	7.5	Were threatened/injured with weapon at school		8.7	9.6
Marijuana		4.3	5.3	Were in a physical fight		21.4	16.1
Inhalants		2.9	4.3	Were in a fight and had to be treated by a doctor or nurse		4.3	3.2
Prescription medications not prescribed for student		14.5	9.9				
Over-the-counter medications for non-medical use		12.9	5.3	<i>Percent of students who, in past 3 months:</i>			
				Were victims of mean rumors or lies spread at school		54.3	65.2
<i>Percent of students who, in past 2 weeks, used:</i>				Were made fun of by others		60.0	76.6
Alcohol (Binge: 5+ drinks on one occasion)				Were victims of an embarrassing or hurtful text message or something posted on the Internet		36.2	23.9
<i>Percent whose friends used in past 12 months:</i>				Spread mean rumors or lies about other kids at school		26.1	25.8
Alcohol		84.3	60.6	Made fun of other people		58.0	72.3
Cigarettes		78.6	54.3	Posted something on the internet or sent a text that might embarrass or hurt another student		25.7	21.5
Marijuana		50.7	31.2				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		26.1	19.6	<i>Percent of students who agree that:</i>			
				Teachers notice and comment on student's good work		68.6	78.9
<i>Percent who would likely use, if offered by a best friend:</i>				School provides feedback to parents on positive student performance		34.8	46.8
Alcohol		48.6	41.9	Rules are enforced fairly		52.9	64.5
Cigarettes		28.6	14.9	Students of all races/ethnicities are treated equal		94.1	89.4
Marijuana		15.9	7.4				
<i>Percent who say it would be wrong to use:</i>				<i>Percent of students who agree that:</i>			
Alcohol		37.7	52.7	Parents notice and comment on student's good work		78.3	81.7
Cigarettes		62.3	83.9	Parents involve student in making family decisions		51.4	67.0
Marijuana		78.3	88.0	It is important to be honest with parents regardless of consequences		74.3	81.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		87.0	96.7	Student could ask parent for help with a personal problem		62.3	74.2
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol		66.7	73.9				
Cigarettes		80.9	89.4				
Marijuana		91.4	96.7				
<i>Percent who say it would be easy to obtain:</i>				Page Notes: Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.			
Alcohol		77.9	67.7				
Cigarettes		88.2	67.0				
Marijuana		63.8	33.0				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		39.7	27.7				
				Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			



# RALLS COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	15
Adult Psychiatric	15
<b>POPULATION</b>	
Census 2010	10,167
2013 Estimate	10,192

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	5,982	5,652	5,725
Employed	5,682	5,294	5,303
Unemployed	300	358	422
Unemployment Rate	5.0%	6.3%	7.4%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	228	223	247
Drop-outs	3	7	11
Drop-out Rate	1.3%	3.1%	4.5%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	2	0	1
Tobacco Incidents	0	0	0

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	86	103	101
Mother Reported Smoking while Pregnant	16	26	20

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	1
Hepatitis C Chronic and Acute	1	3	5
Tuberculosis Infection Cases	1	0	1

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	89	85	78
Suicides	2	0	2
Self-inflicted Injuries	6	9	10
Homicides	0	0	0
Assault Injuries	16	15	10
Alcohol Induced Deaths	0	0	4
Drug Induced Deaths	2	1	1
Smoking Attributable Deaths	19	20	15

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	34	38
Alcohol Primary Diagnosis	2	1	2
Drug Primary Diagnosis	2	3	5
Alcohol Related Diagnosis	6	21	28
Drug Related Diagnosis	9	14	15
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	10	3
Alcohol Primary Diagnosis	2	1	0
Drug Primary Diagnosis	2	2	0
Alcohol Related Diagnosis	16	2	20
Drug Related Diagnosis	19	0	10
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	46	35
Alcohol Primary Diagnosis	2	3	4
Drug Primary Diagnosis	2	7	9
Alcohol Related Diagnosis	10	8	12
Drug Related Diagnosis	12	16	5

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	16	11	16
Fatal Crashes	0	1	0
Injury Crashes	11	9	6
Property Damage Crashes	5	1	10
Crash Fatalities	0	1	0
Crash Injuries	14	12	8
Drug Involved Crashes--Total	1	2	0
Fatal Crashes	0	0	0
Injury Crashes	1	1	0
Property Damage Crashes	0	1	0
Crash Fatalities	0	0	0
Crash Injuries	1	1	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	41	50	36
Liquor Law Arrests	0	3	2
Drug Arrests	10	15	10
Methamphetamine Lab Incidents	29	20	23
Violent Offenses	7	9	11
Property Offenses	187	197	186
Domestic Violence Reports	50	37	46

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	24	28	47
Violent Offenses	4	7	10
Alcohol Offenses	0	3	2
Drug Offenses	3	2	1
Status Offenses--Total	16	19	35
Truancy	5	4	10
Beyond Parental Control	0	0	0
Habitually Absent from Home	0	1	2
Injurious Behavior	11	14	23
Abuse/Neglect/Custody--Total	25	17	17
Abuse	2	1	3
Neglect	23	16	14
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	13	8	5
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	1	0	0
Parental Alcohol and Drug Use	4	0	0
Child Removed for Other Reason	8	8	5

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	53	62	38
Probation/Parole Admissions--Drug	19	19	11
Probation/Parole Admissions--DWI	0	0	3
Prison Admissions--Total	38	43	28
Prison Admissions--Drug	13	17	10
Prison Admissions--DWI	0	1	1

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	15	15	14
Alcohol Package Carry-out Licenses	19	20	20

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# RALLS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	12	6	7
CSTAR Adolescent	*	0	8
CSTAR Women and Children	9	9	*
CSTAR General Adult	5	*	*
CSTAR Opioid	0	0	0
Primary Recovery Treatment	32	41	34
Clinical SATOP (CIP, YCIP, SROP)	*	5	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	36	44	31
- Adolescent Diversion Education Program	*	7	6
- Offender Education Program	11	16	12
- Weekend Intervention Program	12	9	10
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	0	*
Early Intervention	5	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	47	58	49	Alcohol	17	28	20
AGE				Marijuana / Hashish	13	17	17
Under 18	*	*	9	Cocaine (total)	0	*	*
18 to 24	9	14	11	- Crack	0	0	*
25 to 29	9	14	7	Stimulant (total)	9	7	5
30 to 34	10	12	7	- Methamphetamine	8	7	5
35 to 39	6	*	*	Heroin	6	*	*
40 to 44	*	*	*	Analgesic except Heroin	*	*	*
45 to 54	5	8	8	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	*
Male	36	50	42	Inhalant	0	0	*
Female	11	8	7	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	0
Caucasian	46	57	45	Average Age at First Use of Drug	18.1	16.9	15.7
African American	*	0	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	0
Hispanic	0	0	*	- Weekly Injection Use	0	*	*
Other Race / Two or More Races	0	*	0	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	14	10	21	0	23	31	23
High School Graduate or G.E.D.	27	40	23	1 or 2	16	15	16
Associate Degree or Some College	5	7	*	3 or More	8	12	10
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	8	*	10
Employed	16	23	12	School	0	0	0
Unemployed	21	26	21	Mental Health Provider	0	0	0
Not in Labor Force	10	9	16	Health Care Provider	0	0	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	23	38	31
Independent Living	38	46	38	Other Referral Source	9	14	7
Dependent Living	8	6	11	TREATMENT ACCOMMODATION			
Homeless	0	*	0	Pregnant when Admitted to any Episode	0	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	30	30	28	Special Education Services Needed	5	9	5
Married / Cohabiting	11	15	12	Co-Occurring Psychological Problem	7	11	15
Previously Married	6	13	9	Co-Occurring Developmental Problem	*	0	*

# RALLS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 15  
**CENSUS 2010** 10,167  
**2013 POPULATION ESTIMATE** 10,192

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	*	0	*
Anxiety Disorder	15	18	13
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	19	16	11
Mood Disorder	48	50	35
Personality Disorder	*	*	*
Psychotic Disorder	13	10	10
Sexual Disorder	0	0	0
Other Diagnosis	10	6	*
Diagnosis Unknown	8	15	20

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.


<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	78	84	79	Less than High School Diploma	30	15	10
<b>AGE</b>				High School Grad or G.E.D.	0	17	20
Under 6	*	*	*	Associate Degree or Some College	*	*	5
6 to 9	*	7	5	Bachelor or Advanced Degree	0	*	*
10 to 13	7	6	8	Education Level Unknown	47	47	43
14 to 17	5	*	*	<b>EMPLOYMENT</b>			
18 to 24	*	11	8	Employed	7	6	9
25 to 29	6	8	9	Unemployed	7	30	24
30 to 34	5	6	8	Not in Labor Force	54	*	*
35 to 39	8	*	5	Employment Status Unknown	10	44	43
40 to 44	8	11	10	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	10	14	13	Independent Living	38	30	24
50 to 54	11	5	*	Dependent Living	25	13	20
55 to 59	6	6	*	Homeless	0	0	0
60 and Over	*	*	*	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	15	41	33
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	37	41	41	Self / Family / Friend	27	28	28
Female	41	43	38	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	12	8	9
<b>RACE / ETHNICITY</b>				Health Care Provider	5	5	*
Caucasian	75	81	78	Court / Criminal Justice	*	*	*
African American	*	*	*	Other	29	37	36
Native American / Alaskan	0	0	0	Referral Source Unknown	0	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	0	0	Voluntary	76	82	77
Other Race	0	*	0	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	*	*
Past or Current Military Service	5	*	*				

# RALLS COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	47.9			Alcohol (1 or 2 drinks daily)	53.1		
Cigarettes	22.4			Alcohol (Binge: 5+ drinks once or twice a week)	62.5		
Chewing Tobacco	17.0			Alcohol (any use)			
Marijuana	8.3			Cigarettes (1+ packs per day)	76.6		
Inhalants	2.0			Cigarettes (any use)			
Prescription medications not prescribed for student	6.3			Marijuana (once or twice a week)	70.8		
Over-the-counter medications for non-medical use	0.0			Marijuana (any use)			
Methamphetamine	0.0			Other: Cocaine, LSD, Meth, Club Drug (any use)	89.6		
Cocaine	0.0			<i>Percent of students who, in past 30 days:</i>			
Heroin	0.0			Were very sad	20.4		
Hallucinogens	0.0			Were grouchy, irritable, or in a bad mood	28.6		
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.1			Felt hopeless about the future	16.3		
Steroids not prescribed for student	0.0			Felt like not eating or eating more than usual	14.6		
Synthetic drugs (K2, bath salts, Spice, etc)	6.1			Slept a lot more or a lot less than usual	16.3		
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	25.0		
Alcohol	12.26			<i>Percent of students who, in past 12 months:</i>			
Cigarettes	14.03			Seriously considered attempting suicide	8.2		
Marijuana	15.33			Made plan about how they would attempt suicide	8.2		
Inhalants	12.66			Attempted suicide	6.1		
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.0		
Alcohol	22.9			<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occassion)				Were threatened/injured with weapon at school	8.2		
Cigarettes	8.3			Were in a physical fight	24.5		
Chewing Tobacco	10.6			Were in a fight and had to be treated by a doctor or nurse	0.0		
Marijuana	4.2			<i>Percent of students who, in past 3 months:</i>			
Inhalants	2.0			Were victims of mean rumors or lies spread at school	45.8		
Prescription medications not prescribed for student	2.1			Were made fun of by others	53.1		
Over-the-counter medications for non-medical use	0.0			Were victims of an embarrassing or hurtful text message or something posted on the internet	22.4		
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	26.5		
Alcohol (Binge: 5+ drinks on one occassion)	11.1			Made fun of other people	67.3		
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	16.7		
Alcohol	53.1			<i>Percent of students who agree that:</i>			
Cigarettes	37.5			Teachers notice and comment on student's good work	68.8		
Marijuana	18.4			School provides feedback to parents on positive student performance	36.7		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.3			Rules are enforced fairly	52.1		
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	77.6		
Alcohol	36.7			<i>Percent of students who agree that:</i>			
Cigarettes	12.2			Parents notice and comment on student's good work	81.3		
Marijuana	6.4			Parents involve student in making family decisions	70.2		
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	81.3		
Alcohol	61.2			Student could ask parent for help with a personal problem	79.2		
Cigarettes	77.1			<div>Page Notes:</div> <div>Similar affirmative response choices for individual questions are combined.</div> <div>Blank data cells indicate estimates are not available for item or geographic area.</div> <div>Survey is not conducted in every school district nor reported for every county.</div> <div>Estimates are not available for counties with small numbers of respondents.</div> <div>Percentages are estimates based on weighted data.</div> <div>Some year-to-year differences in percentages are not statistically significant.</div>			
Marijuana	83.3						
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.9						
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	79.2						
Cigarettes	89.8			<div>Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys</div>			
Marijuana	91.7						
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	53.2						
Cigarettes	49.0						
Marijuana	26.5						
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.6						

# RANDOLPH COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	12
Adult Psychiatric	12
<b>POPULATION</b>	
Census 2010	25,414
2013 Estimate	24,940

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	12,851	12,424	12,640
Employed	12,022	11,500	11,459
Unemployed	829	924	1,181
Unemployment Rate	6.5%	7.4%	9.3%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	1,160	1,099	1,211
Drop-outs	34	32	21
Drop-out Rate	2.9%	2.9%	1.7%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	2	0	6
Tobacco Incidents	0	0	0

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	276	267	323
Mother Reported Smoking while Pregnant	85	70	102

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	1	2
Hepatitis C Chronic and Acute	1	14	18
Tuberculosis Infection Cases	1	5	3

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	273	252	257
Suicides	5	0	3
Self-inflicted Injuries	50	40	28
Homicides	1	0	1
Assault Injuries	121	137	97
Alcohol Induced Deaths	2	2	1
Drug Induced Deaths	1	1	1
Smoking Attributable Deaths	52	47	47

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	234	245
Alcohol Primary Diagnosis	2	22	18
Drug Primary Diagnosis	2	12	5
Alcohol Related Diagnosis	106	102	69
Drug Related Diagnosis	86	74	62
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	119	81
Alcohol Primary Diagnosis	2	13	18
Drug Primary Diagnosis	2	17	5
Alcohol Related Diagnosis	60	44	68
Drug Related Diagnosis	67	41	49
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	273	228
Alcohol Primary Diagnosis	2	43	19
Drug Primary Diagnosis	2	38	41
Alcohol Related Diagnosis	122	81	111
Drug Related Diagnosis	142	118	110

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	24	15	20
Fatal Crashes	1	0	0
Injury Crashes	14	6	10
Property Damage Crashes	9	9	10
Crash Fatalities	1	0	0
Crash Injuries	25	9	10
Drug Involved Crashes--Total	4	1	7
Fatal Crashes	0	0	0
Injury Crashes	3	0	3
Property Damage Crashes	1	1	4
Crash Fatalities	0	0	0
Crash Injuries	3	0	5

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	229	171	181
Liquor Law Arrests	49	21	44
Drug Arrests	380	208	129
Methamphetamine Lab Incidents	9	4	8
Violent Offenses	45	40	34
Property Offenses	716	618	700
Domestic Violence Reports	116	131	170

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	213	217	336
Violent Offenses	51	56	75
Alcohol Offenses	6	9	9
Drug Offenses	14	11	12
Status Offenses--Total	307	302	389
Truancy	104	116	140
Beyond Parental Control	35	36	46
Habitually Absent from Home	37	19	33
Injurious Behavior	131	131	170
Abuse/Neglect/Custody--Total	239	162	135
Abuse	86	65	56
Neglect	152	97	79
Custody Disputes	1	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	80	54	42
Parental Alcohol Use Related	4	3	1
Parental Drug Use Related	37	9	9
Parental Alcohol and Drug Use	1	3	0
Child Removed for Other Reason	38	39	32

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	22	37	30
Probation/Parole Admissions--Total	382	368	325
Probation/Parole Admissions--Drug	124	109	95
Probation/Parole Admissions--DWI	32	33	29
Prison Admissions--Total	185	180	180
Prison Admissions--Drug	86	60	53
Prison Admissions--DWI	14	11	15

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	27	29	33
Alcohol Package Carry-out Licenses	25	24	23

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# RANDOLPH COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	13	20	22
CSTAR Adolescent	29	33	29
CSTAR Women and Children	17	21	17
CSTAR General Adult	113	112	92
CSTAR Opioid	0	0	0
Primary Recovery Treatment	93	112	141
Clinical SATOP (CIP, YCIP, SROP)	23	27	23
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	117	105	117
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	45	44	36
- Weekend Intervention Program	25	29	25
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	5	5
Compulsive Gambling	0	0	0
Recovery Supports	*	*	16
Early Intervention	7	13	11


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	256	280	282	Alcohol	95	100	101
AGE				Marijuana / Hashish	81	115	116
Under 18	28	41	35	Cocaine (total)	10	13	17
18 to 24	39	48	58	- Crack	5	5	9
25 to 29	53	45	51	Stimulant (total)	44	38	29
30 to 34	43	37	39	- Methamphetamine	43	37	29
35 to 39	26	33	31	Heroin	*	*	0
40 to 44	21	29	26	Analgesic except Heroin	14	6	7
45 to 54	40	41	35	- Non-Prescription Methadone	0	0	0
55 and Over	6	6	6	PCP, LSD, other Hallucinogen	0	0	6
GENDER				Tranquilizer	5	5	*
Male	177	183	201	Inhalant	*	0	*
Female	79	97	80	Sedative	0	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	210	236	237	Average Age at First Use of Drug	17.1	16.5	16.2
African American	34	28	28	INJECTION DRUG USE			
Native American / Alaskan	*	0	0	Any Injection Use at Admission	22	19	10
Asian / Pacific Islander	0	*	*	- Daily Injection Use	*	*	*
Hispanic	7	10	7	- Weekly Injection Use	*	5	0
Other Race / Two or More Races	7	9	12	- Less than Weekly Injection Use	18	11	7
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	98	130	131	0	141	148	143
High School Graduate or G.E.D.	125	115	116	1 or 2	80	89	84
Associate Degree or Some College	30	32	29	3 or More	35	43	54
Bachelor or Advanced Degree	*	*	5	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	68	42	53
Employed	68	80	73	School	0	0	0
Unemployed	121	108	120	Mental Health Provider	0	*	*
Not in Labor Force	67	92	88	Health Care Provider	8	5	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	83	192	199
Independent Living	202	211	198	Other Referral Source	85	34	26
Dependent Living	44	58	69	TREATMENT ACCOMMODATION			
Homeless	6	5	5	Pregnant when Admitted to any Episode	5	5	*
MARITAL / FAMILY STATUS				Military Veteran	12	10	7
Never Married	142	147	162	Special Education Services Needed	23	28	37
Married / Cohabiting	59	66	59	Co-Occurring Psychological Problem	109	95	103
Previously Married	55	67	60	Co-Occurring Developmental Problem	10	10	13



# RANDOLPH COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 12  
**CENSUS 2010** 25,414  
**2013 POPULATION ESTIMATE** 24,940

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	11	22	10
Anxiety Disorder	171	178	136
Dementia	0	*	*
Developmental Disorder	8	11	5
Impulse Control Disorder	36	74	48
Mood Disorder	249	253	186
Personality Disorder	49	44	30
Psychotic Disorder	58	52	43
Sexual Disorder	*	*	*
Other Diagnosis	14	8	5
Diagnosis Unknown	35	47	40

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	365	413	314	Less than High School Diploma	122	93	44
<b>AGE</b>				High School Grad or G.E.D.	0	105	94
Under 6	0	*	*	Associate Degree or Some College	0	36	25
6 to 9	6	16	13	Bachelor or Advanced Degree	0	*	*
10 to 13	19	33	22	Education Level Unknown	243	175	150
14 to 17	22	41	24	<b>EMPLOYMENT</b>			
18 to 24	36	49	44	Employed	29	35	27
25 to 29	35	44	30	Unemployed	36	186	133
30 to 34	26	37	23	Not in Labor Force	264	68	10
35 to 39	49	33	23	Employment Status Unknown	36	124	144
40 to 44	30	29	19	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	34	35	44	Independent Living	211	203	133
50 to 54	42	39	29	Dependent Living	106	83	67
55 to 59	29	27	21	Homeless	*	*	*
60 and Over	37	29	21	Other	0	*	7
Age Unknown	0	0	0	Housing Unknown	45	122	106
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	155	178	134	Self / Family / Friend	192	274	207
Female	210	235	180	School	*	*	0
Gender Unknown	0	0	0	Mental Health Provider	31	29	27
<b>RACE / ETHNICITY</b>				Health Care Provider	78	63	36
Caucasian	322	372	276	Court / Criminal Justice	38	21	26
African American	26	27	22	Other	25	23	17
Native American / Alaskan	*	0	*	Referral Source Unknown	0	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	5	*	*	Voluntary	363	405	310
Other Race	11	11	13	Civil	0	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	14	8	7	Commitment Type Unknown	0	*	*
Past or Current Military Service	10	8	8				




# RANDOLPH COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	36.2	37.8	46.6	Alcohol (1 or 2 drinks daily)	46.9		
Cigarettes	25.8	25.2	30.5	Alcohol (Binge: 5+ drinks once or twice a week)	60.6		
Chewing Tobacco	16.0	7.8	12.8	Alcohol (any use)		64.9	78.8
Marijuana	7.7	13.4	12.3	Cigarettes (1+ packs per day)	79.8		
Inhalants	3.9	8.3	6.8	Cigarettes (any use)		74.1	75.8
Prescription medications not prescribed for student	4.2	9.4	9.8	Marijuana (once or twice a week)	66.8		
Over-the-counter medications for non-medical use	2.8	8.0	8.8	Marijuana (any use)		71.6	67.6
Methamphetamine	1.4	1.6	0.8	Other: Cocaine, LSD, Meth, Club Drug (any use)	88.6	89.5	91.7
Cocaine	1.1	1.6	1.4	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.4	0.5	0.2	Were very sad	16.3	21.0	28.8
Hallucinogens	2.1	2.7	2.1	Were grouchy, irritable, or in a bad mood	26.6	26.8	30.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.4	2.4	1.2	Felt hopeless about the future	7.5	12.9	17.4
Steroids not prescribed for student	0.4	1.4	0.8	Felt like not eating or eating more than usual	16.2	16.8	23.9
Synthetic drugs (K2, bath salts, Spice, etc)	5.0	5.9		Slept a lot more or a lot less than usual	11.6	21.2	29.9
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	21.0	24.9	27.4
Alcohol	12.22	11.82	12.15	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.32	11.84	11.83	Seriously considered attempting suicide	8.5	13.7	9.7
Marijuana	12.72	13.21	13.52	Made plan about how they would attempt suicide	6.5	10.9	6.8
Inhalants	12.96	11.21	11.88	Attempted suicide	2.7	9.1	5.8
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.0	1.9	1.6
Alcohol	18.1	14.0	22.6	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occassion)		9.7	14.1	Were threatened/injured with weapon at school	6.5	7.8	11.1
Cigarettes	13.6	11.5	15.0	Were in a physical fight	28.1	24.2	31.3
Chewing Tobacco	8.7	4.3	8.6	Were in a fight and had to be treated by a doctor or nurse	2.0	4.6	5.2
Marijuana	4.9	7.2	6.4	<i>Percent of students who, in past 3 months:</i>			
Inhalants	2.1	3.2	3.1	Were victims of mean rumors or lies spread at school	49.0	55.5	55.1
Prescription medications not prescribed for student	2.1	5.1	5.5	Were made fun of by others	59.2	65.3	66.6
Over-the-counter medications for non-medical use	2.4	4.8	6.6	Were victims of an embarrassing or hurtful text message or something posted on the internet	22.0	24.8	16.1
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	18.8	28.2	30.0
Alcohol (Binge: 5+ drinks on one occassion)	8.9			Made fun of other people	55.8	64.6	70.3
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	14.3	15.7	16.0
Alcohol	42.9	51.9	60.9	<i>Percent of students who agree that:</i>			
Cigarettes	45.8	48.9	51.2	Teachers notice and comment on student's good work	79.0	64.1	68.4
Marijuana	21.8	35.5	34.1	School provides feedback to parents on positive student performance	51.0	43.4	40.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.6	15.9	17.9	Rules are enforced fairly	72.5	60.6	62.9
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	81.6	73.2	77.0
Alcohol	27.1	28.8	36.5	<i>Percent of students who agree that:</i>			
Cigarettes	15.7	14.5	16.4	Parents notice and comment on student's good work	83.9	80.4	82.4
Marijuana	10.8	11.9	10.2	Parents involve student in making family decisions	73.9	65.1	69.8
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	87.4	84.8	81.0
Alcohol	63.1	61.8	57.3	Student could ask parent for help with a personal problem	77.5	75.3	77.4
Cigarettes	77.9	78.8	78.1	<div>Page Notes:</div> <div>Similar affirmative response choices for individual questions are combined.</div> <div>Blank data cells indicate estimates are not available for item or geographic area.</div> <div>Survey is not conducted in every school district nor reported for every county.</div> <div>Estimates are not available for counties with small numbers of respondents.</div> <div>Percentages are estimates based on weighted data.</div> <div>Some year-to-year differences in percentages are not statistically significant.</div>			
Marijuana	84.3	80.9	85.2				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.7	92.7	95.0				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	77.8	78.7	72.8				
Cigarettes	88.8	90.5	89.2				
Marijuana	90.7	94.9	94.7				
<i>Percent who say it would be easy to obtain:</i>				Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Alcohol	50.0	56.9	60.0				
Cigarettes	49.3	54.8	53.7				
Marijuana	26.0	39.0	34.4				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.3	20.4	20.0				

# RAY COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	6
Adult Psychiatric	6
<b>POPULATION</b>	
Census 2010	23,494
2013 Estimate	23,039

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	235	236	263
Mother Reported Smoking while Pregnant	71	54	75
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	2	0
Hepatitis C Chronic and Acute	1	6	11
Tuberculosis Infection Cases	1	0	0
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	251	223	241
Suicides	8	4	6
Self-inflicted Injuries	40	36	40
Homicides	2	0	0
Assault Injuries	69	65	71
Alcohol Induced Deaths	1	0	4
Drug Induced Deaths	2	5	0
Smoking Attributable Deaths	43	43	48
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	182	153
Alcohol Primary Diagnosis	2	10	3
Drug Primary Diagnosis	2	12	7
Alcohol Related Diagnosis	48	47	67
Drug Related Diagnosis	77	51	84
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	36	28
Alcohol Primary Diagnosis	2	8	8
Drug Primary Diagnosis	2	6	6
Alcohol Related Diagnosis	63	56	62
Drug Related Diagnosis	60	47	53
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	209	197
Alcohol Primary Diagnosis	2	32	14
Drug Primary Diagnosis	2	18	21
Alcohol Related Diagnosis	84	56	80
Drug Related Diagnosis	109	83	44
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	31	27	24
Fatal Crashes	1	1	0
Injury Crashes	15	12	12
Property Damage Crashes	15	14	12
Crash Fatalities	1	1	0
Crash Injuries	27	16	16
Drug Involved Crashes--Total	17	12	3
Fatal Crashes	1	1	0
Injury Crashes	12	6	1
Property Damage Crashes	4	5	2
Crash Fatalities	1	1	0
Crash Injuries	22	8	1

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	10,972	11,299	11,571
Employed	10,132	10,285	10,426
Unemployed	840	1,014	1,145
Unemployment Rate	7.7%	9.0%	9.9%
<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	1,083	1,054	1,094
Drop-outs	22	19	10
Drop-out Rate	2.0%	1.8%	0.9%
School Suspensions:			
Alcohol Incidents	0	1	2
Drug Incidents	6	5	9
Tobacco Incidents	0	2	0
<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	96	89	184
Liquor Law Arrests	52	65	61
Drug Arrests	59	54	58
Methamphetamine Lab Incidents	0	0	0
Violent Offenses	57	43	42
Property Offenses	623	537	452
Domestic Violence Reports	227	224	182
<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	172	184	162
Violent Offenses	35	75	60
Alcohol Offenses	8	15	17
Drug Offenses	6	9	15
Status Offenses--Total	85	71	84
Truancy	16	18	15
Beyond Parental Control	24	20	27
Habitually Absent from Home	13	18	16
Injurious Behavior	32	15	26
Abuse/Neglect/Custody--Total	16	30	36
Abuse	11	21	30
Neglect	2	9	5
Custody Disputes	3	0	1
<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	13	11	14
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	3	0	1
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	10	11	13
<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	35	39	39
Probation/Parole Admissions--Total	239	255	197
Probation/Parole Admissions--Drug	67	71	52
Probation/Parole Admissions--DWI	20	12	11
Prison Admissions--Total	122	149	135
Prison Admissions--Drug	40	51	37
Prison Admissions--DWI	5	15	7
<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	16	14	16
Alcohol Package Carry-out Licenses	19	19	19

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.  
 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# RAY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	5	7	16
CSTAR Adolescent	8	6	7
CSTAR Women and Children	5	5	0
CSTAR General Adult	151	131	95
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	8
Clinical SATOP (CIP, YCIP, SROP)	16	13	11
Other Substance Abuse Treatment	0	*	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	74	76	72
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	21	19	25
- Weekend Intervention Program	17	21	27
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	*
Recovery Supports	6	12	6
Early Intervention	*	7	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	189	160	123	Alcohol	62	58	49
AGE				Marijuana / Hashish	54	44	47
Under 18	10	6	11	Cocaine (total)	*	*	0
18 to 24	56	41	38	- Crack	*	*	0
25 to 29	23	25	13	Stimulant (total)	56	42	19
30 to 34	31	34	17	- Methamphetamine	55	42	18
35 to 39	18	19	19	Heroin	*	0	0
40 to 44	19	8	7	Analgesic except Heroin	11	13	*
45 to 54	25	26	15	- Non-Prescription Methadone	0	0	0
55 and Over	7	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	*	*
Male	118	104	80	Inhalant	0	0	0
Female	71	56	43	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	*
Caucasian	181	150	118	Average Age at First Use of Drug	18.0	17.4	16.1
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	*	0	0	Any Injection Use at Admission	28	19	9
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	*	*	0	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	*	6	*	- Less than Weekly Injection Use	24	14	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	61	43	37	0	108	99	62
High School Graduate or G.E.D.	87	87	66	1 or 2	55	40	43
Associate Degree or Some College	39	30	20	3 or More	26	21	18
Bachelor or Advanced Degree	*	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	44	44	34
Employed	64	51	42	School	*	0	0
Unemployed	64	72	45	Mental Health Provider	5	0	7
Not in Labor Force	61	37	36	Health Care Provider	*	6	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	96	91	70
Independent Living	175	146	107	Other Referral Source	22	14	11
Dependent Living	9	8	13	TREATMENT ACCOMMODATION			
Homeless	0	*	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	103	89	73	Special Education Services Needed	8	15	*
Married / Cohabiting	45	41	32	Co-Occurring Psychological Problem	85	70	54
Previously Married	41	30	18	Co-Occurring Developmental Problem	*	*	*

# RAY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 6  
**CENSUS 2010** 23,494  
**2013 POPULATION ESTIMATE** 23,039

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	6	8	*
Anxiety Disorder	71	61	38
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	36	37	24
Mood Disorder	179	178	116
Personality Disorder	*	*	*
Psychotic Disorder	32	27	25
Sexual Disorder	0	0	*
Other Diagnosis	8	*	*
Diagnosis Unknown	29	25	91

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	299	274	257	Less than High School Diploma	46	19	12
<b>AGE</b>				High School Grad or G.E.D.	0	13	8
Under 6	*	*	*	Associate Degree or Some College	0	*	5
6 to 9	14	8	*	Bachelor or Advanced Degree	0	*	0
10 to 13	22	17	10	Education Level Unknown	253	238	232
14 to 17	22	23	27	<b>EMPLOYMENT</b>			
18 to 24	19	29	35	Employed	17	9	*
25 to 29	27	26	21	Unemployed	11	20	21
30 to 34	35	30	23	Not in Labor Force	105	24	*
35 to 39	27	28	31	Employment Status Unknown	166	221	232
40 to 44	28	22	25	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	39	32	30	Independent Living	94	34	24
50 to 54	27	25	21	Dependent Living	36	16	14
55 to 59	17	16	13	Homeless	*	*	0
60 and Over	19	17	16	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	168	220	218
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	136	113	117	Self / Family / Friend	277	252	231
Female	163	161	140	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	0	*
<b>RACE / ETHNICITY</b>				Health Care Provider	10	6	*
Caucasian	284	260	243	Court / Criminal Justice	*	*	*
African American	5	6	6	Other	5	11	9
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	8
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	297	272	247
Other Race	5	6	6	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	12	9	7	Commitment Type Unknown	*	*	8
Past or Current Military Service	*	*	*				

# RAY COUNTY

## MISSOURI STUDENT SURVEY


	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	34.7	41.3	42.4	Alcohol (1 or 2 drinks daily)	61.2		
Cigarettes	27.8	27.1	27.7	Alcohol (Binge: 5+ drinks once or twice a week)	70.6		
Chewing Tobacco	8.1	17.3	18.9	Alcohol (any use)		72.1	83.7
Marijuana	11.0	15.0	13.2	Cigarettes (1+ packs per day)	87.0		
Inhalants	3.7	7.4	7.7	Cigarettes (any use)		83.8	82.6
Prescription medications not prescribed for student	7.3	12.1	14.2	Marijuana (once or twice a week)	75.1		
Over-the-counter medications for non-medical use	0.7	8.6	8.5	Marijuana (any use)		78.2	75.5
Methamphetamine	0.7	2.4	0.4	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.6	94.7	94.5
Cocaine	0.7	3.6	1.1				
Heroin	0.3	1.7	0.6	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	0.3	4.3	1.8	Were very sad	16.7	22.3	21.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.7	2.9	0.9	Were grouchy, irritable, or in a bad mood	28.7	27.1	22.4
Steroids not prescribed for student	0.0	1.9	0.9	Felt hopeless about the future	14.6	14.0	10.8
Synthetic drugs (K2, bath salts, Spice, etc)	5.3	8.1		Felt like not eating or eating more than usual	14.8	20.8	19.4
				Slept a lot more or a lot less than usual	17.7	21.3	27.0
				Had difficulty concentrating on school work	21.3	25.9	18.8
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	13.39	12.50	12.13	Seriously considered attempting suicide	7.7	14.6	10.9
Cigarettes	13.28	12.70	12.25	Made plan about how they would attempt suicide	7.0	11.5	10.4
Marijuana	14.04	13.37	13.29	Attempted suicide	2.3	4.5	5.1
Inhalants	11.84	12.25	11.93	Attempted suicide and resulting injury, poisoning, or overdose	0.3	2.7	1.9
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	8.6	16.2	16.8	Were threatened/injured with weapon at school	6.3	7.2	9.1
Alcohol (Binge: 5+ drinks on one occasion)		11.0	10.0	Were in a physical fight	15.1	20.7	24.4
Cigarettes	12.1	14.3	11.7	Were in a fight and had to be treated by a doctor or nurse	0.3	1.7	4.7
Chewing Tobacco	2.3	9.5	10.1				
Marijuana	1.7	7.1	6.7	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.7	2.4	3.7	Were victims of mean rumors or lies spread at school	56.0	51.2	57.0
Prescription medications not prescribed for student	3.3	6.9	7.7	Were made fun of by others	70.1	61.2	68.3
Over-the-counter medications for non-medical use	0.3	5.7	4.8	Were victims of an embarrassing or hurtful text message or something posted on the Internet	28.7	22.7	19.8
				Spread mean rumors or lies about other kids at school	29.2	21.9	30.1
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	58.3	62.4	71.1
Alcohol (Binge: 5+ drinks on one occasion)	2.7			Posted something on the internet or sent a text that might embarrass or hurt another student	17.9	13.9	18.6
<i>Percent whose friends used in past 12 months:</i>				<i>Percent of students who agree that:</i>			
Alcohol	41.9	57.5	56.5	Teachers notice and comment on student's good work	76.3	68.3	72.2
Cigarettes	40.2	50.1	45.5	School provides feedback to parents on positive student performance	46.3	36.7	46.4
Marijuana	20.3	35.8	32.0	Rules are enforced fairly	74.9	63.1	65.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.0	14.3	14.3	Students of all races/ethnicities are treated equal	93.0	81.5	84.2
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	20.7	31.5	28.8	Parents notice and comment on student's good work	83.7	77.8	87.2
Cigarettes	15.5	16.3	14.1	Parents involve student in making family decisions	63.6	65.7	69.0
Marijuana	6.7	11.2	10.3	It is important to be honest with parents regardless of consequences	88.0	83.7	84.6
				Student could ask parent for help with a personal problem	73.0	72.2	75.8
<i>Percent who say it would be wrong to use:</i>							
Alcohol	73.7	60.9	64.1				
Cigarettes	83.3	78.2	81.0				
Marijuana	89.6	84.4	88.0				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.0	94.0	96.5				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	83.2	79.1	80.3				
Cigarettes	84.5	90.4	91.8				
Marijuana	96.3	94.2	96.7				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	44.0	57.9	54.3				
Cigarettes	51.5	55.0	53.5				
Marijuana	26.3	31.9	32.1				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	18.1	14.6	14.5				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys



# REYNOLDS COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	19
Adult Psychiatric	19
<b>POPULATION</b>	
Census 2010	6,696
2013 Estimate	6,599

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	2,551	2,458	2,393
Employed	2,322	2,213	2,085
Unemployed	229	245	308
Unemployment Rate	9.0%	10.0%	12.9%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	330	337	317
Drop-outs	0	1	2
Drop-out Rate	0.0%	0.3%	0.6%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	0	0	0
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	40	47	28
Liquor Law Arrests	23	13	4
Drug Arrests	39	65	41
Methamphetamine Lab Incidents	1	43	9
Violent Offenses	25	31	14
Property Offenses	90	91	71
Domestic Violence Reports	8	11	9

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	4	12	10
Violent Offenses	0	3	2
Alcohol Offenses	1	0	1
Drug Offenses	0	0	1
Status Offenses--Total	35	19	18
Truancy	1	0	2
Beyond Parental Control	24	10	10
Habitually Absent from Home	0	0	0
Injurious Behavior	9	9	2
Abuse/Neglect/Custody--Total	89	51	41
Abuse	12	20	6
Neglect	77	31	35
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	15	10	9
Parental Alcohol Use Related	2	0	0
Parental Drug Use Related	2	0	0
Parental Alcohol and Drug Use	2	2	3
Child Removed for Other Reason	9	8	6

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	19	13	9
Probation/Parole Admissions--Total	40	53	41
Probation/Parole Admissions--Drug	16	26	13
Probation/Parole Admissions--DWI	0	2	0
Prison Admissions--Total	15	15	20
Prison Admissions--Drug	3	4	4
Prison Admissions--DWI	1	0	0

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	6	8	7
Alcohol Package Carry-out Licenses	12	11	10

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	64	63	74
Mother Reported Smoking while Pregnant	19	16	25

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	1	5	10
Tuberculosis Infection Cases	1	4	2

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	66	85	83
Suicides	0	0	1
Self-inflicted Injuries	9	9	8
Homicides	1	1	0
Assault Injuries	15	26	17
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	0	0	2
Smoking Attributable Deaths	15	21	17

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	49	41
Alcohol Primary Diagnosis	2	2	3
Drug Primary Diagnosis	2	6	2
Alcohol Related Diagnosis	18	19	25
Drug Related Diagnosis	34	28	15
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	12	8
Alcohol Primary Diagnosis	2	0	2
Drug Primary Diagnosis	2	1	0
Alcohol Related Diagnosis	7	11	12
Drug Related Diagnosis	7	5	7
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	84	49
Alcohol Primary Diagnosis	2	7	8
Drug Primary Diagnosis	2	6	5
Alcohol Related Diagnosis	42	40	38
Drug Related Diagnosis	29	33	36

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	21	16	10
Fatal Crashes	3	1	0
Injury Crashes	9	9	8
Property Damage Crashes	9	6	2
Crash Fatalities	3	1	0
Crash Injuries	15	12	8
Drug Involved Crashes--Total	1	1	0
Fatal Crashes	1	0	0
Injury Crashes	0	1	0
Property Damage Crashes	0	0	0
Crash Fatalities	1	0	0
Crash Injuries	0	1	0

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# REYNOLDS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	5	*	*
CSTAR Adolescent	0	0	0
CSTAR Women and Children	*	*	*
CSTAR General Adult	22	7	10
CSTAR Opioid	0	0	0
Primary Recovery Treatment	12	15	17
Clinical SATOP (CIP, YCIP, SROP)	7	7	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	21	21	8
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	*	8	*
- Weekend Intervention Program	5	*	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	5	0	0
Early Intervention	*	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	41	28	25	Alcohol	13	11	8
AGE				Marijuana / Hashish	12	9	*
Under 18	0	*	0	Cocaine (total)	0	0	0
18 to 24	7	*	8	- Crack	0	0	0
25 to 29	8	5	7	Stimulant (total)	9	5	6
30 to 34	7	*	*	- Methamphetamine	9	5	5
35 to 39	6	5	*	Heroin	*	0	0
40 to 44	6	5	0	Analgesic except Heroin	6	*	7
45 to 54	*	7	5	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	0	PCP, LSD, other Hallucinogen	0	*	0
GENDER				Tranquilizer	0	0	*
Male	27	21	10	Inhalant	0	0	0
Female	14	7	15	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	39	26	25	Average Age at First Use of Drug	18.9	19.8	18.8
African American	*	*	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	6	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	0
Hispanic	*	0	0	- Weekly Injection Use	*	0	*
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	*	*	0
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	16	10	11	0	23	16	16
High School Graduate or G.E.D.	20	9	10	1 or 2	13	10	6
Associate Degree or Some College	*	9	*	3 or More	5	*	*
Bachelor or Advanced Degree	*	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	12	7	11
Employed	12	12	*	School	0	0	0
Unemployed	19	10	15	Mental Health Provider	0	*	0
Not in Labor Force	10	6	6	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	23	18	7
Independent Living	38	27	25	Other Referral Source	*	0	5
Dependent Living	0	*	0	TREATMENT ACCOMMODATION			
Homeless	*	0	0	Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS				Military Veteran	0	*	*
Never Married	17	9	9	Special Education Services Needed	*	*	*
Married / Cohabiting	11	9	11	Co-Occurring Psychological Problem	15	7	12
Previously Married	13	10	5	Co-Occurring Developmental Problem	5	*	6

# REYNOLDS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 19  
**CENSUS 2010** 6,696  
**2013 POPULATION ESTIMATE** 6,599

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	*	0	0
Anxiety Disorder	*	*	*
Dementia	0	0	0
Developmental Disorder	*	0	0
Impulse Control Disorder	7	*	*
Mood Disorder	27	23	19
Personality Disorder	*	0	0
Psychotic Disorder	11	*	*
Sexual Disorder	*	*	*
Other Diagnosis	0	*	*
Diagnosis Unknown	*	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	44	29	27	Less than High School Diploma	17	8	*
<b>AGE</b>				High School Grad or G.E.D.	*	6	7
Under 6	0	0	0	Associate Degree or Some College	0	0	*
6 to 9	*	0	0	Bachelor or Advanced Degree	0	0	0
10 to 13	5	*	*	Education Level Unknown	26	15	18
14 to 17	*	*	*	<b>EMPLOYMENT</b>			
18 to 24	*	*	*	Employed	*	0	*
25 to 29	*	*	0	Unemployed	0	15	7
30 to 34	*	0	*	Not in Labor Force	33	*	*
35 to 39	*	*	*	Employment Status Unknown	10	12	18
40 to 44	5	*	5	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	10	10	6	Independent Living	25	17	8
50 to 54	8	*	*	Dependent Living	8	*	5
55 to 59	*	*	*	Homeless	0	0	0
60 and Over	*	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	11	10	14
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	19	14	16	Self / Family / Friend	12	9	8
Female	25	15	11	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	8	5	6
<b>RACE / ETHNICITY</b>				Health Care Provider	16	10	7
Caucasian	43	29	26	Court / Criminal Justice	*	*	*
African American	0	0	0	Other	5	*	*
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	0	0	Voluntary	41	26	25
Other Race	*	0	*	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

# REYNOLDS COUNTY


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	33.3	17.0	53.8	Alcohol (1 or 2 drinks daily)	54.4		
Cigarettes	23.5	17.0	42.6	Alcohol (Binge: 5+ drinks once or twice a week)	60.3		
Chewing Tobacco	17.6	8.0	26.9	Alcohol (any use)		82.1	78.3
Marijuana	10.3	0.0	19.2	Cigarettes (1+ packs per day)	80.9		
Inhalants	1.5	1.8	5.4	Cigarettes (any use)		71.4	76.2
Prescription medications not prescribed for student	7.4	1.8	14.1	Marijuana (once or twice a week)	67.2		
Over-the-counter medications for non-medical use	2.9	1.8	8.5	Marijuana (any use)		88.4	69.2
Methamphetamine	1.5	0.0	1.6	Other: Cocaine, LSD, Meth, Club Drug (any use)	91.2	95.5	90.7
Cocaine	1.5	0.0	2.3				
Heroin	0.0	0.0	0.0	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	1.5	0.0	3.8	Were very sad	15.9	8.0	22.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.5	0.0	3.8	Were grouchy, irritable, or in a bad mood	22.1	8.9	26.7
Steroids not prescribed for student	1.4	0.0	1.6	Felt hopeless about the future	7.5	6.3	11.5
Synthetic drugs (K2, bath salts, Spice, etc)	2.9	0.0		Felt like not eating or eating more than usual	15.9	12.6	20.0
				Slept a lot more or a lot less than usual	17.4	17.7	22.3
				Had difficulty concentrating on school work	17.6	10.7	30.5
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	12.31	13.88	11.96	Seriously considered attempting suicide	8.8	5.4	9.9
Cigarettes	12.51	12.39	12.19	Made plan about how they would attempt suicide	5.8	4.4	5.3
Marijuana	13.58		14.04	Attempted suicide	4.4	6.4	4.6
Inhalants	11.63		13.43	Attempted suicide and resulting injury, poisoning, or overdose	1.5	5.8	3.1
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	11.6	3.6	24.6	Were threatened/injured with weapon at school	2.9	0.0	6.9
Alcohol (Binge: 5+ drinks on one occasion)		1.8	17.7	Were in a physical fight		8.0	29.8
Cigarettes	10.3	0.0	20.3	Were in a fight and had to be treated by a doctor or nurse	4.4	0.0	4.6
Chewing Tobacco	11.8	5.4	15.5				
Marijuana	5.8	0.0	8.5	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.4	1.8	2.3	Were victims of mean rumors or lies spread at school	50.0	34.5	63.1
Prescription medications not prescribed for student	2.9	1.8	9.4	Were made fun of by others	58.8	39.3	71.8
Over-the-counter medications for non-medical use	1.5	1.8	6.2	Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.5	9.8	16.9
				Spread mean rumors or lies about other kids at school	19.1	10.7	35.4
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	52.9	46.3	72.5
Alcohol (Binge: 5+ drinks on one occasion)	7.4			Posted something on the internet or sent a text that might embarrass or hurt another student	13.2	0.0	14.1
<i>Percent whose friends used in past 12 months:</i>				<i>Percent of students who agree that:</i>			
Alcohol	47.1	14.2	72.9	Teachers notice and comment on student's good work	84.1	83.6	73.3
Cigarettes	38.2	12.4	64.1	School provides feedback to parents on positive student performance	58.8	71.8	43.1
Marijuana	22.1	6.3	40.5	Rules are enforced fairly	72.5	83.5	54.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.5	1.8	17.6	Students of all races/ethnicities are treated equal	89.7	91.9	80.9
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	23.5	14.3	48.5	Parents notice and comment on student's good work	88.4	89.4	86.3
Cigarettes	13.2	1.8	27.9	Parents involve student in making family decisions	75.0	83.9	72.3
Marijuana	8.8	0.0	11.5	It is important to be honest with parents regardless of consequences	89.6	95.6	86.2
				Student could ask parent for help with a personal problem	83.8	87.2	81.4
<i>Percent who say it would be wrong to use:</i>							
Alcohol	67.2	75.9	45.8				
Cigarettes	82.6	88.4	66.9				
Marijuana	86.6	95.6	82.3				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.0	100.0	94.6				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	79.4	89.7	70.0				
Cigarettes	92.8	95.5	89.1				
Marijuana	94.1	100.0	97.6				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	38.8	33.9	65.4				
Cigarettes	43.3	37.5	67.7				
Marijuana	25.4	8.0	41.7				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.4	3.7	19.7				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# RIPLEY COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	19
Adult Psychiatric	19
<b>POPULATION</b>	
Census 2010	14,100
2013 Estimate	14,032

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	182	174	201
Mother Reported Smoking while Pregnant	58	46	66

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	1	20	10
Tuberculosis Infection Cases	1	4	1

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	176	195	182
Suicides	1	1	3
Self-inflicted Injuries	36	40	41
Homicides	0	0	4
Assault Injuries	54	55	70
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	1	4	4
Smoking Attributable Deaths	43	43	41

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	152	149
Alcohol Primary Diagnosis	2	11	3
Drug Primary Diagnosis	2	14	14
Alcohol Related Diagnosis	67	59	42
Drug Related Diagnosis	84	63	52
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	24	36
Alcohol Primary Diagnosis	2	2	1
Drug Primary Diagnosis	2	6	4
Alcohol Related Diagnosis	25	28	24
Drug Related Diagnosis	24	25	34
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	199	230
Alcohol Primary Diagnosis	2	22	18
Drug Primary Diagnosis	2	38	34
Alcohol Related Diagnosis	47	35	65
Drug Related Diagnosis	106	90	69

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	18	28	24
Fatal Crashes	2	2	2
Injury Crashes	8	15	13
Property Damage Crashes	8	11	9
Crash Fatalities	2	2	2
Crash Injuries	18	22	16
Drug Involved Crashes--Total	8	8	7
Fatal Crashes	0	1	0
Injury Crashes	4	6	6
Property Damage Crashes	4	1	1
Crash Fatalities	0	1	0
Crash Injuries	5	8	7

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	6,843	6,773	6,672
Employed	6,370	6,218	6,020
Unemployed	473	555	652
Unemployment Rate	6.9%	8.2%	9.8%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	560	573	598
Drop-outs	18	14	17
Drop-out Rate	3.2%	2.4%	2.8%
School Suspensions:			
Alcohol Incidents	0	0	2
Drug Incidents	5	7	5
Tobacco Incidents	0	1	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	99	79	70
Liquor Law Arrests	23	14	25
Drug Arrests	117	81	58
Methamphetamine Lab Incidents	10	41	6
Violent Offenses	45	32	21
Property Offenses	479	453	311
Domestic Violence Reports	98	85	92

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	71	64	71
Violent Offenses	27	31	34
Alcohol Offenses	0	0	0
Drug Offenses	5	4	6
Status Offenses--Total	38	61	60
Truancy	25	43	34
Beyond Parental Control	6	13	12
Habitually Absent from Home	6	5	11
Injurious Behavior	1	0	2
Abuse/Neglect/Custody--Total	81	51	30
Abuse	1	3	5
Neglect	80	48	25
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	44	14	31
Parental Alcohol Use Related	2	0	12
Parental Drug Use Related	24	1	2
Parental Alcohol and Drug Use	1	4	1
Child Removed for Other Reason	17	9	16

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	21	20	15
Probation/Parole Admissions--Total	107	72	61
Probation/Parole Admissions--Drug	32	31	15
Probation/Parole Admissions--DWI	4	1	2
Prison Admissions--Total	44	29	33
Prison Admissions--Drug	15	10	11
Prison Admissions--DWI	1	0	1

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	14	14	13
Alcohol Package Carry-out Licenses	17	17	17

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# RIPLEY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	18	17	15
CSTAR Adolescent	8	6	*
CSTAR Women and Children	11	8	6
CSTAR General Adult	61	42	29
CSTAR Opioid	0	0	0
Primary Recovery Treatment	22	57	40
Clinical SATOP (CIP, YCIP, SROP)	16	15	9
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	41	49	36
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	17	11	7
- Weekend Intervention Program	11	7	13
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	5
Compulsive Gambling	0	0	*
Recovery Supports	13	*	7
Early Intervention	0	0	*


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	111	121	94	Alcohol	34	35	23
AGE				Marijuana / Hashish	25	35	22
Under 18	8	7	*	Cocaine (total)	*	*	*
18 to 24	17	27	22	- Crack	0	*	*
25 to 29	19	26	21	Stimulant (total)	23	22	18
30 to 34	31	22	14	- Methamphetamine	22	21	17
35 to 39	11	8	11	Heroin	*	*	*
40 to 44	7	10	7	Analgesic except Heroin	16	21	20
45 to 54	11	19	14	- Non-Prescription Methadone	0	0	0
55 and Over	7	*	*	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	7	*	5
Male	67	67	59	Inhalant	0	0	0
Female	44	54	35	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	110	120	91	Average Age at First Use of Drug	19.4	18.3	18.2
African American	0	0	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	20	13	15
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	8
Hispanic	*	*	*	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	13	8	5
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	49	52	48	0	68	86	60
High School Graduate or G.E.D.	53	53	35	1 or 2	31	33	27
Associate Degree or Some College	7	16	10	3 or More	12	*	7
Bachelor or Advanced Degree	*	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	24	24	27
Employed	21	34	19	School	0	0	*
Unemployed	49	45	44	Mental Health Provider	*	*	*
Not in Labor Force	41	42	31	Health Care Provider	12	9	6
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	49	65	48
Independent Living	88	103	76	Other Referral Source	17	21	10
Dependent Living	21	13	14	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	6	8	*
Never Married	42	43	28	Special Education Services Needed	13	18	16
Married / Cohabiting	40	45	44	Co-Occurring Psychological Problem	52	53	39
Previously Married	29	33	22	Co-Occurring Developmental Problem	11	10	*



# RIPLEY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 19  
**CENSUS 2010** 14,100  
**2013 POPULATION ESTIMATE** 14,032

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	*	*	*
Anxiety Disorder	18	17	12
Dementia	0	*	0
Developmental Disorder	0	0	0
Impulse Control Disorder	12	6	*
Mood Disorder	97	79	71
Personality Disorder	*	*	*
Psychotic Disorder	13	15	15
Sexual Disorder	*	0	*
Other Diagnosis	*	*	*
Diagnosis Unknown	8	16	6

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	148	129	104	Less than High School Diploma	34	18	22
<b>AGE</b>				High School Grad or G.E.D.	0	35	21
Under 6	*	0	0	Associate Degree or Some College	0	6	*
6 to 9	9	*	*	Bachelor or Advanced Degree	0	*	*
10 to 13	9	*	*	Education Level Unknown	114	68	58
14 to 17	9	*	*	<b>EMPLOYMENT</b>			
18 to 24	12	19	11	Employed	0	*	*
25 to 29	18	14	10	Unemployed	*	56	44
30 to 34	12	9	12	Not in Labor Force	70	6	0
35 to 39	12	7	7	Employment Status Unknown	76	64	58
40 to 44	11	21	15	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	17	14	13	Independent Living	47	56	38
50 to 54	18	14	11	Dependent Living	29	9	10
55 to 59	11	9	7	Homeless	0	*	0
60 and Over	9	12	11	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	72	62	55
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	63	45	40	Self / Family / Friend	51	37	34
Female	85	84	64	School	*	*	0
Gender Unknown	0	0	0	Mental Health Provider	11	18	17
<b>RACE / ETHNICITY</b>				Health Care Provider	42	37	29
Caucasian	145	127	102	Court / Criminal Justice	15	17	12
African American	0	0	*	Other	27	19	12
Native American / Alaskan	*	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	0	Voluntary	148	126	101
Other Race	*	*	*	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	10	8	9	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				



# RIPLEY COUNTY


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol		41.7	46.5	Alcohol (1 or 2 drinks daily)			
Cigarettes		22.2	36.5	Alcohol (Binge: 5+ drinks once or twice a week)			
Chewing Tobacco		17.5	22.2	Alcohol (any use)		73.0	72.3
Marijuana		15.5	19.6	Cigarettes (1+ packs per day)			
Inhalants		4.0	9.1	Cigarettes (any use)		90.1	80.8
Prescription medications not prescribed for student		11.1	15.1	Marijuana (once or twice a week)			
Over-the-counter medications for non-medical use		10.7	7.4	Marijuana (any use)		80.6	74.1
Methamphetamine		1.6	0.7	Other: Cocaine, LSD, Meth, Club Drug (any use)		98.8	94.0
Cocaine		3.2	2.1				
Heroin		0.8	0.7	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens		2.4	2.1	Were very sad		23.7	12.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		2.4	1.4	Were grouchy, irritable, or in a bad mood		21.8	18.6
Steroids not prescribed for student		0.8	0.7	Felt hopeless about the future		6.5	10.6
Synthetic drugs (K2, bath salts, Spice, etc)		7.1		Felt like not eating or eating more than usual		15.8	12.9
				Slept a lot more or a lot less than usual		13.0	23.6
				Had difficulty concentrating on school work		18.7	23.6
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol		12.96	12.09	Seriously considered attempting suicide		6.4	10.8
Cigarettes		11.73	11.81	Made plan about how they would attempt suicide		4.8	10.5
Marijuana		13.46	12.92	Attempted suicide		1.6	4.9
Inhalants		13.83	12.89	Attempted suicide and resulting injury, poisoning, or overdose		0.4	1.8
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol		13.1	21.2	Were threatened/injured with weapon at school		5.2	7.7
Alcohol (Binge: 5+ drinks on one occasion)		7.5	14.9	Were in a physical fight		25.0	24.0
Cigarettes		11.9	17.5	Were in a fight and had to be treated by a doctor or nurse		0.8	4.2
Chewing Tobacco		10.7	12.0				
Marijuana		11.5	10.2	<i>Percent of students who, in past 3 months:</i>			
Inhalants		0.0	3.9	Were victims of mean rumors or lies spread at school		55.2	58.8
Prescription medications not prescribed for student		4.3	8.8	Were made fun of by others		62.6	67.6
Over-the-counter medications for non-medical use		5.6	4.3	Were victims of an embarrassing or hurtful text message or something posted on the Internet		18.4	15.3
				Spread mean rumors or lies about other kids at school		26.1	31.6
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people		66.9	75.3
Alcohol (Binge: 5+ drinks on one occasion)				Posted something on the internet or sent a text that might embarrass or hurt another student		11.7	14.7
<i>Percent whose friends used in past 12 months:</i>				<i>Percent of students who agree that:</i>			
Alcohol		48.4	62.1	Teachers notice and comment on student's good work		60.7	68.1
Cigarettes		42.5	53.0	School provides feedback to parents on positive student performance		41.5	33.3
Marijuana		35.5	39.0	Rules are enforced fairly		59.3	52.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		7.9	17.5	Students of all races/ethnicities are treated equal		83.3	78.9
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol		31.0	33.9	Parents notice and comment on student's good work		76.6	84.5
Cigarettes		11.5	16.9	Parents involve student in making family decisions		68.3	68.3
Marijuana		12.7	14.0	It is important to be honest with parents regardless of consequences		88.9	85.2
				Student could ask parent for help with a personal problem		80.2	75.2
<i>Percent who say it would be wrong to use:</i>							
Alcohol		61.1	59.1				
Cigarettes		86.1	76.7				
Marijuana		87.7	81.9				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		96.4	95.4				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol		79.8	76.9				
Cigarettes		92.1	90.5				
Marijuana		95.5	93.6				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol		50.2	56.5				
Cigarettes		54.8	62.5				
Marijuana		42.3	42.8				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		14.3	17.2				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# SAINT CHARLES COUNTY



<b>DBH REGION</b>	Eastern
<b>DBH SERVICE AREAS</b>	
Substance Abuse	16
Adult Psychiatric	16
<b>POPULATION</b>	
Census 2010	360,485
2013 Estimate	373,495

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	4,439	4,539	4,596
Mother Reported Smoking while Pregnant	496	507	510

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	17	11	15
Hepatitis B Chronic, Acute, Prenatal	1	24	21
Hepatitis C Chronic and Acute	1	103	138
Tuberculosis Infection Cases	1	104	73

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	2,325	2,286	2,292
Suicides	41	44	41
Self-inflicted Injuries	344	347	360
Homicides	6	3	9
Assault Injuries	856	757	773
Alcohol Induced Deaths	24	10	9
Drug Induced Deaths	44	64	50
Smoking Attributable Deaths	389	391	386

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	1,810	1,687
Alcohol Primary Diagnosis	2	180	163
Drug Primary Diagnosis	2	128	212
Alcohol Related Diagnosis		740	637
Drug Related Diagnosis		640	714
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	2,000	1,998
Alcohol Primary Diagnosis	2	174	163
Drug Primary Diagnosis	2	94	124
Alcohol Related Diagnosis		1,414	1,386
Drug Related Diagnosis		1,003	1,132
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	2,148	2,163
Alcohol Primary Diagnosis	2	528	440
Drug Primary Diagnosis	2	414	551
Alcohol Related Diagnosis		1,235	965
Drug Related Diagnosis		1,469	1,269

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	290	325	388
Fatal Crashes	5	7	8
Injury Crashes	106	115	120
Property Damage Crashes	179	203	260
Crash Fatalities	5	7	8
Crash Injuries	169	164	174
Drug Involved Crashes--Total	53	56	57
Fatal Crashes	3	3	4
Injury Crashes	16	17	18
Property Damage Crashes	34	36	35
Crash Fatalities	3	3	4
Crash Injuries	25	22	20

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	200,503	199,262	201,253
Employed	189,201	187,399	186,556
Unemployed	11,302	11,863	14,697
Unemployment Rate	5.6%	6.0%	7.3%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	17,688	17,364	17,320
Drop-outs	251	312	316
Drop-out Rate	1.4%	1.8%	1.8%
School Suspensions:			
Alcohol Incidents	14	51	41
Drug Incidents	219	296	228
Tobacco Incidents	5	1	2

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	2,169	1,973	2,013
Liquor Law Arrests	705	616	687
Drug Arrests	1,422	1,550	1,726
Methamphetamine Lab Incidents	156	111	90
Violent Offenses	516	577	548
Property Offenses	6,772	6,803	6,711
Domestic Violence Reports	1,262	1,286	1,307

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	1,787	1,869	1,567
Violent Offenses	305	360	358
Alcohol Offenses	116	86	108
Drug Offenses	209	233	163
Status Offenses--Total	360	340	451
Truancy	75	62	136
Beyond Parental Control	7	4	4
Habitually Absent from Home	223	231	262
Injurious Behavior	54	42	48
Abuse/Neglect/Custody--Total	212	181	172
Abuse	10	26	21
Neglect	182	151	132
Custody Disputes	20	4	19

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	165	160	105
Parental Alcohol Use Related	5	5	6
Parental Drug Use Related	79	76	28
Parental Alcohol and Drug Use	2	1	2
Child Removed for Other Reason	79	78	69

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	334	315	413
Probation/Parole Admissions--Total	1,585	1,485	1,609
Probation/Parole Admissions--Drug	469	435	473
Probation/Parole Admissions--DWI	159	146	151
Prison Admissions--Total	728	746	656
Prison Admissions--Drug	236	242	219
Prison Admissions--DWI	59	70	59

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	459	465	454
Alcohol Package Carry-out Licenses	222	227	218

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# SAINT CHARLES COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Detoxification	103	102	128
CSTAR Adolescent	108	74	75
CSTAR Women and Children	124	128	151
CSTAR General Adult	245	234	101
CSTAR Opioid	61	47	52
Primary Recovery Treatment	60	77	297
Clinical SATOP (CIP, YCIP, SROP)	540	471	425
Other Substance Abuse Treatment	*	6	*


<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Offender Management Unit	1,938	1,883	1,828
- Adolescent Diversion Education Program	52	61	48
- Offender Education Program	717	744	693
- Weekend Intervention Program	423	432	385
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	26	30	25
Compulsive Gambling	29	24	27
Recovery Supports	5	5	*
Early Intervention	10	5	11

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	1,130	1,024	1,058	Alcohol	626	581	561
<b>AGE</b>				Marijuana / Hashish	161	132	148
Under 18	108	77	76	Cocaine (total)	13	28	24
18 to 24	218	196	280	- Crack	8	23	17
25 to 29	208	207	211	Stimulant (total)	36	24	29
30 to 34	187	162	154	- Methamphetamine	31	19	22
35 to 39	115	94	88	Heroin	230	194	243
40 to 44	92	106	76	Analgesic except Heroin	37	47	35
45 to 54	160	132	133	- Non-Prescription Methadone	*	*	*
55 and Over	42	50	40	PCP, LSD, other Hallucinogen	*	6	*
<b>GENDER</b>				Tranquilizer	9	*	10
Male	726	664	703	Inhalant	0	*	*
Female	404	360	355	Sedative	*	0	*
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	13	6	*
Caucasian	1,040	945	977	Average Age at First Use of Drug	17.7	17.5	17.6
African American	55	44	48	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	0	*	*	Any Injection Use at Admission	216	183	215
Asian / Pacific Islander	*	5	*	- Daily Injection Use	91	84	86
Hispanic	15	21	10	- Weekly Injection Use	63	42	75
Other Race / Two or More Races	22	12	22	- Less than Weekly Injection Use	62	57	54
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	291	236	245	0	404	372	419
High School Graduate or G.E.D.	451	434	428	1 or 2	457	432	440
Associate Degree or Some College	369	328	313	3 or More	269	220	199
Bachelor or Advanced Degree	17	26	72	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	277	280	305
Employed	463	390	405	School	9	5	*
Unemployed	354	347	383	Mental Health Provider	18	*	11
Not in Labor Force	313	287	270	Health Care Provider	42	31	34
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	678	625	635
Independent Living	926	853	897	Other Referral Source	79	73	69
Dependent Living	132	109	104	<b>TREATMENT ACCOMMODATION</b>			
Homeless	42	48	39	Pregnant when Admitted to any Episode	24	21	37
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	61	45	48
Never Married	732	610	695	Special Education Services Needed	59	46	53
Married / Cohabiting	179	203	187	Co-Occurring Psychological Problem	368	353	339
Previously Married	219	211	176	Co-Occurring Developmental Problem	42	25	11

# SAINT CHARLES COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Eastern  
**PSYCHIATRIC SERVICE AREA** 16  
**CENSUS 2010** 360,485  
**2013 POPULATION ESTIMATE** 373,495

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	32	29	19
Anxiety Disorder	1,011	920	639
Dementia	6	6	*
Developmental Disorder	75	72	46
Impulse Control Disorder	616	606	408
Mood Disorder	1,659	1,638	1,262
Personality Disorder	186	192	160
Psychotic Disorder	319	302	254
Sexual Disorder	*	0	5
Other Diagnosis	152	143	118
Diagnosis Unknown	121	161	254

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	2,345	2,330	1,901	Less than High School Diploma	805	430	259
<b>AGE</b>				High School Grad or G.E.D.	33	309	380
Under 6	15	7	7	Associate Degree or Some College	7	226	271
6 to 9	193	183	142	Bachelor or Advanced Degree	9	64	74
10 to 13	220	228	168	Education Level Unknown	1,491	1,301	917
14 to 17	255	247	197	<b>EMPLOYMENT</b>			
18 to 24	216	239	198	Employed	175	180	162
25 to 29	188	216	178	Unemployed	184	698	768
30 to 34	200	182	139	Not in Labor Force	1,339	337	49
35 to 39	159	146	123	Employment Status Unknown	647	1,115	922
40 to 44	173	189	152	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	227	216	205	Independent Living	1,097	988	920
50 to 54	228	220	181	Dependent Living	537	291	337
55 to 59	164	154	120	Homeless	37	29	18
60 and Over	107	103	91	Other	0	24	15
Age Unknown	0	0	0	Housing Unknown	674	998	611
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	1,140	1,116	918	Self / Family / Friend	648	472	244
Female	1,205	1,214	983	School	324	275	169
Gender Unknown	0	0	0	Mental Health Provider	196	241	250
<b>RACE / ETHNICITY</b>				Health Care Provider	276	231	138
Caucasian	1,987	1,992	1,645	Court / Criminal Justice	62	68	38
African American	194	192	159	Other	824	1,027	1,030
Native American / Alaskan	*	*	*	Referral Source Unknown	15	16	32
Asian / Pacific Islander	9	8	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	45	40	19	Voluntary	2,305	2,285	1,841
Other Race	109	96	72	Civil	7	6	10
Race/Ethnicity Unknown	0	0	0	Criminal	13	19	17
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	0	*
Hearing Impaired	51	40	32	Commitment Type Unknown	19	20	32
Past or Current Military Service	28	37	32				

# SAINT CHARLES COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	33.2	32.1	44.0	Alcohol (1 or 2 drinks daily)	64.7		
Cigarettes	15.8	14.6	22.5	Alcohol (Binge: 5+ drinks once or twice a week)	76.1		
Chewing Tobacco	5.8	3.9	7.6	Alcohol (any use)		70.2	76.5
Marijuana	15.4	11.9	16.2	Cigarettes (1+ packs per day)	89.5		
Inhalants	3.2	4.5	6.7	Cigarettes (any use)		86.3	83.1
Prescription medications not prescribed for student	8.2	7.0	10.5	Marijuana (once or twice a week)	64.9		
Over-the-counter medications for non-medical use	3.1	5.7	7.9	Marijuana (any use)		76.5	68.7
Methamphetamine	0.5	0.9	0.6	Other: Cocaine, LSD, Meth, Club Drug (any use)	93.3	95.2	93.6
Cocaine	1.3	1.2	1.8				
Heroin	0.5	0.6	0.7	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	2.6	2.0	3.6	Were very sad	20.5	15.8	14.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.9	1.7	2.4	Were grouchy, irritable, or in a bad mood	25.6	19.9	21.3
Steroids not prescribed for student	0.7	0.9	1.0	Felt hopeless about the future	12.0	10.6	11.0
Synthetic drugs (K2, bath salts, Spice, etc)	3.9	5.2		Felt like not eating or eating more than usual	17.0	14.5	15.8
				Slept a lot more or a lot less than usual	19.3	18.7	23.0
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	27.9	24.3	25.5
Alcohol	13.07	12.84	12.42				
Cigarettes	13.21	12.86	12.53	<i>Percent of students who, in past 12 months:</i>			
Marijuana	13.80	13.75	13.47	Seriously considered attempting suicide	11.5	9.6	11.1
Inhalants	11.63	11.14	11.66	Made plan about how they would attempt suicide	8.0	7.2	7.7
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide	4.4	4.2	5.0
Alcohol	15.1	14.5	21.7	Attempted suicide and resulting injury, poisoning, or overdose	1.7	1.5	1.6
Alcohol (Binge: 5+ drinks on one occasion)		7.8	12.5	had to be treated by doctor or nurse			
Cigarettes	7.0	7.1	12.1				
Chewing Tobacco	2.9	2.1	4.0	<i>Percent of students who, in past 12 months:</i>			
Marijuana	8.4	6.7	9.0	Were threatened/injured with weapon at school	5.2	5.2	8.9
Inhalants	1.0	2.0	3.4	Were in a physical fight	14.5	15.4	22.7
Prescription medications not prescribed for student	4.3	3.8	6.4	Were in a fight and had to be treated by a doctor or nurse	2.0	2.9	4.0
Over-the-counter medications for non-medical use	1.4	3.6	5.0				
<i>Percent of students who, in past 2 weeks, used:</i>				<i>Percent of students who, in past 3 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)	6.8			Were victims of mean rumors or lies spread at school	43.8	41.9	52.2
<i>Percent whose friends used in past 12 months:</i>				Were made fun of by others	59.1	58.7	70.6
Alcohol	47.5	47.2	59.0	Were victims of an embarrassing or hurtful text message or something posted on the Internet	26.6	20.6	21.7
Cigarettes	33.7	36.9	47.3	Spread mean rumors or lies about other kids at school	28.2	29.1	37.9
Marijuana	36.5	34.4	39.4	Made fun of other people	55.3	58.2	76.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.8	16.2	20.5	Posted something on the internet or sent a text that might embarrass or hurt another student	19.8	13.6	20.6
<i>Percent who would likely use, if offered by a best friend:</i>							
Alcohol	25.7	24.5	33.5	<i>Percent of students who agree that:</i>			
Cigarettes	9.4	8.6	13.5	Teachers notice and comment on student's good work	68.3	65.0	65.7
Marijuana	14.7	10.1	13.5	School provides feedback to parents on positive student performance	39.1	37.1	38.8
<i>Percent who say it would be wrong to use:</i>				Rules are enforced fairly	67.1	67.7	67.0
Alcohol	62.2	66.1	56.5	Students of all races/ethnicities are treated equal	77.2	75.3	78.2
Cigarettes	86.4	87.4	80.8				
Marijuana	77.6	84.6	81.1	<i>Percent of students who agree that:</i>			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.1	96.5	94.3	Parents notice and comment on student's good work	81.5	84.2	83.1
<i>Percent whose parents would disapprove if they use:</i>				Parents involve student in making family decisions	68.8	69.3	69.5
Alcohol	80.3	82.6	78.1	It is important to be honest with parents regardless of consequences	86.2	85.3	79.6
Cigarettes	94.3	94.6	91.7	Student could ask parent for help with a personal problem	78.9	78.6	76.6
Marijuana	91.5	95.5	94.1				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	59.7	57.5	63.4				
Cigarettes	47.4	46.3	55.2				
Marijuana	37.2	33.6	37.5				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.3	14.2	17.9				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys



# SAINT CLAIR COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	8
Adult Psychiatric	8B
<b>POPULATION</b>	
Census 2010	9,805
2013 Estimate	9,487

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	85	86	115
Mother Reported Smoking while Pregnant	16	22	36
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	1	9	13
Tuberculosis Infection Cases	1	1	1
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	140	138	139
Suicides	1	3	2
Self-inflicted Injuries	12	20	8
Homicides	1	0	1
Assault Injuries	36	28	26
Alcohol Induced Deaths	1	0	0
Drug Induced Deaths	0	0	1
Smoking Attributable Deaths	35	26	28
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	69	67
Alcohol Primary Diagnosis	2	7	4
Drug Primary Diagnosis	2	3	2
Alcohol Related Diagnosis	34	33	24
Drug Related Diagnosis	32	20	39
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	14	20
Alcohol Primary Diagnosis	2	5	4
Drug Primary Diagnosis	2	4	0
Alcohol Related Diagnosis	23	25	13
Drug Related Diagnosis	18	19	10
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	87	71
Alcohol Primary Diagnosis	2	14	23
Drug Primary Diagnosis	2	10	9
Alcohol Related Diagnosis	53	50	34
Drug Related Diagnosis	40	46	31
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	11	8	15
Fatal Crashes	0	0	1
Injury Crashes	7	3	11
Property Damage Crashes	4	5	3
Crash Fatalities	0	0	1
Crash Injuries	7	4	21
Drug Involved Crashes--Total	0	2	2
Fatal Crashes	0	0	0
Injury Crashes	0	2	2
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	2	2

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	3,956	3,851	4,005
Employed	3,660	3,542	3,593
Unemployed	296	309	412
Unemployment Rate	7.5%	8.0%	10.3%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	396	420	427
Drop-outs	10	9	15
Drop-out Rate	2.5%	2.1%	3.5%
School Suspensions:			
Alcohol Incidents	2	1	1
Drug Incidents	3	2	0
Tobacco Incidents	0	2	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	30	30	34
Liquor Law Arrests	1	1	1
Drug Arrests	26	17	18
Methamphetamine Lab Incidents	1	1	7
Violent Offenses	25	11	19
Property Offenses	236	192	156
Domestic Violence Reports	12	10	22

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	21	13	23
Violent Offenses	4	2	12
Alcohol Offenses	2	2	4
Drug Offenses	4	0	1
Status Offenses--Total	18	23	19
Truancy	2	5	8
Beyond Parental Control	2	5	7
Habitually Absent from Home	3	0	0
Injurious Behavior	11	13	4
Abuse/Neglect/Custody--Total	53	69	48
Abuse	19	11	12
Neglect	34	52	26
Custody Disputes	0	6	10

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	6	18	24
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	11	15
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	6	7	9

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	9	8	5
Probation/Parole Admissions--Total	49	52	60
Probation/Parole Admissions--Drug	17	11	14
Probation/Parole Admissions--DWI	1	2	5
Prison Admissions--Total	23	31	31
Prison Admissions--Drug	9	4	8
Prison Admissions--DWI	0	1	1

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	4	5	6
Alcohol Package Carry-out Licenses	17	17	17

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# SAINT CLAIR COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	6	*	14
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	37	43	45
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	14
Clinical SATOP (CIP, YCIP, SROP)	7	5	7
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	28	28	20
- Adolescent Diversion Education Program	*	0	0
- Offender Education Program	10	13	7
- Weekend Intervention Program	6	7	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	23	*	7
Early Intervention	*	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	63	55	79	Alcohol	22	19	31
AGE				Marijuana / Hashish	13	16	16
Under 18	*	*	*	Cocaine (total)	*	*	*
18 to 24	11	12	13	- Crack	*	*	*
25 to 29	*	11	20	Stimulant (total)	23	15	25
30 to 34	12	10	6	- Methamphetamine	23	14	24
35 to 39	14	5	16	Heroin	0	0	0
40 to 44	5	7	8	Analgesic except Heroin	*	*	*
45 to 54	12	6	11	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	*	0
Male	43	36	52	Inhalant	0	0	0
Female	20	19	27	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	60	53	71	Average Age at First Use of Drug	17.4	16.6	18.1
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	10	11	10
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	*
Hispanic	0	0	*	- Weekly Injection Use	6	*	*
Other Race / Two or More Races	0	0	*	- Less than Weekly Injection Use	*	8	5
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	16	22	29	0	39	36	47
High School Graduate or G.E.D.	32	22	37	1 or 2	12	11	19
Associate Degree or Some College	14	11	11	3 or More	12	8	13
Bachelor or Advanced Degree	*	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	26	18	25
Employed	23	17	19	School	0	0	0
Unemployed	12	15	37	Mental Health Provider	0	0	0
Not in Labor Force	28	23	23	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	13	15	50
Independent Living	50	41	68	Other Referral Source	22	20	*
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	*	*	6	Pregnant when Admitted to any Episode	0	0	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	26	27	38	Special Education Services Needed	0	*	*
Married / Cohabiting	16	18	25	Co-Occurring Psychological Problem	13	10	19
Previously Married	21	10	16	Co-Occurring Developmental Problem	0	0	0

# SAINT CLAIR COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 8B  
**CENSUS 2010** 9,805  
**2013 POPULATION ESTIMATE** 9,487

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	*	*	5
Anxiety Disorder	52	56	33
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	11	11	13
Mood Disorder	80	72	61
Personality Disorder	8	7	*
Psychotic Disorder	16	18	17
Sexual Disorder	0	0	0
Other Diagnosis	11	11	6
Diagnosis Unknown	13	9	21

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	114	107	102	Less than High School Diploma	47	23	20
<b>AGE</b>				High School Grad or G.E.D.	0	21	16
Under 6	0	*	*	Associate Degree or Some College	0	7	*
6 to 9	8	8	9	Bachelor or Advanced Degree	0	*	*
10 to 13	10	8	5	Education Level Unknown	67	55	61
14 to 17	12	9	7	<b>EMPLOYMENT</b>			
18 to 24	5	5	8	Employed	*	*	5
25 to 29	*	10	11	Unemployed	*	40	35
30 to 34	15	12	6	Not in Labor Force	72	16	*
35 to 39	11	6	6	Employment Status Unknown	36	47	61
40 to 44	12	11	12	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	11	11	15	Independent Living	44	47	40
50 to 54	17	18	15	Dependent Living	35	13	10
55 to 59	8	5	5	Homeless	*	*	*
60 and Over	*	*	*	Other	0	*	0
Age Unknown	0	0	0	Housing Unknown	34	45	51
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	50	51	46	Self / Family / Friend	70	77	70
Female	64	56	56	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	*	6
<b>RACE / ETHNICITY</b>				Health Care Provider	13	12	9
Caucasian	112	104	99	Court / Criminal Justice	*	*	*
African American	0	*	*	Other	24	12	12
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	0	0	Voluntary	111	104	95
Other Race	*	*	*	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	0	*	*				

# SAINT CLAIR COUNTY


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol		73.8	72.2	Alcohol (1 or 2 drinks daily)			
Cigarettes		32.9	44.6	Alcohol (Binge: 5+ drinks once or twice a week)			
Chewing Tobacco		12.8	30.1	Alcohol (any use)		50.3	73.7
Marijuana		28.2	32.6	Cigarettes (1+ packs per day)			
Inhalants		6.0	6.3	Cigarettes (any use)		90.6	76.7
Prescription medications not prescribed for student		6.0	10.8	Marijuana (once or twice a week)			
Over-the-counter medications for non-medical use		3.4	12.8	Marijuana (any use)		67.1	63.8
Methamphetamine		2.0	4.5	Other: Cocaine, LSD, Meth, Club Drug (any use)		96.0	91.4
Cocaine		0.7	2.9				
Heroin		0.7	2.3	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens		0.7	1.2	Were very sad		15.4	16.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		0.7	4.1	Were grouchy, irritable, or in a bad mood		19.5	19.3
Steroids not prescribed for student		2.7	0.0	Felt hopeless about the future		1.3	10.3
Synthetic drugs (K2, bath salts, Spice, etc)		21.5		Felt like not eating or eating more than usual		9.4	24.4
				Slept a lot more or a lot less than usual		22.8	25.6
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work		22.4	23.9
Alcohol		12.60	12.26				
Cigarettes		11.51	13.35	<i>Percent of students who, in past 12 months:</i>			
Marijuana		13.11	13.73	Seriously considered attempting suicide		2.7	11.4
Inhalants		14.06	14.11	Made plan about how they would attempt suicide		2.7	13.6
				Attempted suicide		2.7	5.7
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose			
Alcohol		34.9	37.3	had to be treated by doctor or nurse		0.8	2.9
Alcohol (Binge: 5+ drinks on one occasion)		13.4	23.2				
Cigarettes		20.8	23.9	<i>Percent of students who, in past 12 months:</i>			
Chewing Tobacco		6.7	11.6	Were threatened/injured with weapon at school		5.4	10.2
Marijuana		6.7	12.6	Were in a physical fight		24.8	32.4
Inhalants		0.7	4.0	Were in a fight and had to be treated by a doctor or nurse		1.3	7.3
Prescription medications not prescribed for student		3.4	5.6				
Over-the-counter medications for non-medical use		3.4	5.2	<i>Percent of students who, in past 3 months:</i>			
				Were victims of mean rumors or lies spread at school		28.2	58.4
<i>Percent of students who, in past 2 weeks, used:</i>				Were made fun of by others		67.3	76.1
Alcohol (Binge: 5+ drinks on one occasion)				Were victims of an embarrassing or hurtful text message or something posted on the Internet		12.9	24.2
				Spread mean rumors or lies about other kids at school		17.4	35.2
<i>Percent whose friends used in past 12 months:</i>				Made fun of other people		48.3	88.1
Alcohol		78.7	84.1	Posted something on the internet or sent a text that might embarrass or hurt another student		12.8	16.6
Cigarettes		71.8	74.6				
Marijuana		53.7	52.8	<i>Percent of students who agree that:</i>			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		12.1	25.6	Teachers notice and comment on student's good work		84.6	75.0
				School provides feedback to parents on positive student performance		53.7	41.5
<i>Percent who would likely use, if offered by a best friend:</i>				Rules are enforced fairly		60.8	66.9
Alcohol		57.0	55.1	Students of all races/ethnicities are treated equal		88.5	80.7
Cigarettes		13.4	27.8				
Marijuana		6.7	19.9	<i>Percent of students who agree that:</i>			
				Parents notice and comment on student's good work		87.9	79.7
<i>Percent who say it would be wrong to use:</i>				Parents involve student in making family decisions		83.8	58.3
Alcohol		25.5	42.9	It is important to be honest with parents regardless of consequences		87.2	81.8
Cigarettes		81.9	72.2	Student could ask parent for help with a personal problem		74.3	72.7
Marijuana		82.6	77.3				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		96.0	94.9				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol		79.2	57.4				
Cigarettes		93.3	80.5				
Marijuana		96.0	88.7				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol		89.9	68.2				
Cigarettes		63.1	69.9				
Marijuana		45.0	47.7				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		18.8	29.4				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# SAINTE GENEVIEVE COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	21
Adult Psychiatric	21
<b>POPULATION</b>	
Census 2010	18,145
2013 Estimate	17,778

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	156	175	184
Mother Reported Smoking while Pregnant	37	53	46
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	1
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	1	16	8
Tuberculosis Infection Cases	1	1	0
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	190	196	169
Suicides	2	1	0
Self-inflicted Injuries	20	16	8
Homicides	0	0	0
Assault Injuries	42	33	43
Alcohol Induced Deaths	1	1	2
Drug Induced Deaths	5	8	2
Smoking Attributable Deaths	40	34	30
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	140	146
Alcohol Primary Diagnosis	2	4	5
Drug Primary Diagnosis	2	9	4
Alcohol Related Diagnosis	42	50	44
Drug Related Diagnosis	38	50	32
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	27	29
Alcohol Primary Diagnosis	2	2	2
Drug Primary Diagnosis	2	3	3
Alcohol Related Diagnosis	30	24	15
Drug Related Diagnosis	18	22	16
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	149	185
Alcohol Primary Diagnosis	2	19	21
Drug Primary Diagnosis	2	28	23
Alcohol Related Diagnosis	43	50	53
Drug Related Diagnosis	52	46	44
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	17	22	37
Fatal Crashes	2	0	0
Injury Crashes	8	8	12
Property Damage Crashes	7	14	18
Crash Fatalities	2	0	0
Crash Injuries	14	10	13
Drug Involved Crashes--Total	3	5	4
Fatal Crashes	0	0	0
Injury Crashes	1	2	3
Property Damage Crashes	2	3	1
Crash Fatalities	0	0	0
Crash Injuries	1	2	4

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	9,731	9,340	9,775
Employed	9,111	8,695	8,918
Unemployed	620	645	857
Unemployment Rate	6.4%	6.9%	8.8%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	622	606	673
Drop-outs	11	17	11
Drop-out Rate	1.8%	2.8%	1.6%
School Suspensions:			
Alcohol Incidents	3	0	5
Drug Incidents	0	6	8
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	111	129	144
Liquor Law Arrests	21	18	30
Drug Arrests	81	99	106
Methamphetamine Lab Incidents	6	11	12
Violent Offenses	61	66	35
Property Offenses	233	209	223
Domestic Violence Reports	99	104	93

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	121	115	94
Violent Offenses	46	35	27
Alcohol Offenses	2	9	8
Drug Offenses	5	9	6
Status Offenses--Total	66	47	68
Truancy	36	14	24
Beyond Parental Control	4	10	4
Habitually Absent from Home	2	0	4
Injurious Behavior	5	6	2
Abuse/Neglect/Custody--Total	6	4	6
Abuse	0	0	1
Neglect	6	3	2
Custody Disputes	0	1	3

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	6	2	4
Parental Alcohol Use Related	0	1	0
Parental Drug Use Related	4	0	0
Parental Alcohol and Drug Use	0	0	1
Child Removed for Other Reason	2	1	3

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	15	10	13
Probation/Parole Admissions--Total	137	152	139
Probation/Parole Admissions--Drug	55	74	66
Probation/Parole Admissions--DWI	6	15	20
Prison Admissions--Total	75	68	70
Prison Admissions--Drug	31	26	19
Prison Admissions--DWI	3	7	10

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	42	41	43
Alcohol Package Carry-out Licenses	19	19	19

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# SAINTE GENEVIEVE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	16	7	11
CSTAR Adolescent	9	11	6
CSTAR Women and Children	*	5	*
CSTAR General Adult	53	23	22
CSTAR Opioid	*	*	0
Primary Recovery Treatment	25	55	90
Clinical SATOP (CIP, YCIP, SROP)	21	20	16
Other Substance Abuse Treatment	*	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	75	90	83
- Adolescent Diversion Education Program	*	0	0
- Offender Education Program	30	36	44
- Weekend Intervention Program	16	19	22
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	0
Recovery Supports	15	5	*
Early Intervention	*	6	*


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	102	113	133	Alcohol	46	54	54
AGE				Marijuana / Hashish	23	26	34
Under 18	6	13	7	Cocaine (total)	*	*	*
18 to 24	26	22	28	- Crack	*	0	*
25 to 29	17	18	30	Stimulant (total)	9	12	11
30 to 34	17	12	17	- Methamphetamine	8	10	10
35 to 39	11	8	14	Heroin	11	9	21
40 to 44	9	13	6	Analgesic except Heroin	12	7	6
45 to 54	9	25	29	- Non-Prescription Methadone	0	0	0
55 and Over	7	*	*	PCP, LSD, other Hallucinogen	0	*	0
GENDER				Tranquilizer	0	*	*
Male	66	84	102	Inhalant	0	0	0
Female	36	29	31	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	98	104	125	Average Age at First Use of Drug	18.2	16.3	17.5
African American	*	*	8	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	16	7	20
Asian / Pacific Islander	0	0	0	- Daily Injection Use	6	*	6
Hispanic	0	*	*	- Weekly Injection Use	*	*	6
Other Race / Two or More Races	*	*	0	- Less than Weekly Injection Use	8	*	8
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	28	38	41	0	50	56	76
High School Graduate or G.E.D.	56	49	71	1 or 2	33	28	22
Associate Degree or Some College	18	24	20	3 or More	19	29	35
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	22	22	26
Employed	39	47	32	School	*	0	*
Unemployed	46	41	82	Mental Health Provider	0	0	0
Not in Labor Force	17	25	19	Health Care Provider	0	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	67	84	96
Independent Living	93	91	115	Other Referral Source	10	*	8
Dependent Living	7	15	14	TREATMENT ACCOMMODATION			
Homeless	0	*	*	Pregnant when Admitted to any Episode	*	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	6	6
Never Married	58	75	80	Special Education Services Needed	6	12	20
Married / Cohabiting	23	22	25	Co-Occurring Psychological Problem	32	39	44
Previously Married	21	16	28	Co-Occurring Developmental Problem	7	7	8



# SAINTE GENEVIEVE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 21  
**CENSUS 2010** 18,145  
**2013 POPULATION ESTIMATE** 17,778

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	39	38	12
Anxiety Disorder	51	72	34
Dementia	0	*	0
Developmental Disorder	0	*	*
Impulse Control Disorder	63	82	35
Mood Disorder	190	273	134
Personality Disorder	6	10	9
Psychotic Disorder	33	41	39
Sexual Disorder	0	*	0
Other Diagnosis	13	15	5
Diagnosis Unknown	44	110	53

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	393	586	290	Less than High School Diploma	53	37	27
<b>AGE</b>				High School Grad or G.E.D.	0	36	45
Under 6	0	5	0	Associate Degree or Some College	0	15	11
6 to 9	11	24	17	Bachelor or Advanced Degree	0	*	*
10 to 13	31	36	11	Education Level Unknown	340	497	203
14 to 17	29	32	8	<b>EMPLOYMENT</b>			
18 to 24	36	72	34	Employed	*	9	8
25 to 29	36	51	17	Unemployed	9	75	68
30 to 34	28	49	27	Not in Labor Force	105	23	13
35 to 39	45	60	24	Employment Status Unknown	275	479	201
40 to 44	33	48	23	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	32	60	48	Independent Living	55	62	59
50 to 54	42	58	30	Dependent Living	63	47	41
55 to 59	33	43	26	Homeless	*	*	*
60 and Over	37	48	25	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	274	476	187
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	170	275	151	Self / Family / Friend	216	377	167
Female	223	311	139	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	25	27	18
<b>RACE / ETHNICITY</b>				Health Care Provider	61	83	36
Caucasian	360	528	258	Court / Criminal Justice	16	22	9
African American	14	16	12	Other	71	71	54
Native American / Alaskan	*	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	10	31	13	Voluntary	389	578	283
Other Race	8	11	7	Civil	0	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	20	32	17	Commitment Type Unknown	*	*	*
Past or Current Military Service	9	14	14				



# SAINTE GENEVIEVE COUNTY


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	41.8			Alcohol (1 or 2 drinks daily)	59.0		
Cigarettes	18.6			Alcohol (Binge: 5+ drinks once or twice a week)	75.4		
Chewing Tobacco	8.9			Alcohol (any use)			
Marijuana	15.0			Cigarettes (1+ packs per day)	89.5		
Inhalants	3.7			Cigarettes (any use)			
Prescription medications not prescribed for student	8.5			Marijuana (once or twice a week)	72.0		
Over-the-counter medications for non-medical use	3.3			Marijuana (any use)			
Methamphetamine	0.5			Other: Cocaine, LSD, Meth, Club Drug (any use)	92.9		
Cocaine	0.9						
Heroin	0.5			<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	1.9			Were very sad	18.9		
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.4			Were grouchy, irritable, or in a bad mood	23.2		
Steroids not prescribed for student	0.9			Felt hopeless about the future	13.2		
Synthetic drugs (K2, bath salts, Spice, etc)	6.5			Felt like not eating or eating more than usual	13.3		
				Slept a lot more or a lot less than usual	15.6		
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	23.2		
Alcohol	13.40						
Cigarettes	12.05			<i>Percent of students who, in past 12 months:</i>			
Marijuana	13.78			Seriously considered attempting suicide	14.6		
Inhalants	11.17			Made plan about how they would attempt suicide	9.9		
				Attempted suicide	5.6		
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose	1.9		
Alcohol	16.0			had to be treated by doctor or nurse			
Alcohol (Binge: 5+ drinks on one occasion)							
Cigarettes	6.6			<i>Percent of students who, in past 12 months:</i>			
Chewing Tobacco	4.7			Were threatened/injured with weapon at school	7.0		
Marijuana	7.0			Were in a physical fight	15.0		
Inhalants	0.9			Were in a fight and had to be treated by a doctor or nurse	1.9		
Prescription medications not prescribed for student	4.2						
Over-the-counter medications for non-medical use	0.9			<i>Percent of students who, in past 3 months:</i>			
				Were victims of mean rumors or lies spread at school	49.5		
<i>Percent of students who, in past 2 weeks, used:</i>				Were made fun of by others	61.0		
Alcohol (Binge: 5+ drinks on one occasion)	6.6			Were victims of an embarrassing or hurtful text message or something posted on the Internet	25.2		
				Spread mean rumors or lies about other kids at school	29.0		
<i>Percent whose friends used in past 12 months:</i>				Made fun of other people	53.5		
Alcohol	53.1			Posted something on the internet or sent a text that might embarrass or hurt another student	9.4		
Cigarettes	32.7						
Marijuana	29.2			<i>Percent of students who agree that:</i>			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.7			Teachers notice and comment on student's good work	81.2		
				School provides feedback to parents on positive student performance	48.8		
<i>Percent who would likely use, if offered by a best friend:</i>				Rules are enforced fairly	71.5		
Alcohol	30.4			Students of all races/ethnicities are treated equal	78.2		
Cigarettes	7.5						
Marijuana	12.3			<i>Percent of students who agree that:</i>			
				Parents notice and comment on student's good work	84.0		
<i>Percent who say it would be wrong to use:</i>				Parents involve student in making family decisions	72.3		
Alcohol	65.1			It is important to be honest with parents regardless of consequences	93.0		
Cigarettes	91.0			Student could ask parent for help with a personal problem	78.2		
Marijuana	83.1						
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.7						
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	76.9						
Cigarettes	92.5						
Marijuana	92.9						
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	55.9						
Cigarettes	42.5						
Marijuana	32.9						
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.1						

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# SAINT FRANCOIS COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	17
Adult Psychiatric	17B
<b>POPULATION</b>	
Census 2010	65,359
2013 Estimate	66,215

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	29,730	28,124	29,261
Employed	27,476	25,733	26,197
Unemployed	2,254	2,391	3,064
Unemployment Rate	7.6%	8.5%	10.5%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	3,068	3,081	3,199
Drop-outs	39	67	50
Drop-out Rate	1.3%	2.2%	1.6%
School Suspensions:			
Alcohol Incidents	3	0	3
Drug Incidents	20	19	12
Tobacco Incidents	1	2	0

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	751	762	751
Mother Reported Smoking while Pregnant	240	268	231

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	2	1	1
Hepatitis B Chronic, Acute, Prenatal	1	7	8
Hepatitis C Chronic and Acute	1	115	127
Tuberculosis Infection Cases	1	12	35

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	796	719	674
Suicides	16	12	9
Self-inflicted Injuries	172	162	172
Homicides	0	2	5
Assault Injuries	332	261	296
Alcohol Induced Deaths	8	3	2
Drug Induced Deaths	32	18	14
Smoking Attributable Deaths	169	140	131

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	851	1,090
Alcohol Primary Diagnosis	2	33	45
Drug Primary Diagnosis	2	74	84
Alcohol Related Diagnosis		247	304
Drug Related Diagnosis		414	495
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	406	288
Alcohol Primary Diagnosis	2	44	21
Drug Primary Diagnosis	2	46	21
Alcohol Related Diagnosis		231	145
Drug Related Diagnosis		302	158
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	1,190	1,302
Alcohol Primary Diagnosis	2	129	160
Drug Primary Diagnosis	2	210	220
Alcohol Related Diagnosis		417	417
Drug Related Diagnosis		826	826

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	59	68	543
Fatal Crashes	2	5	6
Injury Crashes	29	25	26
Property Damage Crashes	28	38	25
Crash Fatalities	2	7	6
Crash Injuries	40	36	34
Drug Involved Crashes--Total	18	27	2
Fatal Crashes	0	2	0
Injury Crashes	8	8	0
Property Damage Crashes	10	17	2
Crash Fatalities	0	2	0
Crash Injuries	11	8	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	376	411	427
Liquor Law Arrests	68	96	112
Drug Arrests	398	423	392
Methamphetamine Lab Incidents	71	97	88
Violent Offenses	177	182	137
Property Offenses	1,911	1,744	1,352
Domestic Violence Reports	277	327	161

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	510	378	382
Violent Offenses	234	145	188
Alcohol Offenses	6	5	17
Drug Offenses	38	23	23
Status Offenses--Total	279	234	228
Truancy	132	133	108
Beyond Parental Control	86	50	68
Habitually Absent from Home	5	9	8
Injurious Behavior	30	23	26
Abuse/Neglect/Custody--Total	66	41	54
Abuse	11	10	6
Neglect	54	31	25
Custody Disputes	1	0	23

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	63	49	59
Parental Alcohol Use Related	8	1	0
Parental Drug Use Related	25	16	19
Parental Alcohol and Drug Use	0	2	4
Child Removed for Other Reason	30	30	36

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	23	23	30
Probation/Parole Admissions--Total	650	560	556
Probation/Parole Admissions--Drug	219	171	168
Probation/Parole Admissions--DWI	37	30	26
Prison Admissions--Total	352	339	267
Prison Admissions--Drug	129	128	96
Prison Admissions--DWI	13	19	8

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	66	68	66
Alcohol Package Carry-out Licenses	55	53	55

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# SAINT FRANCOIS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	100	76	81
CSTAR Adolescent	14	23	18
CSTAR Women and Children	25	15	24
CSTAR General Adult	320	233	232
CSTAR Opioid	*	*	*
Primary Recovery Treatment	307	391	526
Clinical SATOP (CIP, YCIP, SROP)	41	53	57
Other Substance Abuse Treatment	*	5	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	270	308	363
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	132	151	181
- Weekend Intervention Program	70	71	101
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	8	*
Compulsive Gambling	*	*	*
Recovery Supports	11	5	*
Early Intervention	57	36	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	649	686	801	Alcohol	170	188	228
AGE				Marijuana / Hashish	122	166	237
Under 18	14	27	22	Cocaine (total)	6	14	16
18 to 24	131	140	153	- Crack	*	7	8
25 to 29	121	149	167	Stimulant (total)	119	100	119
30 to 34	131	105	151	- Methamphetamine	116	94	115
35 to 39	74	92	90	Heroin	103	89	58
40 to 44	66	56	84	Analgesic except Heroin	114	116	123
45 to 54	90	91	113	- Non-Prescription Methadone	0	0	*
55 and Over	22	26	21	PCP, LSD, other Hallucinogen	*	*	0
GENDER				Tranquilizer	8	8	17
Male	416	476	527	Inhalant	*	*	*
Female	233	210	274	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	617	643	761	Average Age at First Use of Drug	19.1	18.6	18.3
African American	27	38	32	INJECTION DRUG USE			
Native American / Alaskan	*	0	*	Any Injection Use at Admission	151	121	98
Asian / Pacific Islander	0	0	0	- Daily Injection Use	41	35	29
Hispanic	9	9	8	- Weekly Injection Use	46	32	29
Other Race / Two or More Races	*	*	5	- Less than Weekly Injection Use	64	54	40
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	209	257	285	0	422	444	528
High School Graduate or G.E.D.	336	330	399	1 or 2	140	152	175
Associate Degree or Some College	99	97	112	3 or More	87	90	98
Bachelor or Advanced Degree	5	*	5	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	186	178	212
Employed	166	162	198	School	0	*	*
Unemployed	352	379	442	Mental Health Provider	6	9	10
Not in Labor Force	131	145	161	Health Care Provider	31	24	16
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	365	426	482
Independent Living	543	585	692	Other Referral Source	54	47	80
Dependent Living	77	77	96	TREATMENT ACCOMMODATION			
Homeless	21	17	12	Pregnant when Admitted to any Episode	14	8	12
MARITAL / FAMILY STATUS				Military Veteran	20	33	37
Never Married	335	369	417	Special Education Services Needed	56	80	90
Married / Cohabiting	173	169	213	Co-Occurring Psychological Problem	253	274	250
Previously Married	141	148	171	Co-Occurring Developmental Problem	85	82	77

# SAINT FRANCOIS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 17B  
**CENSUS 2010** 65,359  
**2013 POPULATION ESTIMATE** 66,215

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	14	16	15
Anxiety Disorder	244	208	172
Dementia	*	*	7
Developmental Disorder	18	14	13
Impulse Control Disorder	116	110	89
Mood Disorder	742	690	618
Personality Disorder	110	100	95
Psychotic Disorder	429	434	389
Sexual Disorder	118	136	114
Other Diagnosis	49	37	37
Diagnosis Unknown	229	229	253

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	1,740	1,678	1,565	Less than High School Diploma	411	341	210
<b>AGE</b>				High School Grad or G.E.D.	*	308	235
Under 6	12	6	*	Associate Degree or Some College	*	69	63
6 to 9	46	38	44	Bachelor or Advanced Degree	*	33	9
10 to 13	75	85	70	Education Level Unknown	1,324	927	1,048
14 to 17	83	87	97	<b>EMPLOYMENT</b>			
18 to 24	135	136	128	Employed	63	58	27
25 to 29	138	122	108	Unemployed	48	639	477
30 to 34	163	142	126	Not in Labor Force	784	111	18
35 to 39	153	133	125	Employment Status Unknown	845	870	1,043
40 to 44	163	159	134	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	182	188	186	Independent Living	272	512	336
50 to 54	211	207	205	Dependent Living	607	311	276
55 to 59	165	166	151	Homeless	11	*	8
60 and Over	214	209	189	Other	0	19	14
Age Unknown	0	0	0	Housing Unknown	850	832	931
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	1,025	1,010	949	Self / Family / Friend	522	512	507
Female	715	668	616	School	13	12	16
Gender Unknown	0	0	0	Mental Health Provider	272	272	221
<b>RACE / ETHNICITY</b>				Health Care Provider	299	234	134
Caucasian	1,544	1,489	1,392	Court / Criminal Justice	306	316	341
African American	153	148	132	Other	319	322	334
Native American / Alaskan	*	*	*	Referral Source Unknown	9	10	12
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	17	18	19	Voluntary	1,463	1,394	1,278
Other Race	19	18	17	Civil	5	5	19
Race/Ethnicity Unknown	0	0	0	Criminal	146	142	140
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	125	136	126
Hearing Impaired	85	78	67	Commitment Type Unknown	*	*	*
Past or Current Military Service	102	103	112				

# SAINT FRANCOIS COUNTY

## MISSOURI STUDENT SURVEY


	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	37.3	44.5	46.4	Alcohol (1 or 2 drinks daily)	56.3		
Cigarettes	28.4	30.0	31.9	Alcohol (Binge: 5+ drinks once or twice a week)	67.2		
Chewing Tobacco	19.7	20.3	16.7	Alcohol (any use)		70.6	76.9
Marijuana	19.5	19.0	15.9	Cigarettes (1+ packs per day)	82.7		
Inhalants	2.2	7.7	7.1	Cigarettes (any use)		78.0	78.4
Prescription medications not prescribed for student	9.0	11.8	12.7	Marijuana (once or twice a week)	62.4		
Over-the-counter medications for non-medical use	3.2	8.0	8.0	Marijuana (any use)		70.5	73.8
Methamphetamine	1.1	1.4	1.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	93.9	94.2	94.3
Cocaine	0.8	2.3	1.4				
Heroin	0.6	1.5	0.8	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	1.8	3.8	3.0	Were very sad	18.6	21.9	18.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.0	2.6	1.6	Were grouchy, irritable, or in a bad mood	21.3	30.2	24.5
Steroids not prescribed for student	1.8	2.1	1.3	Felt hopeless about the future	9.1	13.0	12.5
Synthetic drugs (K2, bath salts, Spice, etc)	3.5	7.4		Felt like not eating or eating more than usual	18.2	19.3	18.5
				Slept a lot more or a lot less than usual	17.9	22.1	27.8
				Had difficulty concentrating on school work	19.6	28.2	28.6
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	13.23	12.37	12.07	Seriously considered attempting suicide	12.4	15.2	11.8
Cigarettes	13.11	12.23	11.68	Made plan about how they would attempt suicide	8.5	11.9	8.9
Marijuana	14.14	13.49	13.00	Attempted suicide	5.4	7.3	5.1
Inhalants	12.68	12.20	12.35	Attempted suicide and resulting injury, poisoning, or overdose	1.8	2.2	1.3
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	16.5	21.3	22.3	Were threatened/injured with weapon at school	4.3	5.0	9.5
Alcohol (Binge: 5+ drinks on one occasion)		14.4	14.5	Were in a physical fight	21.6	21.4	27.3
Cigarettes	13.2	15.8	16.9	Were in a fight and had to be treated by a doctor or nurse	2.5	3.7	4.7
Chewing Tobacco	10.3	10.0	9.7				
Marijuana	10.0	11.7	9.0	<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.3	3.9	3.1	Were victims of mean rumors or lies spread at school	44.4	48.8	56.6
Prescription medications not prescribed for student	5.4	7.4	7.3	Were made fun of by others	50.6	58.3	68.8
Over-the-counter medications for non-medical use	1.4	5.0	5.5	Were victims of an embarrassing or hurtful text message or something posted on the Internet	20.6	21.7	18.8
				Spread mean rumors or lies about other kids at school	18.8	23.4	30.1
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	43.3	61.9	71.2
Alcohol (Binge: 5+ drinks on one occasion)	7.2			Posted something on the internet or sent a text that might embarrass or hurt another student	15.7	14.2	14.8
				<i>Percent of students who agree that:</i>			
<i>Percent whose friends used in past 12 months:</i>				Teachers notice and comment on student's good work	79.0	63.5	64.6
Alcohol	46.8	58.9	63.8	School provides feedback to parents on positive student performance	48.3	31.7	37.3
Cigarettes	41.5	50.1	50.9	Rules are enforced fairly	77.9	59.4	67.9
Marijuana	33.1	40.3	36.8	Students of all races/ethnicities are treated equal	85.5	72.3	78.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.3	17.1	17.2				
				<i>Percent of students who agree that:</i>			
<i>Percent who would likely use, if offered by a best friend:</i>				Parents notice and comment on student's good work	85.0	79.1	82.6
Alcohol	26.4	35.8	34.7	Parents involve student in making family decisions	72.2	65.0	67.7
Cigarettes	14.4	18.4	16.3	It is important to be honest with parents regardless of consequences	90.4	85.9	84.6
Marijuana	14.2	16.6	12.0	Student could ask parent for help with a personal problem	79.4	74.0	75.9
<i>Percent who say it would be wrong to use:</i>							
Alcohol	64.6	54.0	60.1				
Cigarettes	81.6	75.0	76.5				
Marijuana	80.5	77.7	83.9				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.4	94.9	95.7				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	81.4	74.9	77.5				
Cigarettes	90.3	88.0	88.5				
Marijuana	92.8	92.3	93.8				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	45.7	58.7	57.7				
Cigarettes	50.4	57.1	59.0				
Marijuana	34.5	38.8	34.7				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.7	18.1	18.0				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys



# SAINT LOUIS COUNTY



<b>DBH REGION</b>	Eastern
<b>DBH SERVICE AREAS</b>	
Substance Abuse	23-25 (SL)
Adult Psychiatric	23
<b>POPULATION</b>	
Census 2010	998,954
2013 Estimate	1,001,444

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	11,534	11,934	11,643
Mother Reported Smoking while Pregnant	1,046	1,116	1,145

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	136	97	127
Hepatitis B Chronic, Acute, Prenatal	1 109	102	93
Hepatitis C Chronic and Acute	1 506	584	490
Tuberculosis Infection Cases	1 407	494	398

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	9,364	9,177	9,251
Suicides	134	131	120
Self-inflicted Injuries	929	950	901
Homicides	82	72	80
Assault Injuries	3,886	3,785	3,638
Alcohol Induced Deaths	65	49	59
Drug Induced Deaths	149	161	151
Smoking Attributable Deaths	1,465	1,401	1,415

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 3,942	4,794	
Alcohol Primary Diagnosis	2 323	341	
Drug Primary Diagnosis	2 437	570	
Alcohol Related Diagnosis	1,431	2,033	2,687
Drug Related Diagnosis	1,830	2,378	2,595
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 7,070	6,114	
Alcohol Primary Diagnosis	2 737	632	
Drug Primary Diagnosis	2 429	382	
Alcohol Related Diagnosis	4,831	4,117	3,235
Drug Related Diagnosis	4,424	3,650	2,722
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 7,678	6,860	
Alcohol Primary Diagnosis	2 1,767	1,674	
Drug Primary Diagnosis	2 1,294	1,304	
Alcohol Related Diagnosis	4,024	3,609	3,073
Drug Related Diagnosis	3,901	3,885	2,900

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	773	772	314
Fatal Crashes	9	12	10
Injury Crashes	270	261	286
Property Damage Crashes	494	499	511
Crash Fatalities	10	13	10
Crash Injuries	369	379	425
Drug Involved Crashes--Total	136	126	135
Fatal Crashes	1	3	5
Injury Crashes	62	58	61
Property Damage Crashes	73	65	69
Crash Fatalities	1	3	5
Crash Injuries	84	56	100

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	513,847	513,956	526,884
Employed	480,389	479,555	483,704
Unemployed	33,458	34,401	43,180
Unemployment Rate	6.5%	6.7%	8.2%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	45,928	46,496	48,348
Drop-outs	1,060	1,223	1,230
Drop-out Rate	2.3%	2.6%	2.5%
School Suspensions:			
Alcohol Incidents	74	77	89
Drug Incidents	340	411	485
Tobacco Incidents	8	6	15

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	5,226	5,144	5,238
Liquor Law Arrests	1,493	1,523	1,200
Drug Arrests	8,312	8,263	7,512
Methamphetamine Lab Incidents	130	93	74
Violent Offenses	3,020	3,071	3,299
Property Offenses	26,824	28,609	29,708
Domestic Violence Reports	4,336	4,889	5,189

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	6,534	6,561	6,005
Violent Offenses	1,395	1,382	1,696
Alcohol Offenses	173	166	116
Drug Offenses	412	450	468
Status Offenses--Total	1,697	1,512	1,587
Truancy	362	310	312
Beyond Parental Control	143	162	184
Habitually Absent from Home	1,033	930	992
Injurious Behavior	107	60	61
Abuse/Neglect/Custody--Total	1,449	1,601	1,324
Abuse	428	523	488
Neglect	869	938	684
Custody Disputes	152	140	152

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	372	415	429
Parental Alcohol Use Related	5	10	14
Parental Drug Use Related	83	102	66
Parental Alcohol and Drug Use	3	7	9
Child Removed for Other Reason	281	296	340

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	325	260	222
Probation/Parole Admissions--Total	4,325	4,040	4,253
Probation/Parole Admissions--Drug	797	680	833
Probation/Parole Admissions--DWI	274	259	185
Prison Admissions--Total	1,508	1,531	1,494
Prison Admissions--Drug	294	297	304
Prison Admissions--DWI	69	55	109

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	1,230	1,255	1,264
Alcohol Package Carry-out Licenses	644	662	658

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# SAINT LOUIS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Detoxification	489	450	467
CSTAR Adolescent	122	114	134
CSTAR Women and Children	285	319	389
CSTAR General Adult	767	696	569
CSTAR Opioid	187	198	207
Primary Recovery Treatment	316	357	610
Clinical SATOP (CIP, YCIP, SROP)	1,056	985	849
Other Substance Abuse Treatment	183	189	185

<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Offender Management Unit	4,187	4,148	4,157
- Adolescent Diversion Education Program	185	176	190
- Offender Education Program	1,667	1,744	1,753
- Weekend Intervention Program	874	867	884
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	119	131	56
Compulsive Gambling	48	51	37
Recovery Supports	25	16	111
Early Intervention	268	49	31


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	2,865	2,816	2,933
<b>AGE</b>			
Under 18	126	111	149
18 to 24	402	456	518
25 to 29	505	533	517
30 to 34	490	456	444
35 to 39	310	284	327
40 to 44	270	282	296
45 to 54	541	525	505
55 and Over	221	169	177
<b>GENDER</b>			
Male	2,079	1,990	2,099
Female	786	825	834
<b>RACE / ETHNICITY</b>			
Caucasian	1,753	1,722	1,756
African American	1,007	1,009	1,099
Native American / Alaskan	*	*	8
Asian / Pacific Islander	10	8	*
Hispanic	38	29	30
Other Race / Two or More Races	67	55	47
<b>EDUCATION</b>			
Less than High School Diploma	749	723	853
High School Graduate or G.E.D.	1,119	1,185	1,219
Associate Degree or Some College	935	835	713
Bachelor or Advanced Degree	62	73	148
<b>EMPLOYMENT</b>			
Employed	907	915	841
Unemployed	1,011	1,036	1,131
Not in Labor Force	947	865	961
<b>HOUSING / LIVING ARRANGEMENT</b>			
Independent Living	2,415	2,347	2,382
Dependent Living	177	180	247
Homeless	139	166	187
<b>MARITAL / FAMILY STATUS</b>			
Never Married	1,931	1,906	2,028
Married / Cohabiting	488	474	464
Previously Married	446	436	441

<b>PRIMARY DRUG PROBLEM</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Alcohol	1,305	1,281	1,265
Marijuana / Hashish	462	432	496
Cocaine (total)	151	223	292
- Crack	112	151	250
Stimulant (total)	59	42	39
- Methamphetamine	54	36	35
Heroin	759	734	746
Analgesic except Heroin	82	76	66
- Non-Prescription Methadone	0	*	5
PCP, LSD, other Hallucinogen	15	9	12
Tranquilizer	16	11	9
Inhalant	*	*	*
Sedative	*	*	*
Other Medication or Illicit Drug	11	*	*
Average Age at First Use of Drug	18.8	19.0	18.9
<b>INJECTION DRUG USE</b>			
Any Injection Use at Admission	533	491	476
- Daily Injection Use	270	271	254
- Weekly Injection Use	131	101	117
- Less than Weekly Injection Use	132	119	105
<b>LIFETIME DUI / DWI ARRESTS</b>			
0	1,421	1,473	1,683
1 or 2	935	898	873
3 or More	509	445	377
<b>TREATMENT REFERRAL SOURCE</b>			
Self / Family / Friend	884	891	967
School	6	11	*
Mental Health Provider	15	15	31
Health Care Provider	89	73	49
Court / Criminal Justice	1,673	1,631	1,683
Other Referral Source	167	183	199
<b>TREATMENT ACCOMMODATION</b>			
Pregnant when Admitted to any Episode	54	63	53
Military Veteran	132	119	122
Special Education Services Needed	170	126	137
Co-Occurring Psychological Problem	713	724	702
Co-Occurring Developmental Problem	142	109	51

# SAINT LOUIS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Eastern  
**PSYCHIATRIC SERVICE AREA** 23  
**CENSUS 2010** 998,954  
**2013 POPULATION ESTIMATE** 1,001,444

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	46	60	49
Anxiety Disorder	641	598	478
Dementia	5	*	*
Developmental Disorder	42	46	32
Impulse Control Disorder	559	549	450
Mood Disorder	2,957	2,862	2,406
Personality Disorder	236	213	172
Psychotic Disorder	1,698	1,659	1,517
Sexual Disorder	6	9	*
Other Diagnosis	114	113	72
Diagnosis Unknown	482	590	557

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	5,536	5,535	4,850	Less than High School Diploma	1,150	791	438
<b>AGE</b>				High School Grad or G.E.D.	*	846	670
Under 6	29	13	6	Associate Degree or Some College	*	404	377
6 to 9	158	165	124	Bachelor or Advanced Degree	0	278	142
10 to 13	284	301	235	Education Level Unknown	4,379	3,216	3,223
14 to 17	418	450	411	<b>EMPLOYMENT</b>			
18 to 24	542	561	476	Employed	329	336	212
25 to 29	430	461	408	Unemployed	445	1,885	1,394
30 to 34	473	462	395	Not in Labor Force	2,648	476	28
35 to 39	429	424	374	Employment Status Unknown	2,114	2,838	3,216
40 to 44	495	471	417	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	624	650	576	Independent Living	1,313	2,102	1,415
50 to 54	655	611	557	Dependent Living	1,945	580	397
55 to 59	502	448	421	Homeless	87	82	33
60 and Over	497	518	450	Other	0	48	48
Age Unknown	0	0	0	Housing Unknown	2,191	2,723	2,957
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	2,691	2,734	2,396	Self / Family / Friend	1,259	1,352	1,290
Female	2,845	2,801	2,454	School	102	102	83
Gender Unknown	0	0	0	Mental Health Provider	812	930	958
<b>RACE / ETHNICITY</b>				Health Care Provider	893	737	488
Caucasian	2,610	2,667	2,308	Court / Criminal Justice	286	341	298
African American	2,646	2,597	2,322	Other	2,176	2,057	1,712
Native American / Alaskan	*	5	*	Referral Source Unknown	8	16	21
Asian / Pacific Islander	29	21	14	<b>TYPE OF COMMITMENT</b>			
Hispanic	63	66	53	Voluntary	5,435	5,413	4,724
Other Race	184	179	149	Civil	15	22	32
Race/Ethnicity Unknown	0	0	0	Criminal	71	82	73
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	7	9	5
Hearing Impaired	202	178	127	Commitment Type Unknown	8	9	16
Past or Current Military Service	108	119	109				

# SAINT LOUIS COUNTY


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	30.0	36.9	41.2	Alcohol (1 or 2 drinks daily)	70.4		
Cigarettes	11.9	19.0	21.6	Alcohol (Binge: 5+ drinks once or twice a week)	80.5		
Chewing Tobacco	3.6	4.4	4.7	Alcohol (any use)		70.8	73.0
Marijuana	15.9	19.7	19.9	Cigarettes (1+ packs per day)	89.4		
Inhalants	2.0	4.4	5.4	Cigarettes (any use)		83.9	83.8
Prescription medications not prescribed for student	6.7	8.1	9.1	Marijuana (once or twice a week)	66.0		
Over-the-counter medications for non-medical use	3.0	5.3	6.7	Marijuana (any use)		68.9	72.5
Methamphetamine	0.4	1.0	0.5	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.4	92.9	93.3
Cocaine	1.0	1.8	1.3				
Heroin	0.3	0.9	0.6	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	1.9	3.2	2.8	Were very sad	18.5	17.8	20.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.4	2.4	2.0	Were grouchy, irritable, or in a bad mood	22.9	23.4	25.0
Steroids not prescribed for student	0.9	1.2	0.8	Felt hopeless about the future	11.1	10.8	12.7
Synthetic drugs (K2, bath salts, Spice, etc)	1.9	5.1		Felt like not eating or eating more than usual	15.9	15.4	18.8
				Slept a lot more or a lot less than usual	18.6	19.8	26.2
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	23.9	24.4	24.0
Alcohol	13.56	13.09	12.77				
Cigarettes	13.56	13.01	12.68	<i>Percent of students who, in past 12 months:</i>			
Marijuana	14.40	13.90	13.67	Seriously considered attempting suicide	11.5	12.3	11.6
Inhalants	11.24	11.77	11.51	Made plan about how they would attempt suicide	8.3	8.4	8.1
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide	4.8	5.6	5.4
Alcohol	14.7	18.0	20.0	Attempted suicide and resulting injury, poisoning, or overdose	1.6	2.0	2.2
Alcohol (Binge: 5+ drinks on one occasion)		10.7	10.6				
Cigarettes	4.3	8.8	11.2	<i>Percent of students who, in past 12 months:</i>			
Chewing Tobacco	2.0	2.2	2.3	Were threatened/injured with weapon at school	4.4	5.8	9.0
Marijuana	9.1	11.2	11.7	Were in a physical fight	14.9	20.3	24.2
Inhalants	1.0	1.9	2.8	Were in a fight and had to be treated by a doctor or nurse	2.3	3.6	3.8
Prescription medications not prescribed for student	3.7	4.6	5.9				
Over-the-counter medications for non-medical use	1.6	3.2	4.3	<i>Percent of students who, in past 3 months:</i>			
<i>Percent of students who, in past 2 weeks, used:</i>				Were victims of mean rumors or lies spread at school	43.7	43.9	50.2
Alcohol (Binge: 5+ drinks on one occasion)	6.4			Were made fun of by others	57.8	59.6	68.1
<i>Percent whose friends used in past 12 months:</i>				Were victims of an embarrassing or hurtful text message or something posted on the Internet	25.1	20.2	19.6
Alcohol	42.1	50.6	55.3	Spread mean rumors or lies about other kids at school	26.1	29.7	34.6
Cigarettes	27.2	38.8	42.0	Made fun of other people	55.7	64.8	74.9
Marijuana	34.6	41.5	42.3	Posted something on the internet or sent a text that might embarrass or hurt another student	18.3	16.7	19.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.3	15.6	17.0				
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	22.7	29.5	31.8	Teachers notice and comment on student's good work	75.8	73.6	74.4
Cigarettes	6.5	10.6	11.4	School provides feedback to parents on positive student performance	47.2	43.1	44.9
Marijuana	14.3	16.2	16.7	Rules are enforced fairly	71.2	66.7	66.9
<i>Percent who say it would be wrong to use:</i>				Students of all races/ethnicities are treated equal	74.5	69.3	74.0
Alcohol	68.4	61.5	59.6				
Cigarettes	89.7	83.7	81.9	<i>Percent of students who agree that:</i>			
Marijuana	78.3	76.8	77.6	Parents notice and comment on student's good work	84.5	83.7	84.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.2	94.6	94.7	Parents involve student in making family decisions	73.6	71.2	72.0
<i>Percent whose parents would disapprove if they use:</i>				It is important to be honest with parents regardless of consequences	86.0	83.4	81.5
Alcohol	84.1	80.6	80.3	Student could ask parent for help with a personal problem	79.8	77.2	76.7
Cigarettes	95.4	92.1	91.8				
Marijuana	93.2	92.1	93.0				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	54.0	60.4	60.9				
Cigarettes	42.4	50.8	53.7				
Marijuana	37.9	42.9	43.4				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.9	17.8	19.0				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# SALINE COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	12
Adult Psychiatric	12
<b>POPULATION</b>	
Census 2010	23,370
2013 Estimate	23,252

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	11,755	11,296	11,457
Employed	11,112	10,580	10,564
Unemployed	643	716	893
Unemployment Rate	5.5%	6.3%	7.8%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	1,065	1,037	1,103
Drop-outs	23	25	13
Drop-out Rate	2.2%	2.4%	1.2%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	1	1	0
Tobacco Incidents	0	0	0

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	325	304	307
Mother Reported Smoking while Pregnant	65	85	79

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	1	1	1
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	1	7	8
Tuberculosis Infection Cases	1	8	6

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	228	280	227
Suicides	4	4	0
Self-inflicted Injuries	27	43	48
Homicides	1	0	0
Assault Injuries	41	68	82
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	4	5	4
Smoking Attributable Deaths	38	50	34

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	269	219
Alcohol Primary Diagnosis	2	6	8
Drug Primary Diagnosis	2	7	3
Alcohol Related Diagnosis	70	80	80
Drug Related Diagnosis	87	64	99
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	76	61
Alcohol Primary Diagnosis	2	22	9
Drug Primary Diagnosis	2	11	7
Alcohol Related Diagnosis	69	38	24
Drug Related Diagnosis	63	52	25
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	199	193
Alcohol Primary Diagnosis	2	36	28
Drug Primary Diagnosis	2	18	17
Alcohol Related Diagnosis	96	93	104
Drug Related Diagnosis	81	67	64

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	16	22	25
Fatal Crashes	1	0	0
Injury Crashes	8	7	14
Property Damage Crashes	7	15	11
Crash Fatalities	1	0	0
Crash Injuries	8	9	17
Drug Involved Crashes--Total	5	6	2
Fatal Crashes	1	0	0
Injury Crashes	2	0	1
Property Damage Crashes	2	6	1
Crash Fatalities	2	0	0
Crash Injuries	4	0	1

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	189	157	150
Liquor Law Arrests	42	48	60
Drug Arrests	207	128	173
Methamphetamine Lab Incidents	0	1	0
Violent Offenses	34	69	41
Property Offenses	471	470	469
Domestic Violence Reports	67	99	104

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	179	158	170
Violent Offenses	37	50	41
Alcohol Offenses	13	4	17
Drug Offenses	9	11	4
Status Offenses--Total	66	62	41
Truancy	13	8	5
Beyond Parental Control	35	29	27
Habitually Absent from Home	7	11	4
Injurious Behavior	11	14	5
Abuse/Neglect/Custody--Total	14	27	7
Abuse	0	1	0
Neglect	0	1	0
Custody Disputes	14	25	7

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	21	29	15
Parental Alcohol Use Related	0	0	1
Parental Drug Use Related	9	6	2
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	12	23	12

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	19	22	23
Probation/Parole Admissions--Total	305	251	247
Probation/Parole Admissions--Drug	106	71	86
Probation/Parole Admissions--DWI	13	15	20
Prison Admissions--Total	173	164	165
Prison Admissions--Drug	61	61	54
Prison Admissions--DWI	8	14	11

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	28	24	25
Alcohol Package Carry-out Licenses	29	32	30

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# SALINE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	15	15	12
CSTAR Adolescent	*	5	6
CSTAR Women and Children	6	6	*
CSTAR General Adult	74	66	63
CSTAR Opioid	0	0	0
Primary Recovery Treatment	17	23	87
Clinical SATOP (CIP, YCIP, SROP)	22	7	9
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	97	91	86
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	49	42	47
- Weekend Intervention Program	19	27	17
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	7	*
Compulsive Gambling	*	0	0
Recovery Supports	111	90	60
Early Intervention	*	9	*


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	117	128	160	Alcohol	48	43	68
AGE				Marijuana / Hashish	26	38	51
Under 18	*	5	5	Cocaine (total)	*	*	*
18 to 24	23	25	26	- Crack	*	*	*
25 to 29	22	22	24	Stimulant (total)	28	29	26
30 to 34	19	28	28	- Methamphetamine	28	27	26
35 to 39	11	17	16	Heroin	*	*	0
40 to 44	14	9	20	Analgesic except Heroin	7	8	8
45 to 54	18	13	29	- Non-Prescription Methadone	0	0	0
55 and Over	6	9	12	PCP, LSD, other Hallucinogen	0	*	*
GENDER				Tranquilizer	0	0	*
Male	74	80	118	Inhalant	0	0	0
Female	43	48	42	Sedative	0	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	0
Caucasian	92	103	129	Average Age at First Use of Drug	17.4	17.9	17.1
African American	18	14	24	INJECTION DRUG USE			
Native American / Alaskan	*	*	0	Any Injection Use at Admission	14	17	9
Asian / Pacific Islander	*	*	*	- Daily Injection Use	*	*	0
Hispanic	*	*	*	- Weekly Injection Use	8	5	*
Other Race / Two or More Races	*	5	*	- Less than Weekly Injection Use	*	9	8
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	29	38	46	0	61	76	101
High School Graduate or G.E.D.	61	63	80	1 or 2	38	40	39
Associate Degree or Some College	23	25	30	3 or More	18	12	20
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	38	46	37
Employed	38	31	47	School	0	0	0
Unemployed	38	40	74	Mental Health Provider	*	*	0
Not in Labor Force	41	57	39	Health Care Provider	9	6	9
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	54	65	106
Independent Living	101	111	145	Other Referral Source	11	10	8
Dependent Living	7	11	9	TREATMENT ACCOMMODATION			
Homeless	6	*	*	Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	9
Never Married	66	61	75	Special Education Services Needed	6	6	13
Married / Cohabiting	30	40	50	Co-Occurring Psychological Problem	22	30	61
Previously Married	21	27	35	Co-Occurring Developmental Problem	6	*	10



# SALINE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 12  
**CENSUS 2010** 23,370  
**2013 POPULATION ESTIMATE** 23,252

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	*	*	*
Anxiety Disorder	61	69	70
Dementia	0	0	*
Developmental Disorder	*	*	*
Impulse Control Disorder	25	24	19
Mood Disorder	111	126	110
Personality Disorder	36	42	35
Psychotic Disorder	40	42	37
Sexual Disorder	*	*	*
Other Diagnosis	17	17	8
Diagnosis Unknown	31	41	54

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	193	215	207	Less than High School Diploma	50	38	24
<b>AGE</b>				High School Grad or G.E.D.	0	48	40
Under 6	0	*	*	Associate Degree or Some College	0	15	12
6 to 9	5	*	0	Bachelor or Advanced Degree	0	6	*
10 to 13	12	9	8	Education Level Unknown	143	108	130
14 to 17	12	11	11	<b>EMPLOYMENT</b>			
18 to 24	14	22	18	Employed	7	14	13
25 to 29	8	10	15	Unemployed	8	85	65
30 to 34	18	24	23	Not in Labor Force	110	30	*
35 to 39	15	22	21	Employment Status Unknown	68	86	127
40 to 44	22	21	22	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	25	28	28	Independent Living	55	86	56
50 to 54	21	28	24	Dependent Living	63	41	34
55 to 59	19	15	15	Homeless	*	*	*
60 and Over	22	20	20	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	73	84	113
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	90	108	102	Self / Family / Friend	93	113	94
Female	103	107	105	School	*	*	0
Gender Unknown	0	0	0	Mental Health Provider	38	44	45
<b>RACE / ETHNICITY</b>				Health Care Provider	41	33	35
Caucasian	157	175	176	Court / Criminal Justice	9	11	12
African American	20	21	18	Other	11	12	19
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	*
Asian / Pacific Islander	0	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	7	8	5	Voluntary	179	195	175
Other Race	9	10	7	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	14	19	30
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	*	0
Hearing Impaired	5	8	14	Commitment Type Unknown	0	0	*
Past or Current Military Service	7	7	7				




# SALINE COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	45.6	35.6	56.1	Alcohol (1 or 2 drinks daily)	51.2		
Cigarettes	22.8	18.8	33.6	Alcohol (Binge: 5+ drinks once or twice a week)	69.5		
Chewing Tobacco	13.8	15.5	14.9	Alcohol (any use)		68.2	74.9
Marijuana	16.9	8.7	16.7	Cigarettes (1+ packs per day)	80.5		
Inhalants	3.9	1.6	8.3	Cigarettes (any use)		72.6	78.7
Prescription medications not prescribed for student	8.8	5.7	13.0	Marijuana (once or twice a week)	67.4		
Over-the-counter medications for non-medical use	2.9	2.2	9.5	Marijuana (any use)		83.6	69.1
Methamphetamine	0.0	2.2	0.6	Other: Cocaine, LSD, Meth, Club Drug (any use)	87.8	91.3	94.3
Cocaine	1.4	2.2	1.5	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.7	0.0	0.2	Were very sad	24.3	19.6	17.0
Hallucinogens	1.1	0.0	1.3	Were grouchy, irritable, or in a bad mood	31.8	29.1	23.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.7	0.5	1.5	Felt hopeless about the future	17.0	9.4	14.8
Steroids not prescribed for student	1.4	0.5	1.1	Felt like not eating or eating more than usual	25.2	16.9	16.4
Synthetic drugs (K2, bath salts, Spice, etc)	4.0	0.5		Slept a lot more or a lot less than usual	18.2	18.6	25.0
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	23.1	16.3	27.9
Alcohol	12.84	11.26	12.67	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.20	12.13	12.16	Seriously considered attempting suicide	15.0	8.2	11.5
Marijuana	13.97	13.44	13.83	Made plan about how they would attempt suicide	10.9	5.2	6.9
Inhalants	11.92	10.00	12.11	Attempted suicide	7.1	6.3	5.7
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	4.2	1.1	1.9
Alcohol	13.9	16.4	26.2	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occassion)		6.8	16.4	Were threatened/injured with weapon at school	4.2	3.6	9.9
Cigarettes	11.7	9.8	17.2	Were in a physical fight	20.4	34.8	25.0
Chewing Tobacco	6.7	11.4	7.6	Were in a fight and had to be treated by a doctor or nurse	2.8	2.7	3.8
Marijuana	8.1	1.6	8.8	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.8	0.0	3.1	Were victims of mean rumors or lies spread at school	59.4	47.3	63.2
Prescription medications not prescribed for student	4.9	5.7	7.2	Were made fun of by others	68.4	64.7	72.1
Over-the-counter medications for non-medical use	1.4	2.2	6.5	Were victims of an embarrassing or hurtful text message or something posted on the internet	36.9	34.2	20.4
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	28.1	42.1	39.6
Alcohol (Binge: 5+ drinks on one occassion)	6.4			Made fun of other people	62.6	66.6	76.5
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	22.3	16.3	16.9
Alcohol	47.5	48.4	73.4	<i>Percent of students who agree that:</i>			
Cigarettes	40.8	39.6	56.1	Teachers notice and comment on student's good work	69.3	73.6	72.3
Marijuana	29.6	21.8	39.8	School provides feedback to parents on positive student performance	49.3	69.6	41.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.3	4.1	14.3	Rules are enforced fairly	60.8	54.6	65.9
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	77.7	86.7	77.0
Alcohol	28.2	34.2	43.7	<i>Percent of students who agree that:</i>			
Cigarettes	12.7	12.8	16.7	Parents notice and comment on student's good work	79.6	84.9	83.8
Marijuana	14.4	10.1	12.0	Parents involve student in making family decisions	66.5	71.1	69.1
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	86.2	89.3	82.5
Alcohol	64.3	72.4	51.5	Student could ask parent for help with a personal problem	79.9	71.6	75.1
Cigarettes	85.5	85.3	76.9	<i>Page Notes:</i> Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.			
Marijuana	80.5	90.5	83.1				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.9	98.4	97.2				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	78.7	83.9	72.7				
Cigarettes	93.3	95.8	88.5				
Marijuana	92.2	95.6	95.9				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	64.1	54.5	66.1				
Cigarettes	62.2	49.9	62.6				
Marijuana	37.7	27.4	36.2				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	20.0	9.8	13.3				
				Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			

# SCHUYLER COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	14
Adult Psychiatric	14
<b>POPULATION</b>	
Census 2010	4,431
2013 Estimate	4,358

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	53	58	67
Mother Reported Smoking while Pregnant	12	13	12

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	1	1	0
Tuberculosis Infection Cases	1	0	0

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	51	40	60
Suicides	1	3	0
Self-inflicted Injuries	1	0	6
Homicides	0	0	0
Assault Injuries	16	5	3
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	0	0	0
Smoking Attributable Deaths	8	8	12

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	18	15
Alcohol Primary Diagnosis	2	4	2
Drug Primary Diagnosis	2	1	2
Alcohol Related Diagnosis	14	8	14
Drug Related Diagnosis	4	8	4
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	9	6
Alcohol Primary Diagnosis	2	0	0
Drug Primary Diagnosis	2	1	1
Alcohol Related Diagnosis	2	4	5
Drug Related Diagnosis	6	1	1
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	20	15
Alcohol Primary Diagnosis	2	3	2
Drug Primary Diagnosis	2	3	0
Alcohol Related Diagnosis	8	5	6
Drug Related Diagnosis	7	1	1

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	5	4	3
Fatal Crashes	0	0	0
Injury Crashes	4	4	3
Property Damage Crashes	1	0	0
Crash Fatalities	0	0	0
Crash Injuries	6	4	6
Drug Involved Crashes--Total	1	0	1
Fatal Crashes	0	0	0
Injury Crashes	1	0	1
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	1	0	1

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	2,155	1,959	2,080
Employed	2,017	1,821	1,925
Unemployed	138	138	155
Unemployment Rate	6.4%	7.0%	7.5%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	196	216	216
Drop-outs	3	4	1
Drop-out Rate	1.5%	1.9%	0.5%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	2	0	0
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	53	48	26
Liquor Law Arrests	3	0	3
Drug Arrests	12	2	9
Methamphetamine Lab Incidents	10	2	1
Violent Offenses	4	1	6
Property Offenses	27	44	22
Domestic Violence Reports	1	0	1

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	17	14	7
Violent Offenses	5	1	3
Alcohol Offenses	4	0	0
Drug Offenses	1	0	0
Status Offenses--Total	33	19	28
Truancy	13	2	7
Beyond Parental Control	5	9	9
Habitually Absent from Home	0	0	0
Injurious Behavior	15	8	12
Abuse/Neglect/Custody--Total	44	56	36
Abuse	11	15	20
Neglect	33	41	16
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	12	9	7
Parental Alcohol Use Related	0	0	1
Parental Drug Use Related	5	3	2
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	7	6	4

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	12	5	12
Probation/Parole Admissions--Drug	1	0	3
Probation/Parole Admissions--DWI	2	1	1
Prison Admissions--Total	8	3	1
Prison Admissions--Drug	0	0	0
Prison Admissions--DWI	1	1	0

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	7	7	6
Alcohol Package Carry-out Licenses	10	9	9

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# SCHUYLER COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	0	*	*
CSTAR Adolescent	*	6	*
CSTAR Women and Children	0	0	0
CSTAR General Adult	27	18	14
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	*	7	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	25	25	23
- Adolescent Diversion Education Program	*	*	5
- Offender Education Program	9	5	*
- Weekend Intervention Program	7	6	6
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	7	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	35	33	20	Alcohol	13	18	15
AGE				Marijuana / Hashish	13	10	5
Under 18	*	7	*	Cocaine (total)	0	0	0
18 to 24	11	11	7	- Crack	0	0	0
25 to 29	5	0	*	Stimulant (total)	5	*	0
30 to 34	7	*	0	- Methamphetamine	5	*	0
35 to 39	*	*	*	Heroin	0	0	0
40 to 44	*	*	*	Analgesic except Heroin	*	*	0
45 to 54	*	5	*	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	0	0
Male	21	22	17	Inhalant	0	0	0
Female	14	11	*	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	0
Caucasian	35	33	20	Average Age at First Use of Drug	17.0	15.3	14.4
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	0
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	0
Hispanic	0	0	0	- Weekly Injection Use	0	0	0
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	*	*	0
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	11	12	*	0	20	21	11
High School Graduate or G.E.D.	19	17	14	1 or 2	12	9	6
Associate Degree or Some College	*	*	*	3 or More	*	*	*
Bachelor or Advanced Degree	*	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	5	*	6
Employed	18	12	12	School	0	0	0
Unemployed	*	*	5	Mental Health Provider	*	*	0
Not in Labor Force	15	17	*	Health Care Provider	0	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	6	19	11
Independent Living	33	26	17	Other Referral Source	8	7	*
Dependent Living	*	7	*	TREATMENT ACCOMMODATION			
Homeless	0	0	0	Pregnant when Admitted to any Episode	*	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	16	21	11	Special Education Services Needed	*	*	*
Married / Cohabiting	12	6	5	Co-Occurring Psychological Problem	21	14	5
Previously Married	7	6	*	Co-Occurring Developmental Problem	0	*	*

# SCHUYLER COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 14  
**CENSUS 2010** 4,431  
**2013 POPULATION ESTIMATE** 4,358

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	*	*	6
Anxiety Disorder	22	11	11
Dementia	0	0	0
Developmental Disorder	*	0	0
Impulse Control Disorder	12	6	8
Mood Disorder	24	19	16
Personality Disorder	*	*	*
Psychotic Disorder	*	*	*
Sexual Disorder	0	0	0
Other Diagnosis	10	7	*
Diagnosis Unknown	*	8	8

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	45	39	41	Less than High School Diploma	29	10	*
<b>AGE</b>				High School Grad or G.E.D.	*	7	8
Under 6	0	0	*	Associate Degree or Some College	0	*	*
6 to 9	6	*	5	Bachelor or Advanced Degree	0	0	*
10 to 13	11	8	8	Education Level Unknown	15	21	27
14 to 17	10	8	6	<b>EMPLOYMENT</b>			
18 to 24	*	*	*	Employed	*	*	*
25 to 29	*	*	*	Unemployed	*	12	12
30 to 34	0	0	*	Not in Labor Force	37	6	0
35 to 39	*	*	*	Employment Status Unknown	5	20	27
40 to 44	*	*	5	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	5	5	*	Independent Living	14	14	14
50 to 54	*	*	*	Dependent Living	26	9	11
55 to 59	*	*	0	Homeless	*	0	0
60 and Over	*	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	*	16	16
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	19	19	24	Self / Family / Friend	14	12	*
Female	26	20	17	School	*	0	0
Gender Unknown	0	0	0	Mental Health Provider	0	0	0
<b>RACE / ETHNICITY</b>				Health Care Provider	7	5	5
Caucasian	42	39	41	Court / Criminal Justice	*	*	*
African American	*	0	0	Other	21	20	29
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	0	0	Voluntary	44	38	39
Other Race	*	0	0	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	0	0	0	Commitment Type Unknown	*	*	*
Past or Current Military Service	0	0	*				

# SCHUYLER COUNTY

## MISSOURI STUDENT SURVEY


	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	45.6			Alcohol (1 or 2 drinks daily)	47.4		
Cigarettes	35.1			Alcohol (Binge: 5+ drinks once or twice a week)	57.9		
Chewing Tobacco	31.6			Alcohol (any use)			
Marijuana	10.7			Cigarettes (1+ packs per day)	76.4		
Inhalants	5.3			Cigarettes (any use)			
Prescription medications not prescribed for student	10.5			Marijuana (once or twice a week)	71.9		
Over-the-counter medications for non-medical use	1.8			Marijuana (any use)			
Methamphetamine	1.8			Other: Cocaine, LSD, Meth, Club Drug (any use)	91.2		
Cocaine	0.0						
Heroin	0.0			<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	1.8			Were very sad	19.3		
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0			Were grouchy, irritable, or in a bad mood	29.8		
Steroids not prescribed for student	0.0			Felt hopeless about the future	8.8		
Synthetic drugs (K2, bath salts, Spice, etc)	5.3			Felt like not eating or eating more than usual	16.1		
				Slept a lot more or a lot less than usual	14.0		
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	19.3		
Alcohol	12.48						
Cigarettes	12.33			<i>Percent of students who, in past 12 months:</i>			
Marijuana	13.91			Seriously considered attempting suicide	8.8		
Inhalants	13.00			Made plan about how they would attempt suicide	8.8		
				Attempted suicide	3.5		
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose	0.0		
Alcohol	29.8			had to be treated by doctor or nurse			
Alcohol (Binge: 5+ drinks on one occasion)							
Cigarettes	17.9			<i>Percent of students who, in past 12 months:</i>			
Chewing Tobacco	17.5			Were threatened/injured with weapon at school	3.5		
Marijuana	5.3			Were in a physical fight	26.3		
Inhalants	0.0			Were in a fight and had to be treated by a doctor or nurse	3.5		
Prescription medications not prescribed for student	3.5						
Over-the-counter medications for non-medical use	1.8			<i>Percent of students who, in past 3 months:</i>			
				Were victims of mean rumors or lies spread at school	63.2		
<i>Percent of students who, in past 2 weeks, used:</i>				Were made fun of by others	64.3		
Alcohol (Binge: 5+ drinks on one occasion)	14.0			Were victims of an embarrassing or hurtful text message or something posted on the Internet	26.3		
				Spread mean rumors or lies about other kids at school	28.1		
<i>Percent whose friends used in past 12 months:</i>				Made fun of other people	64.3		
Alcohol	61.4			Posted something on the internet or sent a text that might embarrass or hurt another student	19.3		
Cigarettes	54.4						
Marijuana	22.8			<i>Percent of students who agree that:</i>			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.5			Teachers notice and comment on student's good work	68.4		
				School provides feedback to parents on positive student performance	38.6		
<i>Percent who would likely use, if offered by a best friend:</i>				Rules are enforced fairly	52.6		
Alcohol	43.1			Students of all races/ethnicities are treated equal	78.6		
Cigarettes	24.6						
Marijuana	5.4			<i>Percent of students who agree that:</i>			
				Parents notice and comment on student's good work	80.7		
<i>Percent who say it would be wrong to use:</i>				Parents involve student in making family decisions	64.9		
Alcohol	49.1			It is important to be honest with parents regardless of consequences	85.7		
Cigarettes	69.6			Student could ask parent for help with a personal problem	80.4		
Marijuana	89.1						
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.5						
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	70.2						
Cigarettes	87.7						
Marijuana	96.5						
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	68.4						
Cigarettes	68.4						
Marijuana	29.8						
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.7						

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys



# SCOTLAND COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	14
Adult Psychiatric	14
<b>POPULATION</b>	
Census 2010	4,843
2013 Estimate	4,921

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	78	80	73
Mother Reported Smoking while Pregnant	13	13	8

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	1	3	1
Tuberculosis Infection Cases	1	0	0

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	52	55	64
Suicides	0	1	0
Self-inflicted Injuries	3	3	3
Homicides	0	0	0
Assault Injuries	3	8	7
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	1	0	0
Smoking Attributable Deaths	10	10	7

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	11	12
Alcohol Primary Diagnosis	2	2	3
Drug Primary Diagnosis	2	0	0
Alcohol Related Diagnosis	17	14	8
Drug Related Diagnosis	4	3	5
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	4	2
Alcohol Primary Diagnosis	2	1	1
Drug Primary Diagnosis	2	0	1
Alcohol Related Diagnosis	6	2	4
Drug Related Diagnosis	4	2	3
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	29	24
Alcohol Primary Diagnosis	2	2	1
Drug Primary Diagnosis	2	2	1
Alcohol Related Diagnosis	14	3	7
Drug Related Diagnosis	6	5	3

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	2	2	3
Fatal Crashes	0	0	0
Injury Crashes	0	2	3
Property Damage Crashes	2	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	3	4
Drug Involved Crashes--Total	0	1	0
Fatal Crashes	0	0	0
Injury Crashes	0	1	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	1	0

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	2,480	2,422	2,423
Employed	2,360	2,307	2,268
Unemployed	120	115	155
Unemployment Rate	4.8%	4.7%	6.4%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	173	176	186
Drop-outs	2	3	4
Drop-out Rate	1.2%	1.7%	2.2%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	0	0	0
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	17	22	15
Liquor Law Arrests	1	3	4
Drug Arrests	14	14	6
Methamphetamine Lab Incidents	1	5	1
Violent Offenses	3	1	5
Property Offenses	84	51	59
Domestic Violence Reports	19	7	11

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	8	4	28
Violent Offenses	3	3	6
Alcohol Offenses	0	0	1
Drug Offenses	0	0	1
Status Offenses--Total	18	28	42
Truancy	1	5	0
Beyond Parental Control	4	8	6
Habitually Absent from Home	0	0	0
Injurious Behavior	13	15	36
Abuse/Neglect/Custody--Total	63	44	68
Abuse	19	7	5
Neglect	44	37	63
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	11	11	5
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	2	1	0
Parental Alcohol and Drug Use	0	0	1
Child Removed for Other Reason	9	10	4

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	6	3	5
Probation/Parole Admissions--Total	37	27	32
Probation/Parole Admissions--Drug	18	6	10
Probation/Parole Admissions--DWI	3	3	2
Prison Admissions--Total	17	10	10
Prison Admissions--Drug	11	3	4
Prison Admissions--DWI	3	1	1

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	7	8	7
Alcohol Package Carry-out Licenses	5	7	5

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# SCOTLAND COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	*	*	*
CSTAR Adolescent	0	*	*
CSTAR Women and Children	0	0	0
CSTAR General Adult	14	20	10
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	6	9
Clinical SATOP (CIP, YCIP, SROP)	*	*	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	20	16	24
- Adolescent Diversion Education Program	*	*	8
- Offender Education Program	6	*	7
- Weekend Intervention Program	5	5	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	0	0
Early Intervention	6	6	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	22	26	22	Alcohol	11	15	12
AGE				Marijuana / Hashish	9	7	*
Under 18	0	*	*	Cocaine (total)	0	0	*
18 to 24	6	*	5	- Crack	0	0	0
25 to 29	7	5	5	Stimulant (total)	0	*	*
30 to 34	*	*	*	- Methamphetamine	0	*	*
35 to 39	*	5	*	Heroin	0	0	0
40 to 44	*	*	*	Analgesic except Heroin	*	*	*
45 to 54	*	5	*	- Non-Prescription Methadone	0	0	0
55 and Over	*	0	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	17	21	20	Inhalant	0	0	0
Female	5	5	*	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	0
Caucasian	19	24	21	Average Age at First Use of Drug	16.9	16.6	18.7
African American	*	*	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	0
Hispanic	0	0	0	- Weekly Injection Use	0	*	0
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	0	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	6	*	6	0	11	13	11
High School Graduate or G.E.D.	14	18	11	1 or 2	7	11	6
Associate Degree or Some College	*	*	5	3 or More	*	*	5
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	*	6	*
Employed	7	12	14	School	0	0	0
Unemployed	7	8	5	Mental Health Provider	0	0	0
Not in Labor Force	8	6	*	Health Care Provider	0	0	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	13	12	18
Independent Living	20	23	19	Other Referral Source	*	7	0
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	0	0	0	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	15	10	13	Special Education Services Needed	*	*	*
Married / Cohabiting	6	9	8	Co-Occurring Psychological Problem	8	10	6
Previously Married	*	7	*	Co-Occurring Developmental Problem	0	0	0

# SCOTLAND COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 14  
**CENSUS 2010** 4,843  
**2013 POPULATION ESTIMATE** 4,921

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	0	*	*
Anxiety Disorder	9	10	6
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	12	10	11
Mood Disorder	22	20	18
Personality Disorder	*	*	0
Psychotic Disorder	0	0	*
Sexual Disorder	0	0	0
Other Diagnosis	7	6	7
Diagnosis Unknown	*	*	8

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.


<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	30	34	37	Less than High School Diploma	14	8	*
<b>AGE</b>				High School Grad or G.E.D.	0	5	5
Under 6	0	*	0	Associate Degree or Some College	0	*	*
6 to 9	6	6	5	Bachelor or Advanced Degree	0	0	*
10 to 13	*	*	*	Education Level Unknown	16	19	27
14 to 17	5	5	7	<b>EMPLOYMENT</b>			
18 to 24	*	5	6	Employed	*	*	*
25 to 29	*	*	6	Unemployed	0	11	9
30 to 34	*	*	*	Not in Labor Force	23	6	0
35 to 39	0	0	*	Employment Status Unknown	*	16	27
40 to 44	*	*	*	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	*	5	5	Independent Living	14	14	10
50 to 54	*	*	*	Dependent Living	12	12	10
55 to 59	0	*	0	Homeless	0	0	0
60 and Over	*	*	0	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	*	8	17
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	5	5	20	Self / Family / Friend	12	12	8
Female	25	29	17	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	0	*	0
<b>RACE / ETHNICITY</b>				Health Care Provider	5	*	5
Caucasian	30	34	37	Court / Criminal Justice	0	0	0
African American	0	0	0	Other	13	17	24
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	0	0	Voluntary	30	34	37
Other Race	0	0	0	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	0	Commitment Type Unknown	0	0	0
Past or Current Military Service	0	0	0				

# SCOTLAND COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol		36.5	34.7	Alcohol (1 or 2 drinks daily)			
Cigarettes		22.1	22.5	Alcohol (Binge: 5+ drinks once or twice a week)			
Chewing Tobacco		11.6	12.6	Alcohol (any use)		68.6	83.9
Marijuana		5.8	5.8	Cigarettes (1+ packs per day)			
Inhalants		3.5	4.1	Cigarettes (any use)		70.6	80.7
Prescription medications not prescribed for student		7.0	9.9	Marijuana (once or twice a week)			
Over-the-counter medications for non-medical use		3.5	4.1	Marijuana (any use)		79.1	64.2
Methamphetamine		1.2	0.0	Other: Cocaine, LSD, Meth, Club Drug (any use)		91.8	95.8
Cocaine		1.2	0.0				
Heroin		2.4	0.8	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens		2.4	2.5	Were very sad		16.3	31.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		1.2	3.5	Were grouchy, irritable, or in a bad mood		22.1	27.7
Steroids not prescribed for student		1.2	0.8	Felt hopeless about the future		8.2	16.0
Synthetic drugs (K2, bath salts, Spice, etc)		7.0		Felt like not eating or eating more than usual		12.8	26.7
				Slept a lot more or a lot less than usual		22.1	24.8
				Had difficulty concentrating on school work		24.4	24.2
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol		12.25	12.63	Seriously considered attempting suicide		10.5	10.7
Cigarettes		11.94	12.90	Made plan about how they would attempt suicide		10.5	7.4
Marijuana		13.06	12.96	Attempted suicide		7.0	5.0
Inhalants			11.91	Attempted suicide and resulting injury, poisoning, or overdose			
				had to be treated by doctor or nurse		2.3	2.5
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol		16.5	19.0	Were threatened/injured with weapon at school		4.7	7.5
Alcohol (Binge: 5+ drinks on one occasion)		12.9	11.7	Were in a physical fight		15.3	16.7
Cigarettes		12.9	12.5	Were in a fight and had to be treated by a doctor or nurse		3.5	3.3
Chewing Tobacco		5.8	5.9				
Marijuana		1.2	3.3	<i>Percent of students who, in past 3 months:</i>			
Inhalants		1.2	0.8	Were victims of mean rumors or lies spread at school		47.7	53.3
Prescription medications not prescribed for student		3.5	9.1	Were made fun of by others		62.4	64.2
Over-the-counter medications for non-medical use		2.3	3.3	Were victims of an embarrassing or hurtful text message or something posted on the Internet		22.1	17.5
				Spread mean rumors or lies about other kids at school		21.2	30.0
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people		57.0	72.7
Alcohol (Binge: 5+ drinks on one occasion)				Posted something on the internet or sent a text that might embarrass or hurt another student		7.1	12.5
<i>Percent whose friends used in past 12 months:</i>				<i>Percent of students who agree that:</i>			
Alcohol		49.4	61.7	Teachers notice and comment on student's good work		62.4	74.2
Cigarettes		44.7	50.4	School provides feedback to parents on positive student performance		37.6	31.4
Marijuana		15.1	15.8	Rules are enforced fairly		54.7	70.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		7.1	10.1	Students of all races/ethnicities are treated equal		85.9	79.7
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol		30.2	36.1	Parents notice and comment on student's good work		85.9	87.4
Cigarettes		15.1	14.0	Parents involve student in making family decisions		64.7	71.4
Marijuana		5.8	7.5	It is important to be honest with parents regardless of consequences		88.1	81.0
				Student could ask parent for help with a personal problem		76.5	75.2
<i>Percent who say it would be wrong to use:</i>							
Alcohol		55.8	57.5	Page Notes: Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.			
Cigarettes		75.3	76.7				
Marijuana		89.4	88.1				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		98.8	95.7				
<i>Percent whose parents would disapprove if they use:</i>				Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Alcohol		80.0	71.2				
Cigarettes		91.8	86.3				
Marijuana		96.4	96.7				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol		55.8	64.7				
Cigarettes		54.1	61.7				
Marijuana		23.5	21.7				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		12.0	12.5				

# SCOTT COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	21
Adult Psychiatric	20
<b>POPULATION</b>	
Census 2010	39,191
2013 Estimate	39,290

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	512	529	550
Mother Reported Smoking while Pregnant	146	155	173

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	1	0
Hepatitis B Chronic, Acute, Prenatal	1 0	3	2
Hepatitis C Chronic and Acute	1 30	19	31
Tuberculosis Infection Cases	1 8	4	17

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	422	421	413
Suicides	9	6	5
Self-inflicted Injuries	82	77	83
Homicides	2	2	0
Assault Injuries	162	178	187
Alcohol Induced Deaths	3	2	3
Drug Induced Deaths	8	6	5
Smoking Attributable Deaths	78	78	75

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 428	464	
Alcohol Primary Diagnosis	2 30	30	
Drug Primary Diagnosis	2 19	30	
Alcohol Related Diagnosis	159	184	144
Drug Related Diagnosis	208	238	216
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 58	32	
Alcohol Primary Diagnosis	2 20	13	
Drug Primary Diagnosis	2 8	4	
Alcohol Related Diagnosis	108	84	106
Drug Related Diagnosis	107	51	94
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 436	369	
Alcohol Primary Diagnosis	2 72	75	
Drug Primary Diagnosis	2 60	53	
Alcohol Related Diagnosis	170	186	192
Drug Related Diagnosis	153	151	135

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	34	46	44
Fatal Crashes	3	2	0
Injury Crashes	16	16	20
Property Damage Crashes	15	28	24
Crash Fatalities	3	2	0
Crash Injuries	28	17	23
Drug Involved Crashes--Total	15	20	11
Fatal Crashes	0	1	0
Injury Crashes	3	8	3
Property Damage Crashes	12	11	8
Crash Fatalities	0	1	0
Crash Injuries	5	7	4

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	20,785	20,252	20,071
Employed	19,445	18,909	18,351
Unemployed	1,340	1,343	1,720
Unemployment Rate	6.4%	6.6%	8.6%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	2,002	1,992	2,079
Drop-outs	9	13	18
Drop-out Rate	0.4%	0.7%	0.9%
School Suspensions:			
Alcohol Incidents	5	5	3
Drug Incidents	3	16	32
Tobacco Incidents	6	3	4

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	253	259	247
Liquor Law Arrests	75	77	100
Drug Arrests	277	313	393
Methamphetamine Lab Incidents	19	31	64
Violent Offenses	457	335	320
Property Offenses	1,288	1,150	1,270
Domestic Violence Reports	659	607	594

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	346	291	330
Violent Offenses	72	55	105
Alcohol Offenses	19	23	20
Drug Offenses	29	26	21
Status Offenses--Total	228	177	188
Truancy	161	101	84
Beyond Parental Control	10	10	23
Habitually Absent from Home	28	22	35
Injurious Behavior	28	41	45
Abuse/Neglect/Custody--Total	59	66	125
Abuse	6	2	8
Neglect	53	56	108
Custody Disputes	0	8	9

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	40	55	58
Parental Alcohol Use Related	5	0	5
Parental Drug Use Related	8	21	21
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	27	34	32

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	68	60	79
Probation/Parole Admissions--Total	413	475	443
Probation/Parole Admissions--Drug	156	186	199
Probation/Parole Admissions--DWI	20	19	16
Prison Admissions--Total	179	181	205
Prison Admissions--Drug	77	86	95
Prison Admissions--DWI	6	7	5

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	42	44	44
Alcohol Package Carry-out Licenses	42	41	41

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# SCOTT COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	57	55	52
CSTAR Adolescent	30	25	31
CSTAR Women and Children	36	31	44
CSTAR General Adult	228	148	82
CSTAR Opioid	0	*	0
Primary Recovery Treatment	39	137	194
Clinical SATOP (CIP, YCIP, SROP)	34	42	26
Other Substance Abuse Treatment	*	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	186	188	196
- Adolescent Diversion Education Program	*	0	*
- Offender Education Program	81	86	96
- Weekend Intervention Program	44	54	52
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	*
Recovery Supports	195	241	163
Early Intervention	*	5	7


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	412	441	406	Alcohol	136	149	130
AGE				Marijuana / Hashish	137	163	142
Under 18	30	29	33	Cocaine (total)	22	32	41
18 to 24	92	82	83	- Crack	10	21	21
25 to 29	70	81	75	Stimulant (total)	62	40	44
30 to 34	70	75	60	- Methamphetamine	59	37	41
35 to 39	33	38	44	Heroin	8	6	7
40 to 44	43	45	34	Analgesic except Heroin	31	34	29
45 to 54	55	71	62	- Non-Prescription Methadone	0	0	0
55 and Over	19	20	15	PCP, LSD, other Hallucinogen	*	*	*
GENDER				Tranquilizer	10	11	6
Male	318	330	291	Inhalant	*	0	*
Female	94	111	115	Sedative	0	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	0
Caucasian	316	318	282	Average Age at First Use of Drug	17.4	17.0	17.9
African American	83	116	114	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	43	30	27
Asian / Pacific Islander	0	0	0	- Daily Injection Use	6	*	*
Hispanic	6	6	*	- Weekly Injection Use	13	7	6
Other Race / Two or More Races	8	*	7	- Less than Weekly Injection Use	24	19	18
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	132	170	152	0	221	247	234
High School Graduate or G.E.D.	210	213	191	1 or 2	120	120	108
Associate Degree or Some College	69	57	57	3 or More	71	74	64
Bachelor or Advanced Degree	*	*	6	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	91	54	71
Employed	110	122	122	School	0	*	0
Unemployed	166	169	151	Mental Health Provider	0	*	8
Not in Labor Force	136	150	133	Health Care Provider	14	12	7
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	231	325	290
Independent Living	316	348	302	Other Referral Source	67	42	30
Dependent Living	69	74	95	TREATMENT ACCOMMODATION			
Homeless	11	*	6	Pregnant when Admitted to any Episode	6	7	10
MARITAL / FAMILY STATUS				Military Veteran	30	28	19
Never Married	212	224	208	Special Education Services Needed	25	38	29
Married / Cohabiting	107	115	116	Co-Occurring Psychological Problem	140	86	91
Previously Married	93	102	82	Co-Occurring Developmental Problem	8	9	9



# SCOTT COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 20  
**CENSUS 2010** 39,191  
**2013 POPULATION ESTIMATE** 39,290

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	53	81	72
Anxiety Disorder	234	254	233
Dementia	*	*	*
Developmental Disorder	9	11	9
Impulse Control Disorder	149	170	158
Mood Disorder	571	570	439
Personality Disorder	76	91	91
Psychotic Disorder	149	156	128
Sexual Disorder	*	0	*
Other Diagnosis	68	91	84
Diagnosis Unknown	100	118	173

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	1,026	1,035	910	Less than High School Diploma	405	153	66
<b>AGE</b>				High School Grad or G.E.D.	0	99	72
Under 6	8	18	22	Associate Degree or Some College	*	17	16
6 to 9	49	54	69	Bachelor or Advanced Degree	0	*	5
10 to 13	86	89	88	Education Level Unknown	620	764	751
14 to 17	107	122	123	<b>EMPLOYMENT</b>			
18 to 24	100	92	74	Employed	54	21	9
25 to 29	92	87	59	Unemployed	86	194	150
30 to 34	93	89	70	Not in Labor Force	553	98	*
35 to 39	94	72	48	Employment Status Unknown	333	722	750
40 to 44	83	81	54	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	84	97	88	Independent Living	444	235	141
50 to 54	93	107	94	Dependent Living	334	100	92
55 to 59	66	66	51	Homeless	12	10	*
60 and Over	71	61	70	Other	0	5	*
Age Unknown	0	0	0	Housing Unknown	236	685	675
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	459	486	424	Self / Family / Friend	421	459	402
Female	567	549	486	School	31	25	27
Gender Unknown	0	0	0	Mental Health Provider	111	94	101
<b>RACE / ETHNICITY</b>				Health Care Provider	159	137	95
Caucasian	798	812	706	Court / Criminal Justice	50	54	45
African American	182	172	156	Other	251	263	226
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	14
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	25	18	20	Voluntary	1,017	1,024	887
Other Race	19	29	24	Civil	*	*	7
Race/Ethnicity Unknown	0	0	0	Criminal	6	5	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	*
Hearing Impaired	29	30	30	Commitment Type Unknown	*	*	14
Past or Current Military Service	25	22	17				




# SCOTT COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	32.4	37.8	50.0	Alcohol (1 or 2 drinks daily)	53.1		
Cigarettes	20.3	29.0	35.4	Alcohol (Binge: 5+ drinks once or twice a week)	69.4		
Chewing Tobacco	9.3	16.8	20.3	Alcohol (any use)		72.4	71.2
Marijuana	11.3	7.7	22.2	Cigarettes (1+ packs per day)	82.4		
Inhalants	4.3	9.0	9.4	Cigarettes (any use)		73.9	74.7
Prescription medications not prescribed for student	9.0	7.2	17.6	Marijuana (once or twice a week)	66.3		
Over-the-counter medications for non-medical use	4.6	5.3	9.1	Marijuana (any use)		77.3	71.9
Methamphetamine	0.9	0.7	0.4	Other: Cocaine, LSD, Meth, Club Drug (any use)	91.0	95.1	90.3
Cocaine	1.5	2.0	1.2	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.0	0.0	0.2	Were very sad	18.8	22.6	19.6
Hallucinogens	0.7	1.9	2.2	Were grouchy, irritable, or in a bad mood	23.4	27.1	25.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.7	1.2	2.5	Felt hopeless about the future	8.5	9.2	13.0
Steroids not prescribed for student	0.7	0.9	1.8	Felt like not eating or eating more than usual	15.4	22.2	18.3
Synthetic drugs (K2, bath salts, Spice, etc)	2.2	5.8		Slept a lot more or a lot less than usual	17.8	23.4	26.3
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	22.5	25.0	24.7
Alcohol	12.40	12.21	12.53	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.49	11.27	12.27	Seriously considered attempting suicide	12.1	12.5	12.8
Marijuana	13.85	13.32	14.06	Made plan about how they would attempt suicide	7.6	7.2	9.6
Inhalants	12.23	10.75	13.05	Attempted suicide	2.4	5.3	7.5
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.9	0.9	3.1
Alcohol	11.0	13.5	24.9	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		6.0	15.6	Were threatened/injured with weapon at school	6.3	5.5	10.2
Cigarettes	7.4	15.7	19.2	Were in a physical fight	22.9	23.0	25.3
Chewing Tobacco	5.4	10.6	11.2	Were in a fight and had to be treated by a doctor or nurse	3.9	2.3	5.2
Marijuana	6.1	4.8	9.5	<i>Percent of students who, in past 3 months:</i>			
Inhalants	3.0	0.8	4.6	Were victims of mean rumors or lies spread at school	53.0	53.1	57.7
Prescription medications not prescribed for student	5.3	3.3	11.6	Were made fun of by others	61.2	63.3	69.5
Over-the-counter medications for non-medical use	1.7	3.3	6.5	Were victims of an embarrassing or hurtful text message or something posted on the internet	27.2	19.5	19.2
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	24.4	35.6	28.1
Alcohol (Binge: 5+ drinks on one occasion)	3.5			Made fun of other people	53.0	61.0	71.7
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	18.8	13.4	15.1
Alcohol	40.7	53.7	63.9	<i>Percent of students who agree that:</i>			
Cigarettes	33.5	42.4	54.7	Teachers notice and comment on student's good work	72.5	70.5	65.9
Marijuana	26.5	25.9	43.3	School provides feedback to parents on positive student performance	37.1	32.0	35.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.8	10.7	20.8	Rules are enforced fairly	67.9	62.8	46.2
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	73.4	80.8	60.2
Alcohol	23.1	26.3	36.9	<i>Percent of students who agree that:</i>			
Cigarettes	9.9	10.9	19.2	Parents notice and comment on student's good work	85.2	83.0	82.2
Marijuana	11.0	6.4	15.7	Parents involve student in making family decisions	69.9	70.9	69.2
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	87.9	88.0	83.2
Alcohol	70.9	62.1	54.3	Student could ask parent for help with a personal problem	81.4	75.2	78.0
Cigarettes	84.1	76.5	72.1	<div>Page Notes:</div> <div>Similar affirmative response choices for individual questions are combined.</div> <div>Blank data cells indicate estimates are not available for item or geographic area.</div> <div>Survey is not conducted in every school district nor reported for every county.</div> <div>Estimates are not available for counties with small numbers of respondents.</div> <div>Percentages are estimates based on weighted data.</div> <div>Some year-to-year differences in percentages are not statistically significant.</div>			
Marijuana	86.6	86.1	76.9				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.7	96.1	91.7				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	88.0	77.2	75.7				
Cigarettes	95.2	87.1	87.3				
Marijuana	94.5	89.5	93.5				
<i>Percent who say it would be easy to obtain:</i>				Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Alcohol	39.7	58.1	60.1				
Cigarettes	35.9	51.6	60.2				
Marijuana	26.5	31.2	43.7				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.5	17.1	22.4				

# SHANNON COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	18
Adult Psychiatric	18
<b>POPULATION</b>	
Census 2010	8,441
2013 Estimate	8,297

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	3,485	3,067	3,131
Employed	3,187	2,743	2,728
Unemployed	298	324	403
Unemployment Rate	8.6%	10.6%	12.9%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	222	246	258
Drop-outs	0	0	0
Drop-out Rate	0.0%	0.0%	0.0%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	0	0	0
Tobacco Incidents	0	0	0

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	103	80	111
Mother Reported Smoking while Pregnant	23	24	40

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	1
Hepatitis C Chronic and Acute	1	9	2
Tuberculosis Infection Cases	1	3	1

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	91	91	83
Suicides	1	0	1
Self-inflicted Injuries	8	12	24
Homicides	0	1	1
Assault Injuries	20	22	33
Alcohol Induced Deaths	1	0	0
Drug Induced Deaths	2	0	2
Smoking Attributable Deaths	17	16	18

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	59	70
Alcohol Primary Diagnosis	2	6	2
Drug Primary Diagnosis	2	8	8
Alcohol Related Diagnosis	27	19	23
Drug Related Diagnosis	50	40	43
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	7	3
Alcohol Primary Diagnosis	2	1	1
Drug Primary Diagnosis	2	3	0
Alcohol Related Diagnosis	9	3	3
Drug Related Diagnosis	8	5	16
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	49	53
Alcohol Primary Diagnosis	2	9	6
Drug Primary Diagnosis	2	9	9
Alcohol Related Diagnosis	18	25	27
Drug Related Diagnosis	24	23	43

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	12	9	18
Fatal Crashes	0	0	2
Injury Crashes	6	8	14
Property Damage Crashes	6	1	2
Crash Fatalities	0	0	2
Crash Injuries	11	12	26
Drug Involved Crashes--Total	1	1	1
Fatal Crashes	0	0	0
Injury Crashes	1	1	0
Property Damage Crashes	0	0	1
Crash Fatalities	0	0	0
Crash Injuries	1	2	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	43	48	49
Liquor Law Arrests	17	20	38
Drug Arrests	134	90	205
Methamphetamine Lab Incidents	1	3	3
Violent Offenses	32	11	23
Property Offenses	131	144	158
Domestic Violence Reports	31	19	6

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	19	16	22
Violent Offenses	7	1	3
Alcohol Offenses	0	1	6
Drug Offenses	2	1	3
Status Offenses--Total	23	39	23
Truancy	4	12	5
Beyond Parental Control	6	9	1
Habitually Absent from Home	2	1	4
Injurious Behavior	10	5	4
Abuse/Neglect/Custody--Total	12	10	5
Abuse	1	0	1
Neglect	3	10	4
Custody Disputes	8	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	0	0	0
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	0	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	0	0	0

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	47	44	35
Probation/Parole Admissions--Drug	12	18	16
Probation/Parole Admissions--DWI	5	4	3
Prison Admissions--Total	22	24	22
Prison Admissions--Drug	7	8	10
Prison Admissions--DWI	3	1	2

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	10	7	9
Alcohol Package Carry-out Licenses	15	15	14

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# SHANNON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	12	*	12
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	5
CSTAR General Adult	16	12	8
CSTAR Opioid	0	0	0
Primary Recovery Treatment	5	7	16
Clinical SATOP (CIP, YCIP, SROP)	*	9	7
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	21	27	25
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	18	12	7
- Weekend Intervention Program	*	*	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	0
Compulsive Gambling	0	0	0
Recovery Supports	0	*	0
Early Intervention	0	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	36	30	44	Alcohol	7	11	16
AGE				Marijuana / Hashish	6	9	12
Under 18	*	*	*	Cocaine (total)	0	*	0
18 to 24	11	*	7	- Crack	0	0	0
25 to 29	6	8	10	Stimulant (total)	12	*	5
30 to 34	10	8	8	- Methamphetamine	12	*	*
35 to 39	*	*	5	Heroin	0	0	0
40 to 44	*	*	5	Analgesic except Heroin	10	5	11
45 to 54	*	*	5	- Non-Prescription Methadone	0	0	0
55 and Over	0	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	0
Male	18	21	28	Inhalant	0	0	0
Female	18	9	16	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	36	30	42	Average Age at First Use of Drug	19.2	17.2	16.9
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	13	*	9
Asian / Pacific Islander	0	0	0	- Daily Injection Use	5	*	6
Hispanic	0	0	*	- Weekly Injection Use	5	*	*
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	17	13	22	0	26	13	25
High School Graduate or G.E.D.	13	10	18	1 or 2	*	12	12
Associate Degree or Some College	5	7	*	3 or More	6	5	7
Bachelor or Advanced Degree	*	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	15	*	14
Employed	*	*	*	School	0	0	0
Unemployed	13	15	25	Mental Health Provider	*	*	0
Not in Labor Force	21	11	16	Health Care Provider	*	*	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	9	20	26
Independent Living	30	26	39	Other Referral Source	6	*	*
Dependent Living	*	*	5	TREATMENT ACCOMMODATION			
Homeless	*	*	0	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	0	*	*
Never Married	17	17	16	Special Education Services Needed	*	*	0
Married / Cohabiting	14	9	13	Co-Occurring Psychological Problem	10	11	9
Previously Married	5	*	15	Co-Occurring Developmental Problem	*	*	0

# SHANNON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 18  
**CENSUS 2010** 8,441  
**2013 POPULATION ESTIMATE** 8,297

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	5	*	0
Anxiety Disorder	47	26	15
Dementia	*	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	18	16	13
Mood Disorder	83	65	33
Personality Disorder	*	*	*
Psychotic Disorder	8	7	6
Sexual Disorder	0	0	0
Other Diagnosis	5	5	6
Diagnosis Unknown	*	8	10

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	112	89	57	Less than High School Diploma	23	19	7
<b>AGE</b>				High School Grad or G.E.D.	0	7	6
Under 6	0	0	0	Associate Degree or Some College	0	*	*
6 to 9	*	0	0	Bachelor or Advanced Degree	0	0	0
10 to 13	*	11	9	Education Level Unknown	89	61	41
14 to 17	8	6	5	<b>EMPLOYMENT</b>			
18 to 24	12	7	*	Employed	20	10	*
25 to 29	10	*	*	Unemployed	18	22	12
30 to 34	17	11	*	Not in Labor Force	54	12	*
35 to 39	9	8	*	Employment Status Unknown	20	45	41
40 to 44	12	7	7	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	8	15	15	Independent Living	74	37	14
50 to 54	15	9	*	Dependent Living	13	7	13
55 to 59	10	*	*	Homeless	*	*	*
60 and Over	7	7	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	24	43	29
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	49	36	27	Self / Family / Friend	72	38	15
Female	63	53	30	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	*	*
<b>RACE / ETHNICITY</b>				Health Care Provider	30	37	27
Caucasian	109	87	56	Court / Criminal Justice	*	*	0
African American	0	0	0	Other	5	12	12
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	110	89	57
Other Race	*	0	0	Civil	*	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	12	11	11	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

# SHANNON COUNTY

## MISSOURI STUDENT SURVEY


	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	52.5	61.0	64.9	Alcohol (1 or 2 drinks daily)	42.5		
Cigarettes	52.0	46.1	48.7	Alcohol (Binge: 5+ drinks once or twice a week)	51.9		
Chewing Tobacco	19.8	31.2	34.6	Alcohol (any use)		78.7	82.2
Marijuana	30.4	17.0	15.8	Cigarettes (1+ packs per day)	75.3		
Inhalants	1.2	9.2	5.2	Cigarettes (any use)		75.2	72.8
Prescription medications not prescribed for student	25.0	21.3	14.9	Marijuana (once or twice a week)	50.0		
Over-the-counter medications for non-medical use	0.0	6.4	5.4	Marijuana (any use)		77.0	74.7
Methamphetamine	5.0	0.0	1.1	Other: Cocaine, LSD, Meth, Club Drug (any use)	90.1	98.6	93.6
Cocaine	0.0	0.0	1.1				
Heroin	0.0	0.0	0.0	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	5.0	2.8	1.6	Were very sad	35.0	31.2	16.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	7.4	1.4	1.6	Were grouchy, irritable, or in a bad mood	19.8	33.1	20.9
Steroids not prescribed for student	0.0	1.4	0.0	Felt hopeless about the future	2.5	19.1	11.2
Synthetic drugs (K2, bath salts, Spice, etc)	11.3	9.3		Felt like not eating or eating more than usual	5.0	32.6	13.3
				Slept a lot more or a lot less than usual	11.3	26.2	16.7
				Had difficulty concentrating on school work	8.6	24.1	27.9
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	12.93	12.13	11.80	Seriously considered attempting suicide	10.0	17.7	13.1
Cigarettes	12.09	11.77	11.92	Made plan about how they would attempt suicide	10.7	12.2	9.4
Marijuana	14.24	13.27	13.91	Attempted suicide	1.3	8.5	9.9
Inhalants	11.00	13.46	11.51	Attempted suicide and resulting injury, poisoning, or overdose	0.0	0.0	1.6
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	16.3	26.2	34.0	Were threatened/injured with weapon at school	13.0	4.3	14.3
Alcohol (Binge: 5+ drinks on one occasion)		18.4	20.8	Were in a physical fight	24.1	20.6	27.2
Cigarettes	32.0	22.7	28.6	Were in a fight and had to be treated by a doctor or nurse	0.0	0.0	4.2
Chewing Tobacco	19.8	14.9	22.9				
Marijuana	18.8	8.5	6.9	<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.0	4.3	3.6	Were victims of mean rumors or lies spread at school	50.0	58.9	55.3
Prescription medications not prescribed for student	12.5	17.0	10.6	Were made fun of by others	55.0	70.9	77.0
Over-the-counter medications for non-medical use	0.0	5.7	5.4	Were victims of an embarrassing or hurtful text message or something posted on the Internet	21.3	21.3	25.9
				Spread mean rumors or lies about other kids at school	26.6	24.8	35.3
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	36.7	59.6	80.2
Alcohol (Binge: 5+ drinks on one occasion)	1.3			Posted something on the internet or sent a text that might embarrass or hurt another student	11.4	16.4	25.5
<i>Percent whose friends used in past 12 months:</i>				<i>Percent of students who agree that:</i>			
Alcohol	35.8	74.5	77.1	Teachers notice and comment on student's good work	82.5	83.7	83.6
Cigarettes	43.2	70.9	68.1	School provides feedback to parents on positive student performance	75.3	31.7	51.3
Marijuana	32.1	38.6	31.4	Rules are enforced fairly	81.3	61.7	67.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.6	11.3	12.5	Students of all races/ethnicities are treated equal	83.8	70.9	80.4
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	25.9	37.6	50.3	Parents notice and comment on student's good work	87.5	83.0	88.9
Cigarettes	39.2	29.8	28.3	Parents involve student in making family decisions	72.8	73.0	69.1
Marijuana	29.6	13.5	9.7	It is important to be honest with parents regardless of consequences	92.5	87.2	90.4
				Student could ask parent for help with a personal problem	80.0	75.9	84.0
<i>Percent who say it would be wrong to use:</i>							
Alcohol	63.3	49.6	44.5				
Cigarettes	53.1	68.1	69.1				
Marijuana	76.3	83.0	86.2				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.8	100.0	96.8				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	91.4	81.6	77.9				
Cigarettes	83.8	87.9	88.6				
Marijuana	95.0	97.9	96.3				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	38.8	71.6	66.8				
Cigarettes	45.0	70.9	73.9				
Marijuana	29.6	36.9	40.4				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.7	20.9	19.0				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys



# SHELBY COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	14
Adult Psychiatric	14
<b>POPULATION</b>	
Census 2010	6,373
2013 Estimate	6,177

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	69	80	70
Mother Reported Smoking while Pregnant	13	24	18

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	1	0
Hepatitis C Chronic and Acute	1	3	3
Tuberculosis Infection Cases	1	0	0

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	78	81	84
Suicides	0	2	1
Self-inflicted Injuries	3	5	8
Homicides	0	0	0
Assault Injuries	10	11	5
Alcohol Induced Deaths	2	0	0
Drug Induced Deaths	1	0	1
Smoking Attributable Deaths	11	12	12

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	37	30
Alcohol Primary Diagnosis	2	0	2
Drug Primary Diagnosis	2	0	2
Alcohol Related Diagnosis	11	22	22
Drug Related Diagnosis	10	11	5
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	12	10
Alcohol Primary Diagnosis	2	4	0
Drug Primary Diagnosis	2	3	4
Alcohol Related Diagnosis	13	10	18
Drug Related Diagnosis	8	8	4
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	19	30
Alcohol Primary Diagnosis	2	6	6
Drug Primary Diagnosis	2	5	6
Alcohol Related Diagnosis	8	12	10
Drug Related Diagnosis	7	7	3

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	5	3	5
Fatal Crashes	0	0	1
Injury Crashes	3	1	3
Property Damage Crashes	2	2	1
Crash Fatalities	0	0	1
Crash Injuries	3	1	3
Drug Involved Crashes--Total	0	0	0
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	0

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	3,106	3,099	3,162
Employed	2,940	2,910	2,927
Unemployed	166	189	235
Unemployment Rate	5.3%	6.1%	7.4%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	336	332	347
Drop-outs	2	5	6
Drop-out Rate	0.6%	1.5%	1.7%
School Suspensions:			
Alcohol Incidents	0	3	0
Drug Incidents	0	1	0
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	23	28	48
Liquor Law Arrests	14	9	5
Drug Arrests	55	25	41
Methamphetamine Lab Incidents	0	2	3
Violent Offenses	10	6	4
Property Offenses	39	58	93
Domestic Violence Reports	15	19	33

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	42	30	16
Violent Offenses	6	7	3
Alcohol Offenses	4	4	0
Drug Offenses	2	0	1
Status Offenses--Total	25	32	39
Truancy	8	2	3
Beyond Parental Control	6	14	16
Habitually Absent from Home	0	0	2
Injurious Behavior	11	16	18
Abuse/Neglect/Custody--Total	89	91	75
Abuse	27	22	28
Neglect	58	64	45
Custody Disputes	4	5	2

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	8	16	11
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	1	3	0
Parental Alcohol and Drug Use	0	0	1
Child Removed for Other Reason	7	13	10

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	41	28	41
Probation/Parole Admissions--Drug	14	7	14
Probation/Parole Admissions--DWI	1	1	2
Prison Admissions--Total	23	20	14
Prison Admissions--Drug	5	7	7
Prison Admissions--DWI	3	2	0

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	5	6	6
Alcohol Package Carry-out Licenses	11	8	8

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# SHELBY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	*	6	5
CSTAR Adolescent	6	*	*
CSTAR Women and Children	5	*	6
CSTAR General Adult	5	*	5
CSTAR Opioid	0	0	0
Primary Recovery Treatment	16	14	27
Clinical SATOP (CIP, YCIP, SROP)	5	5	8
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	21	27	29
- Adolescent Diversion Education Program	7	*	0
- Offender Education Program	8	10	10
- Weekend Intervention Program	0	5	6
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	*
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	0	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	34	34	43	Alcohol	11	18	27
AGE				Marijuana / Hashish	15	5	11
Under 18	6	*	*	Cocaine (total)	*	0	0
18 to 24	5	8	10	- Crack	0	0	0
25 to 29	*	*	8	Stimulant (total)	5	*	*
30 to 34	10	7	10	- Methamphetamine	5	*	0
35 to 39	*	*	*	Heroin	0	*	0
40 to 44	*	*	*	Analgesic except Heroin	*	*	*
45 to 54	*	5	5	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	*	0
Male	19	22	27	Inhalant	0	0	0
Female	15	12	16	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	33	33	43	Average Age at First Use of Drug	16.8	16.6	16.7
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	0
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	0
Hispanic	*	0	0	- Weekly Injection Use	*	*	0
Other Race / Two or More Races	0	*	0	- Less than Weekly Injection Use	*	*	0
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	11	14	*	0	21	15	15
High School Graduate or G.E.D.	19	16	33	1 or 2	6	11	21
Associate Degree or Some College	*	*	6	3 or More	7	8	7
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	5	6	5
Employed	9	10	16	School	0	0	0
Unemployed	16	14	18	Mental Health Provider	0	0	0
Not in Labor Force	9	10	9	Health Care Provider	*	5	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	12	17	34
Independent Living	24	27	38	Other Referral Source	11	*	*
Dependent Living	8	6	*	TREATMENT ACCOMMODATION			
Homeless	*	0	0	Pregnant when Admitted to any Episode	*	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	5
Never Married	16	21	22	Special Education Services Needed	*	*	7
Married / Cohabiting	6	10	14	Co-Occurring Psychological Problem	7	11	10
Previously Married	12	*	7	Co-Occurring Developmental Problem	0	*	*

# SHELBY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 14  
**CENSUS 2010** 6,373  
**2013 POPULATION ESTIMATE** 6,177

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	0	*	*
Anxiety Disorder	12	7	8
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	8	9	8
Mood Disorder	25	22	22
Personality Disorder	*	*	*
Psychotic Disorder	12	9	7
Sexual Disorder	0	0	0
Other Diagnosis	8	*	6
Diagnosis Unknown	*	*	9

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.


<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	42	35	43	Less than High School Diploma	25	12	10
<b>AGE</b>				High School Grad or G.E.D.	0	7	8
Under 6	*	0	0	Associate Degree or Some College	0	*	*
6 to 9	*	0	*	Bachelor or Advanced Degree	0	*	*
10 to 13	*	*	5	Education Level Unknown	17	13	22
14 to 17	6	7	5	<b>EMPLOYMENT</b>			
18 to 24	*	6	6	Employed	*	*	*
25 to 29	*	*	0	Unemployed	5	18	20
30 to 34	0	*	*	Not in Labor Force	29	*	0
35 to 39	*	*	*	Employment Status Unknown	5	12	22
40 to 44	*	*	*	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	5	*	6	Independent Living	23	20	19
50 to 54	*	*	*	Dependent Living	13	5	7
55 to 59	7	*	0	Homeless	0	0	0
60 and Over	*	*	*	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	6	10	16
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	17	17	24	Self / Family / Friend	13	11	10
Female	25	18	19	School	0	*	*
Gender Unknown	0	0	0	Mental Health Provider	*	0	*
<b>RACE / ETHNICITY</b>				Health Care Provider	*	5	*
Caucasian	39	34	41	Court / Criminal Justice	*	0	0
African American	*	*	*	Other	20	17	25
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	0	0	Voluntary	40	34	42
Other Race	0	0	*	Civil	*	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	*	*				

# SHELBY COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	26.1		32.4	Alcohol (1 or 2 drinks daily)	52.2		
Cigarettes	8.7		18.3	Alcohol (Binge: 5+ drinks once or twice a week)	65.2		
Chewing Tobacco	6.5		16.2	Alcohol (any use)			90.2
Marijuana	0.0		2.8	Cigarettes (1+ packs per day)	95.0		
Inhalants	0.0		0.7	Cigarettes (any use)			84.0
Prescription medications not prescribed for student	0.0		5.7	Marijuana (once or twice a week)	73.9		
Over-the-counter medications for non-medical use	17.0		3.5	Marijuana (any use)			75.0
Methamphetamine	0.0		0.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	82.6		92.4
Cocaine	2.2		0.0	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.0		0.0	Were very sad	13.0		12.5
Hallucinogens	13.0		0.0	Were grouchy, irritable, or in a bad mood	32.6		21.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0		0.7	Felt hopeless about the future	2.2		11.2
Steroids not prescribed for student	0.0		2.1	Felt like not eating or eating more than usual	19.6		15.5
Synthetic drugs (K2, bath salts, Spice, etc)	0.0			Slept a lot more or a lot less than usual	7.5		16.1
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	9.8		28.7
Alcohol	11.92		13.37	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	10.50		13.26	Seriously considered attempting suicide	26.1		8.3
Marijuana				Made plan about how they would attempt suicide	2.2		3.5
Inhalants				Attempted suicide	13.0		2.1
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	13.6		0.0
Alcohol	11.1		11.3	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occassion)			7.6	Were threatened/injured with weapon at school	2.2		6.3
Cigarettes	0.0		9.2	Were in a physical fight	34.8		13.9
Chewing Tobacco	2.2		7.0	Were in a fight and had to be treated by a doctor or nurse	2.2		0.7
Marijuana	0.0		0.0	<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.0		0.0	Were victims of mean rumors or lies spread at school	54.3		61.3
Prescription medications not prescribed for student	0.0		2.8	Were made fun of by others	71.7		79.0
Over-the-counter medications for non-medical use	17.0		1.4	Were victims of an embarrassing or hurtful text message or something posted on the internet	37.0		22.0
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	54.3		35.7
Alcohol (Binge: 5+ drinks on one occassion)	0.0			Made fun of other people	54.3		79.2
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	23.9		16.0
Alcohol	23.9		48.3	<i>Percent of students who agree that:</i>			
Cigarettes	15.2		39.6	Teachers notice and comment on student's good work	69.6		75.4
Marijuana	7.5		12.5	School provides feedback to parents on positive student performance	38.3		42.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	0.0		7.0	Rules are enforced fairly	89.1		66.0
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	89.1		78.2
Alcohol	23.9		27.1	<i>Percent of students who agree that:</i>			
Cigarettes	0.0		8.4	Parents notice and comment on student's good work	78.3		81.1
Marijuana	0.0		2.1	Parents involve student in making family decisions	65.2		61.7
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	82.6		82.5
Alcohol	74.5		70.4	Student could ask parent for help with a personal problem	73.9		75.2
Cigarettes	95.7		87.5	<div>Page Notes:</div> <div>Similar affirmative response choices for individual questions are combined.</div> <div>Blank data cells indicate estimates are not available for item or geographic area.</div> <div>Survey is not conducted in every school district nor reported for every county.</div> <div>Estimates are not available for counties with small numbers of respondents.</div> <div>Percentages are estimates based on weighted data.</div> <div>Some year-to-year differences in percentages are not statistically significant.</div>			
Marijuana	97.8		96.5				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	69.6		84.5				
Cigarettes	84.8		95.7				
Marijuana	86.7		96.5				
<i>Percent who say it would be easy to obtain:</i>				Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Alcohol	37.0		50.0				
Cigarettes	6.5		50.3				
Marijuana	13.0		12.6				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.0		7.7				

# STODDARD COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	19
Adult Psychiatric	20
<b>POPULATION</b>	
Census 2010	29,968
2013 Estimate	29,780

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	374	361	347
Mother Reported Smoking while Pregnant	97	101	122

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	1	2
Hepatitis B Chronic, Acute, Prenatal	1 4	1	1
Hepatitis C Chronic and Acute	1 32	17	22
Tuberculosis Infection Cases	1 4	9	10

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	367	409	363
Suicides	4	8	2
Self-inflicted Injuries	64	60	70
Homicides	1	0	1
Assault Injuries	120	91	96
Alcohol Induced Deaths	0	1	1
Drug Induced Deaths	9	1	1
Smoking Attributable Deaths	74	85	82

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 398	395	
Alcohol Primary Diagnosis	2 17	15	
Drug Primary Diagnosis	2 22	24	
Alcohol Related Diagnosis	92	102	57
Drug Related Diagnosis	106	111	86
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 52	57	
Alcohol Primary Diagnosis	2 9	13	
Drug Primary Diagnosis	2 13	13	
Alcohol Related Diagnosis	74	63	63
Drug Related Diagnosis	45	40	70
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 390	373	
Alcohol Primary Diagnosis	2 38	30	
Drug Primary Diagnosis	2 42	30	
Alcohol Related Diagnosis	91	79	86
Drug Related Diagnosis	94	85	86

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	39	43	28
Fatal Crashes	2	1	1
Injury Crashes	18	17	14
Property Damage Crashes	19	25	13
Crash Fatalities	2	1	1
Crash Injuries	26	22	23
Drug Involved Crashes--Total	17	21	11
Fatal Crashes	0	1	0
Injury Crashes	8	12	3
Property Damage Crashes	9	8	8
Crash Fatalities	0	1	0
Crash Injuries	11	14	6

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	15,155	14,947	15,283
Employed	14,073	13,825	13,909
Unemployed	1,082	1,122	1,374
Unemployment Rate	7.1%	7.5%	9.0%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	1,407	1,412	1,484
Drop-outs	19	32	34
Drop-out Rate	1.4%	2.3%	2.3%
School Suspensions:			
Alcohol Incidents	1	1	0
Drug Incidents	2	6	3
Tobacco Incidents	0	0	2

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	234	198	228
Liquor Law Arrests	42	27	37
Drug Arrests	114	104	140
Methamphetamine Lab Incidents	7	9	8
Violent Offenses	59	54	63
Property Offenses	665	593	589
Domestic Violence Reports	159	114	105

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	190	174	164
Violent Offenses	40	42	51
Alcohol Offenses	23	29	10
Drug Offenses	7	18	12
Status Offenses--Total	95	118	138
Truancy	29	36	63
Beyond Parental Control	20	32	16
Habitually Absent from Home	2	4	9
Injurious Behavior	13	16	11
Abuse/Neglect/Custody--Total	468	481	396
Abuse	89	72	52
Neglect	197	179	146
Custody Disputes	182	230	198

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	171	204	184
Parental Alcohol Use Related	3	6	5
Parental Drug Use Related	82	98	85
Parental Alcohol and Drug Use	4	12	2
Child Removed for Other Reason	82	88	92

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	40	29	30
Probation/Parole Admissions--Total	257	258	235
Probation/Parole Admissions--Drug	103	116	89
Probation/Parole Admissions--DWI	26	17	24
Prison Admissions--Total	118	133	161
Prison Admissions--Drug	56	53	51
Prison Admissions--DWI	11	8	19

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	30	33	32
Alcohol Package Carry-out Licenses	26	29	26

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# STODDARD COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	35	43	32
CSTAR Adolescent	15	23	29
CSTAR Women and Children	17	12	12
CSTAR General Adult	181	100	98
CSTAR Opioid	0	0	0
Primary Recovery Treatment	69	194	221
Clinical SATOP (CIP, YCIP, SROP)	43	33	26
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	150	118	128
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	48	47	33
- Weekend Intervention Program	33	17	39
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	*	0
Recovery Supports	158	126	46
Early Intervention	5	41	23


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	327	387	380	Alcohol	106	132	131
AGE				Marijuana / Hashish	97	116	114
Under 18	15	26	32	Cocaine (total)	*	5	5
18 to 24	62	73	71	- Crack	*	*	*
25 to 29	57	72	70	Stimulant (total)	60	58	49
30 to 34	61	71	64	- Methamphetamine	58	56	48
35 to 39	30	54	48	Heroin	*	5	6
40 to 44	35	29	40	Analgesic except Heroin	40	50	59
45 to 54	54	52	40	- Non-Prescription Methadone	0	0	*
55 and Over	13	10	15	PCP, LSD, other Hallucinogen	0	*	0
GENDER				Tranquilizer	16	14	11
Male	181	254	242	Inhalant	0	*	*
Female	146	133	138	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	*
Caucasian	312	379	369	Average Age at First Use of Drug	18.5	17.7	18.0
African American	6	*	5	INJECTION DRUG USE			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	37	31	22
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	7	*
Hispanic	*	*	*	- Weekly Injection Use	11	9	8
Other Race / Two or More Races	9	*	5	- Less than Weekly Injection Use	22	15	12
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	129	141	156	0	168	218	211
High School Graduate or G.E.D.	137	201	183	1 or 2	95	115	98
Associate Degree or Some College	60	43	41	3 or More	64	54	71
Bachelor or Advanced Degree	*	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	56	62	69
Employed	79	120	127	School	0	0	0
Unemployed	151	176	141	Mental Health Provider	*	*	*
Not in Labor Force	97	91	112	Health Care Provider	12	6	10
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	170	220	203
Independent Living	294	340	335	Other Referral Source	81	97	97
Dependent Living	28	37	41	TREATMENT ACCOMMODATION			
Homeless	5	7	*	Pregnant when Admitted to any Episode	*	*	5
MARITAL / FAMILY STATUS				Military Veteran	9	17	19
Never Married	127	154	152	Special Education Services Needed	36	36	42
Married / Cohabiting	92	115	120	Co-Occurring Psychological Problem	112	135	103
Previously Married	108	118	108	Co-Occurring Developmental Problem	22	15	29



# STODDARD COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 20  
**CENSUS 2010** 29,968  
**2013 POPULATION ESTIMATE** 29,780

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	43	44	48
Anxiety Disorder	158	161	135
Dementia	*	*	*
Developmental Disorder	5	8	8
Impulse Control Disorder	72	70	51
Mood Disorder	387	363	277
Personality Disorder	48	65	67
Psychotic Disorder	78	65	53
Sexual Disorder	*	*	*
Other Diagnosis	46	51	40
Diagnosis Unknown	48	50	50

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	627	567	446	Less than High School Diploma	268	84	40
<b>AGE</b>				High School Grad or G.E.D.	0	55	49
Under 6	6	*	6	Associate Degree or Some College	0	14	13
6 to 9	34	41	20	Bachelor or Advanced Degree	0	5	*
10 to 13	65	45	34	Education Level Unknown	359	409	340
14 to 17	58	62	52	<b>EMPLOYMENT</b>			
18 to 24	51	49	40	Employed	45	20	7
25 to 29	49	49	26	Unemployed	29	116	99
30 to 34	57	49	39	Not in Labor Force	370	55	0
35 to 39	43	36	24	Employment Status Unknown	183	376	340
40 to 44	55	42	43	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	64	67	54	Independent Living	252	149	92
50 to 54	62	45	41	Dependent Living	240	57	50
55 to 59	37	34	33	Homeless	*	*	*
60 and Over	46	46	34	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	134	359	301
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	269	247	180	Self / Family / Friend	246	225	180
Female	358	320	266	School	6	6	6
Gender Unknown	0	0	0	Mental Health Provider	100	89	84
<b>RACE / ETHNICITY</b>				Health Care Provider	109	104	80
Caucasian	607	549	431	Court / Criminal Justice	34	45	33
African American	*	6	7	Other	132	98	58
Native American / Alaskan	*	0	0	Referral Source Unknown	0	0	5
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	5	*	*	Voluntary	624	564	439
Other Race	10	9	7	Civil	0	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	9	*	6	Commitment Type Unknown	0	0	5
Past or Current Military Service	8	5	*				



# STODDARD COUNTY


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	43.3	49.4	42.3	Alcohol (1 or 2 drinks daily)	48.2		
Cigarettes	31.5	37.8	35.3	Alcohol (Binge: 5+ drinks once or twice a week)	56.2		
Chewing Tobacco	25.3	18.7	18.3	Alcohol (any use)		71.2	79.7
Marijuana	16.0	16.0	12.9	Cigarettes (1+ packs per day)	77.5		
Inhalants	4.3	6.1	10.8	Cigarettes (any use)		75.3	80.1
Prescription medications not prescribed for student	12.6	12.2	15.4	Marijuana (once or twice a week)	64.4		
Over-the-counter medications for non-medical use	3.7	9.7	9.3	Marijuana (any use)		69.6	78.1
Methamphetamine	0.6	1.3	1.6	Other: Cocaine, LSD, Meth, Club Drug (any use)	90.0	93.6	94.6
Cocaine	1.9	3.6	2.1				
Heroin	0.6	0.6	1.0	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	3.1	1.3	3.4	Were very sad	21.5	18.1	19.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.5	1.9	2.6	Were grouchy, irritable, or in a bad mood	31.9	26.7	26.1
Steroids not prescribed for student	2.1	2.4	1.3	Felt hopeless about the future	13.9	13.4	12.5
Synthetic drugs (K2, bath salts, Spice, etc)	6.2	9.2		Felt like not eating or eating more than usual	19.8	20.4	18.3
				Slept a lot more or a lot less than usual	21.5	22.3	25.2
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	22.4	24.3	27.2
Alcohol	12.71	12.33	12.51	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.16	12.10	12.15	Seriously considered attempting suicide	8.8	10.4	11.5
Marijuana	13.74	12.98	13.52	Made plan about how they would attempt suicide	7.9	5.5	8.2
Inhalants	11.91	12.26	12.82	Attempted suicide	4.5	5.1	5.5
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose	3.1	2.6	2.1
Alcohol	17.3	23.8	17.7	had to be treated by doctor or nurse			
Alcohol (Binge: 5+ drinks on one occasion)		14.5	12.4	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	14.1	21.1	17.8	Were threatened/injured with weapon at school	5.4	5.9	7.4
Chewing Tobacco	14.0	10.7	8.9	Were in a physical fight	23.2	27.2	22.9
Marijuana	7.4	3.8	6.5	Were in a fight and had to be treated by a doctor or nurse	3.0	6.1	3.2
Inhalants	0.9	2.1	4.2	<i>Percent of students who, in past 3 months:</i>			
Prescription medications not prescribed for student	5.2	5.7	11.1	Were victims of mean rumors or lies spread at school	57.2	58.6	60.0
Over-the-counter medications for non-medical use	2.1	4.2	5.6	Were made fun of by others	64.9	61.6	66.1
<i>Percent of students who, in past 2 weeks, used:</i>				Were victims of an embarrassing or hurtful text message or something posted on the Internet	22.1	20.9	20.2
Alcohol (Binge: 5+ drinks on one occasion)	8.7			Spread mean rumors or lies about other kids at school	29.6	25.4	31.6
<i>Percent whose friends used in past 12 months:</i>				Made fun of other people	60.2	58.2	67.3
Alcohol	56.2	69.4	54.0	Posted something on the internet or sent a text that might embarrass or hurt another student	20.5	10.5	13.1
Cigarettes	53.3	63.8	52.9	<i>Percent of students who agree that:</i>			
Marijuana	36.4	37.0	27.9	Teachers notice and comment on student's good work	71.7	73.5	75.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.1	15.0	12.2	School provides feedback to parents on positive student performance	39.8	44.8	43.1
<i>Percent who would likely use, if offered by a best friend:</i>				Rules are enforced fairly	58.0	60.7	68.2
Alcohol	34.1	40.0	30.3	Students of all races/ethnicities are treated equal	79.5	82.2	79.9
Cigarettes	17.6	21.4	19.3	<i>Percent of students who agree that:</i>			
Marijuana	13.8	10.6	9.1	Parents notice and comment on student's good work	80.1	86.8	85.6
<i>Percent who say it would be wrong to use:</i>				Parents involve student in making family decisions	62.6	72.5	73.1
Alcohol	57.1	54.8	61.5	It is important to be honest with parents regardless of consequences	84.0	88.2	88.4
Cigarettes	75.5	72.2	75.3	Student could ask parent for help with a personal problem	73.4	79.0	77.6
Marijuana	77.1	83.9	86.4				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.4	96.4	96.1				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	77.8	83.0	81.8				
Cigarettes	85.9	91.8	88.5				
Marijuana	90.9	97.7	95.1				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	63.0	66.3	49.6				
Cigarettes	61.3	69.6	54.4				
Marijuana	38.2	37.2	26.5				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	19.0	19.3	12.9				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# STONE COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	10
Adult Psychiatric	10
<b>POPULATION</b>	
Census 2010	32,202
2013 Estimate	31,297

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	253	246	288
Mother Reported Smoking while Pregnant	56	69	91

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	3	0
Hepatitis B Chronic, Acute, Prenatal	1	0	1
Hepatitis C Chronic and Acute	1	14	14
Tuberculosis Infection Cases	1	3	1

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	355	337	326
Suicides	5	7	3
Self-inflicted Injuries	28	24	31
Homicides	1	1	1
Assault Injuries	50	55	39
Alcohol Induced Deaths	2	1	3
Drug Induced Deaths	4	6	6
Smoking Attributable Deaths	63	67	60

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	120	112
Alcohol Primary Diagnosis	2	10	2
Drug Primary Diagnosis	2	10	8
Alcohol Related Diagnosis	47	27	56
Drug Related Diagnosis	46	53	64
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	110	101
Alcohol Primary Diagnosis	2	26	33
Drug Primary Diagnosis	2	25	27
Alcohol Related Diagnosis	123	126	95
Drug Related Diagnosis	121	103	82
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	176	170
Alcohol Primary Diagnosis	2	50	47
Drug Primary Diagnosis	2	55	44
Alcohol Related Diagnosis	190	192	107
Drug Related Diagnosis	183	169	93

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	49	53	47
Fatal Crashes	4	3	4
Injury Crashes	25	23	26
Property Damage Crashes	20	27	17
Crash Fatalities	4	4	4
Crash Injuries	32	34	32
Drug Involved Crashes--Total	3	4	10
Fatal Crashes	0	0	2
Injury Crashes	1	2	6
Property Damage Crashes	2	2	2
Crash Fatalities	0	0	2
Crash Injuries	1	2	9

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	15,056	14,955	15,116
Employed	13,720	13,459	13,330
Unemployed	1,336	1,496	1,786
Unemployment Rate	8.9%	10.0%	11.8%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	1,258	1,300	1,321
Drop-outs	18	32	35
Drop-out Rate	1.4%	2.5%	2.6%
School Suspensions:			
Alcohol Incidents	3	6	9
Drug Incidents	23	21	40
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	152	143	157
Liquor Law Arrests	13	11	38
Drug Arrests	195	146	141
Methamphetamine Lab Incidents	15	17	1
Violent Offenses	133	91	92
Property Offenses	638	693	694
Domestic Violence Reports	408	404	391

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	97	135	132
Violent Offenses	18	26	29
Alcohol Offenses	2	1	18
Drug Offenses	9	13	17
Status Offenses--Total	18	48	32
Truancy	1	1	0
Beyond Parental Control	2	14	3
Habitually Absent from Home	6	14	16
Injurious Behavior	9	19	13
Abuse/Neglect/Custody--Total	102	104	97
Abuse	12	20	10
Neglect	51	46	57
Custody Disputes	39	38	30

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	46	39	31
Parental Alcohol Use Related	0	1	4
Parental Drug Use Related	20	11	11
Parental Alcohol and Drug Use	6	1	4
Child Removed for Other Reason	20	26	12

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	140	117	96
Probation/Parole Admissions--Total	216	226	246
Probation/Parole Admissions--Drug	80	80	90
Probation/Parole Admissions--DWI	12	14	16
Prison Admissions--Total	96	107	107
Prison Admissions--Drug	35	42	36
Prison Admissions--DWI	3	4	3

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	41	39	42
Alcohol Package Carry-out Licenses	46	44	47

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# STONE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	40	37	44
CSTAR Adolescent	*	*	8
CSTAR Women and Children	13	6	*
CSTAR General Adult	25	13	32
CSTAR Opioid	0	0	0
Primary Recovery Treatment	47	59	67
Clinical SATOP (CIP, YCIP, SROP)	29	11	7
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	97	96	103
- Adolescent Diversion Education Program	*	0	0
- Offender Education Program	28	29	42
- Weekend Intervention Program	20	23	26
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	24	*	6
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	142	127	152	Alcohol	66	58	70
AGE				Marijuana / Hashish	14	21	29
Under 18	*	*	9	Cocaine (total)	0	*	*
18 to 24	27	29	36	- Crack	0	0	*
25 to 29	20	30	20	Stimulant (total)	32	21	23
30 to 34	30	19	15	- Methamphetamine	30	21	23
35 to 39	15	6	19	Heroin	*	*	*
40 to 44	9	12	14	Analgesic except Heroin	23	20	22
45 to 54	23	15	30	- Non-Prescription Methadone	*	*	*
55 and Over	15	13	9	PCP, LSD, other Hallucinogen	0	*	*
GENDER				Tranquilizer	*	*	*
Male	97	79	108	Inhalant	*	0	0
Female	45	48	44	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	139	123	150	Average Age at First Use of Drug	17.9	16.1	16.6
African American	0	*	0	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	28	31	25
Asian / Pacific Islander	0	0	0	- Daily Injection Use	6	5	6
Hispanic	*	*	0	- Weekly Injection Use	8	10	5
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	14	16	14
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	44	41	51	0	60	60	79
High School Graduate or G.E.D.	71	58	72	1 or 2	55	47	44
Associate Degree or Some College	26	26	27	3 or More	27	20	29
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	61	63	72
Employed	52	30	37	School	0	0	0
Unemployed	58	77	70	Mental Health Provider	*	0	0
Not in Labor Force	32	20	45	Health Care Provider	*	5	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	67	51	70
Independent Living	124	107	128	Other Referral Source	11	6	6
Dependent Living	12	11	20	TREATMENT ACCOMMODATION			
Homeless	6	8	*	Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS				Military Veteran	9	8	10
Never Married	57	65	73	Special Education Services Needed	*	*	7
Married / Cohabiting	43	35	37	Co-Occurring Psychological Problem	29	29	28
Previously Married	42	27	42	Co-Occurring Developmental Problem	*	0	*

# STONE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 10  
**CENSUS 2010** 32,202  
**2013 POPULATION ESTIMATE** 31,297

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	8	13	10
Anxiety Disorder	42	42	36
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	21	23	13
Mood Disorder	83	87	87
Personality Disorder	16	22	15
Psychotic Disorder	24	30	32
Sexual Disorder	0	0	0
Other Diagnosis	17	11	9
Diagnosis Unknown	16	26	35

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	139	161	162	Less than High School Diploma	29	34	20
<b>AGE</b>				High School Grad or G.E.D.	0	25	19
Under 6	*	*	*	Associate Degree or Some College	0	7	*
6 to 9	*	7	8	Bachelor or Advanced Degree	0	6	*
10 to 13	22	18	17	Education Level Unknown	110	89	117
14 to 17	12	16	8	<b>EMPLOYMENT</b>			
18 to 24	5	7	8	Employed	*	15	10
25 to 29	7	10	11	Unemployed	*	46	35
30 to 34	18	11	18	Not in Labor Force	71	19	*
35 to 39	5	11	10	Employment Status Unknown	63	81	114
40 to 44	11	19	20	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	26	25	24	Independent Living	27	50	31
50 to 54	16	15	20	Dependent Living	47	38	28
55 to 59	8	12	5	Homeless	*	0	*
60 and Over	*	8	10	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	64	72	100
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	70	81	87	Self / Family / Friend	83	91	105
Female	69	80	75	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	*	7	6
<b>RACE / ETHNICITY</b>				Health Care Provider	18	23	19
Caucasian	131	150	151	Court / Criminal Justice	11	10	5
African American	*	*	*	Other	20	24	22
Native American / Alaskan	0	*	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	133	152	154
Other Race	5	*	6	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	5	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	5	5	5				

# STONE COUNTY

## MISSOURI STUDENT SURVEY


	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	39.0	40.2	43.6	Alcohol (1 or 2 drinks daily)	55.2		
Cigarettes	28.2	23.2	29.8	Alcohol (Binge: 5+ drinks once or twice a week)	65.1		
Chewing Tobacco	17.7	22.7	18.9	Alcohol (any use)		74.8	74.2
Marijuana	16.0	14.2	15.5	Cigarettes (1+ packs per day)	85.3		
Inhalants	7.5	6.1	7.8	Cigarettes (any use)		84.6	78.1
Prescription medications not prescribed for student	11.9	9.5	10.8	Marijuana (once or twice a week)	64.6		
Over-the-counter medications for non-medical use	5.2	6.9	7.7	Marijuana (any use)		79.2	77.3
Methamphetamine	2.0	2.9	0.9	Other: Cocaine, LSD, Meth, Club Drug (any use)	89.5	95.1	93.6
Cocaine	2.6	3.3	1.4				
Heroin	0.0	2.1	0.2	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	4.6	3.1	2.7	Were very sad	24.4	20.3	29.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	3.6	4.1	2.4	Were grouchy, irritable, or in a bad mood	26.7	26.7	32.7
Steroids not prescribed for student	0.3	2.3	1.5	Felt hopeless about the future	16.6	11.3	16.9
Synthetic drugs (K2, bath salts, Spice, etc)	4.3	7.8		Felt like not eating or eating more than usual	23.6	15.2	26.3
				Slept a lot more or a lot less than usual	19.5	19.8	33.7
				Had difficulty concentrating on school work	28.6	24.6	29.9
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	12.86	12.48	12.41	Seriously considered attempting suicide	11.4	9.4	10.4
Cigarettes	12.59	12.60	12.42	Made plan about how they would attempt suicide	10.2	7.6	7.2
Marijuana	13.24	13.39	13.28	Attempted suicide	7.9	4.7	4.5
Inhalants	13.01	13.18	12.56	Attempted suicide and resulting injury, poisoning, or overdose	1.0	2.3	1.5
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	14.9	16.6	17.4	Were threatened/injured with weapon at school	7.5	7.1	8.7
Alcohol (Binge: 5+ drinks on one occasion)		11.0	11.5	Were in a physical fight	23.7	19.4	25.3
Cigarettes	11.5	10.5	17.0	Were in a fight and had to be treated by a doctor or nurse	5.5	3.9	4.2
Chewing Tobacco	10.3	12.7	11.3				
Marijuana	7.5	8.1	8.4	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.6	3.9	3.9	Were victims of mean rumors or lies spread at school	48.0	53.1	54.7
Prescription medications not prescribed for student	4.6	4.2	6.3	Were made fun of by others	56.0	61.7	66.5
Over-the-counter medications for non-medical use	2.6	3.2	4.1	Were victims of an embarrassing or hurtful text message or something posted on the Internet	30.6	20.2	17.0
				Spread mean rumors or lies about other kids at school	19.9	25.5	29.0
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	45.9	60.6	68.7
Alcohol (Binge: 5+ drinks on one occasion)	4.6			Posted something on the internet or sent a text that might embarrass or hurt another student	19.4	8.9	12.6
<i>Percent whose friends used in past 12 months:</i>				<i>Percent of students who agree that:</i>			
Alcohol	45.5	51.1	57.7	Teachers notice and comment on student's good work	69.8	54.8	73.2
Cigarettes	38.8	41.8	51.8	School provides feedback to parents on positive student performance	33.8	31.6	45.1
Marijuana	28.8	26.7	35.4	Rules are enforced fairly	59.0	48.2	61.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.5	11.8	17.5	Students of all races/ethnicities are treated equal	78.2	77.0	79.5
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	25.4	27.1	28.8	Parents notice and comment on student's good work	78.2	83.1	85.5
Cigarettes	12.0	12.5	17.4	Parents involve student in making family decisions	68.0	70.8	72.8
Marijuana	10.2	9.3	12.2	It is important to be honest with parents regardless of consequences	88.3	91.1	86.9
				Student could ask parent for help with a personal problem	76.3	81.3	80.6
<i>Percent who say it would be wrong to use:</i>							
Alcohol	65.7	67.0	64.8				
Cigarettes	84.9	80.4	76.4				
Marijuana	82.9	85.7	83.0				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.7	95.8	94.2				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	76.5	83.2	79.2				
Cigarettes	88.4	91.2	88.3				
Marijuana	88.4	95.3	93.0				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	49.5	54.0	53.4				
Cigarettes	51.5	55.0	56.3				
Marijuana	32.6	33.0	34.7				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.7	16.6	16.7				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys



# SULLIVAN COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	13
Adult Psychiatric	13
<b>POPULATION</b>	
Census 2010	6,714
2013 Estimate	6,448

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	87	88	90
Mother Reported Smoking while Pregnant	22	15	22

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	1
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	1	3	4
Tuberculosis Infection Cases	1	0	3

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	86	69	81
Suicides	1	0	4
Self-inflicted Injuries	9	12	11
Homicides	0	0	0
Assault Injuries	18	23	16
Alcohol Induced Deaths	0	1	0
Drug Induced Deaths	1	0	1
Smoking Attributable Deaths	14	13	16

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	46	42
Alcohol Primary Diagnosis	2	5	4
Drug Primary Diagnosis	2	0	7
Alcohol Related Diagnosis	20	27	21
Drug Related Diagnosis	16	21	13
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	6	12
Alcohol Primary Diagnosis	2	2	5
Drug Primary Diagnosis	2	1	0
Alcohol Related Diagnosis	12	8	5
Drug Related Diagnosis	6	8	1
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	63	50
Alcohol Primary Diagnosis	2	8	12
Drug Primary Diagnosis	2	9	7
Alcohol Related Diagnosis	23	23	21
Drug Related Diagnosis	28	23	37

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	4	11	9
Fatal Crashes	0	1	0
Injury Crashes	2	4	5
Property Damage Crashes	2	6	4
Crash Fatalities	0	1	0
Crash Injuries	2	6	7
Drug Involved Crashes--Total	0	0	0
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	0

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	3,413	3,370	3,451
Employed	3,244	3,185	3,216
Unemployed	169	185	235
Unemployment Rate	5.0%	5.5%	6.8%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	314	306	340
Drop-outs	5	3	12
Drop-out Rate	1.6%	1.0%	3.5%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	2	1	2
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	32	31	33
Liquor Law Arrests	2	8	11
Drug Arrests	25	15	8
Methamphetamine Lab Incidents	3	4	1
Violent Offenses	8	13	20
Property Offenses	83	81	71
Domestic Violence Reports	43	36	46

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	35	40	21
Violent Offenses	6	4	7
Alcohol Offenses	2	8	2
Drug Offenses	3	4	1
Status Offenses--Total	78	141	96
Truancy	42	95	55
Beyond Parental Control	14	15	8
Habitually Absent from Home	0	1	0
Injurious Behavior	22	30	33
Abuse/Neglect/Custody--Total	16	21	38
Abuse	5	3	5
Neglect	11	18	33
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	15	9	11
Parental Alcohol Use Related	0	4	0
Parental Drug Use Related	5	1	4
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	10	4	7

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	17	13	12
Probation/Parole Admissions--Total	45	42	44
Probation/Parole Admissions--Drug	15	8	13
Probation/Parole Admissions--DWI	1	3	5
Prison Admissions--Total	22	26	25
Prison Admissions--Drug	6	9	8
Prison Admissions--DWI	1	2	1

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	10	9	8
Alcohol Package Carry-out Licenses	9	8	8

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# SULLIVAN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	5	*	*
CSTAR Adolescent	5	10	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	56	40	42
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	6	*
Clinical SATOP (CIP, YCIP, SROP)	7	7	10
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	30	25	42
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	6	6	11
- Weekend Intervention Program	11	8	6
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	*
Compulsive Gambling	0	0	0
Recovery Supports	*	0	0
Early Intervention	6	*	11

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	61	73	61	Alcohol	20	32	26
AGE				Marijuana / Hashish	18	19	14
Under 18	5	10	*	Cocaine (total)	0	*	*
18 to 24	9	11	14	- Crack	0	0	0
25 to 29	11	13	16	Stimulant (total)	11	13	7
30 to 34	12	10	10	- Methamphetamine	11	12	7
35 to 39	11	11	9	Heroin	0	*	*
40 to 44	6	6	*	Analgesic except Heroin	11	*	5
45 to 54	5	11	6	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	0	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	*	*
Male	45	51	46	Inhalant	0	0	0
Female	16	22	15	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	5
Caucasian	55	61	54	Average Age at First Use of Drug	18.2	17.0	17.1
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	8	6	6
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	*
Hispanic	6	10	5	- Weekly Injection Use	0	*	0
Other Race / Two or More Races	0	*	0	- Less than Weekly Injection Use	6	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	29	37	20	0	30	42	37
High School Graduate or G.E.D.	29	29	34	1 or 2	20	18	15
Associate Degree or Some College	*	7	7	3 or More	11	13	9
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	7	11	9
Employed	22	25	29	School	*	0	*
Unemployed	26	26	22	Mental Health Provider	0	0	0
Not in Labor Force	13	22	10	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	14	49	46
Independent Living	56	57	57	Other Referral Source	34	6	*
Dependent Living	5	12	*	TREATMENT ACCOMMODATION			
Homeless	0	*	0	Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	33	45	29	Special Education Services Needed	7	8	5
Married / Cohabiting	20	14	12	Co-Occurring Psychological Problem	20	30	14
Previously Married	8	14	20	Co-Occurring Developmental Problem	0	5	0

# SULLIVAN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 13  
**CENSUS 2010** 6,714  
**2013 POPULATION ESTIMATE** 6,448

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	*	*	*
Anxiety Disorder	16	29	20
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	8	10	8
Mood Disorder	32	37	30
Personality Disorder	5	*	*
Psychotic Disorder	8	6	6
Sexual Disorder	0	0	0
Other Diagnosis	8	*	*
Diagnosis Unknown	*	6	20

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	47	61	68	Less than High School Diploma	17	8	9
<b>AGE</b>				High School Grad or G.E.D.	*	12	14
Under 6	0	0	*	Associate Degree or Some College	0	5	7
6 to 9	5	5	5	Bachelor or Advanced Degree	0	0	0
10 to 13	*	5	7	Education Level Unknown	26	36	38
14 to 17	*	*	*	<b>EMPLOYMENT</b>			
18 to 24	*	*	6	Employed	6	6	*
25 to 29	5	10	7	Unemployed	5	19	26
30 to 34	*	*	8	Not in Labor Force	29	*	*
35 to 39	*	*	*	Employment Status Unknown	7	32	38
40 to 44	6	9	10	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	*	6	7	Independent Living	24	26	29
50 to 54	5	5	7	Dependent Living	16	5	7
55 to 59	5	5	5	Homeless	0	0	0
60 and Over	*	*	*	Other	0	*	0
Age Unknown	0	0	0	Housing Unknown	7	29	32
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	20	27	32	Self / Family / Friend	25	26	28
Female	27	34	36	School	0	*	0
Gender Unknown	0	0	0	Mental Health Provider	*	7	12
<b>RACE / ETHNICITY</b>				Health Care Provider	11	16	13
Caucasian	43	57	63	Court / Criminal Justice	*	*	*
African American	0	*	*	Other	*	7	10
Native American / Alaskan	*	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	45	59	66
Other Race	0	0	0	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	0	*	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	*	*				

# SULLIVAN COUNTY


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	38.2	55.5	47.5	Alcohol (1 or 2 drinks daily)	57.4		
Cigarettes	26.5	38.5	39.7	Alcohol (Binge: 5+ drinks once or twice a week)	61.5		
Chewing Tobacco	22.1	20.9	30.7	Alcohol (any use)		64.5	77.9
Marijuana	8.8	17.4	13.1	Cigarettes (1+ packs per day)	77.9		
Inhalants	1.5	5.5	2.9	Cigarettes (any use)		69.7	70.7
Prescription medications not prescribed for student	10.4	8.3	12.8	Marijuana (once or twice a week)	71.6		
Over-the-counter medications for non-medical use	1.5	5.5	5.8	Marijuana (any use)		65.1	58.6
Methamphetamine	0.0	0.0	0.7	Other: Cocaine, LSD, Meth, Club Drug (any use)	91.0	90.9	86.5
Cocaine	0.0	1.9	1.4				
Heroin	0.0	0.0	0.0	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	0.0	2.8	2.9	Were very sad	13.4	18.3	10.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	2.8	0.7	Were grouchy, irritable, or in a bad mood	17.6	27.5	17.4
Steroids not prescribed for student	0.0	0.9	1.4	Felt hopeless about the future	10.3	9.2	7.2
Synthetic drugs (K2, bath salts, Spice, etc)	2.9	6.4		Felt like not eating or eating more than usual	9.0	13.0	15.8
				Slept a lot more or a lot less than usual	14.9	16.7	25.4
				Had difficulty concentrating on school work	16.2	17.4	29.6
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	12.67	12.58	12.40	Seriously considered attempting suicide	6.0	8.3	10.7
Cigarettes	12.52	13.33	12.62	Made plan about how they would attempt suicide	1.5	8.3	8.5
Marijuana	14.31	13.69	14.22	Attempted suicide	1.5	3.7	6.4
Inhalants	12.61	12.84		Attempted suicide and resulting injury, poisoning, or overdose	1.5	1.9	3.5
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	10.3	20.0	24.1	Were threatened/injured with weapon at school	4.4	7.3	10.6
Alcohol (Binge: 5+ drinks on one occasion)		11.9	17.0	Were in a physical fight	11.9	26.4	30.3
Cigarettes	14.7	19.1	21.3	Were in a fight and had to be treated by a doctor or nurse	1.5	4.6	7.9
Chewing Tobacco	14.7	12.7	20.7				
Marijuana	2.9	8.3	5.8	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.5	1.8	1.4	Were victims of mean rumors or lies spread at school	50.0	50.5	64.7
Prescription medications not prescribed for student	2.9	4.6	5.7	Were made fun of by others	59.7	56.9	70.2
Over-the-counter medications for non-medical use	0.0	3.7	4.3	Were victims of an embarrassing or hurtful text message or something posted on the Internet	17.6	16.8	22.1
				Spread mean rumors or lies about other kids at school	25.0	23.9	33.3
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	48.5	58.3	77.3
Alcohol (Binge: 5+ drinks on one occasion)	2.9			Posted something on the internet or sent a text that might embarrass or hurt another student	17.6	12.1	22.0
<i>Percent whose friends used in past 12 months:</i>				<i>Percent of students who agree that:</i>			
Alcohol	42.6	58.7	67.4	Teachers notice and comment on student's good work	79.4	70.4	74.8
Cigarettes	44.1	56.0	65.2	School provides feedback to parents on positive student performance	58.2	45.9	61.0
Marijuana	22.1	32.1	24.8	Rules are enforced fairly	65.7	55.5	60.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.5	9.1	17.3	Students of all races/ethnicities are treated equal	72.1	70.4	57.6
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	32.4	42.2	41.3	Parents notice and comment on student's good work	88.2	82.6	80.9
Cigarettes	16.2	27.5	24.8	Parents involve student in making family decisions	81.8	70.6	67.4
Marijuana	13.2	13.8	6.5	It is important to be honest with parents regardless of consequences	80.6	86.4	78.0
				Student could ask parent for help with a personal problem	89.6	82.6	70.3
<i>Percent who say it would be wrong to use:</i>							
Alcohol	60.6	49.1	46.8				
Cigarettes	70.6	66.4	66.9				
Marijuana	87.7	77.8	85.8				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.4	96.3	94.3				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	73.5	70.8	69.8				
Cigarettes	85.3	83.3	83.6				
Marijuana	95.5	90.8	95.0				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	63.2	60.6	57.4				
Cigarettes	58.8	59.6	65.2				
Marijuana	26.9	36.4	29.3				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.6	14.7	15.8				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# TANEY COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	10
Adult Psychiatric	10
<b>POPULATION</b>	
Census 2010	51,675
2013 Estimate	53,575

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	620	639	609
Mother Reported Smoking while Pregnant	166	170	163
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	2	2	6
Hepatitis B Chronic, Acute, Prenatal	1 2	5	1
Hepatitis C Chronic and Acute	1 57	57	44
Tuberculosis Infection Cases	1 8	14	17
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	533	499	461
Suicides	5	9	8
Self-inflicted Injuries	76	109	121
Homicides	1	0	1
Assault Injuries	145	122	172
Alcohol Induced Deaths	3	6	7
Drug Induced Deaths	8	2	5
Smoking Attributable Deaths	113	82	91
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 276	317	
Alcohol Primary Diagnosis	2 36	21	
Drug Primary Diagnosis	2 23	13	
Alcohol Related Diagnosis	125	97	118
Drug Related Diagnosis	145	134	176
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 204	165	
Alcohol Primary Diagnosis	2 117	119	
Drug Primary Diagnosis	2 53	56	
Alcohol Related Diagnosis	328	305	241
Drug Related Diagnosis	278	260	201
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 456	498	
Alcohol Primary Diagnosis	2 233	253	
Drug Primary Diagnosis	2 141	166	
Alcohol Related Diagnosis	881	890	435
Drug Related Diagnosis	685	708	305
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	68	61	95
Fatal Crashes	3	0	3
Injury Crashes	36	28	47
Property Damage Crashes	29	33	45
Crash Fatalities	4	0	4
Crash Injuries	50	33	66
Drug Involved Crashes--Total	8	10	13
Fatal Crashes	0	0	0
Injury Crashes	3	5	9
Property Damage Crashes	5	5	4
Crash Fatalities	0	0	0
Crash Injuries	7	5	15

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	29,041	28,066	27,986
Employed	26,455	25,289	24,588
Unemployed	2,586	2,777	3,398
Unemployment Rate	8.9%	9.9%	12.1%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	2,398	2,394	2,359
Drop-outs	36	27	57
Drop-out Rate	1.5%	1.1%	2.4%
School Suspensions:			
Alcohol Incidents	1	7	6
Drug Incidents	56	28	30
Tobacco Incidents	0	1	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	310	231	302
Liquor Law Arrests	73	43	124
Drug Arrests	260	211	306
Methamphetamine Lab Incidents	8	12	8
Violent Offenses	279	279	257
Property Offenses	2,029	2,066	1,865
Domestic Violence Reports	495	467	638

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	236	263	283
Violent Offenses	57	60	88
Alcohol Offenses	9	3	22
Drug Offenses	28	32	37
Status Offenses--Total	86	115	105
Truancy	3	7	9
Beyond Parental Control	30	42	45
Habitually Absent from Home	28	26	17
Injurious Behavior	25	40	33
Abuse/Neglect/Custody--Total	133	113	135
Abuse	11	21	44
Neglect	104	68	68
Custody Disputes	18	24	23

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	100	88	106
Parental Alcohol Use Related	5	2	5
Parental Drug Use Related	45	28	16
Parental Alcohol and Drug Use	0	6	7
Child Removed for Other Reason	50	52	78

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	48	47	27
Probation/Parole Admissions--Total	477	436	414
Probation/Parole Admissions--Drug	124	123	120
Probation/Parole Admissions--DWI	14	18	11
Prison Admissions--Total	221	229	214
Prison Admissions--Drug	61	72	70
Prison Admissions--DWI	8	8	9

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	124	129	125
Alcohol Package Carry-out Licenses	69	67	68

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# TANEY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Detoxification	203	229	282
CSTAR Adolescent	11	20	14
CSTAR Women and Children	24	31	18
CSTAR General Adult	138	110	97
CSTAR Opioid	0	0	*
Primary Recovery Treatment	147	160	189
Clinical SATOP (CIP, YCIP, SROP)	46	42	31
Other Substance Abuse Treatment	*	*	0

<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Offender Management Unit	207	218	202
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	69	59	75
- Weekend Intervention Program	46	35	56
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	12	*	*
Compulsive Gambling	0	0	*
Recovery Supports	207	163	115
Early Intervention	*	*	15


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	435	453	434	Alcohol	189	208	195
<b>AGE</b>				Marijuana / Hashish	42	38	65
Under 18	11	20	15	Cocaine (total)	5	9	10
18 to 24	77	81	91	- Crack	*	5	7
25 to 29	84	70	70	Stimulant (total)	108	108	77
30 to 34	79	66	54	- Methamphetamine	105	106	74
35 to 39	43	46	35	Heroin	24	15	18
40 to 44	49	52	39	Analgesic except Heroin	60	57	61
45 to 54	68	93	100	- Non-Prescription Methadone	0	*	*
55 and Over	24	25	30	PCP, LSD, other Hallucinogen	*	*	*
<b>GENDER</b>				Tranquilizer	*	10	*
Male	268	295	276	Inhalant	0	0	*
Female	167	158	158	Sedative	*	*	0
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	*	*	*
Caucasian	411	432	415	Average Age at First Use of Drug	17.6	16.6	16.2
African American	7	5	7	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	121	124	102
Asian / Pacific Islander	0	*	0	- Daily Injection Use	33	38	26
Hispanic	13	9	8	- Weekly Injection Use	42	46	29
Other Race / Two or More Races	9	9	5	- Less than Weekly Injection Use	46	40	47
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	117	125	121	0	244	226	223
High School Graduate or G.E.D.	211	210	199	1 or 2	136	149	143
Associate Degree or Some College	101	111	106	3 or More	55	78	68
Bachelor or Advanced Degree	6	7	8	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	270	266	255
Employed	117	135	123	School	0	*	0
Unemployed	226	229	204	Mental Health Provider	*	*	*
Not in Labor Force	92	89	107	Health Care Provider	13	6	11
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	120	158	150
Independent Living	321	319	312	Other Referral Source	29	19	16
Dependent Living	46	73	59	<b>TREATMENT ACCOMMODATION</b>			
Homeless	63	55	56	Pregnant when Admitted to any Episode	6	7	6
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	24	27	37
Never Married	199	207	191	Special Education Services Needed	15	18	19
Married / Cohabiting	110	100	102	Co-Occurring Psychological Problem	90	106	100
Previously Married	126	146	141	Co-Occurring Developmental Problem	14	12	5



# TANEY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 10  
**CENSUS 2010** 51,675  
**2013 POPULATION ESTIMATE** 53,575

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	15	19	27
Anxiety Disorder	135	144	131
Dementia	0	0	0
Developmental Disorder	10	10	13
Impulse Control Disorder	44	55	51
Mood Disorder	247	252	231
Personality Disorder	34	38	41
Psychotic Disorder	52	63	63
Sexual Disorder	0	0	*
Other Diagnosis	25	37	37
Diagnosis Unknown	37	45	72

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	367	398	424	Less than High School Diploma	65	63	41
<b>AGE</b>				High School Grad or G.E.D.	0	78	63
Under 6	*	6	8	Associate Degree or Some College	0	23	21
6 to 9	19	24	32	Bachelor or Advanced Degree	0	8	6
10 to 13	26	30	36	Education Level Unknown	302	226	293
14 to 17	22	34	40	<b>EMPLOYMENT</b>			
18 to 24	37	21	22	Employed	8	25	13
25 to 29	40	38	39	Unemployed	24	133	118
30 to 34	39	39	46	Not in Labor Force	166	36	*
35 to 39	40	36	43	Employment Status Unknown	169	204	292
40 to 44	38	43	43	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	38	48	50	Independent Living	67	131	95
50 to 54	27	35	25	Dependent Living	116	61	77
55 to 59	23	26	20	Homeless	6	*	*
60 and Over	14	18	20	Other	0	8	10
Age Unknown	0	0	0	Housing Unknown	178	195	240
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	164	188	208	Self / Family / Friend	196	248	296
Female	203	210	216	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	19	18	17
<b>RACE / ETHNICITY</b>				Health Care Provider	47	40	22
Caucasian	330	358	390	Court / Criminal Justice	41	24	23
African American	8	7	7	Other	60	62	57
Native American / Alaskan	*	*	0	Referral Source Unknown	*	*	6
Asian / Pacific Islander	0	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	6	6	6	Voluntary	354	378	400
Other Race	22	23	19	Civil	8	10	15
Race/Ethnicity Unknown	0	0	0	Criminal	*	6	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	14	13	18	Commitment Type Unknown	*	*	7
Past or Current Military Service	9	7	8				



# TANEY COUNTY


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	33.3	30.5	38.3	Alcohol (1 or 2 drinks daily)	59.8		
Cigarettes	21.3	20.8	29.0	Alcohol (Binge: 5+ drinks once or twice a week)	72.8		
Chewing Tobacco	11.5	8.5	13.7	Alcohol (any use)		79.4	77.6
Marijuana	17.3	12.2	14.9	Cigarettes (1+ packs per day)	88.2		
Inhalants	4.8	6.1	7.2	Cigarettes (any use)		88.3	81.2
Prescription medications not prescribed for student	8.8	7.9	11.9	Marijuana (once or twice a week)	62.7		
Over-the-counter medications for non-medical use	4.7	5.7	7.4	Marijuana (any use)		77.8	80.3
Methamphetamine	1.0	1.3	1.3	Other: Cocaine, LSD, Meth, Club Drug (any use)	94.1	97.0	93.9
Cocaine	1.3	2.0	2.0				
Heroin	0.7	1.3	1.1	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	2.4	2.9	3.8	Were very sad	23.1	21.2	9.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.3	1.7	2.5	Were grouchy, irritable, or in a bad mood	25.6	22.7	17.8
Steroids not prescribed for student	1.0	0.8	1.4	Felt hopeless about the future	12.4	10.6	7.9
Synthetic drugs (K2, bath salts, Spice, etc)	4.6	6.1		Felt like not eating or eating more than usual	19.3	17.5	8.8
				Slept a lot more or a lot less than usual	20.8	19.7	21.0
				Had difficulty concentrating on school work	25.9	19.0	28.0
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	13.31	11.62	11.99	Seriously considered attempting suicide	14.3	13.1	14.7
Cigarettes	12.44	11.37	11.50	Made plan about how they would attempt suicide	10.5	11.0	10.7
Marijuana	13.60	12.55	12.63	Attempted suicide	6.1	6.1	6.5
Inhalants	11.99	11.25	12.09	Attempted suicide and resulting injury, poisoning, or overdose	1.8	1.4	3.6
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	13.2	11.7	14.7	Were threatened/injured with weapon at school	7.5	7.5	13.3
Alcohol (Binge: 5+ drinks on one occasion)		5.1	7.8	Were in a physical fight	17.8	20.5	24.4
Cigarettes	9.1	8.9	15.7	Were in a fight and had to be treated by a doctor or nurse	2.9	3.3	4.8
Chewing Tobacco	5.9	4.3	6.7				
Marijuana	8.1	5.3	6.5	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.0	2.2	2.9	Were victims of mean rumors or lies spread at school	52.6	50.6	61.3
Prescription medications not prescribed for student	3.4	3.8	5.7	Were made fun of by others	65.4	59.8	71.4
Over-the-counter medications for non-medical use	1.8	4.2	3.8	Were victims of an embarrassing or hurtful text message or something posted on the Internet	27.7	21.0	23.3
				Spread mean rumors or lies about other kids at school	23.2	25.8	31.1
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	52.6	57.9	70.9
Alcohol (Binge: 5+ drinks on one occasion)	5.0			Posted something on the internet or sent a text that might embarrass or hurt another student	17.4	13.5	18.0
<i>Percent whose friends used in past 12 months:</i>				<i>Percent of students who agree that:</i>			
Alcohol	45.1	42.2	52.1	Teachers notice and comment on student's good work	72.6	71.2	68.5
Cigarettes	38.6	39.9	50.8	School provides feedback to parents on positive student performance	47.8	45.4	43.2
Marijuana	36.6	30.0	34.9	Rules are enforced fairly	70.5	67.9	69.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.1	16.6	19.6	Students of all races/ethnicities are treated equal	84.1	78.7	80.8
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	19.9	22.2	26.1	Parents notice and comment on student's good work	83.8	86.2	82.6
Cigarettes	11.6	12.3	15.2	Parents involve student in making family decisions	71.5	72.1	72.7
Marijuana	13.2	12.5	12.6	It is important to be honest with parents regardless of consequences	89.5	87.9	83.6
				Student could ask parent for help with a personal problem	78.7	77.5	75.7
<i>Percent who say it would be wrong to use:</i>							
Alcohol	69.5	71.2	68.9				
Cigarettes	85.2	83.3	78.7				
Marijuana	78.9	82.8	83.3				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.1	94.9	94.4				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	84.5	86.0	81.7				
Cigarettes	92.9	95.3	89.9				
Marijuana	89.8	93.5	93.3				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	48.2	47.3	53.8				
Cigarettes	49.0	46.3	57.0				
Marijuana	35.6	33.1	37.9				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.6	17.7	18.7				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# TEXAS COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	18
Adult Psychiatric	18
<b>POPULATION</b>	
Census 2010	26,008
2013 Estimate	25,636

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	280	305	284
Mother Reported Smoking while Pregnant	79	81	90
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	1	0	0
Hepatitis B Chronic, Acute, Prenatal	1 3	4	4
Hepatitis C Chronic and Acute	1 35	23	40
Tuberculosis Infection Cases	1 0	4	2
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	304	254	283
Suicides	3	6	7
Self-inflicted Injuries	20	31	32
Homicides	1	3	1
Assault Injuries	27	17	22
Alcohol Induced Deaths	4	1	0
Drug Induced Deaths	2	2	1
Smoking Attributable Deaths	59	46	66
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 151	172	
Alcohol Primary Diagnosis	2 5	5	
Drug Primary Diagnosis	2 26	4	
Alcohol Related Diagnosis	42	39	57
Drug Related Diagnosis	69	63	72
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 42	41	
Alcohol Primary Diagnosis	2 5	11	
Drug Primary Diagnosis	2 7	11	
Alcohol Related Diagnosis	50	57	24
Drug Related Diagnosis	45	40	20
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 167	192	
Alcohol Primary Diagnosis	2 18	28	
Drug Primary Diagnosis	2 24	28	
Alcohol Related Diagnosis	77	75	75
Drug Related Diagnosis	55	76	62
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	30	31	38
Fatal Crashes	1	0	1
Injury Crashes	12	18	22
Property Damage Crashes	17	13	15
Crash Fatalities	1	0	1
Crash Injuries	17	25	41
Drug Involved Crashes--Total	5	1	11
Fatal Crashes	0	0	1
Injury Crashes	5	0	7
Property Damage Crashes	0	1	3
Crash Fatalities	0	0	1
Crash Injuries	8	0	11

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	11,370	10,873	11,168
Employed	10,602	10,082	10,186
Unemployed	768	791	982
Unemployment Rate	6.8%	7.3%	8.8%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	1,150	1,208	1,204
Drop-outs	19	18	17
Drop-out Rate	1.7%	1.5%	1.4%
School Suspensions:			
Alcohol Incidents	3	4	5
Drug Incidents	2	17	8
Tobacco Incidents	1	0	2

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	140	216	178
Liquor Law Arrests	61	68	71
Drug Arrests	72	96	73
Methamphetamine Lab Incidents	5	13	11
Violent Offenses	25	20	21
Property Offenses	589	516	343
Domestic Violence Reports	136	54	50

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	127	153	136
Violent Offenses	33	45	28
Alcohol Offenses	11	11	8
Drug Offenses	16	7	15
Status Offenses--Total	261	375	448
Truancy	98	189	223
Beyond Parental Control	19	35	35
Habitually Absent from Home	10	9	14
Injurious Behavior	134	142	176
Abuse/Neglect/Custody--Total	770	479	323
Abuse	195	137	92
Neglect	564	322	208
Custody Disputes	11	20	23

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	16	20	26
Parental Alcohol Use Related	0	1	3
Parental Drug Use Related	5	10	7
Parental Alcohol and Drug Use	3	0	0
Child Removed for Other Reason	8	9	16

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	16	18	21
Probation/Parole Admissions--Total	180	181	147
Probation/Parole Admissions--Drug	51	49	35
Probation/Parole Admissions--DWI	13	17	9
Prison Admissions--Total	94	90	84
Prison Admissions--Drug	35	25	20
Prison Admissions--DWI	8	6	7

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	17	16	15
Alcohol Package Carry-out Licenses	21	22	23

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# TEXAS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	21	28	18
CSTAR Adolescent	8	9	11
CSTAR Women and Children	7	*	5
CSTAR General Adult	63	41	44
CSTAR Opioid	0	0	0
Primary Recovery Treatment	27	66	96
Clinical SATOP (CIP, YCIP, SROP)	32	30	17
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	102	124	112
- Adolescent Diversion Education Program	0	*	0
- Offender Education Program	35	49	44
- Weekend Intervention Program	20	22	26
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	5	*	*
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	133	145	167	Alcohol	51	61	72
AGE				Marijuana / Hashish	27	26	41
Under 18	9	8	12	Cocaine (total)	0	0	0
18 to 24	28	32	34	- Crack	0	0	0
25 to 29	22	25	43	Stimulant (total)	21	23	15
30 to 34	25	28	27	- Methamphetamine	20	23	15
35 to 39	13	18	10	Heroin	*	*	5
40 to 44	17	13	14	Analgesic except Heroin	27	24	29
45 to 54	14	13	23	- Non-Prescription Methadone	0	0	0
55 and Over	5	8	*	PCP, LSD, other Hallucinogen	*	*	0
GENDER				Tranquilizer	*	*	*
Male	80	89	105	Inhalant	*	*	*
Female	53	56	62	Sedative	0	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	0
Caucasian	130	141	163	Average Age at First Use of Drug	19.2	17.6	16.7
African American	*	0	*	INJECTION DRUG USE			
Native American / Alaskan	*	0	0	Any Injection Use at Admission	27	30	25
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	7	6
Hispanic	*	*	5	- Weekly Injection Use	7	10	*
Other Race / Two or More Races	*	*	0	- Less than Weekly Injection Use	17	13	16
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	50	58	72	0	65	75	101
High School Graduate or G.E.D.	59	60	71	1 or 2	48	45	51
Associate Degree or Some College	23	26	23	3 or More	20	25	15
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	36	41	28
Employed	31	31	46	School	0	0	0
Unemployed	52	55	89	Mental Health Provider	*	0	0
Not in Labor Force	50	59	32	Health Care Provider	6	6	5
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	73	87	116
Independent Living	116	134	150	Other Referral Source	15	11	18
Dependent Living	14	8	14	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	5	*	*
MARITAL / FAMILY STATUS				Military Veteran	10	7	*
Never Married	43	58	83	Special Education Services Needed	26	31	16
Married / Cohabiting	43	41	45	Co-Occurring Psychological Problem	66	48	42
Previously Married	47	46	39	Co-Occurring Developmental Problem	25	6	13

# TEXAS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 18  
**CENSUS 2010** 26,008  
**2013 POPULATION ESTIMATE** 25,636

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	13	*	*
Anxiety Disorder	151	92	56
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	45	34	16
Mood Disorder	225	161	103
Personality Disorder	16	6	*
Psychotic Disorder	25	19	18
Sexual Disorder	0	0	0
Other Diagnosis	22	11	*
Diagnosis Unknown	16	26	56

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	321	220	180	Less than High School Diploma	99	31	27
<b>AGE</b>				High School Grad or G.E.D.	*	28	28
Under 6	0	0	*	Associate Degree or Some College	0	7	*
6 to 9	14	12	8	Bachelor or Advanced Degree	0	*	0
10 to 13	14	15	11	Education Level Unknown	221	153	121
14 to 17	26	18	21	<b>EMPLOYMENT</b>			
18 to 24	50	22	19	Employed	30	5	*
25 to 29	36	25	21	Unemployed	47	55	56
30 to 34	27	23	14	Not in Labor Force	187	38	0
35 to 39	24	18	11	Employment Status Unknown	57	122	120
40 to 44	32	19	16	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	26	22	18	Independent Living	175	77	55
50 to 54	37	22	20	Dependent Living	57	26	26
55 to 59	17	18	14	Homeless	5	*	0
60 and Over	18	6	6	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	84	115	98
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	144	107	91	Self / Family / Friend	152	85	71
Female	177	113	89	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	17	17	15
<b>RACE / ETHNICITY</b>				Health Care Provider	126	98	75
Caucasian	308	213	171	Court / Criminal Justice	8	8	8
African American	*	*	*	Other	18	12	10
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	*
Asian / Pacific Islander	*	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	7	*	*	Voluntary	319	217	178
Other Race	*	*	*	Civil	*	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	7	*	0	Commitment Type Unknown	0	0	*
Past or Current Military Service	5	8	7				

# TEXAS COUNTY

## MISSOURI STUDENT SURVEY


	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	30.3	36.9	46.7	Alcohol (1 or 2 drinks daily)	47.5		
Cigarettes	27.5	27.3	33.1	Alcohol (Binge: 5+ drinks once or twice a week)	54.4		
Chewing Tobacco	20.0	22.7	28.6	Alcohol (any use)		67.6	74.6
Marijuana	4.9	8.8	11.0	Cigarettes (1+ packs per day)	79.1		
Inhalants	3.4	5.9	8.1	Cigarettes (any use)		75.6	73.0
Prescription medications not prescribed for student	10.2	8.5	10.2	Marijuana (once or twice a week)	73.2		
Over-the-counter medications for non-medical use	0.8	5.2	7.7	Marijuana (any use)		79.9	72.4
Methamphetamine	0.0	1.1	0.6	Other: Cocaine, LSD, Meth, Club Drug (any use)	91.3	90.8	90.1
Cocaine	0.0	0.5	0.2				
Heroin	0.0	0.3	0.6	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	2.7	3.1	1.7	Were very sad	17.7	15.2	14.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	2.1	1.7	Were grouchy, irritable, or in a bad mood	18.5	24.0	19.1
Steroids not prescribed for student	0.0	1.3	2.3	Felt hopeless about the future	8.3	7.3	12.2
Synthetic drugs (K2, bath salts, Spice, etc)	4.2	6.5		Felt like not eating or eating more than usual	8.3	17.3	14.9
				Slept a lot more or a lot less than usual	8.7	22.5	19.8
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	23.0	17.2	21.6
Alcohol	12.25	11.43	11.89				
Cigarettes	11.49	11.12	10.98	<i>Percent of students who, in past 12 months:</i>			
Marijuana	13.46	13.46	12.28	Seriously considered attempting suicide	6.0	10.8	11.6
Inhalants	13.52	11.04	11.51	Made plan about how they would attempt suicide	1.1	7.3	10.4
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide	0.8	6.7	4.9
Alcohol	12.2	13.4	21.7	Attempted suicide and resulting injury, poisoning, or overdose	1.1	1.6	1.0
Alcohol (Binge: 5+ drinks on one occasion)		7.8	12.5				
Cigarettes	14.7	12.2	17.3	<i>Percent of students who, in past 12 months:</i>			
Chewing Tobacco	15.0	12.1	18.0	Were threatened/injured with weapon at school	2.7	3.9	12.0
Marijuana	0.8	5.4	4.2	Were in a physical fight	15.8	21.2	32.4
Inhalants	2.7	3.1	4.1	Were in a fight and had to be treated by a doctor or nurse	0.8	3.6	4.5
Prescription medications not prescribed for student	2.7	3.9	6.4				
Over-the-counter medications for non-medical use	0.8	2.1	5.4	<i>Percent of students who, in past 3 months:</i>			
<i>Percent of students who, in past 2 weeks, used:</i>				Were victims of mean rumors or lies spread at school	52.8	49.1	57.3
Alcohol (Binge: 5+ drinks on one occasion)	3.4			Were made fun of by others	62.8	56.2	71.0
<i>Percent whose friends used in past 12 months:</i>				Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.4	16.5	19.7
Alcohol	40.2	44.4	55.8	Spread mean rumors or lies about other kids at school	23.0	26.9	34.6
Cigarettes	38.1	44.7	48.8	Made fun of other people	51.0	59.1	70.2
Marijuana	11.3	18.8	29.6	Posted something on the internet or sent a text that might embarrass or hurt another student	9.8	11.4	15.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.0	8.8	14.0				
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	27.1	23.6	35.6	Teachers notice and comment on student's good work	74.0	71.8	72.2
Cigarettes	14.4	15.5	19.3	School provides feedback to parents on positive student performance	46.4	47.3	42.3
Marijuana	7.9	8.0	8.2	Rules are enforced fairly	61.5	67.4	60.3
<i>Percent who say it would be wrong to use:</i>				Students of all races/ethnicities are treated equal	76.5	84.5	80.0
Alcohol	66.0	66.9	58.0				
Cigarettes	78.2	76.4	74.7	<i>Percent of students who agree that:</i>			
Marijuana	90.5	88.6	88.1	Parents notice and comment on student's good work	82.0	79.8	86.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.5	95.5	96.3	Parents involve student in making family decisions	65.7	63.9	71.2
<i>Percent whose parents would disapprove if they use:</i>				It is important to be honest with parents regardless of consequences	87.2	89.8	85.5
Alcohol	83.4	77.5	79.1	Student could ask parent for help with a personal problem	81.7	75.5	78.9
Cigarettes	86.7	90.3	86.9				
Marijuana	98.1	94.7	95.6				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	55.8	44.7	54.1				
Cigarettes	61.1	43.9	59.4				
Marijuana	32.3	19.3	28.7				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.6	11.3	14.0				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys



# VERNON COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	8
Adult Psychiatric	8B
<b>POPULATION</b>	
Census 2010	21,159
2013 Estimate	20,949

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	10,074	9,514	9,669
Employed	9,524	8,956	8,970
Unemployed	550	558	699
Unemployment Rate	5.5%	5.9%	7.2%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	977	958	980
Drop-outs	24	41	38
Drop-out Rate	2.5%	4.3%	3.9%
School Suspensions:			
Alcohol Incidents	1	1	4
Drug Incidents	6	17	8
Tobacco Incidents	0	0	0

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	263	253	218
Mother Reported Smoking while Pregnant	72	53	51

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	2	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	1	22	16
Tuberculosis Infection Cases	1	6	0

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	234	265	243
Suicides	2	3	7
Self-inflicted Injuries	27	53	45
Homicides	0	1	1
Assault Injuries	81	70	76
Alcohol Induced Deaths	3	3	2
Drug Induced Deaths	2	2	4
Smoking Attributable Deaths	43	48	46

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	183	230
Alcohol Primary Diagnosis	2	11	9
Drug Primary Diagnosis	2	7	7
Alcohol Related Diagnosis	56	76	77
Drug Related Diagnosis	56	80	82
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	233	128
Alcohol Primary Diagnosis	2	16	8
Drug Primary Diagnosis	2	14	10
Alcohol Related Diagnosis	86	65	58
Drug Related Diagnosis	98	56	62
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	217	237
Alcohol Primary Diagnosis	2	42	32
Drug Primary Diagnosis	2	32	25
Alcohol Related Diagnosis	110	94	82
Drug Related Diagnosis	108	70	87

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	25	23	13
Fatal Crashes	0	3	1
Injury Crashes	9	10	6
Property Damage Crashes	16	10	6
Crash Fatalities	0	4	1
Crash Injuries	10	17	7
Drug Involved Crashes--Total	6	1	4
Fatal Crashes	0	0	0
Injury Crashes	3	1	0
Property Damage Crashes	3	0	4
Crash Fatalities	0	0	0
Crash Injuries	4	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	144	253	238
Liquor Law Arrests	34	37	59
Drug Arrests	72	56	107
Methamphetamine Lab Incidents	0	2	2
Violent Offenses	86	94	93
Property Offenses	1,192	847	734
Domestic Violence Reports	155	176	178

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	314	222	186
Violent Offenses	78	63	68
Alcohol Offenses	9	19	8
Drug Offenses	15	10	10
Status Offenses--Total	125	151	131
Truancy	41	79	62
Beyond Parental Control	52	41	40
Habitually Absent from Home	29	27	21
Injurious Behavior	3	4	8
Abuse/Neglect/Custody--Total	117	122	149
Abuse	27	20	25
Neglect	85	100	124
Custody Disputes	5	2	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	17	14	22
Parental Alcohol Use Related	4	0	0
Parental Drug Use Related	5	4	7
Parental Alcohol and Drug Use	1	0	0
Child Removed for Other Reason	7	10	15

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	31	29	29
Probation/Parole Admissions--Total	135	162	131
Probation/Parole Admissions--Drug	45	45	50
Probation/Parole Admissions--DWI	16	17	15
Prison Admissions--Total	66	63	56
Prison Admissions--Drug	18	20	14
Prison Admissions--DWI	3	3	5

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	16	18	18
Alcohol Package Carry-out Licenses	22	21	24

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# VERNON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	13	7	11
CSTAR Adolescent	9	7	*
CSTAR Women and Children	9	6	*
CSTAR General Adult	177	170	133
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	8	48
Clinical SATOP (CIP, YCIP, SROP)	22	21	12
Other Substance Abuse Treatment	0	*	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	94	105	102
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	45	43	59
- Weekend Intervention Program	23	19	27
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	9	9	9
Compulsive Gambling	0	0	0
Recovery Supports	*	*	6
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	217	209	182	Alcohol	86	87	79
AGE				Marijuana / Hashish	51	45	45
Under 18	10	8	6	Cocaine (total)	0	*	*
18 to 24	40	41	35	- Crack	0	0	0
25 to 29	32	43	34	Stimulant (total)	58	53	33
30 to 34	40	31	25	- Methamphetamine	56	50	33
35 to 39	29	17	22	Heroin	*	5	*
40 to 44	13	17	25	Analgesic except Heroin	14	17	17
45 to 54	42	45	30	- Non-Prescription Methadone	0	0	0
55 and Over	11	7	5	PCP, LSD, other Hallucinogen	*	0	*
GENDER				Tranquilizer	0	*	*
Male	140	130	115	Inhalant	*	0	*
Female	77	79	67	Sedative	*	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	*
Caucasian	208	204	174	Average Age at First Use of Drug	16.5	16.6	16.6
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	27	29	16
Asian / Pacific Islander	0	0	*	- Daily Injection Use	*	*	*
Hispanic	*	*	*	- Weekly Injection Use	5	7	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	19	19	12
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	71	66	62	0	124	127	108
High School Graduate or G.E.D.	106	107	77	1 or 2	54	55	47
Associate Degree or Some College	40	34	40	3 or More	39	27	27
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	91	64	66
Employed	51	57	45	School	0	0	0
Unemployed	63	52	56	Mental Health Provider	*	6	5
Not in Labor Force	103	100	81	Health Care Provider	16	10	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	89	108	88
Independent Living	189	178	157	Other Referral Source	18	21	19
Dependent Living	16	12	11	TREATMENT ACCOMMODATION			
Homeless	6	6	9	Pregnant when Admitted to any Episode	*	*	0
MARITAL / FAMILY STATUS				Military Veteran	10	7	8
Never Married	94	104	71	Special Education Services Needed	18	23	20
Married / Cohabiting	69	55	68	Co-Occurring Psychological Problem	93	49	80
Previously Married	54	50	43	Co-Occurring Developmental Problem	16	7	7

# VERNON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 8B  
**CENSUS 2010** 21,159  
**2013 POPULATION ESTIMATE** 20,949

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	*	*	*
Anxiety Disorder	103	90	76
Dementia	*	*	*
Developmental Disorder	*	5	*
Impulse Control Disorder	26	39	37
Mood Disorder	167	162	161
Personality Disorder	22	17	14
Psychotic Disorder	57	61	46
Sexual Disorder	*	*	*
Other Diagnosis	6	9	6
Diagnosis Unknown	25	18	35

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	267	268	266	Less than High School Diploma	84	52	33
<b>AGE</b>				High School Grad or G.E.D.	0	60	62
Under 6	0	*	*	Associate Degree or Some College	0	14	14
6 to 9	9	14	15	Bachelor or Advanced Degree	0	*	*
10 to 13	8	14	15	Education Level Unknown	183	138	156
14 to 17	12	16	14	<b>EMPLOYMENT</b>			
18 to 24	28	22	26	Employed	6	11	14
25 to 29	32	37	32	Unemployed	24	106	92
30 to 34	33	27	26	Not in Labor Force	160	34	5
35 to 39	27	29	26	Employment Status Unknown	77	117	155
40 to 44	23	29	26	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	30	20	33	Independent Living	115	115	91
50 to 54	38	34	24	Dependent Living	62	28	39
55 to 59	13	12	14	Homeless	*	*	*
60 and Over	14	12	12	Other	0	*	7
Age Unknown	0	0	0	Housing Unknown	86	117	128
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	117	128	117	Self / Family / Friend	167	159	168
Female	150	140	149	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	21	35	36
<b>RACE / ETHNICITY</b>				Health Care Provider	49	38	23
Caucasian	256	257	257	Court / Criminal Justice	10	13	9
African American	*	*	*	Other	19	22	26
Native American / Alaskan	0	*	0	Referral Source Unknown	0	0	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	257	254	252
Other Race	6	*	*	Civil	5	10	6
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	9	9	8	Commitment Type Unknown	0	0	*
Past or Current Military Service	8	10	7				

# VERNON COUNTY


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	35.4	45.9	46.1	Alcohol (1 or 2 drinks daily)	49.1		
Cigarettes	22.0	31.4	28.8	Alcohol (Binge: 5+ drinks once or twice a week)	68.0		
Chewing Tobacco	10.3	19.3	21.1	Alcohol (any use)		61.5	80.8
Marijuana	5.6	15.7	9.9	Cigarettes (1+ packs per day)	80.6		
Inhalants	2.6	4.5	5.3	Cigarettes (any use)		75.8	83.9
Prescription medications not prescribed for student	3.7	10.6	8.9	Marijuana (once or twice a week)	78.0		
Over-the-counter medications for non-medical use	5.6	6.2	6.1	Marijuana (any use)		71.1	69.9
Methamphetamine	0.0	1.1	0.6	Other: Cocaine, LSD, Meth, Club Drug (any use)	91.8	91.8	93.5
Cocaine	0.0	0.9	1.5				
Heroin	0.0	0.6	0.6	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	0.0	2.2	1.1	Were very sad	12.0	20.2	22.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	1.1	1.5	Were grouchy, irritable, or in a bad mood	25.1	31.7	28.5
Steroids not prescribed for student	0.8	1.4	1.5	Felt hopeless about the future	7.7	10.6	14.3
Synthetic drugs (K2, bath salts, Spice, etc)	3.4	11.2		Felt like not eating or eating more than usual	17.8	21.4	19.0
				Slept a lot more or a lot less than usual	8.8	22.1	25.7
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	20.4	26.7	33.9
Alcohol	12.31	12.52	12.18				
Cigarettes	13.00	13.01	11.93	<i>Percent of students who, in past 12 months:</i>			
Marijuana	13.50	13.29	13.64	Seriously considered attempting suicide	5.5	12.5	11.2
Inhalants	13.15	13.77	11.63	Made plan about how they would attempt suicide	4.0	10.5	8.7
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide	2.2	3.9	5.4
Alcohol	17.2	24.6	22.6	Attempted suicide and resulting injury, poisoning, or overdose	0.4	1.2	1.5
Alcohol (Binge: 5+ drinks on one occasion)		19.8	15.5				
Cigarettes	11.6	18.2	11.7	<i>Percent of students who, in past 12 months:</i>			
Chewing Tobacco	6.6	11.2	13.7	Were threatened/injured with weapon at school	4.0	7.6	12.1
Marijuana	3.0	7.0	2.7	Were in a physical fight	16.6	21.3	23.4
Inhalants	0.4	1.1	2.3	Were in a fight and had to be treated by a doctor or nurse	1.5	2.5	5.0
Prescription medications not prescribed for student	2.2	8.7	4.9				
Over-the-counter medications for non-medical use	3.0	4.2	3.6	<i>Percent of students who, in past 3 months:</i>			
<i>Percent of students who, in past 2 weeks, used:</i>				Were victims of mean rumors or lies spread at school	44.4	54.9	59.3
Alcohol (Binge: 5+ drinks on one occasion)	8.2			Were made fun of by others	60.8	64.3	71.4
<i>Percent whose friends used in past 12 months:</i>				Were victims of an embarrassing or hurtful text message or something posted on the Internet	13.3	27.1	20.1
Alcohol	33.5	58.3	59.5	Spread mean rumors or lies about other kids at school	15.7	40.3	31.5
Cigarettes	33.0	49.9	45.2	Made fun of other people	56.7	68.5	71.4
Marijuana	12.0	29.3	25.6	Posted something on the internet or sent a text that might embarrass or hurt another student	6.2	22.0	15.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.2	15.2	13.3				
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	25.9	43.0	36.5	Teachers notice and comment on student's good work	75.6	64.4	69.6
Cigarettes	10.6	20.7	13.0	School provides feedback to parents on positive student performance	47.8	31.7	42.7
Marijuana	6.3	11.2	6.1	Rules are enforced fairly	78.5	52.8	57.3
<i>Percent who say it would be wrong to use:</i>				Students of all races/ethnicities are treated equal	88.7	72.5	76.0
Alcohol	61.0	52.2	58.6				
Cigarettes	85.9	68.3	77.1	<i>Percent of students who agree that:</i>			
Marijuana	91.8	79.2	87.3	Parents notice and comment on student's good work	86.0	78.4	84.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.9	94.7	95.6	Parents involve student in making family decisions	70.8	64.4	71.9
<i>Percent whose parents would disapprove if they use:</i>				It is important to be honest with parents regardless of consequences	88.4	85.1	83.1
Alcohol	80.3	73.3	79.2	Student could ask parent for help with a personal problem	82.8	74.9	80.7
Cigarettes	90.6	86.6	90.9				
Marijuana	97.3	94.6	96.4				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	45.5	60.8	59.2				
Cigarettes	50.5	57.7	58.7				
Marijuana	15.7	36.9	31.0				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.6	20.7	21.3				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# WARREN COUNTY



<b>DBH REGION</b>	Eastern
<b>DBH SERVICE AREAS</b>	
Substance Abuse	16
Adult Psychiatric	16
<b>POPULATION</b>	
Census 2010	32,513
2013 Estimate	32,999

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	415	389	424
Mother Reported Smoking while Pregnant	104	87	105
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	1
Hepatitis C Chronic and Acute	1	22	20
Tuberculosis Infection Cases	1	3	1
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	270	243	256
Suicides	8	0	4
Self-inflicted Injuries	51	62	41
Homicides	1	2	0
Assault Injuries	113	99	97
Alcohol Induced Deaths	1	1	3
Drug Induced Deaths	4	5	3
Smoking Attributable Deaths	51	47	47
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	205	149
Alcohol Primary Diagnosis	2	16	11
Drug Primary Diagnosis	2	29	35
Alcohol Related Diagnosis	75	85	109
Drug Related Diagnosis	110	103	126
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	256	252
Alcohol Primary Diagnosis	2	19	14
Drug Primary Diagnosis	2	9	17
Alcohol Related Diagnosis	153	151	104
Drug Related Diagnosis	154	170	94
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	285	274
Alcohol Primary Diagnosis	2	44	35
Drug Primary Diagnosis	2	51	88
Alcohol Related Diagnosis	107	98	88
Drug Related Diagnosis	354	233	199
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	39	34	32
Fatal Crashes	3	3	3
Injury Crashes	19	12	11
Property Damage Crashes	17	19	18
Crash Fatalities	3	3	3
Crash Injuries	21	26	12
Drug Involved Crashes--Total	6	5	5
Fatal Crashes	2	1	0
Injury Crashes	1	1	4
Property Damage Crashes	3	3	1
Crash Fatalities	2	1	0
Crash Injuries	2	1	4

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	16,854	16,883	17,269
Employed	15,699	15,585	15,715
Unemployed	1,155	1,298	1,554
Unemployment Rate	6.9%	7.7%	9.0%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	1,368	1,354	1,413
Drop-outs	18	11	12
Drop-out Rate	1.3%	0.8%	0.8%
School Suspensions:			
Alcohol Incidents	0	0	2
Drug Incidents	14	14	20
Tobacco Incidents	0	0	1

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	182	236	225
Liquor Law Arrests	73	54	45
Drug Arrests	305	242	204
Methamphetamine Lab Incidents	27	32	32
Violent Offenses	96	99	76
Property Offenses	843	761	677
Domestic Violence Reports	313	340	334

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	132	150	85
Violent Offenses	10	11	19
Alcohol Offenses	3	8	9
Drug Offenses	14	13	7
Status Offenses--Total	123	136	127
Truancy	10	16	10
Beyond Parental Control	16	28	17
Habitually Absent from Home	17	18	9
Injurious Behavior	59	57	65
Abuse/Neglect/Custody--Total	83	96	63
Abuse	30	41	26
Neglect	50	54	35
Custody Disputes	3	1	2

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	36	44	30
Parental Alcohol Use Related	2	6	5
Parental Drug Use Related	9	5	7
Parental Alcohol and Drug Use	1	11	2
Child Removed for Other Reason	24	22	16

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	43	46	51
Probation/Parole Admissions--Total	392	354	350
Probation/Parole Admissions--Drug	153	127	134
Probation/Parole Admissions--DWI	19	27	33
Prison Admissions--Total	200	165	163
Prison Admissions--Drug	75	60	68
Prison Admissions--DWI	21	17	13

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	37	40	36
Alcohol Package Carry-out Licenses	26	26	24

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# WARREN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Detoxification	28	29	15
CSTAR Adolescent	11	20	20
CSTAR Women and Children	37	25	21
CSTAR General Adult	81	88	24
CSTAR Opioid	*	*	*
Primary Recovery Treatment	13	23	57
Clinical SATOP (CIP, YCIP, SROP)	56	73	40
Other Substance Abuse Treatment	*	0	0

<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Offender Management Unit	156	172	186
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	42	48	76
- Weekend Intervention Program	32	29	32
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	*	*	*
Compulsive Gambling	*	*	*
Recovery Supports	0	0	*
Early Intervention	0	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	196	218	162	Alcohol	88	103	59
<b>AGE</b>				Marijuana / Hashish	42	49	48
Under 18	12	20	18	Cocaine (total)	*	*	*
18 to 24	33	41	30	- Crack	*	*	*
25 to 29	37	33	36	Stimulant (total)	23	18	12
30 to 34	25	43	18	- Methamphetamine	23	17	11
35 to 39	18	21	11	Heroin	28	35	29
40 to 44	26	23	21	Analgesic except Heroin	11	5	6
45 to 54	36	28	22	- Non-Prescription Methadone	0	0	0
55 and Over	9	9	6	PCP, LSD, other Hallucinogen	*	*	0
<b>GENDER</b>				Tranquilizer	*	*	*
Male	125	149	118	Inhalant	0	0	0
Female	71	69	44	Sedative	0	*	*
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	0	*	0
Caucasian	185	199	145	Average Age at First Use of Drug	17.3	17.1	17.5
African American	7	13	11	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	0	*	*	Any Injection Use at Admission	40	40	27
Asian / Pacific Islander	0	*	0	- Daily Injection Use	10	12	11
Hispanic	*	*	5	- Weekly Injection Use	10	11	9
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	20	17	7
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	70	82	66	0	86	98	84
High School Graduate or G.E.D.	91	96	65	1 or 2	67	78	56
Associate Degree or Some College	34	39	27	3 or More	43	42	22
Bachelor or Advanced Degree	*	*	*	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	43	35	32
Employed	65	71	43	School	*	0	*
Unemployed	89	92	65	Mental Health Provider	0	*	*
Not in Labor Force	42	55	54	Health Care Provider	*	5	*
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	115	162	104
Independent Living	163	179	135	Other Referral Source	31	13	19
Dependent Living	26	31	22	<b>TREATMENT ACCOMMODATION</b>			
Homeless	*	*	*	Pregnant when Admitted to any Episode	7	*	*
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	9	11	6
Never Married	111	123	89	Special Education Services Needed	14	16	16
Married / Cohabiting	37	49	31	Co-Occurring Psychological Problem	57	72	55
Previously Married	48	46	42	Co-Occurring Developmental Problem	9	*	5



# WARREN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Eastern  
**PSYCHIATRIC SERVICE AREA** 16  
**CENSUS 2010** 32,513  
**2013 POPULATION ESTIMATE** 32,999

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	5	8	7
Anxiety Disorder	295	261	181
Dementia	0	0	0
Developmental Disorder	21	20	17
Impulse Control Disorder	139	132	98
Mood Disorder	426	391	287
Personality Disorder	53	46	44
Psychotic Disorder	52	52	44
Sexual Disorder	*	*	*
Other Diagnosis	27	29	24
Diagnosis Unknown	14	27	67

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	548	521	441	Less than High School Diploma	206	111	97
<b>AGE</b>				High School Grad or G.E.D.	*	70	93
Under 6	*	7	6	Associate Degree or Some College	0	36	46
6 to 9	43	36	29	Bachelor or Advanced Degree	0	11	9
10 to 13	54	57	51	Education Level Unknown	338	293	196
14 to 17	59	57	42	<b>EMPLOYMENT</b>			
18 to 24	50	38	37	Employed	37	30	29
25 to 29	35	38	28	Unemployed	37	169	211
30 to 34	59	55	44	Not in Labor Force	301	72	6
35 to 39	45	43	35	Employment Status Unknown	173	250	195
40 to 44	42	37	34	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	52	51	48	Independent Living	273	248	237
50 to 54	54	51	43	Dependent Living	109	55	71
55 to 59	30	25	18	Homeless	*	0	5
60 and Over	24	26	26	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	165	216	125
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	227	226	203	Self / Family / Friend	185	125	61
Female	321	295	238	School	74	59	38
Gender Unknown	0	0	0	Mental Health Provider	30	33	40
<b>RACE / ETHNICITY</b>				Health Care Provider	53	51	27
Caucasian	512	482	411	Court / Criminal Justice	8	9	9
African American	11	17	16	Other	197	242	264
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	*	*	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	9	8	5	Voluntary	545	517	434
Other Race	13	11	8	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	18	14	10	Commitment Type Unknown	*	*	*
Past or Current Military Service	8	8	9				




# WARREN COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol		50.9	43.3	Alcohol (1 or 2 drinks daily)			
Cigarettes		32.5	26.7	Alcohol (Binge: 5+ drinks once or twice a week)			
Chewing Tobacco		10.9	10.8	Alcohol (any use)		61.5	72.5
Marijuana		24.3	16.5	Cigarettes (1+ packs per day)			
Inhalants		5.5	5.2	Cigarettes (any use)		78.5	78.4
Prescription medications not prescribed for student		9.8	9.7	Marijuana (once or twice a week)			
Over-the-counter medications for non-medical use		10.9	5.8	Marijuana (any use)		61.5	70.2
Methamphetamine		1.6	0.9	Other: Cocaine, LSD, Meth, Club Drug (any use)		95.4	92.9
Cocaine		3.3	0.9				
Heroin		3.0	0.4	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens		4.6	3.0	Were very sad		25.8	18.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		4.2	0.9	Were grouchy, irritable, or in a bad mood		29.4	24.5
Steroids not prescribed for student		3.2	0.6	Felt hopeless about the future		16.5	11.7
Synthetic drugs (K2, bath salts, Spice, etc)		5.3		Felt like not eating or eating more than usual		30.2	21.3
				Slept a lot more or a lot less than usual		29.4	30.4
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work		29.0	31.7
Alcohol		11.85	12.49	<i>Percent of students who, in past 12 months:</i>			
Cigarettes		11.91	12.24	Seriously considered attempting suicide		17.0	9.8
Marijuana		13.25	13.76	Made plan about how they would attempt suicide		17.4	8.0
Inhalants		11.55	13.00	Attempted suicide		12.2	3.8
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse		5.4	1.7
Alcohol		22.7	19.0	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		13.4	10.4	Were threatened/injured with weapon at school		11.2	8.6
Cigarettes		12.9	13.6	Were in a physical fight		22.3	21.4
Chewing Tobacco		6.2	5.9	Were in a fight and had to be treated by a doctor or nurse		3.8	4.2
Marijuana		12.6	7.5	<i>Percent of students who, in past 3 months:</i>			
Inhalants		3.2	1.8	Were victims of mean rumors or lies spread at school		44.8	46.8
Prescription medications not prescribed for student		5.8	4.6	Were made fun of by others		59.0	68.5
Over-the-counter medications for non-medical use		6.0	3.0	Were victims of an embarrassing or hurtful text message or something posted on the internet		21.2	13.6
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school		24.2	30.1
Alcohol (Binge: 5+ drinks on one occasion)				Made fun of other people		63.5	74.1
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student		17.7	15.9
Alcohol		62.8	63.2	<i>Percent of students who agree that:</i>			
Cigarettes		52.4	50.0	Teachers notice and comment on student's good work		54.2	67.3
Marijuana		52.3	37.4	School provides feedback to parents on positive student performance		28.3	37.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		19.9	18.3	Rules are enforced fairly		58.1	66.7
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal		79.4	71.7
Alcohol		41.4	32.6	<i>Percent of students who agree that:</i>			
Cigarettes		15.4	15.3	Parents notice and comment on student's good work		72.5	84.4
Marijuana		19.7	11.0	Parents involve student in making family decisions		57.1	68.1
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences		77.7	83.8
Alcohol		48.3	55.5	Student could ask parent for help with a personal problem		64.2	78.3
Cigarettes		76.4	78.2	<div>Page Notes:</div> <div>Similar affirmative response choices for individual questions are combined.</div> <div>Blank data cells indicate estimates are not available for item or geographic area.</div> <div>Survey is not conducted in every school district nor reported for every county.</div> <div>Estimates are not available for counties with small numbers of respondents.</div> <div>Percentages are estimates based on weighted data.</div> <div>Some year-to-year differences in percentages are not statistically significant.</div>			
Marijuana		73.4	81.5				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		94.6	94.3				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol		70.4	71.9				
Cigarettes		87.9	91.5				
Marijuana		93.4	95.0				
<i>Percent who say it would be easy to obtain:</i>				Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Alcohol		67.4	64.8				
Cigarettes		62.1	61.5				
Marijuana		46.4	34.7				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		20.7	17.0				

# WASHINGTON COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	17
Adult Psychiatric	17B
<b>POPULATION</b>	
Census 2010	25,195
2013 Estimate	25,172

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	286	310	304
Mother Reported Smoking while Pregnant	91	93	99
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	1
Hepatitis B Chronic, Acute, Prenatal	1	2	0
Hepatitis C Chronic and Acute	1	29	27
Tuberculosis Infection Cases	1	5	1
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	222	255	240
Suicides	4	3	2
Self-inflicted Injuries	35	29	35
Homicides	1	1	1
Assault Injuries	134	115	128
Alcohol Induced Deaths	1	2	0
Drug Induced Deaths	2	6	7
Smoking Attributable Deaths	46	53	49
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	240	253
Alcohol Primary Diagnosis	2	5	6
Drug Primary Diagnosis	2	20	15
Alcohol Related Diagnosis	49	84	57
Drug Related Diagnosis	94	98	97
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	64	74
Alcohol Primary Diagnosis	2	8	4
Drug Primary Diagnosis	2	6	8
Alcohol Related Diagnosis	68	67	45
Drug Related Diagnosis	59	49	43
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	308	315
Alcohol Primary Diagnosis	2	25	30
Drug Primary Diagnosis	2	45	44
Alcohol Related Diagnosis	107	82	79
Drug Related Diagnosis	165	152	152
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	43	33	23
Fatal Crashes	6	2	3
Injury Crashes	13	20	15
Property Damage Crashes	24	11	5
Crash Fatalities	6	3	3
Crash Injuries	15	32	33
Drug Involved Crashes--Total	11	10	8
Fatal Crashes	0	2	0
Injury Crashes	5	7	5
Property Damage Crashes	6	1	3
Crash Fatalities	0	2	0
Crash Injuries	6	10	13

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	10,000	10,107	10,423
Employed	9,055	9,048	9,168
Unemployed	945	1,059	1,255
Unemployment Rate	9.5%	10.5%	12.0%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	971	984	1,093
Drop-outs	33	50	20
Drop-out Rate	3.4%	5.1%	1.8%
School Suspensions:			
Alcohol Incidents	1	3	0
Drug Incidents	4	16	4
Tobacco Incidents	1	1	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	79	81	68
Liquor Law Arrests	11	12	38
Drug Arrests	49	100	119
Methamphetamine Lab Incidents	44	96	103
Violent Offenses	47	46	49
Property Offenses	601	564	306
Domestic Violence Reports	131	103	77

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	122	130	111
Violent Offenses	58	62	66
Alcohol Offenses	4	4	5
Drug Offenses	11	7	2
Status Offenses--Total	65	78	76
Truancy	20	24	12
Beyond Parental Control	18	27	20
Habitually Absent from Home	7	2	5
Injurious Behavior	18	17	34
Abuse/Neglect/Custody--Total	46	60	64
Abuse	5	9	4
Neglect	41	49	59
Custody Disputes	0	2	1

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	32	39	54
Parental Alcohol Use Related	2	3	0
Parental Drug Use Related	22	22	13
Parental Alcohol and Drug Use	0	1	3
Child Removed for Other Reason	8	13	38

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	22	11	25
Probation/Parole Admissions--Total	241	236	211
Probation/Parole Admissions--Drug	73	83	68
Probation/Parole Admissions--DWI	8	2	4
Prison Admissions--Total	132	100	105
Prison Admissions--Drug	44	31	47
Prison Admissions--DWI	2	1	3

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	16	15	17
Alcohol Package Carry-out Licenses	23	26	24

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# WASHINGTON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	19	11	11
CSTAR Adolescent	*	*	*
CSTAR Women and Children	8	7	*
CSTAR General Adult	113	74	90
CSTAR Opioid	0	*	0
Primary Recovery Treatment	52	103	162
Clinical SATOP (CIP, YCIP, SROP)	12	12	7
Other Substance Abuse Treatment	0	*	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	63	78	62
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	28	32	35
- Weekend Intervention Program	12	21	12
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	0	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	161	187	237	Alcohol	37	45	64
AGE				Marijuana / Hashish	43	65	78
Under 18	*	*	6	Cocaine (total)	*	*	*
18 to 24	25	40	37	- Crack	*	0	*
25 to 29	44	42	44	Stimulant (total)	33	32	43
30 to 34	22	30	48	- Methamphetamine	32	30	42
35 to 39	24	25	33	Heroin	10	11	9
40 to 44	14	17	30	Analgesic except Heroin	35	29	35
45 to 54	21	22	31	- Non-Prescription Methadone	0	0	0
55 and Over	7	8	8	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	*
Male	98	118	147	Inhalant	0	*	*
Female	63	69	90	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	*
Caucasian	160	182	231	Average Age at First Use of Drug	18.7	17.7	19.4
African American	0	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	26	19	25
Asian / Pacific Islander	0	0	0	- Daily Injection Use	8	*	7
Hispanic	0	*	*	- Weekly Injection Use	7	5	8
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	11	11	10
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	63	84	95	0	98	118	154
High School Graduate or G.E.D.	80	87	122	1 or 2	43	52	54
Associate Degree or Some College	18	16	20	3 or More	20	17	29
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	43	35	44
Employed	26	45	58	School	0	0	0
Unemployed	91	96	133	Mental Health Provider	0	*	*
Not in Labor Force	44	46	46	Health Care Provider	7	9	10
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	88	123	148
Independent Living	153	178	226	Other Referral Source	23	19	33
Dependent Living	5	5	8	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	*	5
MARITAL / FAMILY STATUS				Military Veteran	9	11	12
Never Married	81	84	104	Special Education Services Needed	24	31	32
Married / Cohabiting	39	61	74	Co-Occurring Psychological Problem	81	72	65
Previously Married	41	42	59	Co-Occurring Developmental Problem	13	15	13

# WASHINGTON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 17B  
**CENSUS 2010** 25,195  
**2013 POPULATION ESTIMATE** 25,172

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	*	*	*
Anxiety Disorder	47	35	26
Dementia	0	0	*
Developmental Disorder	6	5	7
Impulse Control Disorder	31	25	19
Mood Disorder	96	99	85
Personality Disorder	8	5	10
Psychotic Disorder	47	47	51
Sexual Disorder	0	0	0
Other Diagnosis	7	10	11
Diagnosis Unknown	23	23	37

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	219	209	211	Less than High School Diploma	69	45	16
<b>AGE</b>				High School Grad or G.E.D.	0	35	20
Under 6	*	*	*	Associate Degree or Some College	*	7	*
6 to 9	15	15	10	Bachelor or Advanced Degree	0	*	0
10 to 13	20	18	21	Education Level Unknown	149	121	172
14 to 17	18	19	14	<b>EMPLOYMENT</b>			
18 to 24	17	12	16	Employed	8	7	5
25 to 29	17	15	20	Unemployed	5	73	33
30 to 34	27	19	16	Not in Labor Force	106	16	*
35 to 39	16	20	16	Employment Status Unknown	100	113	170
40 to 44	14	13	13	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	20	18	23	Independent Living	43	75	33
50 to 54	12	21	24	Dependent Living	74	27	32
55 to 59	21	13	13	Homeless	*	*	0
60 and Over	21	24	21	Other	0	*	0
Age Unknown	0	0	0	Housing Unknown	100	104	146
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	108	105	107	Self / Family / Friend	69	66	69
Female	111	104	104	School	5	*	*
Gender Unknown	0	0	0	Mental Health Provider	21	17	24
<b>RACE / ETHNICITY</b>				Health Care Provider	45	28	15
Caucasian	210	199	200	Court / Criminal Justice	22	25	24
African American	6	6	6	Other	56	66	73
Native American / Alaskan	0	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	*	*	Voluntary	211	200	198
Other Race	*	*	*	Civil	*	*	7
Race/Ethnicity Unknown	0	0	0	Criminal	6	6	5
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	5	6	7	Commitment Type Unknown	*	*	*
Past or Current Military Service	11	10	8				

# WASHINGTON COUNTY

## MISSOURI STUDENT SURVEY


	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol		36.3	50.1	Alcohol (1 or 2 drinks daily)			
Cigarettes		22.5	35.8	Alcohol (Binge: 5+ drinks once or twice a week)			
Chewing Tobacco		17.4	23.3	Alcohol (any use)		74.4	77.4
Marijuana		11.1	15.6	Cigarettes (1+ packs per day)			
Inhalants		5.2	8.2	Cigarettes (any use)		79.7	78.6
Prescription medications not prescribed for student		8.5	15.0	Marijuana (once or twice a week)			
Over-the-counter medications for non-medical use		6.5	9.4	Marijuana (any use)		77.3	68.0
Methamphetamine		1.3	2.3	Other: Cocaine, LSD, Meth, Club Drug (any use)		93.0	92.2
Cocaine		0.5	1.4				
Heroin		0.8	1.0	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens		1.0	3.5	Were very sad		20.8	25.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		1.0	2.2	Were grouchy, irritable, or in a bad mood		27.5	27.3
Steroids not prescribed for student		1.6	2.7	Felt hopeless about the future		10.9	13.9
Synthetic drugs (K2, bath salts, Spice, etc)		5.2		Felt like not eating or eating more than usual		17.7	21.6
				Slept a lot more or a lot less than usual		23.0	32.5
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work		24.2	29.2
Alcohol		11.92	12.13				
Cigarettes		11.60	11.53	<i>Percent of students who, in past 12 months:</i>			
Marijuana		13.16	13.17	Seriously considered attempting suicide		11.5	15.7
Inhalants		11.68	12.51	Made plan about how they would attempt suicide		7.6	11.6
				Attempted suicide		5.2	7.6
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose			
Alcohol		15.3	26.5	had to be treated by doctor or nurse		1.6	3.0
Alcohol (Binge: 5+ drinks on one occasion)		7.8	17.4				
Cigarettes		8.6	18.6	<i>Percent of students who, in past 12 months:</i>			
Chewing Tobacco		9.9	13.0	Were threatened/injured with weapon at school		6.7	9.2
Marijuana		4.7	10.1	Were in a physical fight		19.2	29.3
Inhalants		2.3	3.3	Were in a fight and had to be treated by a doctor or nurse		2.1	6.2
Prescription medications not prescribed for student		4.4	7.8				
Over-the-counter medications for non-medical use		3.9	6.1	<i>Percent of students who, in past 3 months:</i>			
				Were victims of mean rumors or lies spread at school		51.4	61.4
<i>Percent of students who, in past 2 weeks, used:</i>				Were made fun of by others		61.6	71.5
Alcohol (Binge: 5+ drinks on one occasion)				Were victims of an embarrassing or hurtful text message or something posted on the Internet		19.8	20.3
<i>Percent whose friends used in past 12 months:</i>				Spread mean rumors or lies about other kids at school		21.3	32.3
Alcohol		46.1	63.4	Made fun of other people		55.9	72.3
Cigarettes		37.1	48.6	Posted something on the internet or sent a text that might embarrass or hurt another student		10.4	21.4
Marijuana		25.7	33.4				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		11.0	12.4	<i>Percent of students who agree that:</i>			
				Teachers notice and comment on student's good work		71.9	63.0
<i>Percent who would likely use, if offered by a best friend:</i>				School provides feedback to parents on positive student performance		36.0	34.9
Alcohol		26.1	42.4	Rules are enforced fairly		63.3	58.5
Cigarettes		10.9	17.4	Students of all races/ethnicities are treated equal		77.8	79.8
Marijuana		7.0	14.8				
				<i>Percent of students who agree that:</i>			
<i>Percent who say it would be wrong to use:</i>				Parents notice and comment on student's good work		82.4	84.5
Alcohol		65.5	53.6	Parents involve student in making family decisions		66.2	67.1
Cigarettes		85.6	76.2	It is important to be honest with parents regardless of consequences		86.8	80.1
Marijuana		88.7	81.4	Student could ask parent for help with a personal problem		76.7	76.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		97.4	94.4				
				<i>Page Notes:</i>			
<i>Percent whose parents would disapprove if they use:</i>				Similar affirmative response choices for individual questions are combined.			
Alcohol		80.2	73.4	Blank data cells indicate estimates are not available for item or geographic area.			
Cigarettes		94.0	87.0	Survey is not conducted in every school district nor reported for every county.			
Marijuana		95.5	91.6	Estimates are not available for counties with small numbers of respondents.			
				Percentages are estimates based on weighted data.			
<i>Percent who say it would be easy to obtain:</i>				Some year-to-year differences in percentages are not statistically significant.			
Alcohol		45.3	59.4				
Cigarettes		44.5	56.7				
Marijuana		23.5	34.8				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		11.9	18.7				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys



# WAYNE COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	19
Adult Psychiatric	19
<b>POPULATION</b>	
Census 2010	13,521
2013 Estimate	13,404

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	152	137	155
Mother Reported Smoking while Pregnant	55	45	65

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	2	1
Hepatitis C Chronic and Acute	1	11	6
Tuberculosis Infection Cases	1	4	8

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	184	186	176
Suicides	3	3	4
Self-inflicted Injuries	31	36	25
Homicides	1	1	0
Assault Injuries	37	45	33
Alcohol Induced Deaths	2	1	2
Drug Induced Deaths	4	0	1
Smoking Attributable Deaths	32	44	40

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	109	145
Alcohol Primary Diagnosis	2	11	6
Drug Primary Diagnosis	2	8	7
Alcohol Related Diagnosis	75	72	44
Drug Related Diagnosis	68	68	51
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	29	25
Alcohol Primary Diagnosis	2	4	6
Drug Primary Diagnosis	2	1	5
Alcohol Related Diagnosis	36	30	45
Drug Related Diagnosis	28	28	31
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	133	130
Alcohol Primary Diagnosis	2	13	14
Drug Primary Diagnosis	2	16	11
Alcohol Related Diagnosis	42	39	42
Drug Related Diagnosis	38	28	35

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	18	33	27
Fatal Crashes	0	1	3
Injury Crashes	10	17	11
Property Damage Crashes	8	15	13
Crash Fatalities	0	1	4
Crash Injuries	17	24	17
Drug Involved Crashes--Total	4	3	7
Fatal Crashes	0	0	1
Injury Crashes	2	2	1
Property Damage Crashes	2	1	5
Crash Fatalities	0	0	1
Crash Injuries	3	3	1

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	5,946	5,772	5,911
Employed	5,502	5,297	5,346
Unemployed	444	475	565
Unemployment Rate	7.5%	8.2%	9.6%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	498	490	523
Drop-outs	11	16	7
Drop-out Rate	2.2%	3.3%	1.3%
School Suspensions:			
Alcohol Incidents	0	1	1
Drug Incidents	2	2	0
Tobacco Incidents	0	0	1

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	105	112	84
Liquor Law Arrests	32	23	25
Drug Arrests	177	98	66
Methamphetamine Lab Incidents	13	7	10
Violent Offenses	14	14	15
Property Offenses	150	189	201
Domestic Violence Reports	10	18	25

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	27	7	12
Violent Offenses	11	2	4
Alcohol Offenses	2	1	2
Drug Offenses	3	0	0
Status Offenses--Total	38	24	6
Truancy	1	0	3
Beyond Parental Control	17	22	2
Habitually Absent from Home	0	0	0
Injurious Behavior	6	1	1
Abuse/Neglect/Custody--Total	17	21	24
Abuse	0	3	1
Neglect	17	18	23
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	16	18	25
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	7	7	8
Parental Alcohol and Drug Use	1	0	0
Child Removed for Other Reason	8	11	17

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	42	27	21
Probation/Parole Admissions--Total	107	94	79
Probation/Parole Admissions--Drug	58	36	25
Probation/Parole Admissions--DWI	2	4	5
Prison Admissions--Total	45	47	40
Prison Admissions--Drug	21	18	16
Prison Admissions--DWI	0	1	2

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	18	19	18
Alcohol Package Carry-out Licenses	22	23	22

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# WAYNE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	6	10	16
CSTAR Adolescent	*	6	0
CSTAR Women and Children	*	*	*
CSTAR General Adult	84	36	21
CSTAR Opioid	0	*	0
Primary Recovery Treatment	38	77	93
Clinical SATOP (CIP, YCIP, SROP)	14	16	17
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	49	65	45
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	16	22	13
- Weekend Intervention Program	9	12	5
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	23	18	9
Early Intervention	0	0	5

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	129	137	142	Alcohol	40	48	61
AGE				Marijuana / Hashish	36	43	44
Under 18	*	7	*	Cocaine (total)	0	*	0
18 to 24	14	28	29	- Crack	0	*	0
25 to 29	25	24	21	Stimulant (total)	36	19	22
30 to 34	27	25	29	- Methamphetamine	35	19	20
35 to 39	14	13	14	Heroin	5	*	5
40 to 44	13	16	12	Analgesic except Heroin	7	16	8
45 to 54	20	18	25	- Non-Prescription Methadone	0	0	0
55 and Over	12	6	11	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	5	*	*
Male	89	93	107	Inhalant	0	0	0
Female	40	44	35	Sedative	0	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	126	136	139	Average Age at First Use of Drug	18.1	16.9	16.4
African American	*	0	*	INJECTION DRUG USE			
Native American / Alaskan	*	0	*	Any Injection Use at Admission	15	14	8
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	*	*	0	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	10	9	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	47	70	63	0	63	70	75
High School Graduate or G.E.D.	64	47	64	1 or 2	46	47	44
Associate Degree or Some College	18	20	14	3 or More	20	20	23
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	22	17	30
Employed	28	40	45	School	0	0	0
Unemployed	66	58	72	Mental Health Provider	*	*	*
Not in Labor Force	35	39	25	Health Care Provider	7	8	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	83	94	100
Independent Living	117	124	132	Other Referral Source	15	16	9
Dependent Living	8	12	8	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	0	6	*
MARITAL / FAMILY STATUS				Military Veteran	*	7	10
Never Married	54	56	45	Special Education Services Needed	25	25	21
Married / Cohabiting	44	47	48	Co-Occurring Psychological Problem	62	68	48
Previously Married	31	34	49	Co-Occurring Developmental Problem	21	11	10

# WAYNE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 19  
**CENSUS 2010** 13,521  
**2013 POPULATION ESTIMATE** 13,404

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	6	*	*
Anxiety Disorder	31	29	24
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	8	10	5
Mood Disorder	131	103	94
Personality Disorder	*	*	*
Psychotic Disorder	28	34	27
Sexual Disorder	0	0	0
Other Diagnosis	0	0	*
Diagnosis Unknown	15	17	15

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.


<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	203	181	158	Less than High School Diploma	60	48	26
<b>AGE</b>				High School Grad or G.E.D.	0	35	29
Under 6	0	0	0	Associate Degree or Some College	0	9	11
6 to 9	7	*	*	Bachelor or Advanced Degree	0	0	0
10 to 13	*	*	5	Education Level Unknown	143	89	92
14 to 17	8	9	5	<b>EMPLOYMENT</b>			
18 to 24	7	12	7	Employed	*	*	5
25 to 29	8	*	10	Unemployed	*	74	61
30 to 34	20	19	10	Not in Labor Force	119	31	0
35 to 39	17	9	12	Employment Status Unknown	81	75	92
40 to 44	15	18	15	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	32	30	23	Independent Living	105	93	58
50 to 54	29	25	23	Dependent Living	18	14	13
55 to 59	28	27	25	Homeless	0	0	0
60 and Over	28	23	22	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	80	73	86
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	86	87	71	Self / Family / Friend	73	69	61
Female	117	94	87	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	29	27	31
<b>RACE / ETHNICITY</b>				Health Care Provider	42	29	20
Caucasian	195	175	154	Court / Criminal Justice	23	26	19
African American	*	*	*	Other	32	26	23
Native American / Alaskan	0	0	0	Referral Source Unknown	0	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	200	176	154
Other Race	*	*	*	Civil	0	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	12	11	10	Commitment Type Unknown	0	0	*
Past or Current Military Service	6	8	7				

# WAYNE COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol		49.7	49.1	Alcohol (1 or 2 drinks daily)			
Cigarettes		39.4	33.6	Alcohol (Binge: 5+ drinks once or twice a week)			
Chewing Tobacco		28.9	23.3	Alcohol (any use)		70.6	74.1
Marijuana		23.9	14.4	Cigarettes (1+ packs per day)			
Inhalants		7.8	7.4	Cigarettes (any use)		72.6	74.9
Prescription medications not prescribed for student		13.9	12.1	Marijuana (once or twice a week)			
Over-the-counter medications for non-medical use		7.2	7.0	Marijuana (any use)		62.6	71.4
Methamphetamine		3.4	1.3	Other: Cocaine, LSD, Meth, Club Drug (any use)		92.1	92.7
Cocaine		4.5	0.9				
Heroin		2.3	0.4	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens		7.2	3.0	Were very sad		19.4	16.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		4.5	1.3	Were grouchy, irritable, or in a bad mood		31.3	25.3
Steroids not prescribed for student		4.5	2.2	Felt hopeless about the future		10.7	7.3
Synthetic drugs (K2, bath salts, Spice, etc)		9.4		Felt like not eating or eating more than usual		21.5	21.9
				Slept a lot more or a lot less than usual		21.8	33.8
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work		29.5	35.3
Alcohol		11.99	12.48	<i>Percent of students who, in past 12 months:</i>			
Cigarettes		11.88	11.60	Seriously considered attempting suicide		15.6	9.4
Marijuana		12.18	13.42	Made plan about how they would attempt suicide		9.8	7.7
Inhalants		11.01	11.95	Attempted suicide		6.1	5.1
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse		2.2	2.6
Alcohol		18.3	21.5	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		11.1	15.3	Were threatened/injured with weapon at school		10.6	12.0
Cigarettes		22.5	16.5	Were in a physical fight		31.3	29.9
Chewing Tobacco		14.4	12.5	Were in a fight and had to be treated by a doctor or nurse		3.9	3.9
Marijuana		11.7	7.4	<i>Percent of students who, in past 3 months:</i>			
Inhalants		2.2	1.3	Were victims of mean rumors or lies spread at school		56.7	62.2
Prescription medications not prescribed for student		8.3	8.6	Were made fun of by others		58.1	65.0
Over-the-counter medications for non-medical use		4.4	3.0	Were victims of an embarrassing or hurtful text message or something posted on the internet		21.5	17.0
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school		31.1	27.5
Alcohol (Binge: 5+ drinks on one occasion)				Made fun of other people		59.4	63.7
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student		19.1	17.3
Alcohol		58.7	63.6	<i>Percent of students who agree that:</i>			
Cigarettes		58.1	56.4	Teachers notice and comment on student's good work		62.0	73.8
Marijuana		46.6	32.8	School provides feedback to parents on positive student performance		41.7	46.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		19.0	17.3	Rules are enforced fairly		58.9	65.9
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal		75.4	75.8
Alcohol		44.4	33.3	<i>Percent of students who agree that:</i>			
Cigarettes		27.9	18.1	Parents notice and comment on student's good work		77.1	86.6
Marijuana		18.5	8.7	Parents involve student in making family decisions		65.4	74.8
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences		81.9	87.6
Alcohol		49.7	54.5	Student could ask parent for help with a personal problem		66.1	82.4
Cigarettes		65.6	67.7	<div>Page Notes:</div> <div>Similar affirmative response choices for individual questions are combined.</div> <div>Blank data cells indicate estimates are not available for item or geographic area.</div> <div>Survey is not conducted in every school district nor reported for every county.</div> <div>Estimates are not available for counties with small numbers of respondents.</div> <div>Percentages are estimates based on weighted data.</div> <div>Some year-to-year differences in percentages are not statistically significant.</div>			
Marijuana		72.9	80.3				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		92.1	94.4				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol		71.5	76.4				
Cigarettes		85.5	87.5				
Marijuana		86.0	92.2				
<i>Percent who say it would be easy to obtain:</i>				Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Alcohol		60.0	55.0				
Cigarettes		58.3	59.1				
Marijuana		44.9	31.9				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		23.0	16.2				

# WEBSTER COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	10
Adult Psychiatric	10
<b>POPULATION</b>	
Census 2010	36,202
2013 Estimate	36,466

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	527	463	525
Mother Reported Smoking while Pregnant	77	57	88

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	2	2
Hepatitis B Chronic, Acute, Prenatal	1	3	2
Hepatitis C Chronic and Acute	1	18	26
Tuberculosis Infection Cases	1	3	6

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	302	263	306
Suicides	7	9	9
Self-inflicted Injuries	59	28	48
Homicides	3	0	0
Assault Injuries	89	84	73
Alcohol Induced Deaths	0	3	3
Drug Induced Deaths	4	4	6
Smoking Attributable Deaths	57	48	57

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	124	132
Alcohol Primary Diagnosis	2	12	5
Drug Primary Diagnosis	2	18	9
Alcohol Related Diagnosis	32	29	48
Drug Related Diagnosis	63	44	93
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	167	121
Alcohol Primary Diagnosis	2	36	31
Drug Primary Diagnosis	2	37	31
Alcohol Related Diagnosis	118	107	80
Drug Related Diagnosis	136	112	70
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	243	214
Alcohol Primary Diagnosis	2	44	40
Drug Primary Diagnosis	2	74	49
Alcohol Related Diagnosis	83	83	80
Drug Related Diagnosis	182	109	123

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	34	38	39
Fatal Crashes	2	3	3
Injury Crashes	10	15	14
Property Damage Crashes	22	20	22
Crash Fatalities	2	3	3
Crash Injuries	12	28	25
Drug Involved Crashes--Total	8	7	9
Fatal Crashes	0	0	0
Injury Crashes	2	1	3
Property Damage Crashes	6	6	6
Crash Fatalities	0	0	0
Crash Injuries	2	3	3

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	16,283	16,548	16,724
Employed	15,237	15,408	15,327
Unemployed	1,046	1,140	1,397
Unemployment Rate	6.4%	6.9%	8.4%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	1,373	1,388	1,449
Drop-outs	26	12	30
Drop-out Rate	1.9%	0.9%	2.1%
School Suspensions:			
Alcohol Incidents	1	7	1
Drug Incidents	13	13	14
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	153	105	126
Liquor Law Arrests	69	52	56
Drug Arrests	231	175	151
Methamphetamine Lab Incidents	15	17	4
Violent Offenses	64	38	38
Property Offenses	766	665	608
Domestic Violence Reports	159	134	146

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	167	135	209
Violent Offenses	60	40	61
Alcohol Offenses	13	5	14
Drug Offenses	12	13	22
Status Offenses--Total	137	140	69
Truancy	19	15	19
Beyond Parental Control	97	89	32
Habitually Absent from Home	16	23	14
Injurious Behavior	5	11	3
Abuse/Neglect/Custody--Total	133	140	56
Abuse	47	48	26
Neglect	86	91	30
Custody Disputes	0	1	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	35	18	26
Parental Alcohol Use Related	3	0	0
Parental Drug Use Related	14	0	6
Parental Alcohol and Drug Use	3	1	0
Child Removed for Other Reason	15	17	20

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	16	21	18
Probation/Parole Admissions--Total	183	177	134
Probation/Parole Admissions--Drug	54	60	29
Probation/Parole Admissions--DWI	9	9	7
Prison Admissions--Total	99	101	102
Prison Admissions--Drug	33	28	30
Prison Admissions--DWI	3	3	4

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	8	8	9
Alcohol Package Carry-out Licenses	28	30	29

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# WEBSTER COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	22	21	15
CSTAR Adolescent	*	10	19
CSTAR Women and Children	18	7	8
CSTAR General Adult	59	48	39
CSTAR Opioid	0	0	0
Primary Recovery Treatment	21	39	45
Clinical SATOP (CIP, YCIP, SROP)	22	12	8
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	90	108	76
- Adolescent Diversion Education Program	*	5	5
- Offender Education Program	32	33	25
- Weekend Intervention Program	19	25	23
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	8	*
Compulsive Gambling	0	0	0
Recovery Supports	12	15	7
Early Intervention	*	*	*


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	133	117	115	Alcohol	55	49	39
AGE				Marijuana / Hashish	13	26	32
Under 18	*	10	19	Cocaine (total)	*	0	*
18 to 24	29	24	19	- Crack	*	0	*
25 to 29	20	18	21	Stimulant (total)	37	26	23
30 to 34	21	17	23	- Methamphetamine	36	26	23
35 to 39	12	15	13	Heroin	*	5	*
40 to 44	22	10	9	Analgesic except Heroin	17	6	17
45 to 54	15	17	7	- Non-Prescription Methadone	0	*	*
55 and Over	10	6	*	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	*	*	*
Male	86	84	78	Inhalant	0	*	0
Female	47	33	37	Sedative	0	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	0
Caucasian	128	111	113	Average Age at First Use of Drug	19.3	17.2	16.2
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	33	28	19
Asian / Pacific Islander	0	*	0	- Daily Injection Use	10	9	*
Hispanic	0	*	0	- Weekly Injection Use	*	7	*
Other Race / Two or More Races	*	*	0	- Less than Weekly Injection Use	19	12	12
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	55	49	55	0	65	59	67
High School Graduate or G.E.D.	55	48	45	1 or 2	42	37	30
Associate Degree or Some College	21	20	11	3 or More	26	21	18
Bachelor or Advanced Degree	*	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	50	37	29
Employed	37	26	21	School	0	0	0
Unemployed	46	53	45	Mental Health Provider	*	*	*
Not in Labor Force	50	38	49	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	62	68	73
Independent Living	110	97	83	Other Referral Source	13	8	8
Dependent Living	14	17	26	TREATMENT ACCOMMODATION			
Homeless	8	*	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	5	5	*
Never Married	52	51	53	Special Education Services Needed	9	13	10
Married / Cohabiting	39	41	32	Co-Occurring Psychological Problem	44	36	34
Previously Married	42	25	30	Co-Occurring Developmental Problem	7	*	*



# WEBSTER COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 10  
**CENSUS 2010** 36,202  
**2013 POPULATION ESTIMATE** 36,466

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	10	10	16
Anxiety Disorder	91	88	91
Dementia	*	*	*
Developmental Disorder	15	15	17
Impulse Control Disorder	32	38	49
Mood Disorder	128	140	168
Personality Disorder	23	25	24
Psychotic Disorder	43	44	39
Sexual Disorder	0	0	0
Other Diagnosis	42	50	42
Diagnosis Unknown	9	38	56

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	201	251	303	Less than High School Diploma	33	51	30
<b>AGE</b>				High School Grad or G.E.D.	0	46	24
Under 6	14	10	20	Associate Degree or Some College	0	15	10
6 to 9	14	21	23	Bachelor or Advanced Degree	0	*	*
10 to 13	21	23	33	Education Level Unknown	168	138	235
14 to 17	20	41	41	<b>EMPLOYMENT</b>			
18 to 24	16	19	22	Employed	*	8	7
25 to 29	6	9	15	Unemployed	*	79	53
30 to 34	16	16	15	Not in Labor Force	48	35	8
35 to 39	15	15	21	Employment Status Unknown	149	129	235
40 to 44	16	20	20	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	17	27	29	Independent Living	25	102	66
50 to 54	18	25	25	Dependent Living	25	30	51
55 to 59	16	15	25	Homeless	0	0	0
60 and Over	12	10	14	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	151	119	184
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	92	122	140	Self / Family / Friend	109	164	218
Female	109	129	163	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	9	7	5
<b>RACE / ETHNICITY</b>				Health Care Provider	20	22	24
Caucasian	192	230	288	Court / Criminal Justice	15	14	8
African American	*	*	*	Other	46	41	40
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	6
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	*	*	Voluntary	198	245	292
Other Race	8	17	13	Civil	*	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	5	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	6	13	14	Commitment Type Unknown	*	*	6
Past or Current Military Service	5	6	5				




# WEBSTER COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	34.3	38.2	45.6	Alcohol (1 or 2 drinks daily)	64.1		
Cigarettes	24.6	24.4	30.0	Alcohol (Binge: 5+ drinks once or twice a week)	78.5		
Chewing Tobacco	18.5	20.9	22.8	Alcohol (any use)		70.1	80.1
Marijuana	21.1	15.8	13.9	Cigarettes (1+ packs per day)	85.6		
Inhalants	4.8	9.1	7.9	Cigarettes (any use)		84.4	77.8
Prescription medications not prescribed for student	9.5	11.2	14.5	Marijuana (once or twice a week)	71.7		
Over-the-counter medications for non-medical use	3.7	4.8	10.5	Marijuana (any use)		68.4	76.9
Methamphetamine	1.1	0.0	0.7	Other: Cocaine, LSD, Meth, Club Drug (any use)	93.0	93.2	94.0
Cocaine	1.1	0.0	1.3	<i>Percent of students who, in past 30 days:</i>			
Heroin	1.1	0.0	0.3	Were very sad	23.0	20.9	21.0
Hallucinogens	3.9	1.5	3.7	Were grouchy, irritable, or in a bad mood	29.9	25.9	28.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.8	0.9	2.1	Felt hopeless about the future	13.3	11.2	14.8
Steroids not prescribed for student	0.0	0.9	1.1	Felt like not eating or eating more than usual	19.1	18.6	19.1
Synthetic drugs (K2, bath salts, Spice, etc)	6.4	8.0		Slept a lot more or a lot less than usual	19.6	21.8	28.2
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	22.8	26.2	29.3
Alcohol	13.21	12.53	12.48	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	13.06	11.54	12.08	Seriously considered attempting suicide	12.0	14.5	14.8
Marijuana	14.38	12.13	13.27	Made plan about how they would attempt suicide	8.5	9.9	10.4
Inhalants	13.60	12.74	11.94	Attempted suicide	5.2	7.3	6.0
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	3.7	1.7	2.7
Alcohol	15.2	14.7	19.1	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		7.5	11.4	Were threatened/injured with weapon at school	4.4	8.5	9.2
Cigarettes	8.5	10.1	14.7	Were in a physical fight	23.9	23.8	22.4
Chewing Tobacco	7.2	9.1	13.2	Were in a fight and had to be treated by a doctor or nurse	2.0	4.4	2.9
Marijuana	9.1	6.9	7.0	<i>Percent of students who, in past 3 months:</i>			
Inhalants	2.6	4.2	3.1	Were victims of mean rumors or lies spread at school	52.4	56.5	54.9
Prescription medications not prescribed for student	2.9	3.7	8.7	Were made fun of by others	56.7	68.7	68.5
Over-the-counter medications for non-medical use	1.7	1.5	6.4	Were victims of an embarrassing or hurtful text message or something posted on the internet	17.8	21.4	18.9
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	29.1	35.7	31.6
Alcohol (Binge: 5+ drinks on one occasion)	9.6			Made fun of other people	60.9	69.3	71.9
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	14.8	13.6	13.9
Alcohol	44.1	56.5	61.8	<i>Percent of students who agree that:</i>			
Cigarettes	35.7	51.0	51.7	Teachers notice and comment on student's good work	70.6	78.2	68.3
Marijuana	29.2	32.4	37.7	School provides feedback to parents on positive student performance	36.7	34.9	34.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.3	14.5	19.8	Rules are enforced fairly	65.2	64.9	61.8
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	70.7	83.6	74.1
Alcohol	24.6	28.8	33.3	<i>Percent of students who agree that:</i>			
Cigarettes	12.1	11.0	16.5	Parents notice and comment on student's good work	75.2	82.9	82.1
Marijuana	16.7	12.3	10.9	Parents involve student in making family decisions	66.5	63.7	69.8
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	87.4	80.7	82.4
Alcohol	60.8	63.0	59.3	Student could ask parent for help with a personal problem	82.3	65.3	75.7
Cigarettes	77.2	81.4	76.6	<div>Page Notes: Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</div>			
Marijuana	77.1	84.6	85.5				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.7	99.2	94.7				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	83.3	84.5	78.6				
Cigarettes	92.2	94.7	88.7				
Marijuana	93.9	92.6	93.9	<div>Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys</div>			
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	48.5	49.5	60.6				
Cigarettes	50.0	47.1	62.6				
Marijuana	36.8	25.1	40.1				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.8	10.7	23.7				

# WORTH COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	1
Adult Psychiatric	1
<b>POPULATION</b>	
Census 2010	2,171
2013 Estimate	2,090

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	30	22	20
Mother Reported Smoking while Pregnant	9	5	3

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	1	0	0
Tuberculosis Infection Cases	1	0	0

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	24	32	34
Suicides	1	2	1
Self-inflicted Injuries	3	0	4
Homicides	0	0	0
Assault Injuries	2	1	6
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	0	0	0
Smoking Attributable Deaths	2	8	7

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	19	21
Alcohol Primary Diagnosis	2	0	1
Drug Primary Diagnosis	2	1	0
Alcohol Related Diagnosis	1	3	2
Drug Related Diagnosis	3	3	6
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	4	0
Alcohol Primary Diagnosis	2	1	1
Drug Primary Diagnosis	2	2	0
Alcohol Related Diagnosis	9	3	2
Drug Related Diagnosis	5	1	0
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	15	21
Alcohol Primary Diagnosis	2	1	1
Drug Primary Diagnosis	2	3	0
Alcohol Related Diagnosis	3	3	5
Drug Related Diagnosis	6	5	0

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	1	2	0
Fatal Crashes	0	0	0
Injury Crashes	1	2	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	2	4	0
Drug Involved Crashes--Total	0	2	0
Fatal Crashes	0	0	0
Injury Crashes	0	1	0
Property Damage Crashes	0	1	0
Crash Fatalities	0	0	0
Crash Injuries	0	1	0

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	1,229	1,128	1,183
Employed	1,178	1,075	1,110
Unemployed	51	53	73
Unemployment Rate	4.1%	4.7%	6.2%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	96	100	111
Drop-outs	0	0	1
Drop-out Rate	0.0%	0.0%	0.9%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	0	0	0
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	7	10	6
Liquor Law Arrests	0	1	0
Drug Arrests	4	0	0
Methamphetamine Lab Incidents	0	0	0
Violent Offenses	2	2	8
Property Offenses	40	38	30
Domestic Violence Reports	11	8	4

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	12	4	14
Violent Offenses	0	0	0
Alcohol Offenses	0	0	2
Drug Offenses	0	1	0
Status Offenses--Total	8	8	13
Truancy	2	0	2
Beyond Parental Control	2	5	8
Habitually Absent from Home	0	0	0
Injurious Behavior	3	3	3
Abuse/Neglect/Custody--Total	4	14	10
Abuse	0	0	0
Neglect	4	14	10
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	1	6	4
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	0	1
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	1	6	3

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	1	1	2
Probation/Parole Admissions--Total	7	7	6
Probation/Parole Admissions--Drug	0	1	0
Probation/Parole Admissions--DWI	0	0	1
Prison Admissions--Total	3	3	5
Prison Admissions--Drug	0	0	1
Prison Admissions--DWI	0	1	0

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	2	2	2
Alcohol Package Carry-out Licenses	4	4	4

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# WORTH COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	0	0	0
CSTAR Adolescent	0	0	0
CSTAR Women and Children	0	0	0
CSTAR General Adult	*	*	0
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	*	0	*
Other Substance Abuse Treatment	*	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	6	8	*
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	*	*	*
- Weekend Intervention Program	*	*	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	*	5	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	*	*	5	Alcohol	*	*	*
AGE				Marijuana / Hashish	*	*	*
Under 18	0	0	*	Cocaine (total)	0	0	0
18 to 24	*	0	*	- Crack	0	0	0
25 to 29	0	0	0	Stimulant (total)	0	0	0
30 to 34	0	*	*	- Methamphetamine	0	0	0
35 to 39	*	0	0	Heroin	0	0	0
40 to 44	*	0	*	Analgesic except Heroin	0	0	0
45 to 54	0	*	0	- Non-Prescription Methadone	0	0	0
55 and Over	0	0	0	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	*	*	5	Inhalant	0	0	0
Female	0	*	0	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	*	*	5	Average Age at First Use of Drug	15.7	14.8	15.2
African American	*	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	0	0	0
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	0
Hispanic	0	0	0	- Weekly Injection Use	0	0	0
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	0	0	0
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	0	0	*	0	*	*	*
High School Graduate or G.E.D.	*	*	*	1 or 2	0	*	*
Associate Degree or Some College	0	*	0	3 or More	*	*	*
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	0	*	0
Employed	*	*	*	School	0	0	*
Unemployed	*	0	0	Mental Health Provider	0	0	0
Not in Labor Force	0	*	*	Health Care Provider	0	0	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	*	*	*
Independent Living	*	*	*	Other Referral Source	0	*	*
Dependent Living	0	0	*	TREATMENT ACCOMMODATION			
Homeless	0	0	0	Pregnant when Admitted to any Episode	NULL	0	0
MARITAL / FAMILY STATUS				Military Veteran	0	*	0
Never Married	*	0	*	Special Education Services Needed	0	0	0
Married / Cohabiting	0	*	*	Co-Occurring Psychological Problem	0	*	*
Previously Married	*	*	0	Co-Occurring Developmental Problem	0	0	0

# WORTH COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 1  
**CENSUS 2010** 2,171  
**2013 POPULATION ESTIMATE** 2,090

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	0	*	*
Anxiety Disorder	7	7	7
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	7	10	7
Mood Disorder	10	10	10
Personality Disorder	*	*	*
Psychotic Disorder	0	0	*
Sexual Disorder	0	0	0
Other Diagnosis	5	5	*
Diagnosis Unknown	*	0	7

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	17	19	23	Less than High School Diploma	8	*	0
<b>AGE</b>				High School Grad or G.E.D.	0	*	*
Under 6	0	*	0	Associate Degree or Some College	0	*	0
6 to 9	*	5	6	Bachelor or Advanced Degree	0	0	0
10 to 13	*	*	*	Education Level Unknown	9	13	19
14 to 17	*	*	5	<b>EMPLOYMENT</b>			
18 to 24	*	*	*	Employed	*	0	0
25 to 29	*	*	0	Unemployed	0	6	*
30 to 34	0	0	0	Not in Labor Force	12	0	0
35 to 39	0	0	*	Employment Status Unknown	*	13	19
40 to 44	*	*	*	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	*	*	*	Independent Living	6	6	*
50 to 54	*	*	*	Dependent Living	8	5	*
55 to 59	*	*	*	Homeless	0	0	0
60 and Over	*	0	*	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	*	7	15
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	*	6	10	Self / Family / Friend	*	*	*
Female	14	13	13	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	5	*	5
<b>RACE / ETHNICITY</b>				Health Care Provider	*	*	*
Caucasian	17	19	22	Court / Criminal Justice	*	*	*
African American	0	0	0	Other	*	6	8
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	0	0	Voluntary	17	19	22
Other Race	0	0	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	*
Past or Current Military Service	0	0	0				

## MISSOURI STUDENT SURVEY

2014 2012 2010

### Percent of students who have ever used:

Alcohol  
Cigarettes  
Chewing Tobacco  
Marijuana  
Inhalants  
Prescription medications not prescribed for student  
Over-the-counter medications for non-medical use  
Methamphetamine  
Cocaine  
Heroin  
Hallucinogens  
Club drugs (Ecstasy, GHB, roofie, Special K, etc)  
Steroids not prescribed for student  
Synthetic drugs (K2, bath salts, Spice, etc)

### Average age of students' first use of:

Alcohol  
Cigarettes  
Marijuana  
Inhalants

### Percent of students who, in past 30 days, used:

Alcohol  
Alcohol (Binge: 5+ drinks on one occasion)  
Cigarettes  
Chewing Tobacco  
Marijuana  
Inhalants  
Prescription medications not prescribed for student  
Over-the-counter medications for non-medical use

### Percent of students who, in past 2 weeks, used:

Alcohol (Binge: 5+ drinks on one occasion)

### Percent whose friends used in past 12 months:

Alcohol  
Cigarettes  
Marijuana  
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

### Percent who would likely use, if offered by a best friend:

Alcohol  
Cigarettes  
Marijuana

### Percent who say it would be wrong to use:

Alcohol  
Cigarettes  
Marijuana  
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

### Percent whose parents would disapprove if they use:

Alcohol  
Cigarettes  
Marijuana

### Percent who say it would be easy to obtain:

Alcohol  
Cigarettes  
Marijuana  
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

2014 2012 2010

### Percent who believe they risk harm if they use:

Alcohol (1 or 2 drinks daily)  
Alcohol (Binge: 5+ drinks once or twice a week)  
Alcohol (any use)  
Cigarettes (1+ packs per day)  
Cigarettes (any use)  
Marijuana (once or twice a week)  
Marijuana (any use)  
Other: Cocaine, LSD, Meth, Club Drug (any use)

### Percent of students who, in past 30 days:

Were very sad  
Were grouchy, irritable, or in a bad mood  
Felt hopeless about the future  
Felt like not eating or eating more than usual  
Slept a lot more or a lot less than usual  
Had difficulty concentrating on school work

### Percent of students who, in past 12 months:

Seriously considered attempting suicide  
Made plan about how they would attempt suicide  
Attempted suicide  
Attempted suicide and resulting injury, poisoning, or overdose  
had to be treated by doctor or nurse

### Percent of students who, in past 12 months:

Were threatened/injured with weapon at school  
Were in a physical fight  
Were in a fight and had to be treated by a doctor or nurse

### Percent of students who, in past 3 months:

Were victims of mean rumors or lies spread at school  
Were made fun of by others  
Were victims of an embarrassing or hurtful text message or something posted on the Internet  
Spread mean rumors or lies about other kids at school  
Made fun of other people  
Posted something on the internet or sent a text that might embarrass or hurt another student

### Percent of students who agree that:

Teachers notice and comment on student's good work  
School provides feedback to parents on positive student performance  
Rules are enforced fairly  
Students of all races/ethnicities are treated equal

### Percent of students who agree that:

Parents notice and comment on student's good work  
Parents involve student in making family decisions  
It is important to be honest with parents regardless of consequences  
Student could ask parent for help with a personal problem


#### Page Notes:

Similar affirmative response choices for individual questions are combined.  
Blank data cells indicate estimates are not available for item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Estimates are not available for counties with small numbers of respondents.  
Percentages are estimates based on weighted data.  
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys



# WRIGHT COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	18
Adult Psychiatric	18
<b>POPULATION</b>	
Census 2010	18,815
2013 Estimate	18,473

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	228	240	231
Mother Reported Smoking while Pregnant	71	68	67

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	1
Hepatitis B Chronic, Acute, Prenatal	1	2	1
Hepatitis C Chronic and Acute	1	25	14
Tuberculosis Infection Cases	1	0	1

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	225	229	216
Suicides	4	3	2
Self-inflicted Injuries	33	36	29
Homicides	2	2	1
Assault Injuries	36	46	29
Alcohol Induced Deaths	3	2	2
Drug Induced Deaths	2	3	4
Smoking Attributable Deaths	48	45	39

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	191	176
Alcohol Primary Diagnosis	2	23	10
Drug Primary Diagnosis	2	21	12
Alcohol Related Diagnosis		54	42
Drug Related Diagnosis		78	70
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	45	52
Alcohol Primary Diagnosis	2	15	13
Drug Primary Diagnosis	2	14	5
Alcohol Related Diagnosis		75	56
Drug Related Diagnosis		71	33
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	147	136
Alcohol Primary Diagnosis	2	35	13
Drug Primary Diagnosis	2	41	29
Alcohol Related Diagnosis		88	44
Drug Related Diagnosis		92	59

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	19	15	14
Fatal Crashes	2	0	0
Injury Crashes	2	11	7
Property Damage Crashes	15	4	7
Crash Fatalities	2	0	0
Crash Injuries	4	15	8
Drug Involved Crashes--Total	4	3	0
Fatal Crashes	0	0	0
Injury Crashes	3	1	0
Property Damage Crashes	1	2	0
Crash Fatalities	0	0	0
Crash Injuries	3	1	0

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	8,237	8,534	8,189
Employed	7,651	7,924	7,445
Unemployed	586	610	744
Unemployment Rate	7.1%	7.1%	9.1%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	960	962	977
Drop-outs	11	12	6
Drop-out Rate	1.1%	1.2%	0.6%
School Suspensions:			
Alcohol Incidents	11	0	2
Drug Incidents	5	4	12
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	98	76	67
Liquor Law Arrests	25	23	14
Drug Arrests	188	162	144
Methamphetamine Lab Incidents	7	19	9
Violent Offenses	53	40	37
Property Offenses	397	381	309
Domestic Violence Reports	4	4	8

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	76	83	71
Violent Offenses	20	22	27
Alcohol Offenses	4	2	1
Drug Offenses	10	10	5
Status Offenses--Total	27	40	49
Truancy	8	2	13
Beyond Parental Control	16	33	35
Habitually Absent from Home	2	3	1
Injurious Behavior	1	2	0
Abuse/Neglect/Custody--Total	63	46	33
Abuse	0	4	2
Neglect	32	31	25
Custody Disputes	31	11	6

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	37	42	30
Parental Alcohol Use Related	3	0	3
Parental Drug Use Related	6	12	11
Parental Alcohol and Drug Use	8	0	0
Child Removed for Other Reason	20	30	16

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	59	59	46
Probation/Parole Admissions--Total	152	151	166
Probation/Parole Admissions--Drug	64	66	52
Probation/Parole Admissions--DWI	12	7	11
Prison Admissions--Total	79	70	81
Prison Admissions--Drug	27	24	26
Prison Admissions--DWI	1	3	4

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	8	10	10
Alcohol Package Carry-out Licenses	15	14	14

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# WRIGHT COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	21	24	15
CSTAR Adolescent	*	8	7
CSTAR Women and Children	7	5	*
CSTAR General Adult	45	19	13
CSTAR Opioid	*	*	0
Primary Recovery Treatment	24	63	43
Clinical SATOP (CIP, YCIP, SROP)	21	17	7
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	75	79	53
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	19	29	14
- Weekend Intervention Program	14	16	16
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	0	0
Early Intervention	0	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	111	115	76	Alcohol	36	38	28
AGE				Marijuana / Hashish	17	22	16
Under 18	*	7	7	Cocaine (total)	*	0	0
18 to 24	16	25	13	- Crack	*	0	0
25 to 29	19	26	22	Stimulant (total)	33	32	9
30 to 34	28	22	7	- Methamphetamine	32	31	9
35 to 39	12	8	8	Heroin	5	*	*
40 to 44	6	10	5	Analgesic except Heroin	17	17	16
45 to 54	17	12	12	- Non-Prescription Methadone	0	0	0
55 and Over	9	5	*	PCP, LSD, other Hallucinogen	0	*	0
GENDER				Tranquilizer	*	*	*
Male	70	71	55	Inhalant	0	*	0
Female	41	44	21	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	109	110	74	Average Age at First Use of Drug	17.7	17.3	17.0
African American	*	*	0	INJECTION DRUG USE			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	38	31	14
Asian / Pacific Islander	0	0	0	- Daily Injection Use	11	9	*
Hispanic	*	*	*	- Weekly Injection Use	13	11	5
Other Race / Two or More Races	0	*	*	- Less than Weekly Injection Use	14	11	6
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	47	49	32	0	60	59	47
High School Graduate or G.E.D.	50	54	34	1 or 2	32	36	19
Associate Degree or Some College	13	12	8	3 or More	19	20	10
Bachelor or Advanced Degree	*	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	51	34	19
Employed	9	15	12	School	0	0	0
Unemployed	44	60	39	Mental Health Provider	0	*	*
Not in Labor Force	58	40	25	Health Care Provider	5	*	5
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	33	64	49
Independent Living	96	100	62	Other Referral Source	21	13	*
Dependent Living	9	9	11	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	*	0
MARITAL / FAMILY STATUS				Military Veteran	9	*	*
Never Married	35	49	34	Special Education Services Needed	6	9	7
Married / Cohabiting	46	42	23	Co-Occurring Psychological Problem	41	31	23
Previously Married	30	24	19	Co-Occurring Developmental Problem	*	*	0

# WRIGHT COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 18  
**CENSUS 2010** 18,815  
**2013 POPULATION ESTIMATE** 18,473

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	12	5	6
Anxiety Disorder	156	104	70
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	35	25	13
Mood Disorder	247	180	118
Personality Disorder	18	11	9
Psychotic Disorder	28	24	18
Sexual Disorder	0	0	0
Other Diagnosis	9	6	8
Diagnosis Unknown	20	35	53

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.


<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	340	251	204	Less than High School Diploma	96	35	24
<b>AGE</b>				High School Grad or G.E.D.	0	41	46
Under 6	0	0	0	Associate Degree or Some College	0	11	12
6 to 9	16	6	*	Bachelor or Advanced Degree	0	*	*
10 to 13	9	11	9	Education Level Unknown	244	162	119
14 to 17	15	14	11	<b>EMPLOYMENT</b>			
18 to 24	41	22	26	Employed	36	11	*
25 to 29	34	27	25	Unemployed	45	77	78
30 to 34	39	26	15	Not in Labor Force	201	25	*
35 to 39	26	29	19	Employment Status Unknown	58	138	119
40 to 44	39	29	23	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	35	32	33	Independent Living	179	90	83
50 to 54	43	32	21	Dependent Living	46	23	15
55 to 59	27	16	11	Homeless	10	*	*
60 and Over	16	7	9	Other	0	*	0
Age Unknown	0	0	0	Housing Unknown	105	135	105
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	141	107	89	Self / Family / Friend	155	108	84
Female	199	144	115	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	13	12	18
<b>RACE / ETHNICITY</b>				Health Care Provider	127	108	78
Caucasian	326	244	199	Court / Criminal Justice	24	13	10
African American	*	*	*	Other	21	10	13
Native American / Alaskan	*	*	0	Referral Source Unknown	0	0	*
Asian / Pacific Islander	*	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	6	*	*	Voluntary	337	250	201
Other Race	*	*	*	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	6	6	5	Commitment Type Unknown	0	0	*
Past or Current Military Service	7	5	8				

# WRIGHT COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	32.1	30.4	47.7	Alcohol (1 or 2 drinks daily)	52.9		
Cigarettes	23.6	22.3	34.4	Alcohol (Binge: 5+ drinks once or twice a week)	72.2		
Chewing Tobacco	21.2	21.0	30.0	Alcohol (any use)		75.1	77.9
Marijuana	10.6	8.0	10.4	Cigarettes (1+ packs per day)	85.0		
Inhalants	3.1	5.4	8.4	Cigarettes (any use)		78.3	80.5
Prescription medications not prescribed for student	8.8	8.0	15.0	Marijuana (once or twice a week)	73.7		
Over-the-counter medications for non-medical use	4.8	4.8	9.7	Marijuana (any use)		81.0	75.3
Methamphetamine	0.0	0.6	1.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.4	93.3	93.9
Cocaine	0.0	0.6	1.5	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.9	0.6	1.3	Were very sad	19.2	21.7	19.9
Hallucinogens	0.9	1.0	2.5	Were grouchy, irritable, or in a bad mood	25.2	24.6	25.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	1.3	1.8	Felt hopeless about the future	9.3	14.4	11.7
Steroids not prescribed for student	0.0	0.6	1.0	Felt like not eating or eating more than usual	14.1	15.7	18.7
Synthetic drugs (K2, bath salts, Spice, etc)	5.4	5.4		Slept a lot more or a lot less than usual	15.0	17.3	26.2
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	21.1	24.0	26.2
Alcohol	13.14	12.71	11.90	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.95	12.36	11.86	Seriously considered attempting suicide	8.8	12.2	12.3
Marijuana	14.02	13.63	12.75	Made plan about how they would attempt suicide	5.8	10.6	10.6
Inhalants	13.43	11.91	12.35	Attempted suicide	3.9	5.5	6.8
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.4	1.3	3.6
Alcohol	11.2	8.6	17.2	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		4.2	10.6	Were threatened/injured with weapon at school	6.6	5.7	11.9
Cigarettes	8.9	9.3	17.9	Were in a physical fight	21.6	20.2	28.6
Chewing Tobacco	9.3	10.9	17.6	Were in a fight and had to be treated by a doctor or nurse	2.2	1.9	4.5
Marijuana	3.1	2.6	3.8	<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.4	1.3	4.1	Were victims of mean rumors or lies spread at school	53.1	50.0	65.1
Prescription medications not prescribed for student	4.4	3.2	9.7	Were made fun of by others	58.8	58.8	71.1
Over-the-counter medications for non-medical use	2.2	3.2	5.1	Were victims of an embarrassing or hurtful text message or something posted on the internet	22.0	20.3	19.6
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	25.0	23.0	36.0
Alcohol (Binge: 5+ drinks on one occasion)	3.6			Made fun of other people	55.7	57.2	74.9
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	13.2	14.1	14.9
Alcohol	42.0	43.3	65.6	<i>Percent of students who agree that:</i>			
Cigarettes	36.0	37.8	51.0	Teachers notice and comment on student's good work	78.5	71.6	70.4
Marijuana	18.0	19.4	31.5	School provides feedback to parents on positive student performance	44.7	44.1	38.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.4	8.0	17.2	Rules are enforced fairly	67.1	65.5	64.0
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	80.7	82.3	82.0
Alcohol	23.2	21.7	35.5	<i>Percent of students who agree that:</i>			
Cigarettes	8.8	11.8	18.5	Parents notice and comment on student's good work	86.3	83.7	80.8
Marijuana	8.0	5.4	7.4	Parents involve student in making family decisions	69.2	71.1	67.0
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	90.8	88.1	86.4
Alcohol	69.0	71.2	55.9	Student could ask parent for help with a personal problem	79.6	78.2	75.5
Cigarettes	86.3	85.5	74.7	<div>Page Notes: Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</div>			
Marijuana	88.2	89.0	88.6				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.7	97.4	98.2				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	82.8	84.7	79.4				
Cigarettes	89.0	92.6	91.3				
Marijuana	94.7	96.1	96.7	Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	39.6	42.1	58.3				
Cigarettes	46.7	47.1	62.0				
Marijuana	22.9	20.8	28.9				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.9	10.0	15.1				

# SAINT LOUIS CITY



<b>DBH REGION</b>	Eastern
<b>DBH SERVICE AREAS</b>	
Substance Abuse	23-25 (SL)
Adult Psychiatric	24, 25
<b>POPULATION</b>	
Census 2010	319,294
2013 Estimate	318,416

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	4,696	4,957	4,843
Mother Reported Smoking while Pregnant	707	749	750

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	127	122	146
Hepatitis B Chronic, Acute, Prenatal	1 68	53	61
Hepatitis C Chronic and Acute	1 780	823	611
Tuberculosis Infection Cases	1 581	616	548

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	2,911	2,991	3,046
Suicides	31	43	40
Self-inflicted Injuries	458	483	457
Homicides	93	93	106
Assault Injuries	2,965	3,046	3,100
Alcohol Induced Deaths	44	33	36
Drug Induced Deaths	68	96	77
Smoking Attributable Deaths	461	468	492

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 2,449	3,098	
Alcohol Primary Diagnosis	2 143	252	
Drug Primary Diagnosis	2 422	509	
Alcohol Related Diagnosis	781	1,314	1,368
Drug Related Diagnosis	1,668	2,243	1,995
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 3,047	2,517	
Alcohol Primary Diagnosis	2 404	284	
Drug Primary Diagnosis	2 294	245	
Alcohol Related Diagnosis	2,552	1,971	1,933
Drug Related Diagnosis	3,419	2,748	2,117
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 4,594	4,377	
Alcohol Primary Diagnosis	2 1,845	1,573	
Drug Primary Diagnosis	2 1,052	1,252	
Alcohol Related Diagnosis	3,576	3,103	3,091
Drug Related Diagnosis	3,776	4,640	3,381

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	152	124	193
Fatal Crashes	2	5	7
Injury Crashes	55	55	63
Property Damage Crashes	95	64	123
Crash Fatalities	2	5	8
Crash Injuries	85	112	129
Drug Involved Crashes--Total	21	14	16
Fatal Crashes	0	1	3
Injury Crashes	10	10	7
Property Damage Crashes	11	3	6
Crash Fatalities	0	1	3
Crash Injuries	14	8	13

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	139,644	139,939	145,563
Employed	126,965	126,924	128,482
Unemployed	12,679	13,015	17,081
Unemployment Rate	9.1%	9.3%	11.7%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	8,353	9,053	9,428
Drop-outs	1,050	1,646	1,871
Drop-out Rate	12.6%	18.2%	19.8%
School Suspensions:			
Alcohol Incidents	0	4	9
Drug Incidents	131	179	152
Tobacco Incidents	0	1	1

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	340	263	476
Liquor Law Arrests	715	537	307
Drug Arrests	3,940	4,167	3,046
Methamphetamine Lab Incidents	41	24	4
Violent Offenses	5,664	5,950	6,209
Property Offenses	22,231	25,861	27,612
Domestic Violence Reports	2,628	2,329	2,280

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	1,848	1,956	2,188
Violent Offenses	546	583	698
Alcohol Offenses	6	4	8
Drug Offenses	102	83	134
Status Offenses--Total	299	358	414
Truancy	169	216	278
Beyond Parental Control	78	83	50
Habitually Absent from Home	42	51	84
Injurious Behavior	10	6	2
Abuse/Neglect/Custody--Total	539	674	511
Abuse	50	63	68
Neglect	436	517	372
Custody Disputes	53	94	71

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	214	213	235
Parental Alcohol Use Related	3	2	8
Parental Drug Use Related	76	49	60
Parental Alcohol and Drug Use	3	0	1
Child Removed for Other Reason	132	162	166

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	527	564	640
Probation/Parole Admissions--Total	3,627	3,455	3,309
Probation/Parole Admissions--Drug	1,485	1,324	1,312
Probation/Parole Admissions--DWI	8	16	12
Prison Admissions--Total	1,725	1,762	1,618
Prison Admissions--Drug	609	594	585
Prison Admissions--DWI	4	4	5

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	783	772	766
Alcohol Package Carry-out Licenses	168	176	172

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# SAINT LOUIS CITY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	776	843	876
CSTAR Adolescent	152	137	193
CSTAR Women and Children	694	799	819
CSTAR General Adult	1,055	1,095	933
CSTAR Opioid	237	258	307
Primary Recovery Treatment	436	537	1,028
Clinical SATOP (CIP, YCIP, SROP)	181	153	124
Other Substance Abuse Treatment	452	517	498

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	528	534	511
- Adolescent Diversion Education Program	*	*	7
- Offender Education Program	152	192	172
- Weekend Intervention Program	80	89	105
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	297	378	453
Compulsive Gambling	5	7	9
Recovery Supports	17	11	225
Early Intervention	497	103	34

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011
Total Individuals	3,166	3,387	3,648
AGE			
Under 18	149	137	191
18 to 24	364	411	423
25 to 29	480	514	587
30 to 34	532	565	569
35 to 39	407	401	456
40 to 44	337	342	416
45 to 54	641	759	762
55 and Over	256	258	244

GENDER			
Male	2,032	2,145	2,467
Female	1,134	1,241	1,181

RACE / ETHNICITY			
Caucasian	916	942	929
African American	2,146	2,337	2,608
Native American / Alaskan	*	*	*
Asian / Pacific Islander	5	11	6
Hispanic	32	34	32
Other Race / Two or More Races	81	82	84

EDUCATION			
Less than High School Diploma	1,331	1,468	1,709
High School Graduate or G.E.D.	1,283	1,379	1,420
Associate Degree or Some College	531	522	490
Bachelor or Advanced Degree	21	18	29

EMPLOYMENT			
Employed	382	397	480
Unemployed	1,106	1,349	1,507
Not in Labor Force	1,678	1,641	1,661

HOUSING / LIVING ARRANGEMENT			
Independent Living	2,237	2,201	2,358
Dependent Living	453	462	628
Homeless	322	477	492

MARITAL / FAMILY STATUS			
Never Married	2,358	2,476	2,662
Married / Cohabiting	451	477	521
Previously Married	357	434	465

PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Alcohol	684	688	816
Marijuana / Hashish	695	755	938
Cocaine (total)	376	582	630
- Crack	304	422	553
Stimulant (total)	46	49	33
- Methamphetamine	38	39	29
Heroin	1,220	1,174	1,115
Analgesic except Heroin	111	88	77
- Non-Prescription Methadone	*	*	5
PCP, LSD, other Hallucinogen	17	33	28
Tranquilizer	6	6	7
Inhalant	0	0	0
Sedative	*	*	*
Other Medication or Illicit Drug	8	10	*
Average Age at First Use of Drug	20.5	20.6	20.0

INJECTION DRUG USE			
Any Injection Use at Admission	693	656	529
- Daily Injection Use	439	388	319
- Weekly Injection Use	106	115	87
- Less than Weekly Injection Use	148	153	123

LIFETIME DUI / DWI ARRESTS			
0	2,630	2,868	3,143
1 or 2	383	375	376
3 or More	153	144	129


TREATMENT REFERRAL SOURCE			
Self / Family / Friend	1,460	1,482	1,366
School	16	6	5
Mental Health Provider	23	29	41
Health Care Provider	108	122	115
Court / Criminal Justice	1,290	1,448	1,800
Other Referral Source	249	281	320

TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	91	118	121
Military Veteran	134	145	139
Special Education Services Needed	294	330	327
Co-Occurring Psychological Problem	800	869	887
Co-Occurring Developmental Problem	192	181	131



# SAINT LOUIS CITY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Eastern  
**PSYCHIATRIC SERVICE AREA** 24, 25  
**CENSUS 2010** 319,294  
**2013 POPULATION ESTIMATE** 318,416

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	79	84	65
Anxiety Disorder	567	531	448
Dementia	6	11	12
Developmental Disorder	23	28	23
Impulse Control Disorder	701	629	465
Mood Disorder	3,156	3,039	2,619
Personality Disorder	274	275	221
Psychotic Disorder	2,429	2,466	2,300
Sexual Disorder	11	7	13
Other Diagnosis	142	117	123
Diagnosis Unknown	632	843	958

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	6,686	6,716	6,231	Less than High School Diploma	1,912	1,170	822
<b>AGE</b>				High School Grad or G.E.D.	*	735	714
Under 6	19	17	15	Associate Degree or Some College	*	362	344
6 to 9	274	218	161	Bachelor or Advanced Degree	0	191	125
10 to 13	308	300	224	Education Level Unknown	4,772	4,258	4,226
14 to 17	379	336	295	<b>EMPLOYMENT</b>			
18 to 24	470	499	475	Employed	295	279	239
25 to 29	444	470	443	Unemployed	325	1,922	1,776
30 to 34	519	544	512	Not in Labor Force	3,605	725	27
35 to 39	474	496	490	Employment Status Unknown	2,461	3,790	4,189
40 to 44	604	609	586	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	797	893	869	Independent Living	2,192	2,089	1,584
50 to 54	961	948	921	Dependent Living	1,699	672	526
55 to 59	786	758	690	Homeless	260	186	107
60 and Over	651	628	550	Other	0	61	62
Age Unknown	0	0	0	Housing Unknown	2,535	3,708	3,952
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	3,434	3,443	3,220	Self / Family / Friend	2,460	2,584	2,431
Female	3,252	3,273	3,011	School	47	40	21
Gender Unknown	0	0	0	Mental Health Provider	805	877	980
<b>RACE / ETHNICITY</b>				Health Care Provider	910	725	516
Caucasian	1,675	1,705	1,600	Court / Criminal Justice	433	511	540
African American	4,744	4,741	4,373	Other	1,977	1,920	1,657
Native American / Alaskan	5	*	*	Referral Source Unknown	54	59	86
Asian / Pacific Islander	24	24	26	<b>TYPE OF COMMITMENT</b>			
Hispanic	53	50	42	Voluntary	6,398	6,417	5,853
Other Race	184	192	185	Civil	30	28	64
Race/Ethnicity Unknown	*	*	*	Criminal	201	207	224
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	7	6
Hearing Impaired	178	171	143	Commitment Type Unknown	53	57	84
Past or Current Military Service	188	208	192				



## MISSOURI STUDENT SURVEY

2014 2012 2010

### Percent of students who have ever used:

Alcohol  
Cigarettes  
Chewing Tobacco  
Marijuana  
Inhalants  
Prescription medications not prescribed for student  
Over-the-counter medications for non-medical use  
Methamphetamine  
Cocaine  
Heroin  
Hallucinogens  
Club drugs (Ecstasy, GHB, roofie, Special K, etc)  
Steroids not prescribed for student  
Synthetic drugs (K2, bath salts, Spice, etc)

### Average age of students' first use of:

Alcohol  
Cigarettes  
Marijuana  
Inhalants

### Percent of students who, in past 30 days, used:

Alcohol  
Alcohol (Binge: 5+ drinks on one occasion)  
Cigarettes  
Chewing Tobacco  
Marijuana  
Inhalants  
Prescription medications not prescribed for student  
Over-the-counter medications for non-medical use

### Percent of students who, in past 2 weeks, used:

Alcohol (Binge: 5+ drinks on one occasion)

### Percent whose friends used in past 12 months:

Alcohol  
Cigarettes  
Marijuana  
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

### Percent who would likely use, if offered by a best friend:

Alcohol  
Cigarettes  
Marijuana

### Percent who say it would be wrong to use:

Alcohol  
Cigarettes  
Marijuana  
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

### Percent whose parents would disapprove if they use:

Alcohol  
Cigarettes  
Marijuana

### Percent who say it would be easy to obtain:

Alcohol  
Cigarettes  
Marijuana  
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

2014 2012 2010

### Percent who believe they risk harm if they use:

Alcohol (1 or 2 drinks daily)  
Alcohol (Binge: 5+ drinks once or twice a week)  
Alcohol (any use)  
Cigarettes (1+ packs per day)  
Cigarettes (any use)  
Marijuana (once or twice a week)  
Marijuana (any use)  
Other: Cocaine, LSD, Meth, Club Drug (any use)

### Percent of students who, in past 30 days:

Were very sad  
Were grouchy, irritable, or in a bad mood  
Felt hopeless about the future  
Felt like not eating or eating more than usual  
Slept a lot more or a lot less than usual  
Had difficulty concentrating on school work

### Percent of students who, in past 12 months:

Seriously considered attempting suicide  
Made plan about how they would attempt suicide  
Attempted suicide  
Attempted suicide and resulting injury, poisoning, or overdose  
had to be treated by doctor or nurse

### Percent of students who, in past 12 months:

Were threatened/injured with weapon at school  
Were in a physical fight  
Were in a fight and had to be treated by a doctor or nurse

### Percent of students who, in past 3 months:

Were victims of mean rumors or lies spread at school  
Were made fun of by others  
Were victims of an embarrassing or hurtful text message or something posted on the Internet  
Spread mean rumors or lies about other kids at school  
Made fun of other people  
Posted something on the internet or sent a text that might embarrass or hurt another student

### Percent of students who agree that:

Teachers notice and comment on student's good work  
School provides feedback to parents on positive student performance  
Rules are enforced fairly  
Students of all races/ethnicities are treated equal

### Percent of students who agree that:


Parents notice and comment on student's good work  
Parents involve student in making family decisions  
It is important to be honest with parents regardless of consequences  
Student could ask parent for help with a personal problem

#### Page Notes:

Similar affirmative response choices for individual questions are combined.  
Blank data cells indicate estimates are not available for item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Estimates are not available for counties with small numbers of respondents.  
Percentages are estimates based on weighted data.  
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# DIVISION OF BEHAVIORAL HEALTH CENTRAL REGION



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	11, 12, 14, 15
Adult Psychiatric	11, 12, 14, 15
<b>POPULATION</b>	
Census 2010	807,835
2013 Estimate	816,823

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	409,146	397,890	405,661
Employed	385,074	372,518	373,975
Unemployed	24,072	25,372	31,686
Unemployment Rate	5.9%	6.4%	7.8%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	34,939	34,950	35,708
Drop-outs	712	848	857
Drop-out Rate	2.0%	2.4%	2.4%
School Suspensions:			
Alcohol Incidents	36	78	32
Drug Incidents	233	256	272
Tobacco Incidents	9	15	19

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	9,981	10,041	10,055
Mother Reported Smoking while Pregnant	2,144	2,193	2,210

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	21	26	27
Hepatitis B Chronic, Acute, Prenatal	1 69	54	49
Hepatitis C Chronic and Acute	1 534	555	481
Tuberculosis Infection Cases	1 398	423	394

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	7,272	7,337	7,133
Suicides	123	114	94
Self-inflicted Injuries	972	958	947
Homicides		27	27
Assault Injuries	2,460	2,447	2,507
Alcohol Induced Deaths	45	42	46
Drug Induced Deaths	103	99	110
Smoking Attributable Deaths	1,321	1,295	1,287

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 3,826	3,856	
Alcohol Primary Diagnosis	2 289	299	
Drug Primary Diagnosis	2 245	194	
Alcohol Related Diagnosis	1,654	1,834	1,924
Drug Related Diagnosis	1,681	1,617	1,716
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 3,269	2,664	
Alcohol Primary Diagnosis	2 769	684	
Drug Primary Diagnosis	2 411	418	
Alcohol Related Diagnosis	2,659	2,309	2,177
Drug Related Diagnosis	2,394	1,985	1,631
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 6,082	5,881	
Alcohol Primary Diagnosis	2 1,322	1,266	
Drug Primary Diagnosis	2 994	948	
Alcohol Related Diagnosis	3,063	2,862	2,895
Drug Related Diagnosis	2,896	2,564	2,266

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	850	799	919
Fatal Crashes	37	35	36
Injury Crashes	398	351	382
Property Damage Crashes	415	413	501
Crash Fatalities	37	36	38
Crash Injuries	567	511	537
Drug Involved Crashes--Total	134	143	132
Fatal Crashes	9	10	5
Injury Crashes	59	53	53
Property Damage Crashes	66	80	74
Crash Fatalities	12	9	5
Crash Injuries	99	65	87

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	4,774	5,068	5,784
Liquor Law Arrests	1,981	2,189	2,314
Drug Arrests	4,757	4,450	4,300
Methamphetamine Lab Incidents	264	269	280
Violent Offenses	2,288	2,507	2,474
Property Offenses	21,491	21,075	20,135
Domestic Violence Reports	6,524	6,492	5,953

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	4,158	4,159	4,321
Violent Offenses	1,064	1,094	1,268
Alcohol Offenses	196	185	208
Drug Offenses	343	365	282
Status Offenses--Total	3,819	3,787	4,374
Truancy	935	883	1,037
Beyond Parental Control	779	725	752
Habitually Absent from Home	399	336	421
Injurious Behavior	1,564	1,730	2,009
Abuse/Neglect/Custody--Total	3,016	2,954	2,425
Abuse	889	957	815
Neglect	1,994	1,887	1,539
Custody Disputes	133	110	71

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	987	907	734
Parental Alcohol Use Related	18	38	31
Parental Drug Use Related	342	252	164
Parental Alcohol and Drug Use	34	25	15
Child Removed for Other Reason	593	592	524

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	772	751	743
Probation/Parole Admissions--Total	6,402	5,900	5,404
Probation/Parole Admissions--Drug	2,100	1,823	1,650
Probation/Parole Admissions--DWI	455	506	474
Prison Admissions--Total	3,125	3,046	2,989
Prison Admissions--Drug	1,082	1,025	973
Prison Admissions--DWI	219	269	224

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	1,163	1,153	1,160
Alcohol Package Carry-out Licenses	880	903	883

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# DIVISION OF BEHAVIORAL HEALTH CENTRAL REGION

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Detoxification	532	559	670
CSTAR Adolescent	379	360	363
CSTAR Women and Children	526	542	577
CSTAR General Adult	2,513	2,069	1,796
CSTAR Opioid	5	0	7
Primary Recovery Treatment	1,284	1,837	2,330
Clinical SATOP (CIP, YCIP, SROP)	752	730	674
Other Substance Abuse Treatment	6	12	9

<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Offender Management Unit	3,485	3,827	3,859
- Adolescent Diversion Education Program	165	229	240
- Offender Education Program	1,273	1,427	1,479
- Weekend Intervention Program	726	828	887
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	159	206	226
Compulsive Gambling	7	12	12
Recovery Supports	347	301	255
Early Intervention	177	212	174


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	5,211	5,243	5,428
<b>AGE</b>			
Under 18	386	371	371
18 to 24	997	1,032	1,158
25 to 29	971	937	980
30 to 34	789	820	825
35 to 39	558	572	550
40 to 44	454	460	466
45 to 54	758	811	854
55 and Over	298	240	223
<b>GENDER</b>			
Male	3,419	3,568	3,795
Female	1,792	1,675	1,632
<b>RACE / ETHNICITY</b>			
Caucasian	4,326	4,364	4,434
African American	659	659	744
Native American / Alaskan	15	5	13
Asian / Pacific Islander	18	18	12
Hispanic	79	88	105
Other Race / Two or More Races	144	141	156
<b>EDUCATION</b>			
Less than High School Diploma	1,645	1,749	1,862
High School Graduate or G.E.D.	2,374	2,388	2,479
Associate Degree or Some College	1,091	1,043	971
Bachelor or Advanced Degree	98	62	115
<b>EMPLOYMENT</b>			
Employed	1,619	1,694	1,757
Unemployed	1,814	1,824	2,047
Not in Labor Force	1,778	1,725	1,623
<b>HOUSING / LIVING ARRANGEMENT</b>			
Independent Living	4,198	4,262	4,501
Dependent Living	664	637	636
Homeless	200	171	166
<b>MARITAL / FAMILY STATUS</b>			
Never Married	2,920	2,906	3,049
Married / Cohabiting	1,196	1,175	1,238
Previously Married	1,095	1,162	1,140

<b>PRIMARY DRUG PROBLEM</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Alcohol	2,153	2,249	2,441
Marijuana / Hashish	1,437	1,489	1,541
Cocaine (total)	176	278	338
- Crack	90	128	176
Stimulant (total)	742	667	540
- Methamphetamine	688	624	517
Heroin	248	217	169
Analgesic except Heroin	315	242	283
- Non-Prescription Methadone	7	0	*
PCP, LSD, other Hallucinogen	21	21	31
Tranquilizer	43	25	51
Inhalant	5	*	7
Sedative	5	9	8
Other Medication or Illicit Drug	66	43	18
Average Age at First Use of Drug	17.6	17.2	16.9
<b>INJECTION DRUG USE</b>			
Any Injection Use at Admission	583	564	420
- Daily Injection Use	123	115	112
- Weekly Injection Use	151	144	110
- Less than Weekly Injection Use	309	305	198
<b>LIFETIME DUI / DWI ARRESTS</b>			
0	2,781	2,711	2,844
1 or 2	1,615	1,659	1,708
3 or More	815	873	875
<b>TREATMENT REFERRAL SOURCE</b>			
Self / Family / Friend	1,471	1,263	1,461
School	11	7	10
Mental Health Provider	66	63	55
Health Care Provider	173	138	140
Court / Criminal Justice	2,542	3,263	3,343
Other Referral Source	663	456	416
<b>TREATMENT ACCOMMODATION</b>			
Pregnant when Admitted to any Episode	80	77	69
Military Veteran	238	236	222
Special Education Services Needed	424	507	519
Co-Occurring Psychological Problem	1,912	1,706	1,749
Co-Occurring Developmental Problem	182	178	238

# DIVISION OF BEHAVIORAL HEALTH CENTRAL REGION

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 11, 12, 14, 15  
**CENSUS 2010** 807,835  
**2013 POPULATION ESTIMATE** 816,823

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	359	348	258
Anxiety Disorder	3,729	3,636	2,814
Dementia	16	21	22
Developmental Disorder	203	194	129
Impulse Control Disorder	1,714	1,723	1,325
Mood Disorder	6,026	5,970	4,790
Personality Disorder	742	732	621
Psychotic Disorder	1,579	1,539	1,286
Sexual Disorder	32	14	23
Other Diagnosis	730	662	498
Diagnosis Unknown	595	961	1,747

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	9,159	9,439	8,633	Less than High School Diploma	3,205	1,924	1,250
<b>AGE</b>				High School Grad or G.E.D.	61	1,937	1,848
Under 6	71	78	67	Associate Degree or Some College	16	742	635
6 to 9	444	446	401	Bachelor or Advanced Degree	*	160	152
10 to 13	679	721	678	Education Level Unknown	5,873	4,676	4,748
14 to 17	836	816	746	<b>EMPLOYMENT</b>			
18 to 24	817	975	870	Employed	705	755	642
25 to 29	755	817	763	Unemployed	933	3,581	3,172
30 to 34	838	872	768	Not in Labor Force	5,766	1,156	114
35 to 39	768	775	739	Employment Status Unknown	1,755	3,947	4,705
40 to 44	854	836	765	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	943	1,013	947	Independent Living	4,338	4,207	3,146
50 to 54	902	875	802	Dependent Living	2,707	1,540	1,711
55 to 59	646	632	552	Homeless	167	75	60
60 and Over	606	583	535	Other	*	85	103
Age Unknown	0	0	0	Housing Unknown	1,945	3,532	3,613
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	4,269	4,349	3,971	Self / Family / Friend	4,304	4,671	4,316
Female	4,888	5,090	4,662	School	57	53	49
Gender Unknown	*	0	0	Mental Health Provider	755	805	832
<b>RACE / ETHNICITY</b>				Health Care Provider	1,576	1,460	940
Caucasian	7,735	8,044	7,448	Court / Criminal Justice	564	516	428
African American	967	938	788	Other	1,864	1,891	1,998
Native American / Alaskan	23	23	19	Referral Source Unknown	39	43	70
Asian / Pacific Islander	19	17	20	<b>TYPE OF COMMITMENT</b>			
Hispanic	141	120	114	Voluntary	8,971	9,252	8,403
Other Race	274	297	244	Civil	24	25	34
Race/Ethnicity Unknown	0	0	0	Criminal	106	104	112
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	19	14	12
Hearing Impaired	266	253	228	Commitment Type Unknown	39	44	72
Past or Current Military Service	235	242	250				

# DIVISION OF BEHAVIORAL HEALTH CENTRAL REGION

## MISSOURI STUDENT SURVEY


	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	39.3	43.9	47.2	Alcohol (1 or 2 drinks daily)	51.1		
Cigarettes	24.8	26.3	29.3	Alcohol (Binge: 5+ drinks once or twice a week)	63.9		
Chewing Tobacco	16.2	14.9	15.2	Alcohol (any use)		67.6	77.5
Marijuana	13.1	15.7	15.7	Cigarettes (1+ packs per day)	83.5		
Inhalants	2.8	5.3	6.7	Cigarettes (any use)		78.3	80.8
Prescription medications not prescribed for student	6.6	9.1	11.4	Marijuana (once or twice a week)	65.5		
Over-the-counter medications for non-medical use	2.0	6.2	7.9	Marijuana (any use)		73.5	70.1
Methamphetamine	0.4	1.4	1.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	90.6	92.8	93.6
Cocaine	1.1	2.1	1.9				
Heroin	0.2	1.1	0.6	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	1.3	2.6	2.9	Were very sad	19.2	18.2	23.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1	2.3	2.4	Were grouchy, irritable, or in a bad mood	27.1	24.7	29.3
Steroids not prescribed for student	0.6	1.7	1.2	Felt hopeless about the future	11.2	11.0	14.7
Synthetic drugs (K2, bath salts, Spice, etc)	3.4	6.6		Felt like not eating or eating more than usual	16.6	16.9	20.9
				Slept a lot more or a lot less than usual	17.3	19.3	27.5
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	23.9	22.8	25.0
Alcohol	13.28	12.51	12.37				
Cigarettes	12.64	12.43	12.33	<i>Percent of students who, in past 12 months:</i>			
Marijuana	13.78	13.63	13.47	Seriously considered attempting suicide	9.6	12.2	12.1
Inhalants	12.56	12.12	12.20	Made plan about how they would attempt suicide	7.1	8.9	8.0
				Attempted suicide	3.6	5.7	5.1
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose	1.3	2.0	1.9
Alcohol	14.8	20.4	22.0	had to be treated by doctor or nurse			
Alcohol (Binge: 5+ drinks on one occasion)		12.1	12.6				
Cigarettes	11.3	12.5	14.9	<i>Percent of students who, in past 12 months:</i>			
Chewing Tobacco	7.1	8.1	8.2	Were threatened/injured with weapon at school	5.7	6.8	9.9
Marijuana	4.8	7.2	7.5	Were in a physical fight	19.1	21.8	23.0
Inhalants	0.7	2.3	3.0	Were in a fight and had to be treated by a doctor or nurse	2.2	3.7	3.9
Prescription medications not prescribed for student	3.4	4.5	6.7				
Over-the-counter medications for non-medical use	1.3	3.9	4.8	<i>Percent of students who, in past 3 months:</i>			
				Were victims of mean rumors or lies spread at school	52.9	48.0	56.2
<i>Percent of students who, in past 2 weeks, used:</i>				Were made fun of by others	60.7	61.3	68.3
Alcohol (Binge: 5+ drinks on one occasion)	6.3			Were victims of an embarrassing or hurtful text message or something posted on the Internet	22.9	21.0	19.5
				Spread mean rumors or lies about other kids at school	23.9	27.5	32.7
<i>Percent whose friends used in past 12 months:</i>				Made fun of other people	56.3	62.6	74.4
Alcohol	50.7	56.9	62.6	Posted something on the internet or sent a text that might embarrass or hurt another student	17.0	14.6	16.9
Cigarettes	40.4	46.8	49.3				
Marijuana	23.9	34.6	35.1	<i>Percent of students who agree that:</i>			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.5	14.2	17.7	Teachers notice and comment on student's good work	73.5	67.8	72.2
				School provides feedback to parents on positive student performance	46.0	40.0	42.1
<i>Percent who would likely use, if offered by a best friend:</i>				Rules are enforced fairly	64.6	61.0	65.1
Alcohol	29.4	35.4	36.7	Students of all races/ethnicities are treated equal	81.1	77.2	74.8
Cigarettes	12.8	16.5	16.4				
Marijuana	9.1	12.6	12.2	<i>Percent of students who agree that:</i>			
				Parents notice and comment on student's good work	84.0	81.6	84.3
<i>Percent who say it would be wrong to use:</i>				Parents involve student in making family decisions	66.8	67.8	70.3
Alcohol	58.8	56.8	56.1	It is important to be honest with parents regardless of consequences	89.0	84.6	82.7
Cigarettes	81.5	77.6	77.5	Student could ask parent for help with a personal problem	81.5	75.4	77.8
Marijuana	83.9	82.3	82.7				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.2	95.0	94.9				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	77.6	76.4	76.4				
Cigarettes	92.3	90.4	89.5				
Marijuana	95.1	93.9	94.6				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	54.4	57.6	60.4				
Cigarettes	50.4	53.8	56.9				
Marijuana	28.2	34.2	33.3				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.0	16.3	17.7				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys



# DIVISION OF BEHAVIORAL HEALTH EASTERN REGION



<b>DBH REGION</b>	Eastern
<b>DBH SERVICE AREAS</b>	
Substance Abuse	16, 22, 23-25 (SL)
Adult Psychiatric	16, 22, 23, 24, 25
<b>POPULATION</b>	
Census 2010	2,084,037
2013 Estimate	2,103,426

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	1,064,232	1,064,584	1,089,488
Employed	992,122	989,098	994,782
Unemployed	72,110	75,486	94,706
Unemployment Rate	6.8%	7.1%	8.7%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	91,488	92,530	95,307
Drop-outs	2,715	3,632	3,882
Drop-out Rate	3.0%	3.9%	4.1%
School Suspensions:			
Alcohol Incidents	113	167	184
Drug Incidents	905	1,104	1,148
Tobacco Incidents	17	14	26

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	25,740	26,480	26,266
Mother Reported Smoking while Pregnant	3,429	3,511	3,616

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	286	234	300
Hepatitis B Chronic, Acute, Prenatal	1 211	190	181
Hepatitis C Chronic and Acute	1 1,629	1,805	1,489
Tuberculosis Infection Cases	1 1,149	1,258	1,093

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	18,081	17,974	18,045
Suicides	293	296	279
Self-inflicted Injuries	2,286	2,352	2,242
Homicides		184	210
Assault Injuries	8,879	8,797	8,705
Alcohol Induced Deaths	150	108	119
Drug Induced Deaths	356	414	371
Smoking Attributable Deaths	2,985	2,939	2,955

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 11,162	12,395	
Alcohol Primary Diagnosis	2 793	867	
Drug Primary Diagnosis	2 1,249	1,591	
Alcohol Related Diagnosis	3,843	4,815	6,310
Drug Related Diagnosis	5,339	6,511	7,036
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 14,674	12,822	
Alcohol Primary Diagnosis	2 1,532	1,259	
Drug Primary Diagnosis	2 1,016	986	
Alcohol Related Diagnosis	10,405	8,993	7,093
Drug Related Diagnosis	10,605	9,118	6,539
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 17,699	16,582	
Alcohol Primary Diagnosis	2 4,809	4,227	
Drug Primary Diagnosis	2 3,544	3,990	
Alcohol Related Diagnosis	10,365	9,022	8,330
Drug Related Diagnosis	11,586	12,005	9,273

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	1,667	1,674	1,810
Fatal Crashes	35	42	46
Injury Crashes	626	615	645
Property Damage Crashes	1,006	1,017	1,119
Crash Fatalities	37	45	49
Crash Injuries	906	919	975
Drug Involved Crashes--Total	322	272	282
Fatal Crashes	13	10	21
Injury Crashes	138	119	117
Property Damage Crashes	171	143	144
Crash Fatalities	15	10	21
Crash Injuries	209	121	182

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	10,725	10,211	10,700
Liquor Law Arrests	3,816	3,747	3,154
Drug Arrests	16,477	16,646	14,942
Methamphetamine Lab Incidents	805	643	554
Violent Offenses	10,013	10,584	11,024
Property Offenses	64,018	69,215	71,672
Domestic Violence Reports	10,721	11,143	11,275

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	12,327	12,287	11,567
Violent Offenses	2,788	2,845	3,293
Alcohol Offenses	428	359	354
Drug Offenses	919	954	935
Status Offenses--Total	3,182	3,210	3,527
Truancy	951	1,031	1,179
Beyond Parental Control	301	356	343
Habitually Absent from Home	1,463	1,356	1,518
Injurious Behavior	379	374	396
Abuse/Neglect/Custody--Total	3,500	3,347	2,826
Abuse	785	716	673
Neglect	2,262	2,009	1,505
Custody Disputes	453	622	648

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	1,359	1,285	1,251
Parental Alcohol Use Related	35	42	43
Parental Drug Use Related	561	452	364
Parental Alcohol and Drug Use	23	36	38
Child Removed for Other Reason	740	755	806

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	1,529	1,483	1,597
Probation/Parole Admissions--Total	11,953	11,221	11,344
Probation/Parole Admissions--Drug	3,606	3,211	3,318
Probation/Parole Admissions--DWI	709	659	561
Prison Admissions--Total	4,973	5,032	4,641
Prison Admissions--Drug	1,497	1,470	1,398
Prison Admissions--DWI	236	233	251

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	2,858	2,890	2,861
Alcohol Package Carry-out Licenses	1,340	1,371	1,351

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# DIVISION OF BEHAVIORAL HEALTH EASTERN REGION

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Detoxification	1,606	1,618	1,707
CSTAR Adolescent	644	612	685
CSTAR Women and Children	1,280	1,413	1,572
CSTAR General Adult	3,243	3,029	2,375
CSTAR Opioid	511	534	593
Primary Recovery Treatment	971	1,229	2,515
Clinical SATOP (CIP, YCIP, SROP)	2,426	2,221	1,827
Other Substance Abuse Treatment	655	723	693

<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Offender Management Unit	8,713	8,815	8,448
- Adolescent Diversion Education Program	262	258	266
- Offender Education Program	3,287	3,495	3,349
- Weekend Intervention Program	1,821	1,865	1,824
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	468	572	569
Compulsive Gambling	89	94	82
Recovery Supports	69	37	347
Early Intervention	834	224	205


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	9,583	9,490	9,888
<b>AGE</b>			
Under 18	654	626	700
18 to 24	1,448	1,514	1,705
25 to 29	1,638	1,618	1,706
30 to 34	1,579	1,543	1,508
35 to 39	1,068	997	1,080
40 to 44	911	944	967
45 to 54	1,670	1,698	1,687
55 and Over	615	550	535
<b>GENDER</b>			
Male	6,453	6,289	6,763
Female	3,130	3,199	3,125
<b>RACE / ETHNICITY</b>			
Caucasian	6,019	5,764	5,803
African American	3,259	3,444	3,816
Native American / Alaskan	7	7	14
Asian / Pacific Islander	21	26	13
Hispanic	103	108	96
Other Race / Two or More Races	217	182	182
<b>EDUCATION</b>			
Less than High School Diploma	3,210	3,270	3,722
High School Graduate or G.E.D.	3,901	3,974	4,006
Associate Degree or Some College	2,353	2,117	1,882
Bachelor or Advanced Degree	117	129	278
<b>EMPLOYMENT</b>			
Employed	2,438	2,384	2,327
Unemployed	3,520	3,616	3,969
Not in Labor Force	3,625	3,490	3,592
<b>HOUSING / LIVING ARRANGEMENT</b>			
Independent Living	7,535	7,152	7,391
Dependent Living	1,088	1,101	1,336
Homeless	555	741	769
<b>MARITAL / FAMILY STATUS</b>			
Never Married	6,500	6,378	6,771
Married / Cohabiting	1,634	1,626	1,613
Previously Married	1,449	1,486	1,504

<b>PRIMARY DRUG PROBLEM</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Alcohol	3,575	3,503	3,511
Marijuana / Hashish	1,826	1,831	2,140
Cocaine (total)	568	872	1,005
- Crack	437	621	860
Stimulant (total)	423	331	320
- Methamphetamine	391	299	292
Heroin	2,669	2,491	2,494
Analgesic except Heroin	351	311	279
- Non-Prescription Methadone	6	12	13
PCP, LSD, other Hallucinogen	43	58	46
Tranquilizer	57	39	61
Inhalant	6	7	7
Sedative	11	7	12
Other Medication or Illicit Drug	54	40	13
Average Age at First Use of Drug	19.1	19.1	18.9
<b>INJECTION DRUG USE</b>			
Any Injection Use at Admission	2,020	1,777	1,649
- Daily Injection Use	958	868	810
- Weekly Injection Use	434	380	397
- Less than Weekly Injection Use	628	529	442
<b>LIFETIME DUI / DWI ARRESTS</b>			
0	5,669	5,873	6,503
1 or 2	2,543	2,411	2,337
3 or More	1,371	1,206	1,048
<b>TREATMENT REFERRAL SOURCE</b>			
Self / Family / Friend	3,225	3,186	3,182
School	56	36	41
Mental Health Provider	68	57	116
Health Care Provider	296	266	257
Court / Criminal Justice	5,044	5,096	5,454
Other Referral Source	773	802	836
<b>TREATMENT ACCOMMODATION</b>			
Pregnant when Admitted to any Episode	216	245	245
Military Veteran	425	390	394
Special Education Services Needed	698	646	680
Co-Occurring Psychological Problem	2,778	2,784	2,773
Co-Occurring Developmental Problem	460	393	265

# DIVISION OF BEHAVIORAL HEALTH EASTERN REGION

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Eastern  
**PSYCHIATRIC SERVICE AREA** 16, 22, 23, 24, 25  
**CENSUS 2010** 2,084,037  
**2013 POPULATION ESTIMATE** 2,103,426

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	228	252	200
Anxiety Disorder	4,355	4,084	3,239
Dementia	32	37	34
Developmental Disorder	287	296	216
Impulse Control Disorder	2,774	2,713	2,060
Mood Disorder	11,023	10,757	9,120
Personality Disorder	1,298	1,287	1,145
Psychotic Disorder	5,083	5,051	4,658
Sexual Disorder	32	18	27
Other Diagnosis	696	666	556
Diagnosis Unknown	1,482	1,989	2,513

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	19,016	19,131	17,414	Less than High School Diploma	5,365	3,288	2,133
<b>AGE</b>				High School Grad or G.E.D.	77	2,597	2,429
Under 6	88	63	60	Associate Degree or Some College	26	1,339	1,288
6 to 9	882	804	621	Bachelor or Advanced Degree	11	595	403
10 to 13	1,150	1,188	962	Education Level Unknown	13,537	11,312	11,161
14 to 17	1,436	1,436	1,278	<b>EMPLOYMENT</b>			
18 to 24	1,615	1,720	1,577	Employed	1,137	1,139	877
25 to 29	1,443	1,566	1,463	Unemployed	1,220	5,931	5,239
30 to 34	1,631	1,652	1,460	Not in Labor Force	9,973	2,054	185
35 to 39	1,427	1,447	1,370	Employment Status Unknown	6,686	10,007	11,113
40 to 44	1,683	1,695	1,579	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	2,106	2,223	2,136	Independent Living	6,521	7,092	5,398
50 to 54	2,312	2,216	2,099	Dependent Living	5,253	2,074	1,883
55 to 59	1,739	1,615	1,475	Homeless	412	324	173
60 and Over	1,504	1,506	1,334	Other	0	153	148
Age Unknown	0	0	0	Housing Unknown	6,830	9,488	9,812
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	9,292	9,421	8,643	Self / Family / Friend	5,753	5,725	5,290
Female	9,724	9,710	8,771	School	823	693	458
Gender Unknown	0	0	0	Mental Health Provider	2,147	2,412	2,581
<b>RACE / ETHNICITY</b>				Health Care Provider	2,764	2,246	1,507
Caucasian	10,456	10,638	9,736	Court / Criminal Justice	980	1,112	1,049
African American	7,692	7,658	6,971	Other	6,432	6,803	6,331
Native American / Alaskan	18	23	19	Referral Source Unknown	117	140	198
Asian / Pacific Islander	76	64	52	<b>TYPE OF COMMITMENT</b>			
Hispanic	212	200	150	Voluntary	18,508	18,579	16,734
Other Race	561	547	484	Civil	61	69	138
Race/Ethnicity Unknown	*	*	*	Criminal	308	327	338
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	15	18	14
Hearing Impaired	516	460	354	Commitment Type Unknown	124	138	190
Past or Current Military Service	397	443	418				

# DIVISION OF BEHAVIORAL HEALTH EASTERN REGION


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	32.0	38.0	43.9	Alcohol (1 or 2 drinks daily)	64.9		
Cigarettes	14.8	20.1	24.2	Alcohol (Binge: 5+ drinks once or twice a week)	76.0		
Chewing Tobacco	4.8	5.6	6.7	Alcohol (any use)		70.2	72.2
Marijuana	18.0	18.9	20.7	Cigarettes (1+ packs per day)	87.4		
Inhalants	2.5	4.9	5.9	Cigarettes (any use)		83.2	82.5
Prescription medications not prescribed for student	7.1	8.4	10.1	Marijuana (once or twice a week)	62.5		
Over-the-counter medications for non-medical use	3.0	5.8	7.4	Marijuana (any use)		69.7	71.3
Methamphetamine	0.4	1.0	0.6	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.0	93.1	93.0
Cocaine	1.0	1.5	1.5				
Heroin	0.3	0.9	0.6	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	1.9	2.9	3.2	Were very sad	19.8	17.6	19.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.5	2.2	2.2	Were grouchy, irritable, or in a bad mood	24.6	23.7	24.6
Steroids not prescribed for student	0.9	1.2	0.9	Felt hopeless about the future	11.8	10.9	11.9
Synthetic drugs (K2, bath salts, Spice, etc)	2.8	5.8		Felt like not eating or eating more than usual	17.8	16.6	18.4
				Slept a lot more or a lot less than usual	19.3	19.8	25.8
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	24.9	23.8	24.6
Alcohol	13.21	12.95	12.71				
Cigarettes	13.20	12.69	12.53	<i>Percent of students who, in past 12 months:</i>			
Marijuana	13.95	13.82	13.64	Seriously considered attempting suicide	12.0	11.8	11.5
Inhalants	11.96	11.53	11.70	Made plan about how they would attempt suicide	8.6	8.6	8.3
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide	5.2	5.9	5.5
Alcohol	14.8	17.8	21.4	Attempted suicide and resulting injury, poisoning, or overdose	1.9	2.0	2.0
Alcohol (Binge: 5+ drinks on one occasion)		10.1	11.1	had to be treated by doctor or nurse			
Cigarettes	6.0	9.6	12.4	<i>Percent of students who, in past 12 months:</i>			
Chewing Tobacco	2.3	3.0	3.5	Were threatened/injured with weapon at school	6.6	6.2	9.3
Marijuana	10.2	10.8	11.9	Were in a physical fight	20.7	21.2	23.8
Inhalants	1.1	2.4	3.0	Were in a fight and had to be treated by a doctor or nurse	4.0	3.8	4.1
Prescription medications not prescribed for student	3.8	4.8	6.4				
Over-the-counter medications for non-medical use	1.5	3.4	4.6	<i>Percent of students who, in past 3 months:</i>			
<i>Percent of students who, in past 2 weeks, used:</i>				Were victims of mean rumors or lies spread at school	44.4	45.1	50.0
Alcohol (Binge: 5+ drinks on one occasion)	6.2			Were made fun of by others	57.3	60.1	67.7
<i>Percent whose friends used in past 12 months:</i>				Were victims of an embarrassing or hurtful text message or something posted on the Internet	25.1	20.1	19.1
Alcohol	44.8	51.0	58.2	Spread mean rumors or lies about other kids at school	25.1	28.5	33.3
Cigarettes	30.9	40.1	45.5	Made fun of other people	54.7	63.8	74.1
Marijuana	37.3	40.5	42.9	Posted something on the internet or sent a text that might embarrass or hurt another student	17.5	15.6	19.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.4	15.3	18.0				
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	24.1	30.1	34.2	Teachers notice and comment on student's good work	73.3	70.1	71.9
Cigarettes	8.2	11.0	12.8	School provides feedback to parents on positive student performance	44.3	40.5	42.2
Marijuana	15.9	15.1	16.8	Rules are enforced fairly	67.8	64.1	65.6
<i>Percent who say it would be wrong to use:</i>				Students of all races/ethnicities are treated equal	76.1	72.3	76.0
Alcohol	66.9	62.1	57.3	<i>Percent of students who agree that:</i>			
Cigarettes	88.6	83.6	80.5	Parents notice and comment on student's good work	82.8	83.1	83.5
Marijuana	76.2	78.2	77.3	Parents involve student in making family decisions	70.3	70.2	70.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.5	95.3	94.5	It is important to be honest with parents regardless of consequences	87.0	84.3	81.4
<i>Percent whose parents would disapprove if they use:</i>				Student could ask parent for help with a personal problem	78.4	76.8	76.2
Alcohol	82.2	80.1	78.1				
Cigarettes	94.7	92.2	90.8				
Marijuana	91.5	92.8	92.3				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	52.7	58.1	61.6				
Cigarettes	44.6	51.1	56.2				
Marijuana	38.7	41.6	43.6				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.9	17.6	19.8				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# DIVISION OF BEHAVIORAL HEALTH SOUTHEAST REGION



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	17, 18, 19, 20, 21
Adult Psychiatric	17A, 17B, 18, 19, 20, 21
<b>POPULATION</b>	
Census 2010	712,520
2013 Estimate	711,352

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	343,223	331,681	336,023
Employed	319,874	307,260	305,890
Unemployed	23,349	24,421	30,133
Unemployment Rate	6.8%	7.4%	9.0%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	31,768	31,753	32,707
Drop-outs	516	753	764
Drop-out Rate	1.6%	2.4%	2.3%
School Suspensions:			
Alcohol Incidents	76	54	78
Drug Incidents	177	239	267
Tobacco Incidents	14	15	17

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	8,578	8,620	8,687
Mother Reported Smoking while Pregnant	2,319	2,380	2,563

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	18	17	15
Hepatitis B Chronic, Acute, Prenatal	1 56	54	46
Hepatitis C Chronic and Acute	1 815	703	691
Tuberculosis Infection Cases	1 220	260	178

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	8,138	8,299	8,031
Suicides	127	122	113
Self-inflicted Injuries	1,264	1,333	1,363
Homicides		31	32
Assault Injuries	2,787	2,602	2,782
Alcohol Induced Deaths	54	30	34
Drug Induced Deaths	154	124	131
Smoking Attributable Deaths	1,605	1,643	1,568

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 7,522	7,983	
Alcohol Primary Diagnosis	2 457	446	
Drug Primary Diagnosis	2 697	572	
Alcohol Related Diagnosis	2,524	2,757	2,351
Drug Related Diagnosis	3,437	3,490	3,066
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 2,007	1,696	
Alcohol Primary Diagnosis	2 335	244	
Drug Primary Diagnosis	2 288	207	
Alcohol Related Diagnosis	1,847	1,502	1,536
Drug Related Diagnosis	1,688	1,296	1,584
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 8,160	8,406	
Alcohol Primary Diagnosis	2 1,192	1,259	
Drug Primary Diagnosis	2 1,270	1,249	
Alcohol Related Diagnosis	2,952	3,058	2,987
Drug Related Diagnosis	3,670	3,557	3,266

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	867	864	873
Fatal Crashes	53	32	38
Injury Crashes	399	397	440
Property Damage Crashes	415	435	395
Crash Fatalities	55	37	39
Crash Injuries	581	555	651
Drug Involved Crashes--Total	206	228	231
Fatal Crashes	4	10	15
Injury Crashes	102	115	103
Property Damage Crashes	100	103	113
Crash Fatalities	4	12	15
Crash Injuries	142	133	158

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	4,509	4,900	4,754
Liquor Law Arrests	1,110	1,218	1,465
Drug Arrests	4,495	4,634	4,861
Methamphetamine Lab Incidents	434	665	659
Violent Offenses	2,550	2,283	2,269
Property Offenses	20,252	19,172	17,906
Domestic Violence Reports	4,278	3,913	3,767

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	3,867	3,643	4,060
Violent Offenses	1,146	1,070	1,243
Alcohol Offenses	152	190	208
Drug Offenses	275	268	267
Status Offenses--Total	2,827	2,794	2,983
Truancy	1,104	1,090	1,126
Beyond Parental Control	570	591	602
Habitually Absent from Home	247	268	291
Injurious Behavior	715	632	770
Abuse/Neglect/Custody--Total	4,071	3,408	3,381
Abuse	955	920	857
Neglect	2,779	2,089	2,096
Custody Disputes	337	399	428

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	1,029	1,014	1,080
Parental Alcohol Use Related	48	37	50
Parental Drug Use Related	402	389	395
Parental Alcohol and Drug Use	34	52	50
Child Removed for Other Reason	545	536	585

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	797	716	675
Probation/Parole Admissions--Total	6,501	6,205	5,743
Probation/Parole Admissions--Drug	2,266	2,237	1,987
Probation/Parole Admissions--DWI	410	369	371
Prison Admissions--Total	3,182	3,088	2,974
Prison Admissions--Drug	1,112	1,068	1,026
Prison Admissions--DWI	176	196	173

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	795	808	810
Alcohol Package Carry-out Licenses	755	763	755

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# DIVISION OF BEHAVIORAL HEALTH SOUTHEAST REGION

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Detoxification	951	979	872
CSTAR Adolescent	314	386	398
CSTAR Women and Children	401	360	424
CSTAR General Adult	2,944	1,873	1,524
CSTAR Opioid	12	12	7
Primary Recovery Treatment	1,627	3,307	4,017
Clinical SATOP (CIP, YCIP, SROP)	660	647	476
Other Substance Abuse Treatment	11	13	9

<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Offender Management Unit	2,872	3,201	2,859
- Adolescent Diversion Education Program	5	5	6
- Offender Education Program	1,133	1,337	1,245
- Weekend Intervention Program	640	702	715
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	56	64	58
Compulsive Gambling	*	7	8
Recovery Supports	968	878	529
Early Intervention	95	161	96

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:


<b>NUMBER ADMITTED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	5,792	6,640	6,747
<b>AGE</b>			
Under 18	326	423	428
18 to 24	1,125	1,300	1,364
25 to 29	1,075	1,264	1,339
30 to 34	1,027	1,053	1,060
35 to 39	633	761	711
40 to 44	530	609	624
45 to 54	814	942	965
55 and Over	262	288	256
<b>GENDER</b>			
Male	3,799	4,527	4,568
Female	1,993	2,113	2,179
<b>RACE / ETHNICITY</b>			
Caucasian	5,088	5,790	5,878
African American	577	694	714
Native American / Alaskan	13	15	13
Asian / Pacific Islander	*	*	6
Hispanic	66	97	89
Other Race / Two or More Races	80	81	86
<b>EDUCATION</b>			
Less than High School Diploma	2,170	2,622	2,789
High School Graduate or G.E.D.	2,717	3,056	3,078
Associate Degree or Some College	880	926	822
Bachelor or Advanced Degree	25	36	58
<b>EMPLOYMENT</b>			
Employed	1,393	1,677	1,713
Unemployed	2,463	2,850	3,088
Not in Labor Force	1,936	2,113	1,946
<b>HOUSING / LIVING ARRANGEMENT</b>			
Independent Living	4,831	5,564	5,649
Dependent Living	726	828	922
Homeless	145	152	133
<b>MARITAL / FAMILY STATUS</b>			
Never Married	2,822	3,163	3,299
Married / Cohabiting	1,635	1,918	1,888
Previously Married	1,335	1,559	1,560

<b>PRIMARY DRUG PROBLEM</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Alcohol	1,942	2,259	2,314
Marijuana / Hashish	1,515	1,927	2,068
Cocaine (total)	164	262	279
- Crack	92	160	182
Stimulant (total)	986	956	875
- Methamphetamine	958	915	847
Heroin	299	261	230
Analgesic except Heroin	721	761	786
- Non-Prescription Methadone	*	*	6
PCP, LSD, other Hallucinogen	9	18	12
Tranquilizer	112	136	135
Inhalant	10	18	15
Sedative	10	8	13
Other Medication or Illicit Drug	24	34	20
Average Age at First Use of Drug	18.2	17.7	17.7
<b>INJECTION DRUG USE</b>			
Any Injection Use at Admission	872	710	652
- Daily Injection Use	197	143	157
- Weekly Injection Use	251	171	170
- Less than Weekly Injection Use	424	396	325
<b>LIFETIME DUI / DWI ARRESTS</b>			
0	3,313	3,950	4,183
1 or 2	1,638	1,807	1,683
3 or More	841	883	881
<b>TREATMENT REFERRAL SOURCE</b>			
Self / Family / Friend	1,535	1,395	1,385
School	6	10	11
Mental Health Provider	44	59	66
Health Care Provider	295	285	211
Court / Criminal Justice	3,045	4,237	4,387
Other Referral Source	763	627	687
<b>TREATMENT ACCOMMODATION</b>			
Pregnant when Admitted to any Episode	114	88	87
Military Veteran	230	317	269
Special Education Services Needed	599	714	704
Co-Occurring Psychological Problem	2,138	2,237	1,962
Co-Occurring Developmental Problem	407	342	367



# DIVISION OF BEHAVIORAL HEALTH SOUTHEAST REGION

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 17A, 17B, 18, 19, 20, 21  
**CENSUS 2010** 712,520  
**2013 POPULATION ESTIMATE** 711,352

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	770	732	450
Anxiety Disorder	3,638	3,148	2,230
Dementia	25	19	22
Developmental Disorder	92	81	77
Impulse Control Disorder	1,791	1,786	1,007
Mood Disorder	8,343	7,808	5,450
Personality Disorder	544	543	503
Psychotic Disorder	1,877	1,824	1,510
Sexual Disorder	132	146	127
Other Diagnosis	544	570	413
Diagnosis Unknown	1,238	1,936	1,863

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	14,445	14,392	10,558	Less than High School Diploma	3,895	2,063	1,176
<b>AGE</b>				High School Grad or G.E.D.	94	1,687	1,535
Under 6	72	75	68	Associate Degree or Some College	36	407	366
6 to 9	651	681	448	Bachelor or Advanced Degree	5	112	78
10 to 13	935	1,019	663	Education Level Unknown	10,415	10,123	7,403
14 to 17	1,054	1,111	775	<b>EMPLOYMENT</b>			
18 to 24	1,402	1,426	1,011	Employed	667	430	280
25 to 29	1,365	1,293	922	Unemployed	988	3,423	2,814
30 to 34	1,425	1,392	970	Not in Labor Force	6,389	1,052	86
35 to 39	1,266	1,207	858	Employment Status Unknown	6,401	9,487	7,378
40 to 44	1,339	1,300	979	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	1,390	1,452	1,219	Independent Living	4,806	3,623	2,516
50 to 54	1,466	1,387	1,080	Dependent Living	3,166	1,568	1,432
55 to 59	1,011	985	770	Homeless	151	80	62
60 and Over	1,069	1,064	795	Other	*	68	58
Age Unknown	0	0	0	Housing Unknown	6,320	9,053	6,490
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	6,637	6,662	4,986	Self / Family / Friend	7,131	7,300	4,755
Female	7,808	7,730	5,572	School	160	151	116
Gender Unknown	0	0	0	Mental Health Provider	1,209	1,216	1,111
<b>RACE / ETHNICITY</b>				Health Care Provider	2,539	2,224	1,521
Caucasian	12,846	12,646	9,325	Court / Criminal Justice	1,023	1,057	912
African American	980	949	770	Other	2,337	2,384	2,029
Native American / Alaskan	25	20	14	Referral Source Unknown	46	60	114
Asian / Pacific Islander	10	9	9	<b>TYPE OF COMMITMENT</b>			
Hispanic	338	502	260	Voluntary	14,030	13,941	10,041
Other Race	246	266	180	Civil	22	33	81
Race/Ethnicity Unknown	0	0	0	Criminal	225	230	203
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	136	146	136
Hearing Impaired	522	555	441	Commitment Type Unknown	32	42	97
Past or Current Military Service	376	382	347				

# DIVISION OF BEHAVIORAL HEALTH SOUTHEAST REGION


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	37.2	41.0	46.2	Alcohol (1 or 2 drinks daily)	54.9		
Cigarettes	26.5	28.5	33.0	Alcohol (Binge: 5+ drinks once or twice a week)	64.9		
Chewing Tobacco	17.8	18.0	19.7	Alcohol (any use)		71.2	76.2
Marijuana	12.8	14.4	16.6	Cigarettes (1+ packs per day)	82.8		
Inhalants	3.5	6.1	8.1	Cigarettes (any use)		79.2	77.8
Prescription medications not prescribed for student	8.8	9.9	13.9	Marijuana (once or twice a week)	67.3		
Over-the-counter medications for non-medical use	3.2	6.2	8.4	Marijuana (any use)		75.8	73.0
Methamphetamine	0.6	1.3	1.1	Other: Cocaine, LSD, Meth, Club Drug (any use)	91.2	93.5	92.8
Cocaine	0.9	1.8	1.5				
Heroin	0.3	0.9	0.7	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	1.3	2.6	3.0	Were very sad	19.5	19.9	18.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.3	2.0	2.0	Were grouchy, irritable, or in a bad mood	25.2	25.7	24.3
Steroids not prescribed for student	1.0	1.8	1.4	Felt hopeless about the future	10.8	11.3	12.8
Synthetic drugs (K2, bath salts, Spice, etc)	3.3	6.9		Felt like not eating or eating more than usual	17.4	17.8	18.7
				Slept a lot more or a lot less than usual	17.8	20.5	26.1
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	23.0	23.2	25.5
Alcohol	12.76	12.45	12.33				
Cigarettes	12.62	12.11	11.94	<i>Percent of students who, in past 12 months:</i>			
Marijuana	13.90	13.44	13.44	Seriously considered attempting suicide	11.0	11.9	12.6
Inhalants	11.93	12.04	12.33	Made plan about how they would attempt suicide	7.8	8.9	9.3
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide	4.5	5.5	5.9
Alcohol	14.5	17.3	21.8	Attempted suicide and resulting injury, poisoning, or overdose	1.5	1.9	2.2
Alcohol (Binge: 5+ drinks on one occasion)		10.5	12.5				
Cigarettes	11.6	14.1	17.3	<i>Percent of students who, in past 12 months:</i>			
Chewing Tobacco	10.9	9.9	11.1	Were threatened/injured with weapon at school	6.1	6.2	9.6
Marijuana	5.8	7.0	8.4	Were in a physical fight	20.0	22.1	24.4
Inhalants	1.3	2.3	3.5	Were in a fight and had to be treated by a doctor or nurse	2.9	3.1	4.2
Prescription medications not prescribed for student	4.8	5.2	8.1				
Over-the-counter medications for non-medical use	1.6	3.6	5.4	<i>Percent of students who, in past 3 months:</i>			
<i>Percent of students who, in past 2 weeks, used:</i>				Were victims of mean rumors or lies spread at school	52.4	51.5	57.9
Alcohol (Binge: 5+ drinks on one occasion)	6.9			Were made fun of by others	59.5	61.0	69.1
<i>Percent whose friends used in past 12 months:</i>				Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.9	20.4	19.9
Alcohol	46.5	53.6	61.1	Spread mean rumors or lies about other kids at school	24.0	26.6	32.8
Cigarettes	39.9	46.1	51.6	Made fun of other people	54.7	60.8	72.0
Marijuana	27.7	31.8	36.4	Posted something on the internet or sent a text that might embarrass or hurt another student	15.9	13.3	16.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.4	13.1	17.3				
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	28.0	30.9	35.6	Teachers notice and comment on student's good work	74.5	70.0	70.6
Cigarettes	14.2	15.7	18.0	School provides feedback to parents on positive student performance	44.2	39.2	40.4
Marijuana	11.1	10.9	12.8	Rules are enforced fairly	65.7	62.7	61.5
<i>Percent who say it would be wrong to use:</i>				Students of all races/ethnicities are treated equal	81.4	76.1	75.5
Alcohol	63.7	60.2	58.0				
Cigarettes	80.6	78.0	75.4	<i>Percent of students who agree that:</i>			
Marijuana	82.8	83.8	82.4	Parents notice and comment on student's good work	83.1	82.7	83.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.4	95.9	94.7	Parents involve student in making family decisions	70.9	68.7	69.2
<i>Percent whose parents would disapprove if they use:</i>				It is important to be honest with parents regardless of consequences	89.1	86.6	84.2
Alcohol	79.0	78.5	77.4	Student could ask parent for help with a personal problem	78.6	76.3	77.1
Cigarettes	89.9	89.6	88.9				
Marijuana	93.1	94.2	94.3				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	48.9	54.9	58.6				
Cigarettes	49.4	53.8	59.1				
Marijuana	31.2	33.6	36.5				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.0	17.2	19.8				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# DIVISION OF BEHAVIORAL HEALTH SOUTHWEST REGION



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	8, 9, 10
Adult Psychiatric	8A, 8B, 9, 10
<b>POPULATION</b>	
Census 2010	926,656
2013 Estimate	936,222

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	456,912	453,338	459,587
Employed	429,001	423,094	421,240
Unemployed	27,911	30,244	38,347
Unemployment Rate	6.1%	6.7%	8.3%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	41,638	41,181	42,439
Drop-outs	797	972	973
Drop-out Rate	1.9%	2.4%	2.3%
School Suspensions:			
Alcohol Incidents	129	85	82
Drug Incidents	421	445	557
Tobacco Incidents	12	57	24

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	11,597	11,603	11,757
Mother Reported Smoking while Pregnant	2,264	2,397	2,523

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	40	38	54
Hepatitis B Chronic, Acute, Prenatal	1 73	72	67
Hepatitis C Chronic and Acute	1 869	952	775
Tuberculosis Infection Cases	1 279	349	411

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	9,269	9,185	9,143
Suicides	139	157	137
Self-inflicted Injuries	1,293	1,399	1,387
Homicides		28	24
Assault Injuries	2,953	2,909	2,947
Alcohol Induced Deaths	67	64	75
Drug Induced Deaths	142	167	209
Smoking Attributable Deaths	1,696	1,595	1,683

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 5,369	5,841	
Alcohol Primary Diagnosis	2 473	445	
Drug Primary Diagnosis	2 485	368	
Alcohol Related Diagnosis	2,027	2,357	2,912
Drug Related Diagnosis	2,574	2,629	3,322
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 4,638	3,579	
Alcohol Primary Diagnosis	2 1,477	1,251	
Drug Primary Diagnosis	2 1,071	795	
Alcohol Related Diagnosis	4,309	3,526	2,893
Drug Related Diagnosis	4,161	3,321	2,502
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 8,697	8,699	
Alcohol Primary Diagnosis	2 2,839	2,633	
Drug Primary Diagnosis	2 2,132	1,966	
Alcohol Related Diagnosis	6,349	5,655	5,023
Drug Related Diagnosis	6,494	5,276	4,589

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	1,027	1,056	1,080
Fatal Crashes	34	38	44
Injury Crashes	443	459	464
Property Damage Crashes	550	559	572
Crash Fatalities	36	41	47
Crash Injuries	612	661	680
Drug Involved Crashes--Total	249	256	245
Fatal Crashes	4	7	6
Injury Crashes	104	114	113
Property Damage Crashes	141	135	126
Crash Fatalities	5	7	7
Crash Injuries	148	129	159

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	5,868	6,173	6,031
Liquor Law Arrests	1,115	1,170	1,762
Drug Arrests	4,492	4,020	4,345
Methamphetamine Lab Incidents	398	463	424
Violent Offenses	4,034	3,528	3,631
Property Offenses	37,963	35,769	35,814
Domestic Violence Reports	8,780	8,409	8,510

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	4,669	4,541	4,644
Violent Offenses	1,271	1,319	1,458
Alcohol Offenses	207	215	279
Drug Offenses	398	413	418
Status Offenses--Total	1,875	2,260	2,175
Truancy	295	406	414
Beyond Parental Control	417	486	464
Habitually Absent from Home	300	361	361
Injurious Behavior	828	954	891
Abuse/Neglect/Custody--Total	3,428	3,225	3,568
Abuse	483	603	572
Neglect	2,401	2,314	2,695
Custody Disputes	544	308	301

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	1,369	1,480	1,630
Parental Alcohol Use Related	62	64	65
Parental Drug Use Related	536	501	513
Parental Alcohol and Drug Use	36	51	75
Child Removed for Other Reason	735	864	977

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	1,557	1,344	1,107
Probation/Parole Admissions--Total	6,115	5,904	5,614
Probation/Parole Admissions--Drug	1,831	1,851	1,768
Probation/Parole Admissions--DWI	527	524	399
Prison Admissions--Total	3,032	2,963	2,968
Prison Admissions--Drug	993	913	925
Prison Admissions--DWI	204	191	191

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	933	950	948
Alcohol Package Carry-out Licenses	849	955	936

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# DIVISION OF BEHAVIORAL HEALTH SOUTHWEST REGION

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Detoxification	1,227	1,142	1,287
CSTAR Adolescent	354	414	402
CSTAR Women and Children	687	578	625
CSTAR General Adult	2,740	2,618	2,361
CSTAR Opioid	*	0	*
Primary Recovery Treatment	863	1,108	1,886
Clinical SATOP (CIP, YCIP, SROP)	772	703	601
Other Substance Abuse Treatment	9	8	*

<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Offender Management Unit	3,840	4,116	3,644
- Adolescent Diversion Education Program	94	103	115
- Offender Education Program	1,489	1,593	1,417
- Weekend Intervention Program	813	792	758
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	249	267	246
Compulsive Gambling	5	7	7
Recovery Supports	1,953	1,615	814
Early Intervention	243	398	292


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	6,329	6,236	6,365
<b>AGE</b>			
Under 18	371	422	417
18 to 24	1,034	1,131	1,223
25 to 29	1,127	1,104	1,152
30 to 34	1,073	981	931
35 to 39	754	664	709
40 to 44	640	639	633
45 to 54	982	1,001	1,050
55 and Over	348	294	249
<b>GENDER</b>			
Male	4,162	4,200	4,229
Female	2,167	2,035	2,134
<b>RACE / ETHNICITY</b>			
Caucasian	5,808	5,707	5,767
African American	245	261	312
Native American / Alaskan	22	20	26
Asian / Pacific Islander	17	20	15
Hispanic	154	146	159
Other Race / Two or More Races	141	131	136
<b>EDUCATION</b>			
Less than High School Diploma	2,206	2,162	2,391
High School Graduate or G.E.D.	2,687	2,686	2,738
Associate Degree or Some College	1,389	1,335	1,152
Bachelor or Advanced Degree	47	53	83
<b>EMPLOYMENT</b>			
Employed	1,783	1,784	1,640
Unemployed	2,260	2,277	2,668
Not in Labor Force	2,286	2,175	2,056
<b>HOUSING / LIVING ARRANGEMENT</b>			
Independent Living	5,014	4,928	5,099
Dependent Living	704	774	800
Homeless	429	353	350
<b>MARITAL / FAMILY STATUS</b>			
Never Married	3,055	3,044	3,096
Married / Cohabiting	1,595	1,593	1,655
Previously Married	1,679	1,599	1,613

<b>PRIMARY DRUG PROBLEM</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Alcohol	2,528	2,547	2,668
Marijuana / Hashish	1,211	1,333	1,454
Cocaine (total)	73	124	126
- Crack	30	76	73
Stimulant (total)	1,640	1,422	1,318
- Methamphetamine	1,582	1,378	1,263
Heroin	119	114	86
Analgesic except Heroin	586	515	575
- Non-Prescription Methadone	18	11	9
PCP, LSD, other Hallucinogen	26	28	22
Tranquilizer	78	93	76
Inhalant	11	9	10
Sedative	10	8	9
Other Medication or Illicit Drug	47	43	20
Average Age at First Use of Drug	17.7	17.2	16.9
<b>INJECTION DRUG USE</b>			
Any Injection Use at Admission	1,174	1,064	985
- Daily Injection Use	232	191	189
- Weekly Injection Use	329	275	263
- Less than Weekly Injection Use	613	598	533
<b>LIFETIME DUI / DWI ARRESTS</b>			
0	3,240	3,135	3,304
1 or 2	1,941	1,939	1,956
3 or More	1,148	1,162	1,104
<b>TREATMENT REFERRAL SOURCE</b>			
Self / Family / Friend	2,928	2,176	2,007
School	18	11	17
Mental Health Provider	82	59	112
Health Care Provider	372	252	291
Court / Criminal Justice	2,133	2,959	3,370
Other Referral Source	759	765	566
<b>TREATMENT ACCOMMODATION</b>			
Pregnant when Admitted to any Episode	89	92	97
Military Veteran	294	286	324
Special Education Services Needed	605	557	511
Co-Occurring Psychological Problem	2,566	2,228	2,177
Co-Occurring Developmental Problem	255	161	146

# DIVISION OF BEHAVIORAL HEALTH SOUTHWEST REGION

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 8A, 8B, 9, 10  
**CENSUS 2010** 926,656  
**2013 POPULATION ESTIMATE** 936,222

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	464	605	605
Anxiety Disorder	3,913	3,654	3,232
Dementia	21	24	23
Developmental Disorder	191	198	178
Impulse Control Disorder	1,452	1,626	1,565
Mood Disorder	5,986	5,943	5,634
Personality Disorder	1,109	990	855
Psychotic Disorder	1,599	1,697	1,605
Sexual Disorder	33	6	22
Other Diagnosis	830	787	632
Diagnosis Unknown	1,543	1,450	2,304

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	10,801	11,127	11,696	Less than High School Diploma	2,663	1,605	1,008
<b>AGE</b>				High School Grad or G.E.D.	15	1,492	1,466
Under 6	228	236	277	Associate Degree or Some College	6	613	523
6 to 9	665	756	814	Bachelor or Advanced Degree	0	148	134
10 to 13	776	854	942	Education Level Unknown	8,117	7,269	8,565
14 to 17	746	890	993	<b>EMPLOYMENT</b>			
18 to 24	899	903	998	Employed	393	451	362
25 to 29	936	884	889	Unemployed	482	2,914	2,685
30 to 34	1,015	1,030	1,020	Not in Labor Force	5,085	1,198	105
35 to 39	947	945	1,026	Employment Status Unknown	4,841	6,564	8,544
40 to 44	1,043	1,056	1,038	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	1,130	1,170	1,275	Independent Living	3,068	3,293	2,569
50 to 54	1,134	1,106	1,121	Dependent Living	2,519	1,319	1,386
55 to 59	738	716	686	Homeless	208	113	97
60 and Over	544	581	617	Other	*	81	96
Age Unknown	0	0	0	Housing Unknown	5,004	6,321	7,548
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	4,989	5,174	5,457	Self / Family / Friend	7,312	7,569	8,280
Female	5,812	5,953	6,239	School	60	59	51
Gender Unknown	0	0	0	Mental Health Provider	388	470	552
<b>RACE / ETHNICITY</b>				Health Care Provider	987	880	714
Caucasian	9,956	10,274	10,839	Court / Criminal Justice	539	540	474
African American	262	229	215	Other	1,401	1,480	1,401
Native American / Alaskan	27	44	36	Referral Source Unknown	114	129	224
Asian / Pacific Islander	16	21	25	<b>TYPE OF COMMITMENT</b>			
Hispanic	227	228	195	Voluntary	10,380	10,561	11,075
Other Race	313	331	385	Civil	249	371	321
Race/Ethnicity Unknown	0	0	*	Criminal	45	56	62
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	11	6	8
Hearing Impaired	261	270	290	Commitment Type Unknown	116	133	230
Past or Current Military Service	214	245	241				



# DIVISION OF BEHAVIORAL HEALTH SOUTHWEST REGION


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	31.9	34.0	39.8	Alcohol (1 or 2 drinks daily)	60.8		
Cigarettes	21.2	23.4	27.8	Alcohol (Binge: 5+ drinks once or twice a week)	72.6		
Chewing Tobacco	12.4	12.6	14.8	Alcohol (any use)		73.3	75.9
Marijuana	13.3	14.1	16.0	Cigarettes (1+ packs per day)	86.0		
Inhalants	3.3	5.8	7.1	Cigarettes (any use)		82.1	80.0
Prescription medications not prescribed for student	7.5	8.4	11.8	Marijuana (once or twice a week)	69.1		
Over-the-counter medications for non-medical use	2.9	6.2	8.4	Marijuana (any use)		74.5	74.9
Methamphetamine	0.8	1.4	1.1	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.8	93.7	93.0
Cocaine	1.0	1.8	1.7				
Heroin	0.4	0.9	0.7	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	2.3	3.1	3.3	Were very sad	21.8	19.2	19.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.9	2.2	2.3	Were grouchy, irritable, or in a bad mood	24.1	23.1	24.0
Steroids not prescribed for student	0.7	1.4	1.1	Felt hopeless about the future	12.5	10.7	11.7
Synthetic drugs (K2, bath salts, Spice, etc)	3.6	7.4		Felt like not eating or eating more than usual	17.7	17.5	18.1
				Slept a lot more or a lot less than usual	17.3	19.7	25.6
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	22.6	22.0	24.9
Alcohol	12.96	12.44	12.42				
Cigarettes	12.60	12.17	12.11	<i>Percent of students who, in past 12 months:</i>			
Marijuana	13.72	13.11	13.37	Seriously considered attempting suicide	12.3	11.9	11.7
Inhalants	12.01	12.05	12.23	Made plan about how they would attempt suicide	9.2	8.6	8.7
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide	5.4	5.4	5.5
Alcohol	12.8	13.9	17.0	Attempted suicide and resulting injury, poisoning, or overdose	1.9	1.8	2.3
Alcohol (Binge: 5+ drinks on one occasion)		8.0	11.1	had to be treated by doctor or nurse			
Cigarettes	8.9	10.7	14.3	<i>Percent of students who, in past 12 months:</i>			
Chewing Tobacco	6.4	6.6	7.9	Were threatened/injured with weapon at school	6.7	6.8	9.9
Marijuana	6.0	6.7	8.0	Were in a physical fight	17.8	20.0	22.7
Inhalants	1.2	2.4	3.1	Were in a fight and had to be treated by a doctor or nurse	3.0	3.5	3.9
Prescription medications not prescribed for student	3.2	4.4	6.7				
Over-the-counter medications for non-medical use	1.6	3.7	5.0	<i>Percent of students who, in past 3 months:</i>			
<i>Percent of students who, in past 2 weeks, used:</i>				Were victims of mean rumors or lies spread at school	50.6	49.1	54.7
Alcohol (Binge: 5+ drinks on one occasion)	5.9			Were made fun of by others	59.8	60.4	67.7
<i>Percent whose friends used in past 12 months:</i>				Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.1	20.9	19.0
Alcohol	40.9	47.0	54.8	Spread mean rumors or lies about other kids at school	23.7	26.3	32.2
Cigarettes	33.9	40.3	46.8	Made fun of other people	52.0	58.9	69.0
Marijuana	27.3	30.9	35.4	Posted something on the internet or sent a text that might embarrass or hurt another student	15.5	13.3	16.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.1	14.8	18.8				
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	22.1	25.3	29.6	Teachers notice and comment on student's good work	72.9	69.2	69.4
Cigarettes	11.6	12.9	15.7	School provides feedback to parents on positive student performance	43.4	39.2	39.6
Marijuana	11.2	11.8	13.1	Rules are enforced fairly	64.9	63.8	64.7
<i>Percent who say it would be wrong to use:</i>				Students of all races/ethnicities are treated equal	81.4	78.3	79.7
Alcohol	68.8	66.9	63.1				
Cigarettes	84.4	81.8	77.0	<i>Percent of students who agree that:</i>			
Marijuana	82.8	83.1	81.9	Parents notice and comment on student's good work	83.0	83.0	83.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.6	95.1	94.2	Parents involve student in making family decisions	69.9	69.9	70.7
<i>Percent whose parents would disapprove if they use:</i>				It is important to be honest with parents regardless of consequences	88.2	86.6	83.6
Alcohol	83.5	82.6	80.6	Student could ask parent for help with a personal problem	79.2	76.7	77.7
Cigarettes	93.1	91.9	89.7				
Marijuana	93.4	93.9	93.2				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	47.6	50.9	54.7				
Cigarettes	46.7	48.9	56.4				
Marijuana	29.8	32.3	36.4				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.0	16.8	19.9				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# DIVISION OF BEHAVIORAL HEALTH WESTERN REGION



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	1, 2-5 (JC), 6, 7, 13
Adult Psychiatric	1, 2, 3, 4, 5, 6, 7, 13
<b>POPULATION</b>	
Census 2010	1,457,879
2013 Estimate	1,476,348

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	19,504	19,325	19,953
Mother Reported Smoking while Pregnant	3,350	3,322	3,423
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	157	184	170
Hepatitis B Chronic, Acute, Prenatal	1	128	111
Hepatitis C Chronic and Acute	1	879	1,033
Tuberculosis Infection Cases	1	599	543
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	13,023	12,802	12,695
Suicides	219	232	227
Self-inflicted Injuries	2,307	2,256	2,247
Homicides		146	145
Assault Injuries	6,876	6,973	6,799
Alcohol Induced Deaths	133	122	122
Drug Induced Deaths	197	190	198
Smoking Attributable Deaths	2,262	2,196	2,194
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	11,873	13,057
Alcohol Primary Diagnosis	2	1,158	1,176
Drug Primary Diagnosis	2	685	677
Alcohol Related Diagnosis		4,704	5,209
Drug Related Diagnosis		5,567	5,742
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	4,193	3,164
Alcohol Primary Diagnosis	2	1,147	998
Drug Primary Diagnosis	2	657	564
Alcohol Related Diagnosis		5,922	5,489
Drug Related Diagnosis		5,276	4,582
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	12,846	12,378
Alcohol Primary Diagnosis	2	5,736	5,551
Drug Primary Diagnosis	2	2,627	2,407
Alcohol Related Diagnosis		11,820	10,533
Drug Related Diagnosis		9,022	7,758
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	1,360	1,314	1,494
Fatal Crashes	37	32	33
Injury Crashes	541	571	619
Property Damage Crashes	782	711	842
Crash Fatalities	40	38	34
Crash Injuries	768	886	882
Drug Involved Crashes--Total	302	277	283
Fatal Crashes	7	8	6
Injury Crashes	154	128	130
Property Damage Crashes	141	141	147
Crash Fatalities	9	7	7
Crash Injuries	235	141	187

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	744,559	745,615	755,544
Employed	694,682	693,740	689,909
Unemployed	49,877	51,875	65,635
Unemployment Rate	6.7%	7.0%	8.7%
<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	66,776	66,469	67,616
Drop-outs	1,685	2,269	2,345
Drop-out Rate	2.5%	3.4%	3.5%
School Suspensions:			
Alcohol Incidents	79	85	102
Drug Incidents	559	739	708
Tobacco Incidents	9	19	15
<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	7,278	7,297	7,790
Liquor Law Arrests	2,494	2,770	2,911
Drug Arrests	7,139	6,898	7,612
Methamphetamine Lab Incidents	84	56	43
Violent Offenses	8,286	7,968	7,978
Property Offenses	57,326	55,007	56,020
Domestic Violence Reports	11,201	10,691	12,175
<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	5,133	4,694	4,436
Violent Offenses	1,167	1,176	1,310
Alcohol Offenses	137	173	199
Drug Offenses	331	321	371
Status Offenses--Total	2,287	1,824	1,887
Truancy	673	558	528
Beyond Parental Control	563	423	491
Habitually Absent from Home	351	341	371
Injurious Behavior	658	422	456
Abuse/Neglect/Custody--Total	2,998	2,440	2,838
Abuse	498	317	405
Neglect	2,146	1,609	1,883
Custody Disputes	354	514	550
<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	1,678	1,459	1,541
Parental Alcohol Use Related	47	74	53
Parental Drug Use Related	532	378	417
Parental Alcohol and Drug Use	70	34	58
Child Removed for Other Reason	1,029	973	1,013
<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	1,534	1,469	1,373
Probation/Parole Admissions--Total	7,498	7,735	7,466
Probation/Parole Admissions--Drug	2,287	2,471	2,421
Probation/Parole Admissions--DWI	549	587	511
Prison Admissions--Total	3,920	3,844	4,067
Prison Admissions--Drug	1,095	1,081	1,186
Prison Admissions--DWI	292	312	337
<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	1,621	1,599	1,593
Alcohol Package Carry-out Licenses	1,142	1,142	1,111

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# DIVISION OF BEHAVIORAL HEALTH WESTERN REGION

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Detoxification	1,173	1,521	1,884
CSTAR Adolescent	554	574	573
CSTAR Women and Children	820	800	817
CSTAR General Adult	4,133	3,780	3,465
CSTAR Opioid	91	80	99
Primary Recovery Treatment	1,130	1,405	1,797
Clinical SATOP (CIP, YCIP, SROP)	1,298	1,148	844
Other Substance Abuse Treatment	379	481	525

<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Offender Management Unit	5,513	5,912	5,701
- Adolescent Diversion Education Program	98	174	133
- Offender Education Program	2,098	2,280	2,350
- Weekend Intervention Program	1,240	1,421	1,405
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	243	291	313
Compulsive Gambling	16	31	69
Recovery Supports	2,227	2,364	1,557
Early Intervention	159	376	313

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	8,769	8,956	8,765
<b>AGE</b>			
Under 18	575	593	593
18 to 24	1,479	1,508	1,489
25 to 29	1,389	1,372	1,368
30 to 34	1,398	1,339	1,185
35 to 39	924	978	1,024
40 to 44	871	975	1,002
45 to 54	1,603	1,714	1,655
55 and Over	530	477	449

<b>GENDER</b>			
Male	5,989	6,164	6,042
Female	2,779	2,792	2,723

<b>RACE / ETHNICITY</b>			
Caucasian	6,356	6,323	5,994
African American	1,891	2,073	2,269
Native American / Alaskan	28	36	37
Asian / Pacific Islander	30	34	23
Hispanic	318	330	311
Other Race / Two or More Races	251	266	228

<b>EDUCATION</b>			
Less than High School Diploma	2,802	2,854	2,884
High School Graduate or G.E.D.	3,941	4,005	3,884
Associate Degree or Some College	1,954	1,976	1,830
Bachelor or Advanced Degree	72	121	167

<b>EMPLOYMENT</b>			
Employed	2,407	2,367	2,190
Unemployed	3,580	3,704	3,986
Not in Labor Force	2,780	2,885	2,589

<b>HOUSING / LIVING ARRANGEMENT</b>			
Independent Living	6,603	6,724	6,386
Dependent Living	1,177	1,191	1,326
Homeless	727	808	830

<b>MARITAL / FAMILY STATUS</b>			
Never Married	5,316	5,190	5,165
Married / Cohabiting	1,718	1,778	1,705
Previously Married	1,735	1,988	1,895

<b>PRIMARY DRUG PROBLEM</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Alcohol	3,564	3,803	3,706
Marijuana / Hashish	2,229	2,243	2,262
Cocaine (total)	500	738	822
- Crack	360	554	643
Stimulant (total)	1,513	1,277	1,097
- Methamphetamine	1,467	1,244	1,044
Heroin	156	112	119
Analgesic except Heroin	513	440	408
- Non-Prescription Methadone	*	11	6
PCP, LSD, other Hallucinogen	188	219	224
Tranquilizer	59	78	71
Inhalant	5	10	6
Sedative	*	*	10
Other Medication or Illicit Drug	38	35	40
Average Age at First Use of Drug	17.7	17.6	17.4

<b>INJECTION DRUG USE</b>			
Any Injection Use at Admission	792	641	549
- Daily Injection Use	170	143	141
- Weekly Injection Use	199	174	149
- Less than Weekly Injection Use	423	324	259


<b>LIFETIME DUI / DWI ARRESTS</b>			
0	4,920	5,040	5,129
1 or 2	2,382	2,404	2,139
3 or More	1,467	1,512	1,497

<b>TREATMENT REFERRAL SOURCE</b>			
Self / Family / Friend	3,000	2,964	2,896
School	37	45	36
Mental Health Provider	232	285	252
Health Care Provider	321	386	420
Court / Criminal Justice	3,522	4,302	4,426
Other Referral Source	1,084	842	733

<b>TREATMENT ACCOMMODATION</b>			
Pregnant when Admitted to any Episode	112	131	112
Military Veteran	365	472	469
Special Education Services Needed	569	563	451
Co-Occurring Psychological Problem	3,225	3,101	3,009
Co-Occurring Developmental Problem	229	258	239

# DIVISION OF BEHAVIORAL HEALTH WESTERN REGION

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 1, 2, 3, 4, 5, 6, 7, 13  
**CENSUS 2010** 1,457,879  
**2013 POPULATION ESTIMATE** 1,476,348

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	1,045	1,076	769
Anxiety Disorder	7,119	6,853	4,987
Dementia	38	36	29
Developmental Disorder	256	230	175
Impulse Control Disorder	3,756	3,637	2,850
Mood Disorder	13,626	13,192	10,090
Personality Disorder	987	945	773
Psychotic Disorder	4,395	4,382	3,607
Sexual Disorder	44	11	42
Other Diagnosis	1,650	1,597	1,382
Diagnosis Unknown	3,086	3,700	5,797

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	23,784	23,839	21,730	Less than High School Diploma	4,979	2,452	1,422
<b>AGE</b>				High School Grad or G.E.D.	119	2,489	2,093
Under 6	271	314	291	Associate Degree or Some College	29	904	793
6 to 9	1,412	1,460	1,314	Bachelor or Advanced Degree	*	259	232
10 to 13	1,739	1,835	1,655	Education Level Unknown	18,654	17,735	17,190
14 to 17	1,786	1,919	1,868	<b>EMPLOYMENT</b>			
18 to 24	2,095	2,121	1,860	Employed	1,172	791	524
25 to 29	1,940	1,862	1,735	Unemployed	1,647	4,654	3,924
30 to 34	2,210	2,104	1,909	Not in Labor Force	8,865	1,791	116
35 to 39	1,982	1,937	1,805	Employment Status Unknown	12,100	16,603	17,166
40 to 44	2,081	2,104	1,959	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	2,346	2,478	2,295	Independent Living	6,196	5,079	3,627
50 to 54	2,564	2,523	2,223	Dependent Living	4,930	2,332	1,910
55 to 59	1,809	1,695	1,498	Homeless	526	307	179
60 and Over	1,549	1,487	1,318	Other	*	164	243
Age Unknown	0	0	0	Housing Unknown	12,130	15,957	15,771
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	11,376	11,394	10,486	Self / Family / Friend	13,444	13,161	10,891
Female	12,408	12,445	11,244	School	337	361	343
Gender Unknown	0	0	0	Mental Health Provider	1,970	2,132	2,352
<b>RACE / ETHNICITY</b>				Health Care Provider	3,030	2,977	2,471
Caucasian	14,935	14,923	13,933	Court / Criminal Justice	1,074	1,202	1,217
African American	6,693	6,998	5,890	Other	3,773	3,832	4,103
Native American / Alaskan	93	98	107	Referral Source Unknown	156	174	353
Asian / Pacific Islander	89	83	72	<b>TYPE OF COMMITMENT</b>			
Hispanic	681	648	547	Voluntary	23,321	23,329	21,020
Other Race	1,293	1,088	1,176	Civil	72	107	113
Race/Ethnicity Unknown	0	*	5	Criminal	233	235	247
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	15	11	15
Hearing Impaired	527	510	460	Commitment Type Unknown	143	157	335
Past or Current Military Service	493	515	488				



# DIVISION OF BEHAVIORAL HEALTH WESTERN REGION

## MISSOURI STUDENT SURVEY


	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	31.4	36.9	39.4	Alcohol (1 or 2 drinks daily)	60.5		
Cigarettes	17.9	21.2	24.6	Alcohol (Binge: 5+ drinks once or twice a week)	72.6		
Chewing Tobacco	8.8	10.1	9.5	Alcohol (any use)		70.4	75.0
Marijuana	14.5	16.1	16.5	Cigarettes (1+ packs per day)	85.4		
Inhalants	3.1	5.1	6.1	Cigarettes (any use)		81.4	80.0
Prescription medications not prescribed for student	7.8	8.0	10.5	Marijuana (once or twice a week)	62.5		
Over-the-counter medications for non-medical use	3.2	5.9	7.4	Marijuana (any use)		71.3	72.5
Methamphetamine	0.6	1.3	0.9	Other: Cocaine, LSD, Meth, Club Drug (any use)	90.5	92.7	91.8
Cocaine	1.3	1.8	1.7				
Heroin	0.4	0.9	0.6	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	2.0	2.8	2.5	Were very sad	20.6	18.6	18.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.8	2.1	2.1	Were grouchy, irritable, or in a bad mood	25.9	24.3	25.1
Steroids not prescribed for student	1.0	1.3	1.1	Felt hopeless about the future	12.2	11.0	11.7
Synthetic drugs (K2, bath salts, Spice, etc)	3.5	6.1		Felt like not eating or eating more than usual	17.3	16.8	18.3
				Slept a lot more or a lot less than usual	18.6	20.9	25.7
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	24.3	22.6	23.7
Alcohol	13.09	12.83	12.57	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.92	12.70	12.28	Seriously considered attempting suicide	12.3	11.8	11.4
Marijuana	13.88	13.65	13.49	Made plan about how they would attempt suicide	9.2	8.7	8.3
Inhalants	11.28	11.69	11.69	Attempted suicide	5.3	5.0	5.6
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose	1.8	1.7	2.1
Alcohol	12.4	15.5	17.3	had to be treated by doctor or nurse			
Alcohol (Binge: 5+ drinks on one occasion)		8.7	10.4	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	7.3	9.5	12.7	Were threatened/injured with weapon at school	6.2	6.2	9.4
Chewing Tobacco	4.3	5.3	5.0	Were in a physical fight	17.3	19.0	23.5
Marijuana	7.1	8.2	8.6	Were in a fight and had to be treated by a doctor or nurse	2.7	2.6	4.2
Inhalants	1.2	2.0	2.9	<i>Percent of students who, in past 3 months:</i>			
Prescription medications not prescribed for student	3.6	4.4	6.3	Were victims of mean rumors or lies spread at school	48.1	46.8	51.4
Over-the-counter medications for non-medical use	1.9	3.4	4.7	Were made fun of by others	58.4	59.9	65.8
<i>Percent of students who, in past 2 weeks, used:</i>				Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.8	20.1	19.0
Alcohol (Binge: 5+ drinks on one occasion)	5.5			Spread mean rumors or lies about other kids at school	24.0	26.3	32.8
<i>Percent whose friends used in past 12 months:</i>				Made fun of other people	52.9	61.2	70.2
Alcohol	41.5	51.4	54.1	Posted something on the internet or sent a text that might embarrass or hurt another student	16.8	14.2	18.1
Cigarettes	31.9	40.8	44.5	<i>Percent of students who agree that:</i>			
Marijuana	32.3	37.5	36.8	Teachers notice and comment on student's good work	71.3	68.1	70.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.2	14.5	17.3	School provides feedback to parents on positive student performance	40.2	37.6	42.0
<i>Percent who would likely use, if offered by a best friend:</i>				Rules are enforced fairly	65.5	64.4	65.8
Alcohol	24.1	29.1	30.4	Students of all races/ethnicities are treated equal	79.2	77.2	78.2
Cigarettes	10.2	12.4	14.0	<i>Percent of students who agree that:</i>			
Marijuana	13.5	13.8	13.1	Parents notice and comment on student's good work	82.0	82.0	82.9
<i>Percent who say it would be wrong to use:</i>				Parents involve student in making family decisions	69.7	68.4	69.8
Alcohol	66.6	62.1	62.1	It is important to be honest with parents regardless of consequences	86.4	84.8	82.4
Cigarettes	85.7	81.6	79.5	Student could ask parent for help with a personal problem	77.2	75.9	76.1
Marijuana	79.2	81.0	81.2				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.6	94.9	94.3				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	82.6	80.0	80.0				
Cigarettes	93.0	91.8	90.5				
Marijuana	92.3	93.4	93.5				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	50.1	56.7	56.2				
Cigarettes	45.1	51.9	53.6				
Marijuana	34.1	37.7	36.5				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.3	16.7	18.6				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys



# SUBSTANCE ABUSE SERVICE AREA 1



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	1
Adult Psychiatric	Not Applicable
<b>POPULATION</b>	
Census 2010	183,003
2013 Estimate	182,630

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	100,419	100,132	100,397
Employed	94,806	94,363	92,882
Unemployed	5,613	5,769	7,515
Unemployment Rate	5.6%	5.8%	7.5%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	7,623	7,562	7,999
Drop-outs	117	164	152
Drop-out Rate	1.5%	2.2%	1.9%
School Suspensions:			
Alcohol Incidents	4	2	6
Drug Incidents	35	51	23
Tobacco Incidents	0	1	0

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	2,166	2,163	2,270
Mother Reported Smoking while Pregnant	568	505	516

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	3	6	5
Hepatitis B Chronic, Acute, Prenatal	1 21	17	27
Hepatitis C Chronic and Acute	1 126	207	154
Tuberculosis Infection Cases	1 61	76	22

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	1,968	1,967	1,897
Suicides	26	22	30
Self-inflicted Injuries	265	242	243
Homicides		7	9
Assault Injuries	627	713	681
Alcohol Induced Deaths	11	15	16
Drug Induced Deaths	18	17	7
Smoking Attributable Deaths	354	349	352

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 1,252	1,523	
Alcohol Primary Diagnosis	2 97	93	
Drug Primary Diagnosis	2 85	73	
Alcohol Related Diagnosis	322	380	620
Drug Related Diagnosis	454	474	601
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 1,095	795	
Alcohol Primary Diagnosis	2 172	211	
Drug Primary Diagnosis	2 137	116	
Alcohol Related Diagnosis	779	716	554
Drug Related Diagnosis	829	631	397
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 1,861	1,912	
Alcohol Primary Diagnosis	2 423	362	
Drug Primary Diagnosis	2 198	203	
Alcohol Related Diagnosis	834	786	858
Drug Related Diagnosis	649	631	571

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	186	172	196
Fatal Crashes	8	8	6
Injury Crashes	89	81	87
Property Damage Crashes	89	83	103
Crash Fatalities	10	11	6
Crash Injuries	124	123	130
Drug Involved Crashes--Total	32	34	34
Fatal Crashes	2	2	1
Injury Crashes	14	15	17
Property Damage Crashes	16	17	16
Crash Fatalities	3	2	1
Crash Injuries	23	16	22

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	876	1,111	1,073
Liquor Law Arrests	636	736	683
Drug Arrests	1,074	1,128	1,306
Methamphetamine Lab Incidents	3	9	7
Violent Offenses	488	503	480
Property Offenses	6,389	5,625	5,201
Domestic Violence Reports	1,280	1,363	1,429

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	967	964	925
Violent Offenses	210	220	218
Alcohol Offenses	43	40	27
Drug Offenses	41	54	59
Status Offenses--Total	906	654	643
Truancy	351	221	207
Beyond Parental Control	251	170	181
Habitually Absent from Home	142	152	150
Injurious Behavior	145	96	85
Abuse/Neglect/Custody--Total	325	258	317
Abuse	27	28	43
Neglect	277	230	267
Custody Disputes	21	0	7

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	144	138	124
Parental Alcohol Use Related	2	6	5
Parental Drug Use Related	35	20	32
Parental Alcohol and Drug Use	7	1	1
Child Removed for Other Reason	100	111	86

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	290	265	220
Probation/Parole Admissions--Total	1,498	1,693	1,517
Probation/Parole Admissions--Drug	526	560	554
Probation/Parole Admissions--DWI	117	138	114
Prison Admissions--Total	989	907	961
Prison Admissions--Drug	349	324	348
Prison Admissions--DWI	59	68	82

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	212	207	215
Alcohol Package Carry-out Licenses	188	184	173

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# SUBSTANCE ABUSE SERVICE AREA 1

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	194	231	235
CSTAR Adolescent	107	112	117
CSTAR Women and Children	20	7	5
CSTAR General Adult	694	424	195
CSTAR Opioid	*	0	0
Primary Recovery Treatment	156	463	460
Clinical SATOP (CIP, YCIP, SROP)	135	134	73
Other Substance Abuse Treatment	*	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	738	842	725
- Adolescent Diversion Education Program	69	123	78
- Offender Education Program	313	303	313
- Weekend Intervention Program	150	171	152
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	10	12	8
Compulsive Gambling	*	7	*
Recovery Supports	14	10	5
Early Intervention	86	239	186

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	1,145	1,122	961	Alcohol	416	445	397
AGE				Marijuana / Hashish	346	330	273
Under 18	107	112	122	Cocaine (total)	23	62	58
18 to 24	243	206	192	- Crack	19	48	38
25 to 29	188	186	155	Stimulant (total)	225	164	119
30 to 34	172	147	93	- Methamphetamine	223	163	117
35 to 39	93	109	110	Heroin	10	*	9
40 to 44	103	106	102	Analgesic except Heroin	109	99	90
45 to 54	173	202	148	- Non-Prescription Methadone	*	*	*
55 and Over	66	54	39	PCP, LSD, other Hallucinogen	6	*	*
GENDER				Tranquilizer	*	5	7
Male	799	805	672	Inhalant	0	*	*
Female	346	317	289	Sedative	*	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	5	7	*
Caucasian	995	993	827	Average Age at First Use of Drug	17.7	17.4	17.2
African American	107	86	93	INJECTION DRUG USE			
Native American / Alaskan	0	*	*	Any Injection Use at Admission	142	113	103
Asian / Pacific Islander	*	6	*	- Daily Injection Use	33	29	41
Hispanic	31	29	23	- Weekly Injection Use	40	27	16
Other Race / Two or More Races	25	20	19	- Less than Weekly Injection Use	69	57	46
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	375	355	328	0	679	652	599
High School Graduate or G.E.D.	553	546	451	1 or 2	297	295	226
Associate Degree or Some College	211	204	155	3 or More	169	175	136
Bachelor or Advanced Degree	6	17	27	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	340	240	257
Employed	331	340	313	School	0	*	*
Unemployed	547	493	411	Mental Health Provider	15	27	9
Not in Labor Force	267	289	237	Health Care Provider	45	74	48
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	643	696	590
Independent Living	835	854	696	Other Referral Source	76	74	53
Dependent Living	210	193	187	TREATMENT ACCOMMODATION			
Homeless	79	66	62	Pregnant when Admitted to any Episode	8	7	6
MARITAL / FAMILY STATUS				Military Veteran	63	54	44
Never Married	688	653	573	Special Education Services Needed	93	26	21
Married / Cohabiting	214	214	161	Co-Occurring Psychological Problem	371	196	221
Previously Married	243	255	227	Co-Occurring Developmental Problem	34	14	15

# SUBSTANCE ABUSE SERVICE AREA 1


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	27.6	35.7	38.8	Alcohol (1 or 2 drinks daily)	60.6		
Cigarettes	19.2	20.0	24.6	Alcohol (Binge: 5+ drinks once or twice a week)	71.8		
Chewing Tobacco	8.5	12.6	13.7	Alcohol (any use)		69.2	82.2
Marijuana	10.6	11.1	10.5	Cigarettes (1+ packs per day)	86.7		
Inhalants	3.1	4.8	6.1	Cigarettes (any use)		79.6	82.5
Prescription medications not prescribed for student	5.6	6.2	9.1	Marijuana (once or twice a week)	70.2		
Over-the-counter medications for non-medical use	3.0	4.1	6.2	Marijuana (any use)		76.5	76.2
Methamphetamine	0.7	1.4	0.6	Other: Cocaine, LSD, Meth, Club Drug (any use)	91.9	92.3	94.2
Cocaine	1.0	0.9	1.1				
Heroin	0.3	0.5	0.4	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	1.5	1.8	1.7	Were very sad	19.9	16.1	20.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.3	1.1	1.3	Were grouchy, irritable, or in a bad mood	25.5	24.8	30.2
Steroids not prescribed for student	0.8	0.8	1.0	Felt hopeless about the future	10.4	9.9	11.4
Synthetic drugs (K2, bath salts, Spice, etc)	2.7	5.8		Felt like not eating or eating more than usual	15.9	15.6	20.2
				Slept a lot more or a lot less than usual	16.4	19.7	29.2
				Had difficulty concentrating on school work	23.0	78.8	25.7
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	12.86	12.56	12.39	Seriously considered attempting suicide	9.5	10.0	11.1
Cigarettes	12.48	12.45	11.83	Made plan about how they would attempt suicide	7.4	8.0	7.4
Marijuana	13.65	13.63	13.46	Attempted suicide	4.2	4.0	4.8
Inhalants	10.99	11.51	12.29	Attempted suicide and resulting injury, poisoning, or overdose	1.4	1.6	1.8
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	10.4	14.9	16.0	Were threatened/injured with weapon at school	5.7	6.4	9.7
Alcohol (Binge: 5+ drinks on one occasion)		9.0	10.1	Were in a physical fight	17.7	19.6	22.1
Cigarettes	7.5	9.2	13.2	Were in a fight and had to be treated by a doctor or nurse	3.7	1.8	3.9
Chewing Tobacco	4.5	6.5	7.2				
Marijuana	4.3	5.3	5.4	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.1	1.7	3.0	Were victims of mean rumors or lies spread at school	46.2	48.4	54.6
Prescription medications not prescribed for student	2.5	3.4	5.6	Were made fun of by others	56.3	62.2	67.6
Over-the-counter medications for non-medical use	2.1	2.1	4.1	Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.3	20.0	20.0
				Spread mean rumors or lies about other kids at school	21.1	26.9	34.0
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	49.2	58.8	69.8
Alcohol (Binge: 5+ drinks on one occasion)	5.0			Posted something on the internet or sent a text that might embarrass or hurt another student	15.3	13.2	18.0
				<i>Percent of students who agree that:</i>			
<i>Percent whose friends used in past 12 months:</i>				Teachers notice and comment on student's good work	76.1	71.6	73.9
Alcohol	35.4	50.6	54.3	School provides feedback to parents on positive student performance	45.3	39.9	46.5
Cigarettes	29.8	39.7	44.7	Rules are enforced fairly	68.1	67.4	69.8
Marijuana	22.9	30.7	28.6	Students of all races/ethnicities are treated equal	84.9	84.2	83.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.1	12.4	15.4				
				<i>Percent of students who agree that:</i>			
<i>Percent who would likely use, if offered by a best friend:</i>				Parents notice and comment on student's good work	85.0	84.1	83.9
Alcohol	19.8	27.3	28.9	Parents involve student in making family decisions	72.0	70.3	71.5
Cigarettes	9.8	11.7	14.0	It is important to be honest with parents regardless of consequences	86.0	86.1	84.1
Marijuana	9.3	9.9	8.4	Student could ask parent for help with a personal problem	80.0	80.4	77.9
<i>Percent who say it would be wrong to use:</i>							
Alcohol	70.9	65.0	65.2				
Cigarettes	86.2	82.7	81.2				
Marijuana	84.0	86.7	87.8				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.3	97.0	95.7				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	85.2	83.5	82.4				
Cigarettes	92.7	94.4	92.1				
Marijuana	93.5	96.0	96.0				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	45.7	53.3	54.4				
Cigarettes	43.0	47.1	53.2				
Marijuana	25.1	28.6	29.0				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.5	12.8	15.7				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# SUBSTANCE ABUSE SERVICE AREAS 2-5 (JC)



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	2-5 (JC)
Adult Psychiatric	Not Applicable
<b>POPULATION</b>	
Census 2010	674,158
2013 Estimate	679,996

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	330,287	333,027	339,740
Employed	305,538	307,454	307,179
Unemployed	24,749	25,573	32,561
Unemployment Rate	7.5%	7.7%	9.6%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	28,682	28,672	29,317
Drop-outs	1,113	1,515	1,592
Drop-out Rate	3.9%	5.3%	5.4%
School Suspensions:			
Alcohol Incidents	41	38	56
Drug Incidents	286	418	406
Tobacco Incidents	8	10	12

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	9,630	9,583	9,763
Mother Reported Smoking while Pregnant	1,503	1,485	1,529

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	125	149	129
Hepatitis B Chronic, Acute, Prenatal	1 83	73	71
Hepatitis C Chronic and Acute	1 589	644	655
Tuberculosis Infection Cases	1 462	390	344

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	6,022	5,981	5,883
Suicides	108	127	93
Self-inflicted Injuries	1,150	1,120	1,133
Homicides		112	121
Assault Injuries	4,567	4,490	4,370
Alcohol Induced Deaths	82	65	72
Drug Induced Deaths	113	105	123
Smoking Attributable Deaths	1,013	974	942

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 6,293	7,059	
Alcohol Primary Diagnosis	2 726	732	
Drug Primary Diagnosis	2 379	385	
Alcohol Related Diagnosis	2,946	3,170	3,297
Drug Related Diagnosis	3,441	3,619	3,955
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 2,112	1,549	
Alcohol Primary Diagnosis	2 660	492	
Drug Primary Diagnosis	2 330	265	
Alcohol Related Diagnosis	3,399	3,133	3,213
Drug Related Diagnosis	3,027	2,683	2,605
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 5,886	5,955	
Alcohol Primary Diagnosis	2 4,113	3,963	
Drug Primary Diagnosis	2 1,643	1,539	
Alcohol Related Diagnosis	8,317	7,134	6,975
Drug Related Diagnosis	5,794	5,025	4,108

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	650	648	716
Fatal Crashes	11	13	9
Injury Crashes	251	307	289
Property Damage Crashes	388	328	418
Crash Fatalities	12	14	9
Crash Injuries	362	500	428
Drug Involved Crashes--Total	149	148	165
Fatal Crashes	1	3	2
Injury Crashes	75	77	79
Property Damage Crashes	73	68	84
Crash Fatalities	1	3	2
Crash Injuries	115	85	109

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	3,386	3,096	3,522
Liquor Law Arrests	809	824	895
Drug Arrests	3,507	3,446	3,799
Methamphetamine Lab Incidents	56	26	24
Violent Offenses	6,979	6,672	6,729
Property Offenses	40,982	39,947	41,921
Domestic Violence Reports	6,986	6,469	7,721

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	1,519	1,621	1,210
Violent Offenses	408	475	505
Alcohol Offenses	0	4	19
Drug Offenses	47	70	79
Status Offenses--Total	81	95	83
Truancy	7	3	21
Beyond Parental Control	32	10	22
Habitually Absent from Home	6	18	18
Injurious Behavior	22	10	11
Abuse/Neglect/Custody--Total	1,597	1,312	1,581
Abuse	323	142	197
Neglect	1,035	839	991
Custody Disputes	239	331	393

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	1,176	994	1,084
Parental Alcohol Use Related	36	51	27
Parental Drug Use Related	413	294	303
Parental Alcohol and Drug Use	48	20	41
Child Removed for Other Reason	679	629	713

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	848	871	870
Probation/Parole Admissions--Total	2,691	2,829	2,969
Probation/Parole Admissions--Drug	822	940	995
Probation/Parole Admissions--DWI	177	187	147
Prison Admissions--Total	1,062	1,165	1,357
Prison Admissions--Drug	224	249	320
Prison Admissions--DWI	76	95	106

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	821	804	784
Alcohol Package Carry-out Licenses	463	463	445

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# SUBSTANCE ABUSE SERVICE AREAS 2-5 (JC)

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	822	1,134	1,392
CSTAR Adolescent	267	260	284
CSTAR Women and Children	698	713	733
CSTAR General Adult	1,430	1,287	1,442
CSTAR Opioid	82	69	83
Primary Recovery Treatment	863	838	1,092
Clinical SATOP (CIP, YCIP, SROP)	620	460	379
Other Substance Abuse Treatment	359	469	515

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	2,570	2,643	2,650
- Adolescent Diversion Education Program	11	20	21
- Offender Education Program	1,000	1,044	1,125
- Weekend Intervention Program	538	611	639
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	177	216	228
Compulsive Gambling	10	17	31
Recovery Supports	1,873	2,043	1,284
Early Intervention	32	42	26

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011
Total Individuals	4,558	4,727	5,017
AGE			
Under 18	265	270	290
18 to 24	585	641	706
25 to 29	689	635	763
30 to 34	714	701	680
35 to 39	532	539	602
40 to 44	481	553	594
45 to 54	959	1,085	1,080
55 and Over	333	303	302
GENDER			
Male	3,099	3,264	3,495
Female	1,459	1,463	1,522
RACE / ETHNICITY			
Caucasian	2,563	2,522	2,629
African American	1,671	1,858	2,051
Native American / Alaskan	16	26	23
Asian / Pacific Islander	15	17	15
Hispanic	191	190	206
Other Race / Two or More Races	155	171	153
EDUCATION			
Less than High School Diploma	1,522	1,587	1,737
High School Graduate or G.E.D.	1,937	2,019	2,147
Associate Degree or Some College	1,054	1,069	1,054
Bachelor or Advanced Degree	45	52	79
EMPLOYMENT			
Employed	1,006	886	964
Unemployed	1,893	2,163	2,449
Not in Labor Force	1,658	1,678	1,604
HOUSING / LIVING ARRANGEMENT			
Independent Living	3,123	3,178	3,288
Dependent Living	710	743	892
Homeless	576	662	686
MARITAL / FAMILY STATUS			
Never Married	2,904	2,828	3,057
Married / Cohabiting	785	848	884
Previously Married	869	1,051	1,076

PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Alcohol	1,878	1,906	1,991
Marijuana / Hashish	1,081	1,140	1,270
Cocaine (total)	422	602	690
- Crack	313	462	562
Stimulant (total)	674	576	564
- Methamphetamine	647	556	541
Heroin	103	77	79
Analgesic except Heroin	189	158	163
- Non-Prescription Methadone	0	7	5
PCP, LSD, other Hallucinogen	166	203	205
Tranquilizer	32	46	36
Inhalant	*	*	*
Sedative	*	*	9
Other Medication or Illicit Drug	10	14	6
Average Age at First Use of Drug	17.8	17.9	17.7
INJECTION DRUG USE			
Any Injection Use at Admission	328	283	257
- Daily Injection Use	95	65	58
- Weekly Injection Use	90	85	78
- Less than Weekly Injection Use	143	133	121
LIFETIME DUI / DWI ARRESTS			
0	2,662	2,816	3,068
1 or 2	1,161	1,161	1,138
3 or More	735	750	811
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	1,750	1,821	1,772
School	29	40	27
Mental Health Provider	85	102	102
Health Care Provider	197	230	281
Court / Criminal Justice	1,777	2,057	2,392
Other Referral Source	435	426	441
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	66	86	78
Military Veteran	192	239	288
Special Education Services Needed	323	353	307
Co-Occurring Psychological Problem	1,767	1,894	1,884
Co-Occurring Developmental Problem	135	168	153



# SUBSTANCE ABUSE SERVICE AREAS 2-5 (JC)


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	30.5	36.7	37.7	Alcohol (1 or 2 drinks daily)	60.3		
Cigarettes	17.3	21.1	24.7	Alcohol (Binge: 5+ drinks once or twice a week)	73.1		
Chewing Tobacco	7.1	9.6	6.3	Alcohol (any use)		71.4	71.5
Marijuana	16.6	19.6	19.7	Cigarettes (1+ packs per day)	83.2		
Inhalants	3.4	5.0	5.8	Cigarettes (any use)		81.9	78.3
Prescription medications not prescribed for student	8.5	8.0	9.9	Marijuana (once or twice a week)	56.4		
Over-the-counter medications for non-medical use	3.7	5.9	7.3	Marijuana (any use)		67.2	71.9
Methamphetamine	0.6	1.3	0.9	Other: Cocaine, LSD, Meth, Club Drug (any use)	88.2	91.8	89.7
Cocaine	1.5	2.1	1.8				
Heroin	0.5	1.0	0.6	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	1.8	3.0	2.5	Were very sad	20.8	19.9	17.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.9	2.4	2.1	Were grouchy, irritable, or in a bad mood	27.6	25.5	23.4
Steroids not prescribed for student	1.1	1.6	1.0	Felt hopeless about the future	12.2	11.8	11.1
Synthetic drugs (K2, bath salts, Spice, etc)	3.3	6.4		Felt like not eating or eating more than usual	17.8	17.4	17.2
				Slept a lot more or a lot less than usual	20.1	21.6	24.5
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	24.7	23.3	22.8
Alcohol	12.99	12.94	12.46	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.76	12.65	12.12	Seriously considered attempting suicide	13.3	12.5	11.6
Marijuana	13.73	13.61	13.33	Made plan about how they would attempt suicide	9.6	8.8	8.7
Inhalants	11.00	11.55	11.21	Attempted suicide	5.9	5.6	6.2
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose	2.4	1.8	2.5
Alcohol	11.5	14.9	16.3	had to be treated by doctor or nurse			
Alcohol (Binge: 5+ drinks on one occasion)		7.8	10.5	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	6.7	9.2	12.4	Were threatened/injured with weapon at school	6.6	6.5	9.9
Chewing Tobacco	3.5	3.8	3.1	Were in a physical fight	18.6	19.9	26.1
Marijuana	8.1	10.2	10.5	Were in a fight and had to be treated by a doctor or nurse	2.9	3.0	4.9
Inhalants	1.4	2.0	2.7	<i>Percent of students who, in past 3 months:</i>			
Prescription medications not prescribed for student	3.9	4.5	6.2	Were victims of mean rumors or lies spread at school	48.7	44.7	48.6
Over-the-counter medications for non-medical use	2.2	3.5	4.6	Were made fun of by others	57.9	58.0	63.5
<i>Percent of students who, in past 2 weeks, used:</i>				Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.2	18.3	17.2
Alcohol (Binge: 5+ drinks on one occasion)	5.1			Spread mean rumors or lies about other kids at school	23.8	25.4	30.6
<i>Percent whose friends used in past 12 months:</i>				Made fun of other people	52.7	62.0	68.4
Alcohol	40.8	51.5	50.9	Posted something on the internet or sent a text that might embarrass or hurt another student	16.7	13.8	19.7
Cigarettes	30.9	41.0	42.7	<i>Percent of students who agree that:</i>			
Marijuana	35.2	42.9	39.6	Teachers notice and comment on student's good work	70.6	65.8	70.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.0	15.1	17.0	School provides feedback to parents on positive student performance	39.3	36.7	42.0
<i>Percent who would likely use, if offered by a best friend:</i>				Rules are enforced fairly	63.6	62.3	64.4
Alcohol	23.7	29.3	29.3	Students of all races/ethnicities are treated equal	74.1	71.7	76.3
Cigarettes	9.7	12.4	13.5	<i>Percent of students who agree that:</i>			
Marijuana	16.0	17.0	15.4	Parents notice and comment on student's good work	80.8	80.9	82.2
<i>Percent who say it would be wrong to use:</i>				Parents involve student in making family decisions	68.8	67.0	69.1
Alcohol	66.5	61.1	62.8	It is important to be honest with parents regardless of consequences	85.6	84.6	82.2
Cigarettes	86.1	81.3	79.3	Student could ask parent for help with a personal problem	75.8	73.8	75.7
Marijuana	76.0	76.9	78.0				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.0	93.9	93.6				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	83.3	79.3	80.4				
Cigarettes	93.5	90.6	90.0				
Marijuana	90.7	91.5	92.0				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	48.3	56.9	52.7				
Cigarettes	44.3	54.4	51.7				
Marijuana	37.4	43.6	39.4				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.7	18.7	19.8				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# SUBSTANCE ABUSE SERVICE AREA 6



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	6
Adult Psychiatric	Not Applicable
<b>POPULATION</b>	
Census 2010	334,755
2013 Estimate	346,822

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	183,184	182,982	183,595
Employed	171,753	171,342	169,407
Unemployed	11,431	11,640	14,188
Unemployment Rate	6.2%	6.4%	7.7%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	17,518	17,226	17,109
Drop-outs	260	358	379
Drop-out Rate	1.5%	2.1%	2.2%
School Suspensions:			
Alcohol Incidents	8	25	24
Drug Incidents	178	146	153
Tobacco Incidents	0	8	0

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	4,492	4,399	4,556
Mother Reported Smoking while Pregnant	647	625	653

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	25	25	26
Hepatitis B Chronic, Acute, Prenatal	1 10	9	3
Hepatitis C Chronic and Acute	1 61	74	58
Tuberculosis Infection Cases	1 38	41	83

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	2,438	2,331	2,358
Suicides	50	46	51
Self-inflicted Injuries	511	511	544
Homicides		14	9
Assault Injuries	1,050	1,039	1,014
Alcohol Induced Deaths	30	26	23
Drug Induced Deaths	46	33	36
Smoking Attributable Deaths	414	418	451

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 2,273	2,330	
Alcohol Primary Diagnosis	2 212	201	
Drug Primary Diagnosis	2 129	131	
Alcohol Related Diagnosis	816	881	1,063
Drug Related Diagnosis	886	913	1,048

Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 539	485	
Alcohol Primary Diagnosis	2 196	207	
Drug Primary Diagnosis	2 108	121	
Alcohol Related Diagnosis	1,114	1,143	972
Drug Related Diagnosis	929	850	735

Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 2,906	2,629	
Alcohol Primary Diagnosis	2 797	829	
Drug Primary Diagnosis	2 473	408	
Alcohol Related Diagnosis	1,765	1,730	1,741
Drug Related Diagnosis	1,611	1,316	1,143

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	298	254	320
Fatal Crashes	5	5	13
Injury Crashes	114	91	126
Property Damage Crashes	179	158	181
Crash Fatalities	5	5	13
Crash Injuries	163	137	170
Drug Involved Crashes--Total	70	55	43
Fatal Crashes	3	2	2
Injury Crashes	36	24	13
Property Damage Crashes	31	29	28
Crash Fatalities	3	1	2
Crash Injuries	56	28	19

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	1,560	1,621	1,625
Liquor Law Arrests	427	506	570
Drug Arrests	1,133	1,128	1,176
Methamphetamine Lab Incidents	13	4	6
Violent Offenses	395	371	324
Property Offenses	4,337	4,065	3,840
Domestic Violence Reports	1,073	1,014	1,104

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	1,099	1,055	1,106
Violent Offenses	242	256	278
Alcohol Offenses	47	65	50
Drug Offenses	133	125	147
Status Offenses--Total	213	173	183
Truancy	60	44	43
Beyond Parental Control	61	51	54
Habitually Absent from Home	39	46	45
Injurious Behavior	46	26	37
Abuse/Neglect/Custody--Total	299	266	241
Abuse	33	46	41
Neglect	246	206	189
Custody Disputes	20	14	11

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	74	58	75
Parental Alcohol Use Related	4	4	5
Parental Drug Use Related	18	10	16
Parental Alcohol and Drug Use	1	2	0
Child Removed for Other Reason	51	42	54

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	135	134	109
Probation/Parole Admissions--Total	1,426	1,364	1,222
Probation/Parole Admissions--Drug	375	383	329
Probation/Parole Admissions--DWI	117	124	109
Prison Admissions--Total	762	732	699
Prison Admissions--Drug	189	182	183
Prison Admissions--DWI	66	69	50

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	330	332	336
Alcohol Package Carry-out Licenses	222	226	228

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# SUBSTANCE ABUSE SERVICE AREA 6

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	85	86	140
CSTAR Adolescent	64	51	69
CSTAR Women and Children	49	42	50
CSTAR General Adult	970	984	809
CSTAR Opioid	*	10	15
Primary Recovery Treatment	48	43	88
Clinical SATOP (CIP, YCIP, SROP)	287	300	216
Other Substance Abuse Treatment	*	6	7

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	1,214	1,347	1,285
- Adolescent Diversion Education Program	11	21	16
- Offender Education Program	429	509	485
- Weekend Intervention Program	323	388	390
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	25	16	25
Compulsive Gambling	*	7	32
Recovery Supports	59	41	30
Early Intervention	12	24	13

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011
Total Individuals	1,479	1,461	1,265
AGE			
Under 18	77	57	72
18 to 24	338	330	265
25 to 29	242	253	180
30 to 34	235	226	193
35 to 39	139	174	145
40 to 44	152	141	135
45 to 54	232	222	222
55 and Over	64	58	53
GENDER			
Male	1,021	985	856
Female	457	476	409
RACE / ETHNICITY			
Caucasian	1,309	1,300	1,136
African American	80	73	65
Native American / Alaskan	5	*	*
Asian / Pacific Islander	10	6	*
Hispanic	58	62	49
Other Race / Two or More Races	39	35	29
EDUCATION			
Less than High School Diploma	396	353	318
High School Graduate or G.E.D.	676	696	583
Associate Degree or Some College	395	383	322
Bachelor or Advanced Degree	12	29	42
EMPLOYMENT			
Employed	554	572	406
Unemployed	541	522	571
Not in Labor Force	383	367	288
HOUSING / LIVING ARRANGEMENT			
Independent Living	1,312	1,320	1,092
Dependent Living	91	74	109
Homeless	40	44	48
MARITAL / FAMILY STATUS			
Never Married	865	818	729
Married / Cohabiting	316	302	271
Previously Married	298	341	265

PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Alcohol	624	701	636
Marijuana / Hashish	383	342	303
Cocaine (total)	39	46	48
- Crack	21	33	30
Stimulant (total)	281	239	163
- Methamphetamine	277	238	154
Heroin	28	17	19
Analgesic except Heroin	90	94	72
- Non-Prescription Methadone	*	0	0
PCP, LSD, other Hallucinogen	5	10	7
Tranquilizer	16	7	14
Inhalant	0	*	0
Sedative	0	0	0
Other Medication or Illicit Drug	13	*	*
Average Age at First Use of Drug	17.7	17.9	17.3
INJECTION DRUG USE			
Any Injection Use at Admission	145	107	81
- Daily Injection Use	18	32	29
- Weekly Injection Use	29	16	24
- Less than Weekly Injection Use	98	59	28
LIFETIME DUI / DWI ARRESTS			
0	732	710	573
1 or 2	465	449	397
3 or More	282	302	295
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	294	270	301
School	5	*	0
Mental Health Provider	120	131	121
Health Care Provider	45	40	48
Court / Criminal Justice	665	843	695
Other Referral Source	163	130	100
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	22	25	11
Military Veteran	45	79	60
Special Education Services Needed	65	65	35
Co-Occurring Psychological Problem	497	496	468
Co-Occurring Developmental Problem	26	18	30

# SUBSTANCE ABUSE SERVICE AREA 6

## MISSOURI STUDENT SURVEY


	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	29.0	36.4	38.2	Alcohol (1 or 2 drinks daily)	64.3		
Cigarettes	14.2	19.5	21.2	Alcohol (Binge: 5+ drinks once or twice a week)	75.6		
Chewing Tobacco	6.7	12.0	10.0	Alcohol (any use)		71.1	76.6
Marijuana	12.3	16.6	14.8	Cigarettes (1+ packs per day)	88.8		
Inhalants	2.5	5.3	6.2	Cigarettes (any use)		83.7	82.5
Prescription medications not prescribed for student	7.0	8.8	11.3	Marijuana (once or twice a week)	66.8		
Over-the-counter medications for non-medical use	2.2	6.7	7.9	Marijuana (any use)		71.5	73.2
Methamphetamine	0.6	1.3	0.8	Other: Cocaine, LSD, Meth, Club Drug (any use)	93.1	93.8	93.7
Cocaine	0.8	1.9	1.7				
Heroin	0.3	0.9	0.6	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	1.6	3.4	2.9	Were very sad	18.8	18.3	19.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1	2.4	2.3	Were grouchy, irritable, or in a bad mood	23.3	23.3	25.0
Steroids not prescribed for student	0.7	1.2	1.1	Felt hopeless about the future	12.0	11.5	12.3
Synthetic drugs (K2, bath salts, Spice, etc)	2.6	6.4		Felt like not eating or eating more than usual	16.9	16.9	18.6
				Slept a lot more or a lot less than usual	17.7	21.1	25.5
				Had difficulty concentrating on school work	23.7	23.1	23.8
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	13.32	12.99	12.81	Seriously considered attempting suicide	11.2	12.1	11.3
Cigarettes	13.29	13.05	12.63	Made plan about how they would attempt suicide	8.2	8.9	7.8
Marijuana	14.13	13.79	13.74	Attempted suicide	4.8	4.7	4.9
Inhalants	11.50	11.93	11.89	Attempted suicide and resulting injury, poisoning, or overdose	1.5	1.8	1.9
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	11.6	16.5	17.5	Were threatened/injured with weapon at school	5.1	5.4	8.4
Alcohol (Binge: 5+ drinks on one occasion)		9.3	10.1	Were in a physical fight	13.1	15.9	20.1
Cigarettes	5.7	8.9	11.0	Were in a fight and had to be treated by a doctor or nurse	1.6	2.7	3.4
Chewing Tobacco	2.8	5.2	5.1				
Marijuana	5.9	8.8	7.8	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.0	2.0	2.8	Were victims of mean rumors or lies spread at school	44.3	46.1	52.2
Prescription medications not prescribed for student	3.5	4.8	6.6	Were made fun of by others	56.7	59.9	67.4
Over-the-counter medications for non-medical use	1.4	4.0	5.1	Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.3	22.0	20.7
				Spread mean rumors or lies about other kids at school	24.4	28.3	34.3
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	51.4	61.3	71.2
Alcohol (Binge: 5+ drinks on one occasion)	4.9			Posted something on the internet or sent a text that might embarrass or hurt another student	16.6	15.8	19.1
<i>Percent whose friends used in past 12 months:</i>				<i>Percent of students who agree that:</i>			
Alcohol	41.1	52.5	55.1	Teachers notice and comment on student's good work	71.3	68.9	69.6
Cigarettes	29.8	40.5	42.9	School provides feedback to parents on positive student performance	39.4	35.7	40.3
Marijuana	32.3	40.4	37.5	Rules are enforced fairly	69.0	67.2	68.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.2	17.6	19.8	Students of all races/ethnicities are treated equal	83.5	78.3	78.1
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	21.6	28.4	29.0	Parents notice and comment on student's good work	83.8	82.3	83.9
Cigarettes	8.7	11.5	12.9	Parents involve student in making family decisions	71.8	69.1	70.8
Marijuana	11.8	13.9	12.5	It is important to be honest with parents regardless of consequences	87.2	83.1	81.4
<i>Percent who say it would be wrong to use:</i>				Student could ask parent for help with a personal problem	79.1	76.3	76.4
Alcohol	68.9	63.5	63.1				
Cigarettes	87.7	82.6	81.0				
Marijuana	81.4	80.4	82.2				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.4	94.8	94.3				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	83.6	80.4	80.6				
Cigarettes	93.9	92.6	91.3				
Marijuana	94.2	93.7	94.3				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	52.4	60.4	59.7				
Cigarettes	44.2	51.9	53.0				
Marijuana	33.3	39.5	37.0				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.2	18.0	18.3				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys



# SUBSTANCE ABUSE SERVICE AREA 7



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	7
Adult Psychiatric	Not Applicable
<b>POPULATION</b>	
Census 2010	185,454
2013 Estimate	188,156

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	91,834	91,833	93,610
Employed	86,072	85,462	85,394
Unemployed	5,762	6,371	8,216
Unemployment Rate	6.3%	6.9%	8.8%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	9,218	9,284	9,387
Drop-outs	146	179	144
Drop-out Rate	1.6%	1.9%	1.5%
School Suspensions:			
Alcohol Incidents	11	13	13
Drug Incidents	47	106	115
Tobacco Incidents	1	0	0

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	2,262	2,287	2,414
Mother Reported Smoking while Pregnant	386	481	490

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	4	4	7
Hepatitis B Chronic, Acute, Prenatal	1 6	10	6
Hepatitis C Chronic and Acute	1 66	65	85
Tuberculosis Infection Cases	1 31	23	42

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	1,616	1,546	1,592
Suicides	21	23	32
Self-inflicted Injuries	269	278	226
Homicides		7	4
Assault Injuries	460	552	550
Alcohol Induced Deaths	7	12	10
Drug Induced Deaths	11	29	19
Smoking Attributable Deaths	289	268	271

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 1,500	1,618	
Alcohol Primary Diagnosis	2 98	105	
Drug Primary Diagnosis	2 69	57	
Alcohol Related Diagnosis	428	524	601
Drug Related Diagnosis	539	522	528
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 287	191	
Alcohol Primary Diagnosis	2 93	63	
Drug Primary Diagnosis	2 52	39	
Alcohol Related Diagnosis	454	366	328
Drug Related Diagnosis	348	293	200
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 1,426	1,243	
Alcohol Primary Diagnosis	2 289	296	
Drug Primary Diagnosis	2 219	187	
Alcohol Related Diagnosis	615	607	651
Drug Related Diagnosis	660	551	514

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	161	164	186
Fatal Crashes	10	2	5
Injury Crashes	54	58	79
Property Damage Crashes	97	104	102
Crash Fatalities	10	2	6
Crash Injuries	75	83	104
Drug Involved Crashes--Total	34	29	34
Fatal Crashes	1	0	1
Injury Crashes	19	7	18
Property Damage Crashes	14	22	15
Crash Fatalities	2	0	2
Crash Injuries	28	7	33

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	1,068	1,055	1,145
Liquor Law Arrests	531	536	562
Drug Arrests	1,044	822	938
Methamphetamine Lab Incidents	2	4	1
Violent Offenses	296	264	287
Property Offenses	4,215	4,142	3,874
Domestic Violence Reports	1,364	1,363	1,444

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	1,073	765	911
Violent Offenses	239	165	232
Alcohol Offenses	32	38	60
Drug Offenses	94	55	66
Status Offenses--Total	711	479	585
Truancy	67	49	68
Beyond Parental Control	148	122	168
Habitually Absent from Home	144	114	127
Injurious Behavior	349	191	220
Abuse/Neglect/Custody--Total	525	330	417
Abuse	47	10	42
Neglect	404	163	237
Custody Disputes	74	157	138

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	154	173	182
Parental Alcohol Use Related	0	7	12
Parental Drug Use Related	27	37	51
Parental Alcohol and Drug Use	11	8	15
Child Removed for Other Reason	116	121	104

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	163	105	84
Probation/Parole Admissions--Total	1,164	1,191	1,116
Probation/Parole Admissions--Drug	318	378	348
Probation/Parole Admissions--DWI	98	97	103
Prison Admissions--Total	651	629	636
Prison Admissions--Drug	182	186	205
Prison Admissions--DWI	58	53	64

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	167	167	171
Alcohol Package Carry-out Licenses	166	162	161

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# SUBSTANCE ABUSE SERVICE AREA 7

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	40	45	83
CSTAR Adolescent	75	105	84
CSTAR Women and Children	36	26	16
CSTAR General Adult	564	587	574
CSTAR Opioid	*	0	*
Primary Recovery Treatment	18	19	102
Clinical SATOP (CIP, YCIP, SROP)	199	184	121
Other Substance Abuse Treatment	*	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	739	816	764
- Adolescent Diversion Education Program	*	*	8
- Offender Education Program	278	328	322
- Weekend Intervention Program	159	188	177
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	27	46	45
Compulsive Gambling	0	0	*
Recovery Supports	274	262	234
Early Intervention	7	42	41

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	954	989	972	Alcohol	423	459	438
AGE				Marijuana / Hashish	225	262	272
Under 18	81	108	86	Cocaine (total)	9	16	20
18 to 24	178	199	209	- Crack	6	6	11
25 to 29	156	175	172	Stimulant (total)	212	189	168
30 to 34	165	154	126	- Methamphetamine	199	180	156
35 to 39	95	87	104	Heroin	10	8	*
40 to 44	78	104	102	Analgesic except Heroin	56	38	45
45 to 54	160	125	132	- Non-Prescription Methadone	*	*	0
55 and Over	41	37	41	PCP, LSD, other Hallucinogen	8	*	7
GENDER				Tranquilizer	*	9	7
Male	647	662	643	Inhalant	*	*	*
Female	307	327	329	Sedative	*	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	5	*	9
Caucasian	886	904	888	Average Age at First Use of Drug	17.1	16.6	16.6
African American	24	38	44	INJECTION DRUG USE			
Native American / Alaskan	7	*	5	Any Injection Use at Admission	96	65	63
Asian / Pacific Islander	*	*	*	- Daily Injection Use	10	13	*
Hispanic	25	29	23	- Weekly Injection Use	32	27	24
Other Race / Two or More Races	20	23	19	- Less than Weekly Injection Use	54	25	36
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	275	304	309	0	471	496	532
High School Graduate or G.E.D.	445	413	431	1 or 2	284	301	253
Associate Degree or Some College	229	254	216	3 or More	199	192	187
Bachelor or Advanced Degree	5	18	16	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	510	528	438
Employed	331	331	303	School	0	*	*
Unemployed	288	230	313	Mental Health Provider	10	21	17
Not in Labor Force	335	428	356	Health Care Provider	20	26	25
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	261	298	412
Independent Living	798	800	813	Other Referral Source	107	114	78
Dependent Living	95	119	104	TREATMENT ACCOMMODATION			
Homeless	18	24	22	Pregnant when Admitted to any Episode	14	8	14
MARITAL / FAMILY STATUS				Military Veteran	41	52	55
Never Married	505	545	523	Special Education Services Needed	34	48	44
Married / Cohabiting	252	247	259	Co-Occurring Psychological Problem	293	229	291
Previously Married	197	197	190	Co-Occurring Developmental Problem	17	23	27

# SUBSTANCE ABUSE SERVICE AREA 7


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	38.2	36.8	44.5	Alcohol (1 or 2 drinks daily)	58.6		
Cigarettes	21.8	21.5	27.4	Alcohol (Binge: 5+ drinks once or twice a week)	69.5		
Chewing Tobacco	14.2	16.0	12.7	Alcohol (any use)		69.0	76.0
Marijuana	16.4	11.1	15.3	Cigarettes (1+ packs per day)	86.4		
Inhalants	3.2	5.4	7.6	Cigarettes (any use)		80.8	80.7
Prescription medications not prescribed for student	9.0	7.9	12.0	Marijuana (once or twice a week)	63.6		
Over-the-counter medications for non-medical use	3.1	6.2	8.3	Marijuana (any use)		76.5	71.2
Methamphetamine	0.7	1.3	1.2	Other: Cocaine, LSD, Meth, Club Drug (any use)	91.5	94.2	93.0
Cocaine	1.9	1.6	1.9				
Heroin	0.5	0.7	0.5	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	4.2	2.4	2.9	Were very sad	23.7	17.4	21.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	3.2	2.0	2.3	Were grouchy, irritable, or in a bad mood	26.6	21.0	27.6
Steroids not prescribed for student	1.7	1.1	1.1	Felt hopeless about the future	14.7	8.8	13.5
Synthetic drugs (K2, bath salts, Spice, etc)	6.0	5.3		Felt like not eating or eating more than usual	18.2	16.2	20.6
				Slept a lot more or a lot less than usual	17.1	19.5	27.8
				Had difficulty concentrating on school work	26.7	21.1	25.7
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	13.36	12.65	12.72	Seriously considered attempting suicide	13.5	10.9	11.6
Cigarettes	13.29	12.54	12.66	Made plan about how they would attempt suicide	10.9	8.8	8.1
Marijuana	14.20	13.53	13.70	Attempted suicide	5.4	5.0	5.2
Inhalants	12.10	11.76	12.16	Attempted suicide and resulting injury, poisoning, or overdose	1.0	1.0	1.8
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	17.5	14.2	20.2	Were threatened/injured with weapon at school	7.0	5.8	9.4
Alcohol (Binge: 5+ drinks on one occasion)		8.4	11.5	Were in a physical fight	19.4	20.1	21.6
Cigarettes	10.0	9.4	14.4	Were in a fight and had to be treated by a doctor or nurse	3.1	2.1	3.1
Chewing Tobacco	6.9	6.4	7.3				
Marijuana	9.2	4.8	7.5	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.0	2.2	3.3	Were victims of mean rumors or lies spread at school	53.0	49.5	54.8
Prescription medications not prescribed for student	4.3	4.4	7.0	Were made fun of by others	63.3	61.2	67.8
Over-the-counter medications for non-medical use	1.8	3.3	5.1	Were victims of an embarrassing or hurtful text message or something posted on the Internet	28.3	20.4	20.7
				Spread mean rumors or lies about other kids at school	25.5	23.6	35.2
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	57.0	59.6	73.1
Alcohol (Binge: 5+ drinks on one occasion)	7.8			Posted something on the internet or sent a text that might embarrass or hurt another student	18.7	13.2	17.8
				<i>Percent of students who agree that:</i>			
<i>Percent whose friends used in past 12 months:</i>				Teachers notice and comment on student's good work	68.1	69.0	69.2
Alcohol	48.3	47.9	60.4	School provides feedback to parents on positive student performance	36.2	38.5	39.5
Cigarettes	37.9	37.7	49.9	Rules are enforced fairly	63.2	63.2	64.0
Marijuana	35.8	26.4	36.1	Students of all races/ethnicities are treated equal	81.4	82.7	78.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.9	11.0	17.3				
				<i>Percent of students who agree that:</i>			
<i>Percent who would likely use, if offered by a best friend:</i>				Parents notice and comment on student's good work	80.6	83.0	83.1
Alcohol	30.2	29.5	35.3	Parents involve student in making family decisions	67.2	69.5	69.7
Cigarettes	12.9	12.3	16.0	It is important to be honest with parents regardless of consequences	87.2	86.3	82.9
Marijuana	13.8	9.4	12.0	Student could ask parent for help with a personal problem	75.8	77.2	75.6
<i>Percent who say it would be wrong to use:</i>							
Alcohol	61.5	61.9	57.3				
Cigarettes	82.6	82.5	77.9				
Marijuana	78.3	85.9	83.0				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.1	95.8	94.6				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	78.4	78.0	76.9				
Cigarettes	90.9	92.3	90.1				
Marijuana	92.7	95.2	94.3				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	55.2	53.2	61.6				
Cigarettes	49.6	47.9	58.6				
Marijuana	36.5	29.2	34.9				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.0	13.0	18.1				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# SUBSTANCE ABUSE SERVICE AREA 8



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	8
Adult Psychiatric	Not Applicable
<b>POPULATION</b>	
Census 2010	112,950
2013 Estimate	111,195

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	50,585	48,862	49,959
Employed	47,189	45,108	45,289
Unemployed	3,396	3,754	4,670
Unemployment Rate	6.7%	7.7%	9.3%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	5,062	4,943	5,202
Drop-outs	85	155	135
Drop-out Rate	1.7%	3.1%	2.6%
School Suspensions:			
Alcohol Incidents	15	9	12
Drug Incidents	45	60	36
Tobacco Incidents	2	2	1

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	1,188	1,206	1,227
Mother Reported Smoking while Pregnant	319	325	347

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	2	1	2
Hepatitis B Chronic, Acute, Prenatal	1 2	2	5
Hepatitis C Chronic and Acute	1 89	83	89
Tuberculosis Infection Cases	1 14	11	8

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	1,539	1,512	1,501
Suicides	22	24	23
Self-inflicted Injuries	144	213	186
Homicides		5	5
Assault Injuries	361	342	341
Alcohol Induced Deaths	11	9	7
Drug Induced Deaths	30	20	21
Smoking Attributable Deaths	305	297	298

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 984	1,002	
Alcohol Primary Diagnosis	2 58	56	
Drug Primary Diagnosis	2 64	49	
Alcohol Related Diagnosis	394	439	417
Drug Related Diagnosis	451	424	420
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 458	289	
Alcohol Primary Diagnosis	2 54	72	
Drug Primary Diagnosis	2 59	43	
Alcohol Related Diagnosis	329	327	286
Drug Related Diagnosis	333	269	225
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 1,102	1,018	
Alcohol Primary Diagnosis	2 174	173	
Drug Primary Diagnosis	2 179	166	
Alcohol Related Diagnosis	540	474	496
Drug Related Diagnosis	686	514	563

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	136	119	138
Fatal Crashes	4	8	9
Injury Crashes	51	55	70
Property Damage Crashes	81	56	59
Crash Fatalities	4	10	9
Crash Injuries	73	75	111
Drug Involved Crashes--Total	25	23	23
Fatal Crashes	1	1	1
Injury Crashes	9	10	14
Property Damage Crashes	15	12	8
Crash Fatalities	1	1	1
Crash Injuries	10	11	20

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	584	721	729
Liquor Law Arrests	137	153	219
Drug Arrests	651	552	534
Methamphetamine Lab Incidents	15	14	77
Violent Offenses	393	338	326
Property Offenses	3,739	3,173	2,983
Domestic Violence Reports	650	722	633

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	722	616	591
Violent Offenses	197	164	178
Alcohol Offenses	44	51	52
Drug Offenses	50	33	37
Status Offenses--Total	435	584	473
Truancy	136	196	151
Beyond Parental Control	102	134	130
Habitually Absent from Home	52	57	51
Injurious Behavior	139	188	129
Abuse/Neglect/Custody--Total	627	644	601
Abuse	164	189	130
Neglect	445	436	434
Custody Disputes	18	19	37

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	88	125	160
Parental Alcohol Use Related	7	3	3
Parental Drug Use Related	35	41	51
Parental Alcohol and Drug Use	1	4	1
Child Removed for Other Reason	45	77	105

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	87	80	75
Probation/Parole Admissions--Total	908	826	779
Probation/Parole Admissions--Drug	258	199	202
Probation/Parole Admissions--DWI	61	72	54
Prison Admissions--Total	423	430	393
Prison Admissions--Drug	115	107	89
Prison Admissions--DWI	23	27	23

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	128	136	137
Alcohol Package Carry-out Licenses	148	156	150

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# SUBSTANCE ABUSE SERVICE AREA 8

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	66	69	135
CSTAR Adolescent	66	59	57
CSTAR Women and Children	56	40	39
CSTAR General Adult	885	998	858
CSTAR Opioid	0	0	*
Primary Recovery Treatment	24	99	339
Clinical SATOP (CIP, YCIP, SROP)	140	140	106
Other Substance Abuse Treatment	0	5	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	588	637	588
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	216	233	215
- Weekend Intervention Program	126	129	158
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	32	60	62
Compulsive Gambling	0	*	5
Recovery Supports	369	211	205
Early Intervention	13	29	10

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	1,314	1,320	1,368	Alcohol	463	520	565
AGE				Marijuana / Hashish	344	326	352
Under 18	71	62	66	Cocaine (total)	16	19	25
18 to 24	259	265	283	- Crack	6	8	12
25 to 29	204	222	239	Stimulant (total)	367	334	298
30 to 34	213	220	194	- Methamphetamine	355	314	290
35 to 39	161	145	172	Heroin	5	12	5
40 to 44	117	117	140	Analgesic except Heroin	90	92	100
45 to 54	207	224	215	- Non-Prescription Methadone	0	*	0
55 and Over	82	65	59	PCP, LSD, other Hallucinogen	*	*	*
GENDER				Tranquilizer	12	8	11
Male	835	851	919	Inhalant	*	*	*
Female	479	469	449	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	9	5	5
Caucasian	1,246	1,260	1,290	Average Age at First Use of Drug	17.4	17.2	17.1
African American	36	26	27	INJECTION DRUG USE			
Native American / Alaskan	*	*	7	Any Injection Use at Admission	191	174	162
Asian / Pacific Islander	0	*	*	- Daily Injection Use	39	27	21
Hispanic	18	16	28	- Weekly Injection Use	47	39	34
Other Race / Two or More Races	19	20	26	- Less than Weekly Injection Use	105	108	107
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	411	445	482	0	736	721	748
High School Graduate or G.E.D.	658	638	610	1 or 2	341	370	390
Associate Degree or Some College	237	229	257	3 or More	237	229	230
Bachelor or Advanced Degree	8	8	19	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	574	546	424
Employed	306	333	369	School	0	*	*
Unemployed	394	389	556	Mental Health Provider	18	21	24
Not in Labor Force	614	598	443	Health Care Provider	57	43	42
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	403	467	759
Independent Living	1,077	1,073	1,209	Other Referral Source	254	241	117
Dependent Living	109	99	100	TREATMENT ACCOMMODATION			
Homeless	44	34	31	Pregnant when Admitted to any Episode	16	19	18
MARITAL / FAMILY STATUS				Military Veteran	53	51	65
Never Married	660	631	644	Special Education Services Needed	67	80	85
Married / Cohabiting	329	365	410	Co-Occurring Psychological Problem	374	242	455
Previously Married	325	324	314	Co-Occurring Developmental Problem	47	26	34



# SUBSTANCE ABUSE SERVICE AREA 8

## MISSOURI STUDENT SURVEY


	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	38.2	45.5	49.8	Alcohol (1 or 2 drinks daily)	53.7		
Cigarettes	23.6	29.5	31.7	Alcohol (Binge: 5+ drinks once or twice a week)	67.5		
Chewing Tobacco	15.9	12.7	18.8	Alcohol (any use)		65.1	78.0
Marijuana	10.7	15.6	15.8	Cigarettes (1+ packs per day)	82.9		
Inhalants	3.1	5.7	6.5	Cigarettes (any use)		78.3	80.0
Prescription medications not prescribed for student	7.2	9.5	11.3	Marijuana (once or twice a week)	72.9		
Over-the-counter medications for non-medical use	3.7	5.2	8.0	Marijuana (any use)		74.2	71.1
Methamphetamine	0.7	1.8	1.1	Other: Cocaine, LSD, Meth, Club Drug (any use)	93.1	92.7	93.5
Cocaine	1.2	2.0	1.6				
Heroin	0.4	1.4	0.7	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	1.4	2.8	2.6	Were very sad	18.7	21.4	21.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.4	2.4	2.5	Were grouchy, irritable, or in a bad mood	25.7	25.9	25.7
Steroids not prescribed for student	0.6	2.2	1.0	Felt hopeless about the future	12.1	9.7	13.4
Synthetic drugs (K2, bath salts, Spice, etc)	4.0	8.5		Felt like not eating or eating more than usual	18.4	19.2	20.2
				Slept a lot more or a lot less than usual	16.4	21.5	27.0
				Had difficulty concentrating on school work	21.8	24.7	26.8
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	12.52	12.53	12.29	Seriously considered attempting suicide	12.6	12.6	11.7
Cigarettes	12.51	12.19	12.19	Made plan about how they would attempt suicide	8.6	8.7	8.7
Marijuana	13.32	13.06	13.40	Attempted suicide	5.2	4.5	5.7
Inhalants	12.29	12.07	12.49	Attempted suicide and resulting injury, poisoning, or overdose	1.4	2.4	2.2
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	17.4	21.0	23.3	Were threatened/injured with weapon at school	6.6	6.4	11.3
Alcohol (Binge: 5+ drinks on one occasion)		13.1	12.1	Were in a physical fight	19.2	22.1	24.2
Cigarettes	10.3	14.4	15.7	Were in a fight and had to be treated by a doctor or nurse	2.8	3.1	3.8
Chewing Tobacco	9.7	8.2	10.2				
Marijuana	4.5	6.3	7.0	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.1	2.1	2.8	Were victims of mean rumors or lies spread at school	50.8	50.6	58.7
Prescription medications not prescribed for student	3.0	5.6	6.4	Were made fun of by others	61.2	64.1	71.8
Over-the-counter medications for non-medical use	1.7	3.6	5.0	Were victims of an embarrassing or hurtful text message or something posted on the Internet	21.5	21.9	21.1
				Spread mean rumors or lies about other kids at school	20.5	28.9	32.8
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	55.0	64.2	74.4
Alcohol (Binge: 5+ drinks on one occasion)	8.0			Posted something on the internet or sent a text that might embarrass or hurt another student	13.8	17.0	16.8
				<i>Percent of students who agree that:</i>			
<i>Percent whose friends used in past 12 months:</i>				Teachers notice and comment on student's good work	75.3	72.9	71.5
Alcohol	42.6	56.9	62.0	School provides feedback to parents on positive student performance	46.0	39.2	40.9
Cigarettes	35.9	47.6	51.6	Rules are enforced fairly	68.9	61.3	61.1
Marijuana	21.3	30.2	32.3	Students of all races/ethnicities are treated equal	85.4	80.8	79.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.4	13.4	16.0				
				<i>Percent of students who agree that:</i>			
<i>Percent who would likely use, if offered by a best friend:</i>				Parents notice and comment on student's good work	83.4	81.6	81.1
Alcohol	28.3	37.4	39.7	Parents involve student in making family decisions	69.8	66.7	66.8
Cigarettes	11.3	16.4	16.9	It is important to be honest with parents regardless of consequences	89.7	86.0	82.5
Marijuana	8.1	9.6	12.1	Student could ask parent for help with a personal problem	79.4	75.4	75.8
<i>Percent who say it would be wrong to use:</i>							
Alcohol	63.2	54.5	56.2				
Cigarettes	84.5	78.4	76.3				
Marijuana	87.2	83.8	83.3				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.7	95.0	94.7				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	79.8	74.9	74.3				
Cigarettes	91.1	89.0	88.4				
Marijuana	95.2	95.1	93.6				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	47.7	61.3	61.2				
Cigarettes	47.8	55.5	60.6				
Marijuana	20.4	32.4	35.6				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.5	16.7	21.9				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys



# SUBSTANCE ABUSE SERVICE AREA 9



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	9
Adult Psychiatric	Not Applicable
<b>POPULATION</b>	
Census 2010	285,234
2013 Estimate	283,833

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	138,255	136,775	139,451
Employed	130,203	128,336	128,504
Unemployed	8,052	8,439	10,947
Unemployment Rate	5.8%	6.2%	7.9%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	13,720	13,434	13,970
Drop-outs	310	361	366
Drop-out Rate	2.3%	2.7%	2.6%
School Suspensions:			
Alcohol Incidents	74	20	13
Drug Incidents	84	140	177
Tobacco Incidents	3	4	1

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	3,884	3,797	3,864
Mother Reported Smoking while Pregnant	765	832	885

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	7	8	13
Hepatitis B Chronic, Acute, Prenatal	1 23	24	23
Hepatitis C Chronic and Acute	1 210	277	228
Tuberculosis Infection Cases	1 125	134	80

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	2,884	2,929	2,823
Suicides	41	43	38
Self-inflicted Injuries	340	380	368
Homicides		6	5
Assault Injuries	838	803	895
Alcohol Induced Deaths	15	13	14
Drug Induced Deaths	25	46	54
Smoking Attributable Deaths	543	516	523

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 1,813	2,270	
Alcohol Primary Diagnosis	2 232	269	
Drug Primary Diagnosis	2 167	177	
Alcohol Related Diagnosis	892	1,260	1,381
Drug Related Diagnosis	922	1,180	1,346
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 1,197	558	
Alcohol Primary Diagnosis	2 351	223	
Drug Primary Diagnosis	2 227	126	
Alcohol Related Diagnosis	1,041	599	606
Drug Related Diagnosis	934	468	575
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 2,708	2,736	
Alcohol Primary Diagnosis	2 638	526	
Drug Primary Diagnosis	2 491	415	
Alcohol Related Diagnosis	1,651	1,409	1,542
Drug Related Diagnosis	1,595	1,439	1,470

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	338	347	350
Fatal Crashes	10	13	13
Injury Crashes	148	152	156
Property Damage Crashes	180	182	181
Crash Fatalities	11	13	13
Crash Injuries	205	212	225
Drug Involved Crashes--Total	84	92	79
Fatal Crashes	0	3	1
Injury Crashes	30	38	31
Property Damage Crashes	54	51	47
Crash Fatalities	0	3	1
Crash Injuries	41	46	40

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	2,133	2,460	2,468
Liquor Law Arrests	427	415	475
Drug Arrests	1,039	1,032	1,349
Methamphetamine Lab Incidents	206	242	239
Violent Offenses	1,092	936	989
Property Offenses	10,982	9,525	9,340
Domestic Violence Reports	2,806	2,601	2,571

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	1,526	1,329	1,445
Violent Offenses	358	347	388
Alcohol Offenses	57	74	79
Drug Offenses	114	111	115
Status Offenses--Total	483	545	637
Truancy	84	140	186
Beyond Parental Control	130	124	149
Habitually Absent from Home	101	98	134
Injurious Behavior	141	148	137
Abuse/Neglect/Custody--Total	1,620	1,312	1,591
Abuse	100	137	165
Neglect	1,123	1,048	1,278
Custody Disputes	397	127	148

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	691	642	695
Parental Alcohol Use Related	36	25	27
Parental Drug Use Related	249	243	206
Parental Alcohol and Drug Use	14	21	30
Child Removed for Other Reason	392	353	432

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	302	236	152
Probation/Parole Admissions--Total	1,800	1,750	1,748
Probation/Parole Admissions--Drug	482	528	571
Probation/Parole Admissions--DWI	228	216	158
Prison Admissions--Total	832	819	876
Prison Admissions--Drug	256	213	273
Prison Admissions--DWI	88	77	86

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	235	223	230
Alcohol Package Carry-out Licenses	291	322	320

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# SUBSTANCE ABUSE SERVICE AREA 9

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	395	252	243
CSTAR Adolescent	107	154	114
CSTAR Women and Children	285	281	288
CSTAR General Adult	978	886	816
CSTAR Opioid	0	0	0
Primary Recovery Treatment	80	117	543
Clinical SATOP (CIP, YCIP, SROP)	266	237	216
Other Substance Abuse Treatment	*	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	1,237	1,376	1,254
- Adolescent Diversion Education Program	58	50	69
- Offender Education Program	466	506	476
- Weekend Intervention Program	238	264	196
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	108	93	109
Compulsive Gambling	5	5	5
Recovery Supports	505	532	260
Early Intervention	86	102	43

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011
Total Individuals	2,011	1,977	2,121
AGE			
Under 18	113	157	117
18 to 24	288	325	369
25 to 29	357	349	407
30 to 34	342	330	329
35 to 39	268	229	259
40 to 44	202	187	213
45 to 54	331	304	346
55 and Over	110	96	81
GENDER			
Male	1,299	1,283	1,395
Female	712	694	726
RACE / ETHNICITY			
Caucasian	1,832	1,791	1,927
African American	73	67	72
Native American / Alaskan	5	5	11
Asian / Pacific Islander	9	6	9
Hispanic	60	71	71
Other Race / Two or More Races	47	47	45
EDUCATION			
Less than High School Diploma	745	741	849
High School Graduate or G.E.D.	797	813	893
Associate Degree or Some College	452	407	359
Bachelor or Advanced Degree	17	16	20
EMPLOYMENT			
Employed	615	611	592
Unemployed	782	734	887
Not in Labor Force	614	632	642
HOUSING / LIVING ARRANGEMENT			
Independent Living	1,621	1,590	1,756
Dependent Living	205	249	238
Homeless	126	78	89
MARITAL / FAMILY STATUS			
Never Married	876	901	955
Married / Cohabiting	577	562	592
Previously Married	558	514	574

PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Alcohol	867	850	918
Marijuana / Hashish	368	417	452
Cocaine (total)	22	34	30
- Crack	11	20	16
Stimulant (total)	512	472	513
- Methamphetamine	500	460	480
Heroin	10	5	14
Analgesic except Heroin	180	138	157
- Non-Prescription Methadone	5	*	*
PCP, LSD, other Hallucinogen	8	9	*
Tranquilizer	24	32	25
Inhalant	5	*	*
Sedative	*	*	0
Other Medication or Illicit Drug	13	14	7
Average Age at First Use of Drug	18.0	17.2	17.3
INJECTION DRUG USE			
Any Injection Use at Admission	308	268	302
- Daily Injection Use	57	38	44
- Weekly Injection Use	84	65	81
- Less than Weekly Injection Use	167	165	177
LIFETIME DUI / DWI ARRESTS			
0	956	935	1,013
1 or 2	659	646	685
3 or More	396	396	423
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	999	692	612
School	*	5	*
Mental Health Provider	6	14	18
Health Care Provider	184	76	112
Court / Criminal Justice	532	836	1,108
Other Referral Source	275	351	269
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	23	29	30
Military Veteran	116	76	92
Special Education Services Needed	293	234	223
Co-Occurring Psychological Problem	1,125	965	865
Co-Occurring Developmental Problem	64	58	55

# SUBSTANCE ABUSE SERVICE AREA 9


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	32.4	32.0	39.1	Alcohol (1 or 2 drinks daily)	58.5		
Cigarettes	22.0	23.1	28.5	Alcohol (Binge: 5+ drinks once or twice a week)	71.3		
Chewing Tobacco	15.5	11.9	15.7	Alcohol (any use)		75.1	77.5
Marijuana	11.0	12.0	14.4	Cigarettes (1+ packs per day)	85.1		
Inhalants	2.7	5.1	7.4	Cigarettes (any use)		81.2	79.8
Prescription medications not prescribed for student	6.5	7.1	10.7	Marijuana (once or twice a week)	71.4		
Over-the-counter medications for non-medical use	2.5	5.7	8.0	Marijuana (any use)		76.9	75.8
Methamphetamine	0.7	1.2	1.1	Other: Cocaine, LSD, Meth, Club Drug (any use)	93.2	94.1	93.2
Cocaine	0.5	1.2	1.4				
Heroin	0.4	0.8	0.5	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	1.4	2.7	2.4	Were very sad	21.7	18.2	20.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	1.6	1.8	Were grouchy, irritable, or in a bad mood	22.6	20.8	23.7
Steroids not prescribed for student	0.8	1.2	1.1	Felt hopeless about the future	12.7	10.6	11.2
Synthetic drugs (K2, bath salts, Spice, etc)	2.6	7.1		Felt like not eating or eating more than usual	17.0	16.8	17.6
				Slept a lot more or a lot less than usual	16.8	18.5	25.2
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	21.2	21.1	23.3
Alcohol	12.91	12.31	12.43	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.53	12.10	12.04	Seriously considered attempting suicide	12.3	10.5	11.2
Marijuana	14.02	13.23	13.45	Made plan about how they would attempt suicide	9.2	7.6	8.3
Inhalants	11.10	12.13	12.17	Attempted suicide	4.9	4.9	5.6
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose	1.4	1.7	2.1
Alcohol	12.5	12.3	16.4	had to be treated by doctor or nurse			
Alcohol (Binge: 5+ drinks on one occasion)		6.7	8.5	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	8.9	10.0	14.5	Were threatened/injured with weapon at school	6.7	6.5	8.8
Chewing Tobacco	8.0	6.8	8.5	Were in a physical fight	17.9	19.5	23.1
Marijuana	4.0	5.1	6.3	Were in a fight and had to be treated by a doctor or nurse	3.0	3.2	4.0
Inhalants	1.2	2.0	3.4	<i>Percent of students who, in past 3 months:</i>			
Prescription medications not prescribed for student	2.8	3.7	6.2	Were victims of mean rumors or lies spread at school	49.6	48.6	53.8
Over-the-counter medications for non-medical use	1.3	3.4	4.7	Were made fun of by others	58.3	59.8	66.5
<i>Percent of students who, in past 2 weeks, used:</i>				Were victims of an embarrassing or hurtful text message or something posted on the Internet	22.9	19.7	17.8
Alcohol (Binge: 5+ drinks on one occasion)	5.8			Spread mean rumors or lies about other kids at school	22.2	24.8	30.9
<i>Percent whose friends used in past 12 months:</i>				Made fun of other people	49.9	56.2	66.5
Alcohol	40.4	44.6	52.2	Posted something on the internet or sent a text that might embarrass or hurt another student	14.2	11.4	15.6
Cigarettes	32.0	38.0	44.2	<i>Percent of students who agree that:</i>			
Marijuana	21.5	26.1	31.9	Teachers notice and comment on student's good work	72.4	69.0	68.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.1	12.0	15.5	School provides feedback to parents on positive student performance	45.3	40.9	41.4
<i>Percent who would likely use, if offered by a best friend:</i>				Rules are enforced fairly	60.2	64.3	64.1
Alcohol	23.3	22.6	27.6	Students of all races/ethnicities are treated equal	80.4	77.3	79.5
Cigarettes	12.2	11.9	15.7	<i>Percent of students who agree that:</i>			
Marijuana	8.2	9.3	11.3	Parents notice and comment on student's good work	83.5	83.8	84.3
<i>Percent who say it would be wrong to use:</i>				Parents involve student in making family decisions	70.4	71.4	71.3
Alcohol	68.9	69.6	65.1	It is important to be honest with parents regardless of consequences	89.6	89.0	85.5
Cigarettes	84.8	83.4	77.6	Student could ask parent for help with a personal problem	78.8	78.0	78.4
Marijuana	86.1	86.1	83.7				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.1	95.5	94.8				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	82.6	83.8	80.9				
Cigarettes	93.1	92.4	89.7				
Marijuana	94.1	95.3	93.9				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	48.2	46.3	50.9				
Cigarettes	46.8	45.8	53.8				
Marijuana	25.3	27.4	33.7				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.2	14.5	17.2				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# SUBSTANCE ABUSE SERVICE AREA 10



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	10
Adult Psychiatric	Not Applicable
<b>POPULATION</b>	
Census 2010	528,472
2013 Estimate	541,194

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	268,072	267,701	270,177
Employed	251,609	249,650	247,447
Unemployed	16,463	18,051	22,730
Unemployment Rate	6.1%	6.7%	8.4%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	22,856	22,804	23,267
Drop-outs	402	456	472
Drop-out Rate	1.8%	2.0%	2.0%
School Suspensions:			
Alcohol Incidents	40	56	57
Drug Incidents	292	245	344
Tobacco Incidents	7	51	22

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	6,525	6,600	6,666
Mother Reported Smoking while Pregnant	1,180	1,240	1,291

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	31	29	39
Hepatitis B Chronic, Acute, Prenatal	1 48	46	39
Hepatitis C Chronic and Acute	1 570	592	458
Tuberculosis Infection Cases	1 140	204	323

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	4,846	4,744	4,819
Suicides	76	90	76
Self-inflicted Injuries	809	806	833
Homicides		17	14
Assault Injuries	1,754	1,764	1,711
Alcohol Induced Deaths	41	42	54
Drug Induced Deaths	87	101	134
Smoking Attributable Deaths	848	782	862

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 2,572	2,569	
Alcohol Primary Diagnosis	2 183	120	
Drug Primary Diagnosis	2 254	142	
Alcohol Related Diagnosis		741	1,114
Drug Related Diagnosis		1,201	1,556
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 2,983	2,732	
Alcohol Primary Diagnosis	2 1,072	956	
Drug Primary Diagnosis	2 785	626	
Alcohol Related Diagnosis		2,939	2,600
Drug Related Diagnosis		2,894	2,584
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 4,887	4,945	
Alcohol Primary Diagnosis	2 2,027	1,934	
Drug Primary Diagnosis	2 1,462	1,385	
Alcohol Related Diagnosis		4,158	2,985
Drug Related Diagnosis		4,213	3,323

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	553	590	592
Fatal Crashes	20	17	22
Injury Crashes	244	252	238
Property Damage Crashes	289	321	332
Crash Fatalities	21	18	25
Crash Injuries	334	374	344
Drug Involved Crashes--Total	140	141	143
Fatal Crashes	3	3	4
Injury Crashes	65	66	68
Property Damage Crashes	72	72	71
Crash Fatalities	4	3	5
Crash Injuries	97	72	99

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	3,151	2,992	2,834
Liquor Law Arrests	551	602	1,068
Drug Arrests	2,802	2,436	2,462
Methamphetamine Lab Incidents	177	207	108
Violent Offenses	2,549	2,254	2,316
Property Offenses	23,242	23,071	23,491
Domestic Violence Reports	5,324	5,086	5,306

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	2,421	2,596	2,608
Violent Offenses	716	808	892
Alcohol Offenses	106	90	148
Drug Offenses	234	269	266
Status Offenses--Total	957	1,131	1,065
Truancy	75	70	77
Beyond Parental Control	185	228	185
Habitually Absent from Home	147	206	176
Injurious Behavior	548	618	625
Abuse/Neglect/Custody--Total	1,181	1,269	1,376
Abuse	219	277	277
Neglect	833	830	983
Custody Disputes	129	162	116

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	590	713	775
Parental Alcohol Use Related	19	36	35
Parental Drug Use Related	252	217	256
Parental Alcohol and Drug Use	21	26	44
Child Removed for Other Reason	298	434	440

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	1,168	1,028	880
Probation/Parole Admissions--Total	3,407	3,328	3,087
Probation/Parole Admissions--Drug	1,091	1,124	995
Probation/Parole Admissions--DWI	238	236	187
Prison Admissions--Total	1,777	1,714	1,699
Prison Admissions--Drug	622	593	563
Prison Admissions--DWI	93	87	82

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	570	591	581
Alcohol Package Carry-out Licenses	410	477	466

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# SUBSTANCE ABUSE SERVICE AREA 10

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	789	846	943
CSTAR Adolescent	199	219	252
CSTAR Women and Children	357	273	314
CSTAR General Adult	1,088	966	877
CSTAR Opioid	*	0	*
Primary Recovery Treatment	769	942	1,098
Clinical SATOP (CIP, YCIP, SROP)	422	370	315
Other Substance Abuse Treatment	7	6	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	2,229	2,313	2,003
- Adolescent Diversion Education Program	35	52	44
- Offender Education Program	877	920	794
- Weekend Intervention Program	497	452	472
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	116	138	100
Compulsive Gambling	0	*	*
Recovery Supports	1,276	1,044	470
Early Intervention	147	267	240

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011
Total Individuals	3,346	3,296	3,229
AGE			
Under 18	207	222	257
18 to 24	549	607	643
25 to 29	623	598	562
30 to 34	563	490	459
35 to 39	369	341	328
40 to 44	350	359	316
45 to 54	500	531	539
55 and Over	185	148	124
GENDER			
Male	2,242	2,285	2,137
Female	1,104	1,010	1,090
RACE / ETHNICITY			
Caucasian	3,037	2,977	2,863
African American	160	185	229
Native American / Alaskan	16	14	11
Asian / Pacific Islander	8	13	5
Hispanic	82	67	72
Other Race / Two or More Races	81	74	78
EDUCATION			
Less than High School Diploma	1,144	1,109	1,187
High School Graduate or G.E.D.	1,397	1,389	1,374
Associate Degree or Some College	779	767	612
Bachelor or Advanced Degree	26	31	55
EMPLOYMENT			
Employed	931	912	773
Unemployed	1,176	1,270	1,366
Not in Labor Force	1,239	1,114	1,089
HOUSING / LIVING ARRANGEMENT			
Independent Living	2,595	2,545	2,447
Dependent Living	420	459	490
Homeless	276	251	237
MARITAL / FAMILY STATUS			
Never Married	1,693	1,683	1,666
Married / Cohabiting	772	769	750
Previously Married	881	844	812

PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Alcohol	1,329	1,313	1,329
Marijuana / Hashish	589	679	749
Cocaine (total)	43	82	86
- Crack	16	52	50
Stimulant (total)	846	707	577
- Methamphetamine	808	690	560
Heroin	106	100	69
Analgesic except Heroin	335	306	338
- Non-Prescription Methadone	13	6	8
PCP, LSD, other Hallucinogen	16	19	18
Tranquilizer	47	56	43
Inhalant	*	5	6
Sedative	5	*	5
Other Medication or Illicit Drug	26	25	8
Average Age at First Use of Drug	17.6	17.2	16.5
INJECTION DRUG USE			
Any Injection Use at Admission	713	657	556
- Daily Injection Use	150	135	129
- Weekly Injection Use	206	177	157
- Less than Weekly Injection Use	357	345	270
LIFETIME DUI / DWI ARRESTS			
0	1,735	1,675	1,736
1 or 2	1,040	1,040	984
3 or More	571	581	508
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	1,501	1,112	1,081
School	15	6	14
Mental Health Provider	61	31	76
Health Care Provider	141	138	147
Court / Criminal Justice	1,339	1,795	1,703
Other Referral Source	268	204	207
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	55	51	53
Military Veteran	147	171	183
Special Education Services Needed	256	264	221
Co-Occurring Psychological Problem	1,151	1,085	973
Co-Occurring Developmental Problem	150	81	60



# SUBSTANCE ABUSE SERVICE AREA 10


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	30.4	32.8	38.3	Alcohol (1 or 2 drinks daily)	63.4		
Cigarettes	20.3	22.4	26.7	Alcohol (Binge: 5+ drinks once or twice a week)	74.4		
Chewing Tobacco	10.0	14.9	13.5	Alcohol (any use)		73.9	74.4
Marijuana	15.2	15.1	17.0	Cigarettes (1+ packs per day)	87.1		
Inhalants	3.6	6.2	7.0	Cigarettes (any use)		83.4	80.2
Prescription medications not prescribed for student	8.1	8.9	12.5	Marijuana (once or twice a week)	67.1		
Over-the-counter medications for non-medical use	3.0	6.6	8.8	Marijuana (any use)		73.1	75.2
Methamphetamine	0.9	1.5	1.1	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.5	93.7	92.8
Cocaine	1.3	2.0	2.0				
Heroin	0.4	0.9	0.7	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	3.0	3.4	3.9	Were very sad	22.5	19.3	18.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.5	2.5	2.6	Were grouchy, irritable, or in a bad mood	24.6	23.8	23.9
Steroids not prescribed for student	0.7	1.4	1.1	Felt hopeless about the future	12.5	11.0	11.7
Synthetic drugs (K2, bath salts, Spice, etc)	4.1	7.3		Felt like not eating or eating more than usual	18.0	17.6	17.9
				Slept a lot more or a lot less than usual	17.7	20.0	25.5
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	23.5	22.0	25.5
Alcohol	13.09	12.48	12.44				
Cigarettes	12.67	12.20	12.13	<i>Percent of students who, in past 12 months:</i>			
Marijuana	13.65	13.06	13.32	Seriously considered attempting suicide	12.2	12.5	12.1
Inhalants	12.39	12.01	12.22	Made plan about how they would attempt suicide	9.3	9.2	8.9
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide	5.7	5.9	5.3
Alcohol	12.0	13.4	16.1	Attempted suicide and resulting injury, poisoning, or overdose	2.3	1.8	2.4
Alcohol (Binge: 5+ drinks on one occasion)		7.8	12.4				
Cigarettes	8.6	10.4	14.0	<i>Percent of students who, in past 12 months:</i>			
Chewing Tobacco	4.8	6.2	7.1	Were threatened/injured with weapon at school	6.8	7.0	10.3
Marijuana	7.4	7.7	9.1	Were in a physical fight	17.4	19.9	22.2
Inhalants	1.3	2.7	3.0	Were in a fight and had to be treated by a doctor or nurse	3.0	3.8	3.8
Prescription medications not prescribed for student	3.4	4.6	7.0				
Over-the-counter medications for non-medical use	1.7	3.9	5.2	<i>Percent of students who, in past 3 months:</i>			
<i>Percent of students who, in past 2 weeks, used:</i>				Were victims of mean rumors or lies spread at school	51.2	49.2	54.5
Alcohol (Binge: 5+ drinks on one occasion)	5.5			Were made fun of by others	60.3	60.1	67.7
<i>Percent whose friends used in past 12 months:</i>				Were victims of an embarrassing or hurtful text message or something posted on the Internet	25.4	21.4	19.3
Alcohol	40.9	46.5	54.8	Spread mean rumors or lies about other kids at school	25.3	26.7	32.9
Cigarettes	34.6	40.1	47.4	Made fun of other people	52.7	59.3	69.4
Marijuana	31.8	33.8	38.1	Posted something on the internet or sent a text that might embarrass or hurt another student	16.6	13.6	17.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.2	16.6	21.3				
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	20.2	24.5	28.8	Teachers notice and comment on student's good work	72.8	68.6	69.6
Cigarettes	11.3	12.7	15.4	School provides feedback to parents on positive student performance	41.8	38.3	38.2
Marijuana	13.6	13.6	14.4	Rules are enforced fairly	66.8	63.9	65.8
<i>Percent who say it would be wrong to use:</i>				Students of all races/ethnicities are treated equal	81.1	78.4	80.0
Alcohol	69.8	67.7	63.3				
Cigarettes	84.1	81.6	76.9	<i>Percent of students who agree that:</i>			
Marijuana	80.1	81.3	80.5	Parents notice and comment on student's good work	82.7	82.7	83.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.1	95.0	93.7	Parents involve student in making family decisions	69.6	69.6	71.1
<i>Percent whose parents would disapprove if they use:</i>				It is important to be honest with parents regardless of consequences	87.1	85.4	82.8
Alcohol	84.8	83.3	81.7	Student could ask parent for help with a personal problem	79.5	76.1	77.6
Cigarettes	93.5	92.1	90.0				
Marijuana	92.6	92.9	92.8				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	47.3	51.5	55.6				
Cigarettes	46.4	49.4	57.1				
Marijuana	34.2	35.2	38.2				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.0	18.1	21.1				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# SUBSTANCE ABUSE SERVICE AREA 11



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	11
Adult Psychiatric	Not Applicable
<b>POPULATION</b>	
Census 2010	306,402
2013 Estimate	308,863

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	145,766	142,497	147,253
Employed	136,059	132,377	134,790
Unemployed	9,707	10,120	12,463
Unemployment Rate	6.7%	7.1%	8.5%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	13,734	13,776	13,994
Drop-outs	277	339	391
Drop-out Rate	2.0%	2.5%	2.8%
School Suspensions:			
Alcohol Incidents	21	56	28
Drug Incidents	117	167	153
Tobacco Incidents	8	10	11

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	3,814	3,755	3,899
Mother Reported Smoking while Pregnant	848	832	843

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	8	10	12
Hepatitis B Chronic, Acute, Prenatal	1 24	25	19
Hepatitis C Chronic and Acute	1 192	205	190
Tuberculosis Infection Cases	1 87	75	60

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	2,682	2,596	2,536
Suicides	47	45	49
Self-inflicted Injuries	357	385	392
Homicides		16	16
Assault Injuries	1,074	1,066	1,137
Alcohol Induced Deaths	22	21	19
Drug Induced Deaths	43	37	46
Smoking Attributable Deaths	519	497	446

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 1,305	1,238	
Alcohol Primary Diagnosis	2 68	50	
Drug Primary Diagnosis	2 114	63	
Alcohol Related Diagnosis	438	404	656
Drug Related Diagnosis	623	544	690
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 1,382	1,120	
Alcohol Primary Diagnosis	2 312	314	
Drug Primary Diagnosis	2 166	194	
Alcohol Related Diagnosis	1,127	1,155	797
Drug Related Diagnosis	992	947	596
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 2,449	2,440	
Alcohol Primary Diagnosis	2 482	525	
Drug Primary Diagnosis	2 464	467	
Alcohol Related Diagnosis	1,082	1,102	1,014
Drug Related Diagnosis	1,217	997	897

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	326	349	332
Fatal Crashes	16	17	15
Injury Crashes	138	157	142
Property Damage Crashes	172	175	175
Crash Fatalities	16	17	16
Crash Injuries	204	219	195
Drug Involved Crashes--Total	49	58	43
Fatal Crashes	3	4	0
Injury Crashes	17	21	17
Property Damage Crashes	29	33	26
Crash Fatalities	3	2	0
Crash Injuries	29	22	22

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	1,814	2,071	2,023
Liquor Law Arrests	561	575	627
Drug Arrests	1,635	1,526	1,425
Methamphetamine Lab Incidents	57	57	81
Violent Offenses	969	1,004	1,000
Property Offenses	7,415	7,351	7,088
Domestic Violence Reports	2,445	2,336	1,994

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	1,307	1,473	1,320
Violent Offenses	326	380	412
Alcohol Offenses	92	80	71
Drug Offenses	114	142	104
Status Offenses--Total	1,124	1,241	1,355
Truancy	358	406	484
Beyond Parental Control	159	125	126
Habitually Absent from Home	127	139	119
Injurious Behavior	465	550	590
Abuse/Neglect/Custody--Total	1,556	1,633	1,276
Abuse	584	659	532
Neglect	948	963	725
Custody Disputes	24	11	19

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	333	351	331
Parental Alcohol Use Related	5	7	10
Parental Drug Use Related	93	124	87
Parental Alcohol and Drug Use	13	4	6
Child Removed for Other Reason	222	216	228

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	189	168	124
Probation/Parole Admissions--Total	2,195	1,946	1,769
Probation/Parole Admissions--Drug	788	643	564
Probation/Parole Admissions--DWI	170	187	176
Prison Admissions--Total	1,100	1,008	958
Prison Admissions--Drug	376	333	304
Prison Admissions--DWI	73	96	81

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	469	454	462
Alcohol Package Carry-out Licenses	343	348	354

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# SUBSTANCE ABUSE SERVICE AREA 11

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	139	157	211
CSTAR Adolescent	115	125	111
CSTAR Women and Children	144	142	158
CSTAR General Adult	1,065	843	754
CSTAR Opioid	*	0	*
Primary Recovery Treatment	276	438	552
Clinical SATOP (CIP, YCIP, SROP)	283	285	267
Other Substance Abuse Treatment	*	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	1,224	1,423	1,380
- Adolescent Diversion Education Program	34	27	48
- Offender Education Program	445	545	544
- Weekend Intervention Program	262	324	323
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	33	48	56
Compulsive Gambling	5	6	*
Recovery Supports	18	14	21
Early Intervention	57	71	46

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	1,810	1,727	1,721	Alcohol	776	748	806
AGE				Marijuana / Hashish	411	424	396
Under 18	116	126	117	Cocaine (total)	49	63	65
18 to 24	340	298	357	- Crack	23	30	31
25 to 29	335	325	315	Stimulant (total)	252	254	199
30 to 34	291	266	258	- Methamphetamine	221	238	190
35 to 39	197	202	175	Heroin	128	109	98
40 to 44	163	162	146	Analgesic except Heroin	139	99	115
45 to 54	273	265	285	- Non-Prescription Methadone	*	0	*
55 and Over	95	83	68	PCP, LSD, other Hallucinogen	6	5	9
GENDER				Tranquilizer	12	6	25
Male	1,200	1,186	1,223	Inhalant	*	0	*
Female	610	541	498	Sedative	*	5	*
RACE / ETHNICITY				Other Medication or Illicit Drug	34	14	5
Caucasian	1,548	1,489	1,488	Average Age at First Use of Drug	18.0	17.5	16.9
African American	186	179	165	INJECTION DRUG USE			
Native American / Alaskan	6	*	*	Any Injection Use at Admission	245	252	185
Asian / Pacific Islander	7	6	*	- Daily Injection Use	55	59	55
Hispanic	32	25	30	- Weekly Injection Use	59	57	59
Other Race / Two or More Races	41	36	44	- Less than Weekly Injection Use	131	136	71
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	559	583	582	0	903	838	839
High School Graduate or G.E.D.	793	732	790	1 or 2	555	529	574
Associate Degree or Some College	427	395	323	3 or More	352	360	308
Bachelor or Advanced Degree	29	17	26	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	544	398	441
Employed	576	591	547	School	*	*	5
Unemployed	655	568	648	Mental Health Provider	34	17	22
Not in Labor Force	579	568	526	Health Care Provider	61	55	48
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	966	1,117	1,050
Independent Living	1,502	1,427	1,435	Other Referral Source	187	131	154
Dependent Living	185	198	204	TREATMENT ACCOMMODATION			
Homeless	47	44	48	Pregnant when Admitted to any Episode	30	27	30
MARITAL / FAMILY STATUS				Military Veteran	84	85	88
Never Married	980	950	939	Special Education Services Needed	122	163	160
Married / Cohabiting	438	387	405	Co-Occurring Psychological Problem	623	573	579
Previously Married	392	390	377	Co-Occurring Developmental Problem	62	53	44

# SUBSTANCE ABUSE SERVICE AREA 11

## MISSOURI STUDENT SURVEY


	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	39.2	42.8	46.5	Alcohol (1 or 2 drinks daily)	56.0		
Cigarettes	25.1	24.9	29.7	Alcohol (Binge: 5+ drinks once or twice a week)	69.3		
Chewing Tobacco	13.7	15.6	15.3	Alcohol (any use)		68.3	78.7
Marijuana	14.6	15.1	15.8	Cigarettes (1+ packs per day)	87.1		
Inhalants	1.9	5.1	7.2	Cigarettes (any use)		80.1	81.9
Prescription medications not prescribed for student	6.7	9.4	12.3	Marijuana (once or twice a week)	66.9		
Over-the-counter medications for non-medical use	2.1	7.1	8.5	Marijuana (any use)		72.9	71.5
Methamphetamine	0.4	1.2	1.3	Other: Cocaine, LSD, Meth, Club Drug (any use)	91.7	93.1	94.2
Cocaine	1.1	2.0	2.0				
Heroin	0.2	1.3	0.9	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	1.7	2.8	3.4	Were very sad	20.2	18.5	22.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.0	2.6	2.7	Were grouchy, irritable, or in a bad mood	23.3	24.9	26.3
Steroids not prescribed for student	0.4	1.6	1.6	Felt hopeless about the future	12.4	10.4	13.2
Synthetic drugs (K2, bath salts, Spice, etc)	3.0	6.7		Felt like not eating or eating more than usual	19.9	17.5	19.9
				Slept a lot more or a lot less than usual	19.8	19.2	27.5
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	22.8	23.8	25.0
Alcohol	12.85	12.50	12.29				
Cigarettes	12.63	12.42	12.13	<i>Percent of students who, in past 12 months:</i>			
Marijuana	13.92	13.49	13.37	Seriously considered attempting suicide	12.0	13.6	13.2
Inhalants	11.77	12.17	12.20	Made plan about how they would attempt suicide	8.0	9.0	9.4
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide	5.2	5.5	5.8
Alcohol	15.5	20.0	22.0	Attempted suicide and resulting injury, poisoning, or overdose	1.4	2.3	2.4
Alcohol (Binge: 5+ drinks on one occasion)		12.5	11.1				
Cigarettes	10.3	11.9	14.0	<i>Percent of students who, in past 12 months:</i>			
Chewing Tobacco	6.3	7.6	8.5	Were threatened/injured with weapon at school	6.4	6.7	10.9
Marijuana	5.9	7.7	7.2	Were in a physical fight	17.9	22.6	26.1
Inhalants	0.6	2.5	3.5	Were in a fight and had to be treated by a doctor or nurse	2.5	3.8	4.7
Prescription medications not prescribed for student	3.2	5.1	7.7				
Over-the-counter medications for non-medical use	1.3	5.0	5.2	<i>Percent of students who, in past 3 months:</i>			
<i>Percent of students who, in past 2 weeks, used:</i>				Were victims of mean rumors or lies spread at school	49.8	47.9	54.7
Alcohol (Binge: 5+ drinks on one occasion)	6.2			Were made fun of by others	57.9	57.2	68.9
<i>Percent whose friends used in past 12 months:</i>				Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.1	19.2	18.5
Alcohol	44.8	57.0	61.1	Spread mean rumors or lies about other kids at school	22.1	26.8	33.6
Cigarettes	35.1	45.7	48.8	Made fun of other people	52.3	60.3	74.0
Marijuana	27.1	33.6	35.8	Posted something on the internet or sent a text that might embarrass or hurt another student	13.5	13.6	16.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.3	15.0	20.1				
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	27.2	34.6	36.7	Teachers notice and comment on student's good work	73.0	66.8	71.0
Cigarettes	11.5	16.3	15.8	School provides feedback to parents on positive student performance	48.9	37.8	40.7
Marijuana	10.9	14.2	12.6	Rules are enforced fairly	63.5	62.2	63.7
<i>Percent who say it would be wrong to use:</i>				Students of all races/ethnicities are treated equal	82.0	75.9	76.4
Alcohol	63.4	56.3	57.7				
Cigarettes	85.1	78.2	77.0	<i>Percent of students who agree that:</i>			
Marijuana	82.4	81.4	82.5	Parents notice and comment on student's good work	82.7	80.3	84.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.4	94.4	94.5	Parents involve student in making family decisions	69.7	67.4	70.0
<i>Percent whose parents would disapprove if they use:</i>				It is important to be honest with parents regardless of consequences	86.9	84.1	83.5
Alcohol	78.3	75.6	77.8	Student could ask parent for help with a personal problem	78.8	74.0	76.7
Cigarettes	93.0	90.1	90.9				
Marijuana	93.7	92.9	95.0				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	50.6	58.2	60.3				
Cigarettes	49.4	54.5	56.9				
Marijuana	29.5	35.7	33.7				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.2	18.4	19.2				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys



# SUBSTANCE ABUSE SERVICE AREA 12



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	12
Adult Psychiatric	Not Applicable
<b>POPULATION</b>	
Census 2010	319,063
2013 Estimate	326,094

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	170,898	167,089	167,678
Employed	161,901	157,513	155,590
Unemployed	8,997	9,576	12,088
Unemployment Rate	5.3%	5.7%	7.2%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	13,418	13,344	13,662
Drop-outs	271	345	281
Drop-out Rate	2.0%	2.6%	2.1%
School Suspensions:			
Alcohol Incidents	10	12	2
Drug Incidents	77	62	81
Tobacco Incidents	1	2	4

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	4,075	4,060	3,975
Mother Reported Smoking while Pregnant	763	779	790

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	8	11	13
Hepatitis B Chronic, Acute, Prenatal	1 35	23	21
Hepatitis C Chronic and Acute	1 244	240	179
Tuberculosis Infection Cases	1 285	315	296

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	2,643	2,801	2,613
Suicides	46	43	23
Self-inflicted Injuries	364	319	320
Homicides		10	8
Assault Injuries	957	981	960
Alcohol Induced Deaths	19	18	14
Drug Induced Deaths	37	43	40
Smoking Attributable Deaths	443	463	457

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 1,605	1,590	
Alcohol Primary Diagnosis	2 153	159	
Drug Primary Diagnosis	2 86	72	
Alcohol Related Diagnosis	837	882	765
Drug Related Diagnosis	738	691	665

Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 1,455	1,176	
Alcohol Primary Diagnosis	2 389	330	
Drug Primary Diagnosis	2 188	187	
Alcohol Related Diagnosis	1,136	943	1,012
Drug Related Diagnosis	1,014	810	768

Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 2,385	2,276	
Alcohol Primary Diagnosis	2 541	482	
Drug Primary Diagnosis	2 370	304	
Alcohol Related Diagnosis	1,414	1,254	1,323
Drug Related Diagnosis	1,297	1,164	1,051

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	329	306	407
Fatal Crashes	13	13	10
Injury Crashes	152	114	168
Property Damage Crashes	164	179	229
Crash Fatalities	13	15	10
Crash Injuries	214	176	235
Drug Involved Crashes--Total	52	46	59
Fatal Crashes	2	6	1
Injury Crashes	30	17	28
Property Damage Crashes	20	23	30
Crash Fatalities	3	7	1
Crash Injuries	50	20	45

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	2,031	1,984	2,575
Liquor Law Arrests	1,017	1,136	1,137
Drug Arrests	2,308	2,115	2,018
Methamphetamine Lab Incidents	46	59	70
Violent Offenses	1,020	1,107	1,046
Property Offenses	9,949	9,646	8,871
Domestic Violence Reports	2,855	2,796	2,634

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	1,940	1,919	2,254
Violent Offenses	535	550	655
Alcohol Offenses	50	47	74
Drug Offenses	178	173	141
Status Offenses--Total	1,739	1,594	1,806
Truancy	334	279	310
Beyond Parental Control	467	450	418
Habitually Absent from Home	233	172	237
Injurious Behavior	652	673	814
Abuse/Neglect/Custody--Total	764	570	457
Abuse	158	136	122
Neglect	510	344	295
Custody Disputes	96	90	40

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	383	316	168
Parental Alcohol Use Related	10	24	4
Parental Drug Use Related	155	62	36
Parental Alcohol and Drug Use	7	11	2
Child Removed for Other Reason	211	219	126

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	398	404	458
Probation/Parole Admissions--Total	2,749	2,559	2,405
Probation/Parole Admissions--Drug	796	720	684
Probation/Parole Admissions--DWI	167	203	197
Prison Admissions--Total	1,300	1,314	1,359
Prison Admissions--Drug	440	421	436
Prison Admissions--DWI	99	111	102

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	443	439	441
Alcohol Package Carry-out Licenses	310	314	298

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# SUBSTANCE ABUSE SERVICE AREA 12

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	194	197	222
CSTAR Adolescent	123	104	100
CSTAR Women and Children	203	242	249
CSTAR General Adult	779	559	470
CSTAR Opioid	*	0	0
Primary Recovery Treatment	360	560	963
Clinical SATOP (CIP, YCIP, SROP)	273	253	235
Other Substance Abuse Treatment	*	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	1,299	1,317	1,461
- Adolescent Diversion Education Program	43	68	64
- Offender Education Program	552	558	632
- Weekend Intervention Program	271	270	307
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	56	80	94
Compulsive Gambling	*	*	*
Recovery Supports	124	111	91
Early Intervention	26	27	25

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	1,579	1,606	1,899	Alcohol	682	708	859
AGE				Marijuana / Hashish	435	458	590
Under 18	125	112	98	Cocaine (total)	87	138	175
18 to 24	257	294	382	- Crack	51	74	107
25 to 29	300	281	349	Stimulant (total)	184	163	124
30 to 34	230	264	298	- Methamphetamine	172	148	118
35 to 39	177	181	196	Heroin	57	43	27
40 to 44	153	138	184	Analgesic except Heroin	92	62	82
45 to 54	242	250	310	- Non-Prescription Methadone	*	0	0
55 and Over	95	86	81	PCP, LSD, other Hallucinogen	12	9	15
GENDER				Tranquilizer	15	8	11
Male	1,013	1,034	1,318	Inhalant	*	*	*
Female	566	572	580	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	11	12	7
Caucasian	1,179	1,193	1,363	Average Age at First Use of Drug	17.5	17.2	16.8
African American	328	321	430	INJECTION DRUG USE			
Native American / Alaskan	5	*	7	Any Injection Use at Admission	151	134	96
Asian / Pacific Islander	8	10	9	- Daily Injection Use	27	31	22
Hispanic	24	39	39	- Weekly Injection Use	51	47	17
Other Race / Two or More Races	47	55	66	- Less than Weekly Injection Use	73	56	57
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	460	521	613	0	804	834	1,047
High School Graduate or G.E.D.	660	672	813	1 or 2	567	549	570
Associate Degree or Some College	404	382	407	3 or More	208	223	281
Bachelor or Advanced Degree	54	30	65	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	561	505	636
Employed	485	486	643	School	*	*	*
Unemployed	576	583	681	Mental Health Provider	21	28	14
Not in Labor Force	518	537	574	Health Care Provider	62	43	49
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	725	896	1,077
Independent Living	1,241	1,306	1,562	Other Referral Source	182	127	118
Dependent Living	204	180	207	TREATMENT ACCOMMODATION			
Homeless	100	84	85	Pregnant when Admitted to any Episode	25	23	22
MARITAL / FAMILY STATUS				Military Veteran	88	69	64
Never Married	915	908	1,092	Special Education Services Needed	150	159	167
Married / Cohabiting	331	356	428	Co-Occurring Psychological Problem	677	556	621
Previously Married	333	342	378	Co-Occurring Developmental Problem	80	79	127

# SUBSTANCE ABUSE SERVICE AREA 12


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	38.4	45.1	47.8	Alcohol (1 or 2 drinks daily)	47.2		
Cigarettes	26.1	26.3	29.9	Alcohol (Binge: 5+ drinks once or twice a week)	59.1		
Chewing Tobacco	18.6	18.2	13.4	Alcohol (any use)		67.3	73.1
Marijuana	13.7	17.3	19.6	Cigarettes (1+ packs per day)	81.2		
Inhalants	3.6	5.5	7.1	Cigarettes (any use)		77.9	80.1
Prescription medications not prescribed for student	6.9	9.8	12.2	Marijuana (once or twice a week)	62.9		
Over-the-counter medications for non-medical use	1.6	6.2	8.4	Marijuana (any use)		73.6	70.4
Methamphetamine	0.4	1.1	0.7	Other: Cocaine, LSD, Meth, Club Drug (any use)	88.9	92.3	93.2
Cocaine	1.3	2.0	2.4				
Heroin	0.2	0.5	0.6	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	1.0	2.1	3.2	Were very sad	18.7	17.4	21.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.3	1.9	2.7	Were grouchy, irritable, or in a bad mood	29.4	24.1	29.7
Steroids not prescribed for student	0.6	1.6	0.9	Felt hopeless about the future	11.3	12.1	14.4
Synthetic drugs (K2, bath salts, Spice, etc)	3.3	6.5		Felt like not eating or eating more than usual	15.5	16.5	21.3
				Slept a lot more or a lot less than usual	16.4	20.0	29.5
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	25.4	22.0	27.2
Alcohol	13.83	12.55	12.72	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.51	12.48	12.33	Seriously considered attempting suicide	7.7	10.4	12.1
Marijuana	13.45	13.73	13.60	Made plan about how they would attempt suicide	6.9	8.4	8.1
Inhalants	12.83	12.07	12.32	Attempted suicide	2.1	5.1	5.1
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose	1.3	1.4	1.7
Alcohol	13.9	20.6	22.7	had to be treated by doctor or nurse			
Alcohol (Binge: 5+ drinks on one occasion)		11.8	10.2	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.3	11.7	14.3	Were threatened/injured with weapon at school	4.6	6.2	9.1
Chewing Tobacco	7.6	9.0	7.5	Were in a physical fight	19.6	21.2	21.2
Marijuana	5.0	7.4	10.0	Were in a fight and had to be treated by a doctor or nurse	1.9	3.3	3.0
Inhalants	0.7	1.9	2.7	<i>Percent of students who, in past 3 months:</i>			
Prescription medications not prescribed for student	4.2	4.5	7.0	Were victims of mean rumors or lies spread at school	55.9	46.6	55.3
Over-the-counter medications for non-medical use	1.1	3.3	5.2	Were made fun of by others	62.8	63.5	68.9
<i>Percent of students who, in past 2 weeks, used:</i>				Were victims of an embarrassing or hurtful text message or something posted on the Internet	22.2	21.7	19.1
Alcohol (Binge: 5+ drinks on one occasion)	6.0			Spread mean rumors or lies about other kids at school	21.8	26.2	32.3
<i>Percent whose friends used in past 12 months:</i>				Made fun of other people	57.1	65.6	74.1
Alcohol	54.3	57.7	65.5	Posted something on the internet or sent a text that might embarrass or hurt another student	19.0	15.2	17.1
Cigarettes	43.6	47.8	51.1	<i>Percent of students who agree that:</i>			
Marijuana	22.4	37.3	41.3	Teachers notice and comment on student's good work	75.7	69.3	70.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.1	14.1	19.8	School provides feedback to parents on positive student performance	47.0	43.4	43.0
<i>Percent who would likely use, if offered by a best friend:</i>				Rules are enforced fairly	69.1	63.5	65.1
Alcohol	30.3	36.3	37.4	Students of all races/ethnicities are treated equal	78.5	78.1	74.2
Cigarettes	13.8	15.6	15.8	<i>Percent of students who agree that:</i>			
Marijuana	8.0	11.9	14.8	Parents notice and comment on student's good work	87.5	83.0	83.4
<i>Percent who say it would be wrong to use:</i>				Parents involve student in making family decisions	65.6	68.9	70.0
Alcohol	57.3	57.2	54.1	It is important to be honest with parents regardless of consequences	91.8	86.5	82.7
Cigarettes	78.5	78.7	77.5	Student could ask parent for help with a personal problem	85.9	77.1	76.8
Marijuana	84.6	83.0	79.4				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.7	95.9	94.6				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	77.7	77.1	75.2				
Cigarettes	91.4	90.6	89.4				
Marijuana	95.8	94.4	93.2				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	55.2	58.3	63.1				
Cigarettes	50.2	54.6	59.6				
Marijuana	27.3	35.6	39.7				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.7	15.0	19.9				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# SUBSTANCE ABUSE SERVICE AREA 13



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	13
Adult Psychiatric	Not Applicable
<b>POPULATION</b>	
Census 2010	80,509
2013 Estimate	78,744

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	38,835	37,641	38,202
Employed	36,513	35,119	35,047
Unemployed	2,322	2,522	3,155
Unemployment Rate	6.0%	6.7%	8.3%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	3,734	3,725	3,804
Drop-outs	49	53	78
Drop-out Rate	1.3%	1.4%	2.1%
School Suspensions:			
Alcohol Incidents	15	7	3
Drug Incidents	13	18	11
Tobacco Incidents	0	0	3

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	954	893	950
Mother Reported Smoking while Pregnant	246	226	235

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	3
Hepatitis B Chronic, Acute, Prenatal	1 8	2	1
Hepatitis C Chronic and Acute	1 37	43	27
Tuberculosis Infection Cases	1 7	13	5

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	979	977	965
Suicides	14	14	21
Self-inflicted Injuries	112	105	101
Homicides		6	2
Assault Injuries	172	179	184
Alcohol Induced Deaths	3	4	1
Drug Induced Deaths	9	6	13
Smoking Attributable Deaths	191	187	177

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 555	527	
Alcohol Primary Diagnosis	2 25	45	
Drug Primary Diagnosis	2 23	31	
Alcohol Related Diagnosis	192	254	251
Drug Related Diagnosis	247	214	230
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 160	144	
Alcohol Primary Diagnosis	2 26	25	
Drug Primary Diagnosis	2 30	23	
Alcohol Related Diagnosis	176	131	86
Drug Related Diagnosis	143	125	63
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 767	639	
Alcohol Primary Diagnosis	2 114	101	
Drug Primary Diagnosis	2 94	70	
Alcohol Related Diagnosis	289	276	261
Drug Related Diagnosis	308	235	246

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	65	76	76
Fatal Crashes	3	4	0
Injury Crashes	33	34	38
Property Damage Crashes	29	38	38
Crash Fatalities	3	6	0
Crash Injuries	44	43	50
Drug Involved Crashes--Total	17	11	7
Fatal Crashes	0	1	0
Injury Crashes	10	5	3
Property Damage Crashes	7	5	4
Crash Fatalities	0	1	0
Crash Injuries	13	5	4

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	388	414	425
Liquor Law Arrests	91	168	201
Drug Arrests	381	374	393
Methamphetamine Lab Incidents	10	13	5
Violent Offenses	128	158	158
Property Offenses	1,403	1,228	1,184
Domestic Violence Reports	498	482	477

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	475	289	284
Violent Offenses	68	60	77
Alcohol Offenses	15	26	43
Drug Offenses	16	17	20
Status Offenses--Total	376	423	393
Truancy	188	241	189
Beyond Parental Control	71	70	66
Habitually Absent from Home	20	11	31
Injurious Behavior	96	99	103
Abuse/Neglect/Custody--Total	252	274	282
Abuse	68	91	82
Neglect	184	171	199
Custody Disputes	0	12	1

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	130	96	76
Parental Alcohol Use Related	5	6	4
Parental Drug Use Related	39	17	15
Parental Alcohol and Drug Use	3	3	1
Child Removed for Other Reason	83	70	56

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	98	94	90
Probation/Parole Admissions--Total	719	658	642
Probation/Parole Admissions--Drug	246	210	195
Probation/Parole Admissions--DWI	40	41	38
Prison Admissions--Total	456	411	414
Prison Admissions--Drug	151	140	130
Prison Admissions--DWI	33	27	35

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	91	89	87
Alcohol Package Carry-out Licenses	103	107	104

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# SUBSTANCE ABUSE SERVICE AREA 13

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	32	25	34
CSTAR Adolescent	41	46	19
CSTAR Women and Children	17	12	13
CSTAR General Adult	475	498	445
CSTAR Opioid	0	*	0
Primary Recovery Treatment	45	42	55
Clinical SATOP (CIP, YCIP, SROP)	57	70	55
Other Substance Abuse Treatment	10	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	252	264	277
- Adolescent Diversion Education Program	*	7	10
- Offender Education Program	78	96	105
- Weekend Intervention Program	70	63	47
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	7
Compulsive Gambling	0	0	*
Recovery Supports	7	8	*
Early Intervention	22	29	47

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	633	657	550	Alcohol	223	292	244
AGE				Marijuana / Hashish	194	169	144
Under 18	45	46	23	Cocaine (total)	7	12	6
18 to 24	135	132	117	- Crack	*	5	*
25 to 29	114	123	98	Stimulant (total)	121	109	83
30 to 34	112	111	93	- Methamphetamine	121	107	76
35 to 39	65	69	63	Heroin	5	6	8
40 to 44	57	71	69	Analgesic except Heroin	69	51	38
45 to 54	79	80	73	- Non-Prescription Methadone	0	*	0
55 and Over	26	25	14	PCP, LSD, other Hallucinogen	*	0	*
GENDER				Tranquilizer	*	11	7
Male	423	448	376	Inhalant	*	*	0
Female	210	209	174	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	5	6	18
Caucasian	603	604	514	Average Age at First Use of Drug	17.5	17.2	17.0
African American	9	18	16	INJECTION DRUG USE			
Native American / Alaskan	0	*	*	Any Injection Use at Admission	81	73	45
Asian / Pacific Islander	0	*	*	- Daily Injection Use	14	*	10
Hispanic	13	20	10	- Weekly Injection Use	8	19	7
Other Race / Two or More Races	12	17	8	- Less than Weekly Injection Use	59	50	28
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	234	255	192	0	376	366	357
High School Graduate or G.E.D.	330	331	272	1 or 2	175	198	125
Associate Degree or Some College	65	66	83	3 or More	82	93	68
Bachelor or Advanced Degree	*	5	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	106	105	128
Employed	185	238	204	School	*	*	*
Unemployed	311	296	242	Mental Health Provider	*	*	*
Not in Labor Force	137	123	104	Health Care Provider	14	16	18
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	176	408	337
Independent Living	535	572	497	Other Referral Source	303	98	61
Dependent Living	71	62	34	TREATMENT ACCOMMODATION			
Homeless	14	12	12	Pregnant when Admitted to any Episode	*	5	*
MARITAL / FAMILY STATUS				Military Veteran	24	48	22
Never Married	354	346	283	Special Education Services Needed	54	71	44
Married / Cohabiting	151	167	130	Co-Occurring Psychological Problem	297	286	145
Previously Married	128	144	137	Co-Occurring Developmental Problem	17	35	14



# SUBSTANCE ABUSE SERVICE AREA 13

## MISSOURI STUDENT SURVEY


	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	39.4	45.6	48.4	Alcohol (1 or 2 drinks daily)	51.4		
Cigarettes	26.3	32.7	32.0	Alcohol (Binge: 5+ drinks once or twice a week)	65.2		
Chewing Tobacco	18.9	13.4	20.7	Alcohol (any use)		67.1	82.7
Marijuana	9.3	13.5	10.7	Cigarettes (1+ packs per day)	83.0		
Inhalants	4.2	5.8	5.7	Cigarettes (any use)		75.0	77.0
Prescription medications not prescribed for student	6.8	9.7	11.6	Marijuana (once or twice a week)	74.7		
Over-the-counter medications for non-medical use	3.1	6.5	7.1	Marijuana (any use)		74.9	70.4
Methamphetamine	0.4	1.4	0.7	Other: Cocaine, LSD, Meth, Club Drug (any use)	93.1	91.6	94.1
Cocaine	1.0	1.8	1.4				
Heroin	0.2	1.4	0.8	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	1.2	2.5	1.6	Were very sad	19.6	19.9	18.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.7	1.8	1.4	Were grouchy, irritable, or in a bad mood	22.4	25.0	22.9
Steroids not prescribed for student	1.2	1.8	1.3	Felt hopeless about the future	10.6	11.5	11.2
Synthetic drugs (K2, bath salts, Spice, etc)	3.4	6.3		Felt like not eating or eating more than usual	15.6	16.6	16.6
				Slept a lot more or a lot less than usual	18.0	20.7	24.4
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	20.9	21.8	22.2
Alcohol	12.73	12.58	12.51				
Cigarettes	12.83	12.81	12.39	<i>Percent of students who, in past 12 months:</i>			
Marijuana	13.82	13.62	14.00	Seriously considered attempting suicide	12.0	11.7	11.3
Inhalants	11.57	12.11	12.23	Made plan about how they would attempt suicide	8.5	8.7	8.3
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide	5.3	5.1	5.4
Alcohol	14.6	21.9	21.4	Attempted suicide and resulting injury, poisoning, or overdose	1.3	1.7	1.5
Alcohol (Binge: 5+ drinks on one occasion)		13.5	9.0				
Cigarettes	12.8	16.2	17.0	<i>Percent of students who, in past 12 months:</i>			
Chewing Tobacco	10.5	11.1	11.0	Were threatened/injured with weapon at school	6.4	6.8	8.9
Marijuana	3.8	6.6	4.6	Were in a physical fight	18.4	21.3	22.2
Inhalants	1.9	2.3	3.0	Were in a fight and had to be treated by a doctor or nurse	2.1	2.7	3.9
Prescription medications not prescribed for student	3.2	5.4	6.1				
Over-the-counter medications for non-medical use	1.6	4.5	4.2	<i>Percent of students who, in past 3 months:</i>			
<i>Percent of students who, in past 2 weeks, used:</i>				Were victims of mean rumors or lies spread at school	52.2	54.3	58.9
Alcohol (Binge: 5+ drinks on one occasion)	6.9			Were made fun of by others	63.2	64.7	70.6
<i>Percent whose friends used in past 12 months:</i>				Were victims of an embarrassing or hurtful text message or something posted on the Internet	26.7	25.0	20.8
Alcohol	46.9	58.4	61.2	Spread mean rumors or lies about other kids at school	27.0	30.6	37.1
Cigarettes	38.0	52.1	53.4	Made fun of other people	59.4	65.7	75.8
Marijuana	19.9	31.2	26.9	Posted something on the internet or sent a text that might embarrass or hurt another student	17.3	16.8	21.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.7	12.1	13.3				
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	32.5	35.7	37.7	Teachers notice and comment on student's good work	75.5	70.3	73.9
Cigarettes	15.7	19.1	18.4	School provides feedback to parents on positive student performance	50.8	44.2	45.2
Marijuana	8.1	10.7	7.4	Rules are enforced fairly	67.0	62.7	64.7
<i>Percent who say it would be wrong to use:</i>				Students of all races/ethnicities are treated equal	85.4	82.2	82.9
Alcohol	61.5	54.7	56.2				
Cigarettes	81.0	74.8	75.0	<i>Percent of students who agree that:</i>			
Marijuana	88.6	85.0	87.6	Parents notice and comment on student's good work	81.1	81.1	82.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.8	95.6	96.6	Parents involve student in making family decisions	70.3	68.6	68.3
<i>Percent whose parents would disapprove if they use:</i>				It is important to be honest with parents regardless of consequences	88.5	86.5	84.3
Alcohol	76.4	77.9	75.3	Student could ask parent for help with a personal problem	77.8	74.1	75.3
Cigarettes	91.0	89.1	88.4				
Marijuana	94.9	95.0	97.0				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	51.9	58.2	63.0				
Cigarettes	47.9	58.5	62.9				
Marijuana	23.6	32.6	28.5				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.2	16.5	15.5				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys



# SUBSTANCE ABUSE SERVICE AREA 14



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	14
Adult Psychiatric	Not Applicable
<b>POPULATION</b>	
Census 2010	107,082
2013 Estimate	106,605

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	55,288	52,384	54,194
Employed	52,170	49,181	50,173
Unemployed	3,118	3,203	4,021
Unemployment Rate	5.6%	6.1%	7.4%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	4,828	4,779	4,847
Drop-outs	77	78	77
Drop-out Rate	1.6%	1.6%	1.6%
School Suspensions:			
Alcohol Incidents	2	9	1
Drug Incidents	15	11	16
Tobacco Incidents	0	2	3

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	1,223	1,281	1,249
Mother Reported Smoking while Pregnant	291	308	314

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	4	3	2
Hepatitis B Chronic, Acute, Prenatal	1 5	2	5
Hepatitis C Chronic and Acute	1 56	62	68
Tuberculosis Infection Cases	1 18	24	31

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	1,180	1,143	1,181
Suicides	14	15	12
Self-inflicted Injuries	138	119	124
Homicides		0	3
Assault Injuries	219	219	214
Alcohol Induced Deaths	2	2	8
Drug Induced Deaths	14	14	12
Smoking Attributable Deaths	198	197	217

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 543	604	
Alcohol Primary Diagnosis	2 45	73	
Drug Primary Diagnosis	2 21	35	
Alcohol Related Diagnosis	242	362	301
Drug Related Diagnosis	181	230	204
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 165	142	
Alcohol Primary Diagnosis	2 38	12	
Drug Primary Diagnosis	2 36	17	
Alcohol Related Diagnosis	213	91	223
Drug Related Diagnosis	193	90	143
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 677	649	
Alcohol Primary Diagnosis	2 210	178	
Drug Primary Diagnosis	2 89	97	
Alcohol Related Diagnosis	345	299	314
Drug Related Diagnosis	181	192	159

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	107	85	107
Fatal Crashes	4	3	4
Injury Crashes	56	43	47
Property Damage Crashes	47	39	56
Crash Fatalities	4	3	4
Crash Injuries	84	64	67
Drug Involved Crashes--Total	19	21	16
Fatal Crashes	1	0	1
Injury Crashes	6	7	3
Property Damage Crashes	12	14	12
Crash Fatalities	1	0	1
Crash Injuries	12	13	4

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	654	680	750
Liquor Law Arrests	373	408	453
Drug Arrests	620	603	536
Methamphetamine Lab Incidents	103	111	76
Violent Offenses	204	260	262
Property Offenses	2,849	2,861	3,006
Domestic Violence Reports	637	803	773

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	573	458	384
Violent Offenses	119	89	90
Alcohol Offenses	42	37	36
Drug Offenses	26	30	21
Status Offenses--Total	676	705	914
Truancy	172	131	176
Beyond Parental Control	136	125	179
Habitually Absent from Home	19	15	29
Injurious Behavior	335	411	498
Abuse/Neglect/Custody--Total	548	584	551
Abuse	105	137	118
Neglect	439	441	424
Custody Disputes	4	6	9

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	180	157	173
Parental Alcohol Use Related	0	1	8
Parental Drug Use Related	81	46	30
Parental Alcohol and Drug Use	9	3	7
Child Removed for Other Reason	90	107	128

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	156	142	129
Probation/Parole Admissions--Total	803	714	660
Probation/Parole Admissions--Drug	325	255	218
Probation/Parole Admissions--DWI	75	84	62
Prison Admissions--Total	403	391	366
Prison Admissions--Drug	181	160	130
Prison Admissions--DWI	29	46	25

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	153	159	156
Alcohol Package Carry-out Licenses	128	135	130

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# SUBSTANCE ABUSE SERVICE AREA 14

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	114	130	118
CSTAR Adolescent	76	65	69
CSTAR Women and Children	109	96	91
CSTAR General Adult	360	346	316
CSTAR Opioid	0	0	0
Primary Recovery Treatment	335	407	387
Clinical SATOP (CIP, YCIP, SROP)	81	88	77
Other Substance Abuse Treatment	*	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	497	554	519
- Adolescent Diversion Education Program	83	115	104
- Offender Education Program	141	155	141
- Weekend Intervention Program	91	103	107
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	39	39	33
Compulsive Gambling	0	0	0
Recovery Supports	5	0	14
Early Intervention	72	80	67

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	959	965	888	Alcohol	356	412	389
AGE				Marijuana / Hashish	332	313	265
Under 18	79	66	72	Cocaine (total)	17	34	52
18 to 24	239	249	234	- Crack	7	14	17
25 to 29	185	150	162	Stimulant (total)	159	122	105
30 to 34	141	141	127	- Methamphetamine	155	119	101
35 to 39	84	96	74	Heroin	34	33	16
40 to 44	68	86	59	Analgesic except Heroin	43	34	44
45 to 54	114	141	124	- Non-Prescription Methadone	0	0	0
55 and Over	49	36	36	PCP, LSD, other Hallucinogen	*	*	*
GENDER				Tranquilizer	6	6	7
Male	639	692	633	Inhalant	0	*	*
Female	320	273	255	Sedative	0	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	11	9	*
Caucasian	842	866	777	Average Age at First Use of Drug	17.1	16.8	16.8
African American	69	68	71	INJECTION DRUG USE			
Native American / Alaskan	*	0	*	Any Injection Use at Admission	106	98	59
Asian / Pacific Islander	*	*	*	- Daily Injection Use	19	13	16
Hispanic	11	13	21	- Weekly Injection Use	24	23	14
Other Race / Two or More Races	34	22	24	- Less than Weekly Injection Use	63	62	29
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	342	317	322	0	587	536	482
High School Graduate or G.E.D.	496	521	469	1 or 2	242	291	269
Associate Degree or Some College	115	117	93	3 or More	130	138	137
Bachelor or Advanced Degree	6	10	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	146	131	166
Employed	324	343	304	School	*	*	*
Unemployed	272	309	319	Mental Health Provider	5	6	6
Not in Labor Force	363	313	265	Health Care Provider	29	29	17
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	378	648	617
Independent Living	762	770	727	Other Referral Source	188	119	81
Dependent Living	155	145	114	TREATMENT ACCOMMODATION			
Homeless	33	21	20	Pregnant when Admitted to any Episode	15	15	6
MARITAL / FAMILY STATUS				Military Veteran	27	43	36
Never Married	557	541	524	Special Education Services Needed	92	94	119
Married / Cohabiting	212	194	182	Co-Occurring Psychological Problem	370	341	277
Previously Married	190	230	182	Co-Occurring Developmental Problem	19	25	43

# SUBSTANCE ABUSE SERVICE AREA 14


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	39.4	42.6	45.9	Alcohol (1 or 2 drinks daily)	52.0		
Cigarettes	18.5	30.2	27.0	Alcohol (Binge: 5+ drinks once or twice a week)	64.2		
Chewing Tobacco	14.0	13.3	18.6	Alcohol (any use)		68.6	84.4
Marijuana	8.7	13.2	7.9	Cigarettes (1+ packs per day)	84.8		
Inhalants	3.0	5.1	5.1	Cigarettes (any use)		76.2	81.5
Prescription medications not prescribed for student	5.7	6.6	7.4	Marijuana (once or twice a week)	72.1		
Over-the-counter medications for non-medical use	3.1	4.0	5.7	Marijuana (any use)		76.0	67.1
Methamphetamine	0.4	2.5	0.9	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.2	94.7	93.4
Cocaine	0.7	2.9	1.2				
Heroin	0.0	2.1	0.4	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	1.6	3.3	1.7	Were very sad	21.1	19.6	27.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.3	2.4	1.4	Were grouchy, irritable, or in a bad mood	30.5	25.8	34.3
Steroids not prescribed for student	0.7	2.8	1.0	Felt hopeless about the future	10.6	10.0	18.1
Synthetic drugs (K2, bath salts, Spice, etc)	4.0	6.8		Felt like not eating or eating more than usual	14.9	15.9	21.9
				Slept a lot more or a lot less than usual	17.5	18.8	22.3
				Had difficulty concentrating on school work	24.3	22.0	18.7
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	12.86	12.36	11.79	Seriously considered attempting suicide	12.4	14.2	9.9
Cigarettes	12.98	12.34	12.84	Made plan about how they would attempt suicide	7.1	11.1	5.5
Marijuana	14.58	13.68	13.34	Attempted suicide	4.1	8.2	3.1
Inhalants	12.82	12.34	12.13	Attempted suicide and resulting injury, poisoning, or overdose	1.2	2.8	1.2
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	14.9	20.3	19.3	Were threatened/injured with weapon at school	5.3	8.9	9.9
Alcohol (Binge: 5+ drinks on one occasion)		10.5	18.9	Were in a physical fight	17.3	22.1	20.7
Cigarettes	10.5	16.1	17.3	Were in a fight and had to be treated by a doctor or nurse	1.9	5.1	4.8
Chewing Tobacco	7.4	7.2	8.7				
Marijuana	2.8	5.9	3.4	<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.7	3.1	2.3	Were victims of mean rumors or lies spread at school	55.7	50.7	60.1
Prescription medications not prescribed for student	2.2	2.4	4.0	Were made fun of by others	64.5	66.8	65.8
Over-the-counter medications for non-medical use	2.2	2.8	3.3	Were victims of an embarrassing or hurtful text message or something posted on the Internet	27.0	24.0	22.0
				Spread mean rumors or lies about other kids at school	33.1	32.0	32.1
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	67.9	59.4	76.2
Alcohol (Binge: 5+ drinks on one occasion)	6.7			Posted something on the internet or sent a text that might embarrass or hurt another student	20.4	14.3	16.9
				<i>Percent of students who agree that:</i>			
<i>Percent whose friends used in past 12 months:</i>				Teachers notice and comment on student's good work	68.2	66.8	77.4
Alcohol	50.3	54.4	59.1	School provides feedback to parents on positive student performance	35.5	37.9	45.7
Cigarettes	40.9	48.5	46.5	Rules are enforced fairly	53.0	50.8	69.3
Marijuana	19.2	32.4	21.1	Students of all races/ethnicities are treated equal	83.7	79.0	71.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.5	13.3	9.7				
				<i>Percent of students who agree that:</i>			
<i>Percent who would likely use, if offered by a best friend:</i>				Parents notice and comment on student's good work	78.7	81.3	86.7
Alcohol	28.1	34.3	33.9	Parents involve student in making family decisions	60.8	65.2	71.6
Cigarettes	12.6	21.1	18.7	It is important to be honest with parents regardless of consequences	87.6	80.2	80.8
Marijuana	8.1	12.2	7.3	Student could ask parent for help with a personal problem	76.4	74.4	82.7
<i>Percent who say it would be wrong to use:</i>							
Alcohol	60.4	57.3	59.4				
Cigarettes	84.4	72.0	78.5				
Marijuana	87.8	81.2	89.2				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.6	94.0	95.9				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	78.6	78.0	77.6				
Cigarettes	92.9	91.0	86.8				
Marijuana	96.5	95.1	96.7				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	56.9	55.4	55.4				
Cigarettes	52.9	50.8	50.5				
Marijuana	28.9	26.8	19.1				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.5	13.9	10.5				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# SUBSTANCE ABUSE SERVICE AREA 15



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	15
Adult Psychiatric	Not Applicable
<b>POPULATION</b>	
Census 2010	75,288
2013 Estimate	75,261

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	37,194	35,920	36,536
Employed	34,944	33,447	33,422
Unemployed	2,250	2,473	3,114
Unemployment Rate	6.0%	6.9%	8.5%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	2,960	3,052	3,205
Drop-outs	87	86	108
Drop-out Rate	2.9%	2.8%	3.4%
School Suspensions:			
Alcohol Incidents	3	1	1
Drug Incidents	24	16	22
Tobacco Incidents	0	1	1

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	869	945	932
Mother Reported Smoking while Pregnant	242	274	263

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	1	2	0
Hepatitis B Chronic, Acute, Prenatal	1	5	4
Hepatitis C Chronic and Acute	1	42	44
Tuberculosis Infection Cases	1	8	9

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	767	797	803
Suicides	16	11	10
Self-inflicted Injuries	113	135	111
Homicides		1	0
Assault Injuries	210	181	196
Alcohol Induced Deaths	2	1	5
Drug Induced Deaths	9	5	12
Smoking Attributable Deaths	160	139	168

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	373	424
Alcohol Primary Diagnosis	2	23	17
Drug Primary Diagnosis	2	24	24
Alcohol Related Diagnosis		137	186
Drug Related Diagnosis		139	152
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	267	226
Alcohol Primary Diagnosis	2	30	28
Drug Primary Diagnosis	2	21	20
Alcohol Related Diagnosis		183	120
Drug Related Diagnosis		195	138
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	571	516
Alcohol Primary Diagnosis	2	89	81
Drug Primary Diagnosis	2	71	80
Alcohol Related Diagnosis		222	207
Drug Related Diagnosis		201	211

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	88	59	73
Fatal Crashes	4	2	7
Injury Crashes	52	37	25
Property Damage Crashes	32	20	41
Crash Fatalities	4	1	8
Crash Injuries	65	52	40
Drug Involved Crashes--Total	14	18	14
Fatal Crashes	3	0	3
Injury Crashes	6	8	5
Property Damage Crashes	5	10	6
Crash Fatalities	5	0	3
Crash Injuries	8	10	16

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	275	333	436
Liquor Law Arrests	30	70	97
Drug Arrests	194	206	321
Methamphetamine Lab Incidents	58	42	53
Violent Offenses	95	136	166
Property Offenses	1,278	1,217	1,170
Domestic Violence Reports	587	557	552

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	338	309	363
Violent Offenses	84	75	111
Alcohol Offenses	12	21	27
Drug Offenses	25	20	16
Status Offenses--Total	280	247	299
Truancy	71	67	67
Beyond Parental Control	17	25	29
Habitually Absent from Home	20	10	36
Injurious Behavior	112	96	107
Abuse/Neglect/Custody--Total	148	167	141
Abuse	42	25	43
Neglect	97	139	95
Custody Disputes	9	3	3

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	91	83	62
Parental Alcohol Use Related	3	6	9
Parental Drug Use Related	13	20	11
Parental Alcohol and Drug Use	5	7	0
Child Removed for Other Reason	70	50	42

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	29	37	32
Probation/Parole Admissions--Total	655	681	570
Probation/Parole Admissions--Drug	191	205	184
Probation/Parole Admissions--DWI	43	32	39
Prison Admissions--Total	322	333	306
Prison Admissions--Drug	85	111	103
Prison Admissions--DWI	18	16	16

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	98	101	101
Alcohol Package Carry-out Licenses	99	106	101

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# SUBSTANCE ABUSE SERVICE AREA 15

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	62	50	85
CSTAR Adolescent	47	48	62
CSTAR Women and Children	59	46	63
CSTAR General Adult	98	89	66
CSTAR Opioid	*	0	*
Primary Recovery Treatment	303	382	334
Clinical SATOP (CIP, YCIP, SROP)	59	60	59
Other Substance Abuse Treatment	*	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	251	323	298
- Adolescent Diversion Education Program	5	19	23
- Offender Education Program	65	103	94
- Weekend Intervention Program	54	78	82
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	24	15	18
Compulsive Gambling	*	*	*
Recovery Supports	*	*	8
Early Intervention	19	34	35

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	521	588	567	Alcohol	208	245	243
AGE				Marijuana / Hashish	169	205	191
Under 18	46	48	61	Cocaine (total)	15	32	31
18 to 24	99	125	113	- Crack	6	6	16
25 to 29	94	116	98	Stimulant (total)	62	37	42
30 to 34	82	90	91	- Methamphetamine	59	33	41
35 to 39	56	42	55	Heroin	27	29	26
40 to 44	41	50	41	Analgesic except Heroin	22	26	22
45 to 54	73	97	85	- Non-Prescription Methadone	*	0	0
55 and Over	30	20	23	PCP, LSD, other Hallucinogen	*	5	*
GENDER				Tranquilizer	5	*	5
Male	353	437	399	Inhalant	*	0	*
Female	168	151	168	Sedative	*	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	9	7	*
Caucasian	450	495	493	Average Age at First Use of Drug	17.3	16.7	16.8
African American	52	74	62	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	43	45	45
Asian / Pacific Islander	0	0	0	- Daily Injection Use	8	*	14
Hispanic	6	*	*	- Weekly Injection Use	9	11	11
Other Race / Two or More Races	16	18	9	- Less than Weekly Injection Use	26	31	20
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	190	195	218	0	300	307	283
High School Graduate or G.E.D.	260	309	268	1 or 2	152	173	192
Associate Degree or Some College	66	81	72	3 or More	69	108	92
Bachelor or Advanced Degree	5	*	9	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	74	55	108
Employed	165	202	169	School	*	0	*
Unemployed	219	248	258	Mental Health Provider	*	5	7
Not in Labor Force	137	138	140	Health Care Provider	11	6	16
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	332	463	399
Independent Living	414	479	464	Other Referral Source	68	48	36
Dependent Living	90	81	83	TREATMENT ACCOMMODATION			
Homeless	*	12	6	Pregnant when Admitted to any Episode	5	5	7
MARITAL / FAMILY STATUS				Military Veteran	17	27	18
Never Married	294	336	325	Special Education Services Needed	49	70	55
Married / Cohabiting	132	135	126	Co-Occurring Psychological Problem	158	172	156
Previously Married	95	117	116	Co-Occurring Developmental Problem	15	17	21



# SUBSTANCE ABUSE SERVICE AREA 15


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	44.0	46.0	50.4	Alcohol (1 or 2 drinks daily)	50.6		
Cigarettes	27.0	26.7	30.3	Alcohol (Binge: 5+ drinks once or twice a week)	67.7		
Chewing Tobacco	17.5	6.9	15.8	Alcohol (any use)		63.8	76.7
Marijuana	12.1	13.8	14.5	Cigarettes (1+ packs per day)	79.2		
Inhalants	2.1	5.6	5.8	Cigarettes (any use)		74.6	77.9
Prescription medications not prescribed for student	5.8	8.3	12.8	Marijuana (once or twice a week)	62.5		
Over-the-counter medications for non-medical use	1.8	6.1	7.6	Marijuana (any use)		72.2	69.4
Methamphetamine	0.5	1.5	0.9	Other: Cocaine, LSD, Meth, Club Drug (any use)	91.7	90.5	93.0
Cocaine	0.8	2.1	1.6				
Heroin	0.3	1.0	0.2	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	0.6	2.7	2.3	Were very sad	14.9	19.5	21.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.0	2.2	1.6	Were grouchy, irritable, or in a bad mood	23.6	24.3	28.6
Steroids not prescribed for student	1.0	1.9	1.5	Felt hopeless about the future	7.2	10.0	14.6
Synthetic drugs (K2, bath salts, Spice, etc)	4.7	6.8		Felt like not eating or eating more than usual	12.8	17.8	20.5
				Slept a lot more or a lot less than usual	12.7	17.1	29.2
				Had difficulty concentrating on school work	20.3	23.2	29.9
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	12.93	12.55	12.25	Seriously considered attempting suicide	5.7	10.5	12.1
Cigarettes	12.93	12.43	12.06	Made plan about how they would attempt suicide	4.9	7.9	7.7
Marijuana	14.05	13.66	13.30	Attempted suicide	3.8	5.3	6.8
Inhalants	12.74	11.79	11.60	Attempted suicide and resulting injury, poisoning, or overdose	1.4	2.1	2.5
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	16.7	20.9	25.5	Were threatened/injured with weapon at school	8.5	7.0	9.2
Alcohol (Binge: 5+ drinks on one occasion)		13.6	17.0	Were in a physical fight	23.2	20.2	23.5
Cigarettes	11.0	13.1	16.1	Were in a fight and had to be treated by a doctor or nurse	2.8	3.6	2.7
Chewing Tobacco	7.2	8.2	8.8				
Marijuana	3.0	6.2	6.2	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.1	2.2	3.3	Were victims of mean rumors or lies spread at school	45.5	51.3	58.6
Prescription medications not prescribed for student	2.7	4.3	6.7	Were made fun of by others	54.7	62.5	69.0
Over-the-counter medications for non-medical use	0.8	3.5	5.1	Were victims of an embarrassing or hurtful text message or something posted on the Internet	18.8	22.2	21.0
				Spread mean rumors or lies about other kids at school	25.2	31.1	32.1
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	48.3	65.0	72.8
Alcohol (Binge: 5+ drinks on one occasion)	7.4			Posted something on the internet or sent a text that might embarrass or hurt another student	14.3	16.7	18.4
				<i>Percent of students who agree that:</i>			
<i>Percent whose friends used in past 12 months:</i>				Teachers notice and comment on student's good work	73.5	67.2	73.1
Alcohol	54.8	56.9	62.9	School provides feedback to parents on positive student performance	47.0	37.0	35.2
Cigarettes	43.3	45.3	49.7	Rules are enforced fairly	65.5	59.2	60.4
Marijuana	26.9	28.9	34.0	Students of all races/ethnicities are treated equal	86.6	76.3	77.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.7	12.3	14.4				
				<i>Percent of students who agree that:</i>			
<i>Percent who would likely use, if offered by a best friend:</i>				Parents notice and comment on student's good work	80.2	82.1	83.0
Alcohol	34.9	36.0	40.8	Parents involve student in making family decisions	72.3	68.1	70.1
Cigarettes	12.9	14.7	16.7	It is important to be honest with parents regardless of consequences	85.6	84.2	83.9
Marijuana	9.4	8.2	9.0	Student could ask parent for help with a personal problem	77.8	74.6	76.4
<i>Percent who say it would be wrong to use:</i>							
Alcohol	47.2	57.1	51.2				
Cigarettes	78.1	77.9	76.5				
Marijuana	79.6	84.4	84.8				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.6	94.2	95.6				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	73.1	73.8	73.3				
Cigarettes	93.1	90.2	90.2				
Marijuana	94.8	94.8	95.0				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	60.0	54.9	58.8				
Cigarettes	50.8	51.4	57.9				
Marijuana	27.0	31.3	34.1				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.7	16.6	17.5				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# SUBSTANCE ABUSE SERVICE AREA 16



<b>DBH REGION</b>	Eastern
<b>DBH SERVICE AREAS</b>	
Substance Abuse	16
Adult Psychiatric	Not Applicable
<b>POPULATION</b>	
Census 2010	547,056
2013 Estimate	562,170

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	295,586	295,351	299,241
Employed	277,574	275,780	275,227
Unemployed	18,012	19,571	24,014
Unemployment Rate	6.1%	6.6%	8.0%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	26,682	26,312	26,654
Drop-outs	410	516	547
Drop-out Rate	1.5%	2.0%	2.1%
School Suspensions:			
Alcohol Incidents	32	60	62
Drug Incidents	328	405	401
Tobacco Incidents	8	3	9

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	6,808	6,927	7,022
Mother Reported Smoking while Pregnant	1,073	1,044	1,108

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	19	11	16
Hepatitis B Chronic, Acute, Prenatal	1 27	22	19
Hepatitis C Chronic and Acute	1 230	276	256
Tuberculosis Infection Cases	1 122	97	104

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	3,967	3,984	3,925
Suicides	82	81	82
Self-inflicted Injuries	648	640	624
Homicides		15	15
Assault Injuries	1,537	1,443	1,404
Alcohol Induced Deaths	32	14	20
Drug Induced Deaths	78	103	86
Smoking Attributable Deaths	683	714	675

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 3,080	2,844	
Alcohol Primary Diagnosis	2 275	241	
Drug Primary Diagnosis	2 292	380	
Alcohol Related Diagnosis	1,189	1,076	1,676
Drug Related Diagnosis	1,297	1,306	1,727
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 3,423	3,231	
Alcohol Primary Diagnosis	2 282	261	
Drug Primary Diagnosis	2 186	240	
Alcohol Related Diagnosis	2,219	2,170	1,301
Drug Related Diagnosis	1,948	1,954	1,132
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 4,099	4,046	
Alcohol Primary Diagnosis	2 960	783	
Drug Primary Diagnosis	2 831	1,013	
Alcohol Related Diagnosis	2,257	1,850	1,658
Drug Related Diagnosis	3,121	2,737	2,326

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	506	538	589
Fatal Crashes	18	18	21
Injury Crashes	200	197	199
Property Damage Crashes	288	323	369
Crash Fatalities	18	19	23
Crash Injuries	311	286	282
Drug Involved Crashes--Total	113	99	96
Fatal Crashes	7	5	8
Injury Crashes	44	33	38
Property Damage Crashes	62	61	50
Crash Fatalities	8	5	8
Crash Injuries	80	34	47

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	3,381	3,195	3,036
Liquor Law Arrests	931	861	917
Drug Arrests	2,611	2,653	2,810
Methamphetamine Lab Incidents	288	273	248
Violent Offenses	881	1,015	948
Property Offenses	10,573	10,283	10,130
Domestic Violence Reports	2,424	2,502	2,402

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	2,565	2,584	2,263
Violent Offenses	471	485	522
Alcohol Offenses	165	129	165
Drug Offenses	284	290	220
Status Offenses--Total	888	985	1,082
Truancy	277	333	352
Beyond Parental Control	48	73	62
Habitually Absent from Home	324	306	349
Injurious Behavior	203	232	268
Abuse/Neglect/Custody--Total	631	599	487
Abuse	65	90	63
Neglect	527	498	398
Custody Disputes	39	11	26

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	405	373	280
Parental Alcohol Use Related	11	22	12
Parental Drug Use Related	187	151	113
Parental Alcohol and Drug Use	11	17	12
Child Removed for Other Reason	196	183	143

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	572	559	636
Probation/Parole Admissions--Total	2,876	2,742	2,859
Probation/Parole Admissions--Drug	923	869	902
Probation/Parole Admissions--DWI	277	264	265
Prison Admissions--Total	1,286	1,302	1,160
Prison Admissions--Drug	426	438	404
Prison Admissions--DWI	112	111	96

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	664	680	657
Alcohol Package Carry-out Licenses	382	385	374

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# SUBSTANCE ABUSE SERVICE AREA 16

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	217	212	228
CSTAR Adolescent	206	183	196
CSTAR Women and Children	235	229	280
CSTAR General Adult	687	675	282
CSTAR Opioid	74	60	62
Primary Recovery Treatment	146	212	705
Clinical SATOP (CIP, YCIP, SROP)	844	782	617
Other Substance Abuse Treatment	8	11	6

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	2,905	2,872	2,731
- Adolescent Diversion Education Program	62	75	58
- Offender Education Program	1,037	1,069	1,015
- Weekend Intervention Program	659	647	601
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	35	45	42
Compulsive Gambling	33	29	32
Recovery Supports	10	5	7
Early Intervention	14	9	15

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	2,145	2,067	2,042	Alcohol	1,058	1,054	950
AGE				Marijuana / Hashish	375	363	414
Under 18	210	194	196	Cocaine (total)	21	43	43
18 to 24	410	412	486	- Crack	13	34	32
25 to 29	396	391	395	Stimulant (total)	152	108	122
30 to 34	338	323	305	- Methamphetamine	144	98	110
35 to 39	218	193	179	Heroin	401	354	392
40 to 44	184	205	156	Analgesic except Heroin	89	91	82
45 to 54	305	259	245	- Non-Prescription Methadone	*	*	*
55 and Over	84	90	80	PCP, LSD, other Hallucinogen	6	12	*
GENDER				Tranquilizer	16	16	22
Male	1,393	1,369	1,371	Inhalant	*	*	5
Female	752	698	671	Sedative	*	*	5
RACE / ETHNICITY				Other Medication or Illicit Drug	21	19	*
Caucasian	2,000	1,926	1,897	Average Age at First Use of Drug	17.8	17.4	17.5
African American	82	76	84	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	432	364	384
Asian / Pacific Islander	*	6	*	- Daily Injection Use	141	135	142
Hispanic	25	36	27	- Weekly Injection Use	120	91	121
Other Race / Two or More Races	43	29	38	- Less than Weekly Injection Use	171	138	121
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	662	641	674	0	880	861	959
High School Graduate or G.E.D.	896	873	833	1 or 2	799	792	735
Associate Degree or Some College	559	521	451	3 or More	466	414	348
Bachelor or Advanced Degree	26	32	84	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	495	492	492
Employed	764	735	668	School	30	18	31
Unemployed	770	732	794	Mental Health Provider	26	8	24
Not in Labor Force	611	600	580	Health Care Provider	68	49	60
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	1,269	1,293	1,251
Independent Living	1,774	1,697	1,688	Other Referral Source	212	195	184
Dependent Living	267	257	260	TREATMENT ACCOMMODATION			
Homeless	60	69	60	Pregnant when Admitted to any Episode	49	38	54
MARITAL / FAMILY STATUS				Military Veteran	101	83	83
Never Married	1,306	1,217	1,270	Special Education Services Needed	147	138	160
Married / Cohabiting	426	443	398	Co-Occurring Psychological Problem	696	711	717
Previously Married	413	407	374	Co-Occurring Developmental Problem	80	63	44

# SUBSTANCE ABUSE SERVICE AREA 16

## MISSOURI STUDENT SURVEY


	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	32.8	37.1	44.3	Alcohol (1 or 2 drinks daily)	63.6		
Cigarettes	15.7	18.3	23.6	Alcohol (Binge: 5+ drinks once or twice a week)	75.4		
Chewing Tobacco	7.3	18.7	9.7	Alcohol (any use)		69.0	76.0
Marijuana	13.8	13.4	15.9	Cigarettes (1+ packs per day)	89.4		
Inhalants	3.0	4.6	7.0	Cigarettes (any use)		84.7	81.8
Prescription medications not prescribed for student	7.4	7.5	10.7	Marijuana (once or twice a week)	67.1		
Over-the-counter medications for non-medical use	2.9	6.0	7.6	Marijuana (any use)		74.9	68.9
Methamphetamine	0.6	0.9	0.7	Other: Cocaine, LSD, Meth, Club Drug (any use)	93.8	94.8	93.1
Cocaine	1.1	1.3	1.7				
Heroin	0.4	0.7	0.6	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	2.2	2.3	3.6	Were very sad	19.7	17.5	15.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.7	1.8	2.1	Were grouchy, irritable, or in a bad mood	24.2	22.1	21.6
Steroids not prescribed for student	0.7	1.1	1.0	Felt hopeless about the future	11.4	11.4	10.8
Synthetic drugs (K2, bath salts, Spice, etc)	3.6	5.3		Felt like not eating or eating more than usual	17.3	16.7	16.4
				Slept a lot more or a lot less than usual	18.2	20.0	24.2
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	25.8	24.4	24.2
Alcohol	12.84	12.68	12.41	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	13.08	12.55	12.34	Seriously considered attempting suicide	11.0	10.5	10.9
Marijuana	13.77	13.60	13.45	Made plan about how they would attempt suicide	8.0	8.1	7.9
Inhalants	11.73	11.52	11.82	Attempted suicide	4.4	4.9	5.0
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose	1.7	1.7	1.8
Alcohol	13.8	16.4	21.4	had to be treated by doctor or nurse			
Alcohol (Binge: 5+ drinks on one occasion)		9.2	12.2	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	6.8	8.2	12.8	Were threatened/injured with weapon at school	5.3	5.9	9.3
Chewing Tobacco	3.0	3.9	5.4	Were in a physical fight	14.7	17.3	22.8
Marijuana	7.4	6.9	8.5	Were in a fight and had to be treated by a doctor or nurse	2.0	2.9	4.2
Inhalants	1.0	2.1	3.3	<i>Percent of students who, in past 3 months:</i>			
Prescription medications not prescribed for student	4.1	3.9	6.4	Were victims of mean rumors or lies spread at school	44.8	44.5	52.5
Over-the-counter medications for non-medical use	1.3	3.6	4.7	Were made fun of by others	58.4	59.4	69.8
<i>Percent of students who, in past 2 weeks, used:</i>				Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.8	20.7	20.3
Alcohol (Binge: 5+ drinks on one occasion)	6.0			Spread mean rumors or lies about other kids at school	27.1	28.3	36.2
<i>Percent whose friends used in past 12 months:</i>				Made fun of other people	53.5	59.8	74.4
Alcohol	46.0	51.2	59.6	Posted something on the internet or sent a text that might embarrass or hurt another student	17.7	13.9	19.4
Cigarettes	32.5	39.0	47.8	<i>Percent of students who agree that:</i>			
Marijuana	33.3	35.6	37.8	Teachers notice and comment on student's good work	70.6	64.5	66.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.3	15.8	19.4	School provides feedback to parents on positive student performance	40.1	36.3	39.6
<i>Percent who would likely use, if offered by a best friend:</i>				Rules are enforced fairly	68.7	65.1	66.2
Alcohol	25.1	28.4	33.9	Students of all races/ethnicities are treated equal	80.0	75.9	77.4
Cigarettes	8.8	9.9	14.1	<i>Percent of students who agree that:</i>			
Marijuana	13.1	11.1	12.6	Parents notice and comment on student's good work	83.1	82.8	83.4
<i>Percent who say it would be wrong to use:</i>				Parents involve student in making family decisions	68.7	67.5	69.4
Alcohol	63.9	62.3	56.8	It is important to be honest with parents regardless of consequences	86.9	85.2	80.9
Cigarettes	87.6	85.4	80.2	Student could ask parent for help with a personal problem	79.7	76.9	76.9
Marijuana	80.1	83.3	81.9				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.8	96.3	94.5				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	80.9	79.9	77.0				
Cigarettes	94.7	93.4	90.8				
Marijuana	92.5	95.0	93.7				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	55.8	58.9	62.3				
Cigarettes	44.9	49.6	55.9				
Marijuana	33.6	35.1	36.8				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.0	14.8	18.0				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys



# SUBSTANCE ABUSE SERVICE AREA 17



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	17
Adult Psychiatric	Not Applicable
<b>POPULATION</b>	
Census 2010	211,091
2013 Estimate	210,730

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	99,058	94,943	97,137
Employed	92,097	87,470	87,789
Unemployed	6,961	7,473	9,348
Unemployment Rate	7.0%	7.9%	9.6%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	9,494	9,506	9,866
Drop-outs	180	255	248
Drop-out Rate	1.9%	2.7%	2.5%
School Suspensions:			
Alcohol Incidents	28	15	15
Drug Incidents	59	66	58
Tobacco Incidents	4	6	4

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	2,373	2,434	2,418
Mother Reported Smoking while Pregnant	654	709	704

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	4	2	5
Hepatitis B Chronic, Acute, Prenatal	1 16	20	17
Hepatitis C Chronic and Acute	1 287	266	252
Tuberculosis Infection Cases	1 66	128	45

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	2,327	2,330	2,242
Suicides	40	38	28
Self-inflicted Injuries	387	353	389
Homicides		9	10
Assault Injuries	892	822	894
Alcohol Induced Deaths	14	11	6
Drug Induced Deaths	63	49	55
Smoking Attributable Deaths	470	440	419

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 2,099	2,315	
Alcohol Primary Diagnosis	2 76	94	
Drug Primary Diagnosis	2 240	190	
Alcohol Related Diagnosis	600	699	702
Drug Related Diagnosis	980	986	934
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 1,073	853	
Alcohol Primary Diagnosis	2 138	91	
Drug Primary Diagnosis	2 123	83	
Alcohol Related Diagnosis	724	569	500
Drug Related Diagnosis	795	606	488
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 2,847	2,880	
Alcohol Primary Diagnosis	2 423	455	
Drug Primary Diagnosis	2 512	510	
Alcohol Related Diagnosis	1,118	1,085	882
Drug Related Diagnosis	1,638	1,536	1,344

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	270	264	224
Fatal Crashes	20	17	16
Injury Crashes	122	119	110
Property Damage Crashes	128	128	98
Crash Fatalities	21	20	16
Crash Injuries	167	176	178
Drug Involved Crashes--Total	66	66	52
Fatal Crashes	0	4	4
Injury Crashes	34	29	20
Property Damage Crashes	32	33	28
Crash Fatalities	0	3	4
Crash Injuries	43	32	36

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	1,209	1,355	1,212
Liquor Law Arrests	274	421	563
Drug Arrests	1,299	1,307	1,338
Methamphetamine Lab Incidents	242	317	299
Violent Offenses	530	582	523
Property Offenses	5,669	5,329	4,873
Domestic Violence Reports	952	1,044	847

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	1,042	1,075	1,044
Violent Offenses	441	446	455
Alcohol Offenses	17	25	55
Drug Offenses	77	80	83
Status Offenses--Total	726	766	877
Truancy	301	318	376
Beyond Parental Control	179	149	170
Habitually Absent from Home	29	52	33
Injurious Behavior	169	178	244
Abuse/Neglect/Custody--Total	1,085	1,024	1,014
Abuse	339	391	353
Neglect	736	616	624
Custody Disputes	10	17	37

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	232	213	243
Parental Alcohol Use Related	15	5	4
Parental Drug Use Related	84	79	71
Parental Alcohol and Drug Use	5	13	12
Child Removed for Other Reason	128	116	156

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	153	141	144
Probation/Parole Admissions--Total	2,042	1,780	1,620
Probation/Parole Admissions--Drug	742	669	549
Probation/Parole Admissions--DWI	109	84	73
Prison Admissions--Total	957	907	763
Prison Admissions--Drug	338	335	296
Prison Admissions--DWI	36	44	22

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	246	248	251
Alcohol Package Carry-out Licenses	201	208	210

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# SUBSTANCE ABUSE SERVICE AREA 17

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	215	182	195
CSTAR Adolescent	50	73	69
CSTAR Women and Children	71	53	56
CSTAR General Adult	998	669	675
CSTAR Opioid	7	6	6
Primary Recovery Treatment	563	1,043	1,434
Clinical SATOP (CIP, YCIP, SROP)	185	182	143
Other Substance Abuse Treatment	*	10	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	831	957	878
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	322	391	407
- Weekend Intervention Program	193	214	242
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	8	21	10
Compulsive Gambling	*	*	*
Recovery Supports	21	8	34
Early Intervention	66	84	29

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	1,679	1,934	2,204	Alcohol	539	622	700
AGE				Marijuana / Hashish	338	498	651
Under 18	54	85	82	Cocaine (total)	13	24	32
18 to 24	313	386	446	- Crack	8	13	15
25 to 29	356	406	448	Stimulant (total)	274	282	322
30 to 34	311	308	384	- Methamphetamine	268	272	313
35 to 39	182	225	226	Heroin	175	166	130
40 to 44	149	165	224	Analgesic except Heroin	302	292	322
45 to 54	245	282	324	- Non-Prescription Methadone	*	*	*
55 and Over	69	77	70	PCP, LSD, other Hallucinogen	*	*	*
GENDER				Tranquilizer	23	34	31
Male	1,057	1,313	1,481	Inhalant	*	7	*
Female	622	621	723	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	7	*	6
Caucasian	1,612	1,841	2,099	Average Age at First Use of Drug	18.7	18.1	18.2
African American	43	65	64	INJECTION DRUG USE			
Native American / Alaskan	*	5	6	Any Injection Use at Admission	318	263	265
Asian / Pacific Islander	0	*	5	- Daily Injection Use	90	60	66
Hispanic	18	25	27	- Weekly Injection Use	92	63	70
Other Race / Two or More Races	15	14	18	- Less than Weekly Injection Use	136	140	129
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	599	707	855	0	983	1,146	1,387
High School Graduate or G.E.D.	786	926	1,034	1 or 2	466	517	550
Associate Degree or Some College	284	294	297	3 or More	230	271	267
Bachelor or Advanced Degree	10	7	18	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	566	463	503
Employed	415	526	590	School	*	*	*
Unemployed	814	957	1,076	Mental Health Provider	15	15	20
Not in Labor Force	450	451	538	Health Care Provider	71	81	65
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	837	1,228	1,422
Independent Living	1,470	1,711	1,966	Other Referral Source	175	142	193
Dependent Living	147	157	194	TREATMENT ACCOMMODATION			
Homeless	44	44	39	Pregnant when Admitted to any Episode	33	23	27
MARITAL / FAMILY STATUS				Military Veteran	72	116	104
Never Married	837	935	1,098	Special Education Services Needed	177	257	259
Married / Cohabiting	467	554	628	Co-Occurring Psychological Problem	690	733	643
Previously Married	375	445	478	Co-Occurring Developmental Problem	170	149	169

# SUBSTANCE ABUSE SERVICE AREA 17


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	35.8	41.7	46.9	Alcohol (1 or 2 drinks daily)	58.6		
Cigarettes	25.0	26.5	31.0	Alcohol (Binge: 5+ drinks once or twice a week)	67.1		
Chewing Tobacco	17.0	24.2	19.8	Alcohol (any use)		69.2	75.7
Marijuana	14.7	16.1	17.1	Cigarettes (1+ packs per day)	85.1		
Inhalants	3.5	6.7	8.4	Cigarettes (any use)		79.1	77.2
Prescription medications not prescribed for student	9.8	10.3	14.7	Marijuana (once or twice a week)	64.3		
Over-the-counter medications for non-medical use	3.4	7.0	9.3	Marijuana (any use)		73.5	71.5
Methamphetamine	0.5	1.3	1.3	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.1	93.8	93.3
Cocaine	0.8	1.7	1.8				
Heroin	0.3	1.1	0.9	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	1.8	3.0	3.4	Were very sad	19.6	21.5	19.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.9	2.0	1.8	Were grouchy, irritable, or in a bad mood	24.5	26.5	24.7
Steroids not prescribed for student	1.6	2.1	1.6	Felt hopeless about the future	11.9	12.6	13.0
Synthetic drugs (K2, bath salts, Spice, etc)	2.8	6.7		Felt like not eating or eating more than usual	17.7	18.0	19.5
				Slept a lot more or a lot less than usual	18.6	21.1	26.9
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	24.4	25.0	26.3
Alcohol	12.72	12.28	12.01				
Cigarettes	12.75	12.00	11.62	<i>Percent of students who, in past 12 months:</i>			
Marijuana	14.10	13.40	13.11	Seriously considered attempting suicide	12.1	13.1	13.8
Inhalants	11.42	11.83	12.13	Made plan about how they would attempt suicide	9.1	9.5	9.8
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide	5.9	5.6	5.9
Alcohol	13.7	19.4	22.9	Attempted suicide and resulting injury, poisoning, or overdose	1.6	2.1	1.8
Alcohol (Binge: 5+ drinks on one occasion)		11.9	14.0				
Cigarettes	9.5	13.2	16.6	<i>Percent of students who, in past 12 months:</i>			
Chewing Tobacco	9.2	10.0	11.5	Were threatened/injured with weapon at school	5.4	6.8	9.7
Marijuana	8.6	9.0	9.7	Were in a physical fight	17.4	22.4	25.0
Inhalants	1.1	3.5	3.8	Were in a fight and had to be treated by a doctor or nurse	2.8	3.5	3.8
Prescription medications not prescribed for student	5.8	5.9	8.3				
Over-the-counter medications for non-medical use	1.6	4.2	6.1	<i>Percent of students who, in past 3 months:</i>			
<i>Percent of students who, in past 2 weeks, used:</i>				Were victims of mean rumors or lies spread at school	49.8	50.3	58.7
Alcohol (Binge: 5+ drinks on one occasion)	5.9			Were made fun of by others	57.3	61.2	70.1
<i>Percent whose friends used in past 12 months:</i>				Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.7	21.6	19.8
Alcohol	44.0	54.1	62.3	Spread mean rumors or lies about other kids at school	21.3	25.9	33.4
Cigarettes	38.0	44.8	49.0	Made fun of other people	52.0	62.5	73.1
Marijuana	32.4	33.7	36.6	Posted something on the internet or sent a text that might embarrass or hurt another student	14.2	14.3	15.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.4	14.4	17.5				
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	27.5	31.8	36.6	Teachers notice and comment on student's good work	74.1	67.6	68.7
Cigarettes	12.6	15.0	17.2	School provides feedback to parents on positive student performance	45.1	38.5	42.2
Marijuana	13.3	13.2	14.2	Rules are enforced fairly	70.4	61.7	63.7
<i>Percent who say it would be wrong to use:</i>				Students of all races/ethnicities are treated equal	84.8	77.3	79.0
Alcohol	63.6	58.3	57.9				
Cigarettes	82.7	78.6	76.7	<i>Percent of students who agree that:</i>			
Marijuana	81.0	81.2	81.9	Parents notice and comment on student's good work	82.0	82.1	84.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.2	95.4	94.7	Parents involve student in making family decisions	70.4	67.8	68.3
<i>Percent whose parents would disapprove if they use:</i>				It is important to be honest with parents regardless of consequences	89.6	86.6	82.5
Alcohol	77.2	76.3	75.2	Student could ask parent for help with a personal problem	76.6	74.7	76.1
Cigarettes	89.5	89.5	89.2				
Marijuana	91.5	93.5	94.4				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	46.0	55.2	59.5				
Cigarettes	47.4	51.5	58.3				
Marijuana	31.6	33.0	36.0				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.0	16.2	20.4				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# SUBSTANCE ABUSE SERVICE AREA 18



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	18
Adult Psychiatric	Not Applicable
<b>POPULATION</b>	
Census 2010	127,952
2013 Estimate	126,870

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	58,305	56,124	56,689
Employed	54,334	51,923	51,600
Unemployed	3,971	4,201	5,089
Unemployment Rate	6.8%	7.5%	9.0%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	5,940	5,991	6,013
Drop-outs	49	70	90
Drop-out Rate	0.8%	1.2%	1.5%
School Suspensions:			
Alcohol Incidents	21	9	18
Drug Incidents	33	64	59
Tobacco Incidents	1	3	2

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	1,508	1,552	1,516
Mother Reported Smoking while Pregnant	393	408	451

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	4	2	2
Hepatitis B Chronic, Acute, Prenatal	1	12	10
Hepatitis C Chronic and Acute	1	150	120
Tuberculosis Infection Cases	1	34	31

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	1,498	1,510	1,419
Suicides	26	25	24
Self-inflicted Injuries	215	240	207
Homicides		8	6
Assault Injuries	264	302	255
Alcohol Induced Deaths	12	7	5
Drug Induced Deaths	18	10	17
Smoking Attributable Deaths	289	297	292

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	1,287	1,231
Alcohol Primary Diagnosis	2	131	101
Drug Primary Diagnosis	2	184	109
Alcohol Related Diagnosis		543	475
Drug Related Diagnosis		736	634

Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	180	163
Alcohol Primary Diagnosis	2	49	52
Drug Primary Diagnosis	2	45	29
Alcohol Related Diagnosis		220	217
Drug Related Diagnosis		205	138

Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	1,026	1,060
Alcohol Primary Diagnosis	2	184	139
Drug Primary Diagnosis	2	176	154
Alcohol Related Diagnosis		479	410
Drug Related Diagnosis		467	438

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	169	156	184
Fatal Crashes	9	2	4
Injury Crashes	72	85	108
Property Damage Crashes	88	69	72
Crash Fatalities	9	2	4
Crash Injuries	103	116	169
Drug Involved Crashes--Total	31	22	35
Fatal Crashes	0	0	2
Injury Crashes	19	13	16
Property Damage Crashes	12	9	17
Crash Fatalities	0	0	2
Crash Injuries	26	17	23

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	750	878	697
Liquor Law Arrests	165	207	214
Drug Arrests	941	808	927
Methamphetamine Lab Incidents	43	83	64
Violent Offenses	335	245	270
Property Offenses	3,064	2,935	2,667
Domestic Violence Reports	565	367	380

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	543	496	438
Violent Offenses	125	98	114
Alcohol Offenses	34	43	26
Drug Offenses	53	41	42
Status Offenses--Total	757	974	984
Truancy	291	440	372
Beyond Parental Control	138	155	173
Habitually Absent from Home	41	50	64
Injurious Behavior	225	249	322
Abuse/Neglect/Custody--Total	1,089	751	560
Abuse	260	180	116
Neglect	749	519	383
Custody Disputes	80	52	61

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	93	116	114
Parental Alcohol Use Related	7	5	8
Parental Drug Use Related	18	31	30
Parental Alcohol and Drug Use	13	3	5
Child Removed for Other Reason	55	77	71

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	149	138	127
Probation/Parole Admissions--Total	897	857	737
Probation/Parole Admissions--Drug	293	290	211
Probation/Parole Admissions--DWI	59	62	42
Prison Admissions--Total	451	402	412
Prison Admissions--Drug	142	119	116
Prison Admissions--DWI	30	23	22

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	86	91	91
Alcohol Package Carry-out Licenses	132	134	134

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# SUBSTANCE ABUSE SERVICE AREA 18

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	155	173	140
CSTAR Adolescent	48	49	76
CSTAR Women and Children	38	28	42
CSTAR General Adult	298	176	171
CSTAR Opioid	*	*	0
Primary Recovery Treatment	109	353	379
Clinical SATOP (CIP, YCIP, SROP)	134	132	80
Other Substance Abuse Treatment	0	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	476	566	428
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	184	222	152
- Weekend Intervention Program	92	107	92
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	14	12	14
Compulsive Gambling	0	0	0
Recovery Supports	26	12	8
Early Intervention	8	5	10

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	640	741	754	Alcohol	255	324	320
AGE				Marijuana / Hashish	107	162	181
Under 18	48	51	81	Cocaine (total)	*	*	*
18 to 24	129	154	155	- Crack	*	0	*
25 to 29	109	117	149	Stimulant (total)	140	121	94
30 to 34	115	120	92	- Methamphetamine	138	119	91
35 to 39	72	83	77	Heroin	12	8	9
40 to 44	54	82	62	Analgesic except Heroin	102	92	124
45 to 54	80	95	105	- Non-Prescription Methadone	*	0	0
55 and Over	33	39	33	PCP, LSD, other Hallucinogen	*	*	0
GENDER				Tranquilizer	9	8	9
Male	394	488	502	Inhalant	*	7	5
Female	246	253	252	Sedative	0	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	11	14	6
Caucasian	623	715	731	Average Age at First Use of Drug	18.0	17.3	16.4
African American	7	9	5	INJECTION DRUG USE			
Native American / Alaskan	*	*	0	Any Injection Use at Admission	149	117	113
Asian / Pacific Islander	0	0	*	- Daily Injection Use	35	26	32
Hispanic	6	11	17	- Weekly Injection Use	50	36	32
Other Race / Two or More Races	7	8	9	- Less than Weekly Injection Use	64	55	49
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	237	275	318	0	316	369	440
High School Graduate or G.E.D.	298	347	329	1 or 2	214	252	207
Associate Degree or Some College	102	113	97	3 or More	110	120	107
Bachelor or Advanced Degree	*	6	10	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	255	191	175
Employed	81	95	98	School	*	5	*
Unemployed	270	355	416	Mental Health Provider	9	6	6
Not in Labor Force	289	291	240	Health Care Provider	25	24	28
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	246	451	472
Independent Living	536	638	621	Other Referral Source	95	64	70
Dependent Living	74	65	105	TREATMENT ACCOMMODATION			
Homeless	21	25	20	Pregnant when Admitted to any Episode	12	13	7
MARITAL / FAMILY STATUS				Military Veteran	26	21	16
Never Married	268	321	354	Special Education Services Needed	59	57	44
Married / Cohabiting	201	225	196	Co-Occurring Psychological Problem	227	214	198
Previously Married	171	195	204	Co-Occurring Developmental Problem	44	12	18



# SUBSTANCE ABUSE SERVICE AREA 18

## MISSOURI STUDENT SURVEY


	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	36.4	39.6	46.3	Alcohol (1 or 2 drinks daily)	51.1		
Cigarettes	29.3	29.0	35.4	Alcohol (Binge: 5+ drinks once or twice a week)	62.1		
Chewing Tobacco	22.2	17.1	26.1	Alcohol (any use)		71.3	77.6
Marijuana	9.4	11.2	13.6	Cigarettes (1+ packs per day)	83.9		
Inhalants	2.1	6.3	7.6	Cigarettes (any use)		78.0	76.9
Prescription medications not prescribed for student	7.2	9.0	12.3	Marijuana (once or twice a week)	71.2		
Over-the-counter medications for non-medical use	1.2	5.1	8.1	Marijuana (any use)		79.9	74.2
Methamphetamine	0.3	1.1	0.9	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.2	93.6	92.9
Cocaine	0.2	1.2	1.1				
Heroin	0.2	0.8	0.7	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	1.2	2.5	2.7	Were very sad	17.0	19.8	18.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.6	2.1	2.1	Were grouchy, irritable, or in a bad mood	21.5	23.9	23.0
Steroids not prescribed for student	0.1	1.8	1.1	Felt hopeless about the future	8.9	11.6	12.3
Synthetic drugs (K2, bath salts, Spice, etc)	3.9	7.5		Felt like not eating or eating more than usual	12.1	16.8	16.9
				Slept a lot more or a lot less than usual	13.5	19.7	23.4
				Had difficulty concentrating on school work	21.4	20.3	24.2
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	12.95	12.29	12.14	Seriously considered attempting suicide	6.9	10.8	11.7
Cigarettes	12.85	12.07	11.82	Made plan about how they would attempt suicide	4.8	8.9	9.2
Marijuana	14.15	13.08	13.45	Attempted suicide	2.5	5.4	5.5
Inhalants	12.69	12.28	12.20	Attempted suicide and resulting injury, poisoning, or overdose	0.9	1.6	2.0
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	15.1	15.0	20.7	Were threatened/injured with weapon at school	4.8	6.4	10.5
Alcohol (Binge: 5+ drinks on one occasion)		9.2	11.7	Were in a physical fight	18.7	20.9	26.9
Cigarettes	13.2	12.9	18.8	Were in a fight and had to be treated by a doctor or nurse	1.4	2.7	4.1
Chewing Tobacco	15.0	13.6	15.3				
Marijuana	2.8	4.5	6.0	<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.8	2.6	3.6	Were victims of mean rumors or lies spread at school	51.5	51.7	58.8
Prescription medications not prescribed for student	3.0	4.2	7.5	Were made fun of by others	56.2	61.5	69.6
Over-the-counter medications for non-medical use	0.6	2.9	5.1	Were victims of an embarrassing or hurtful text message or something posted on the Internet	21.5	19.7	19.3
				Spread mean rumors or lies about other kids at school	21.9	24.6	31.1
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	49.7	57.2	69.5
Alcohol (Binge: 5+ drinks on one occasion)	7.0			Posted something on the internet or sent a text that might embarrass or hurt another student	12.0	12.9	15.8
				<i>Percent of students who agree that:</i>			
<i>Percent whose friends used in past 12 months:</i>				Teachers notice and comment on student's good work	75.5	73.0	72.9
Alcohol	44.1	50.9	59.5	School provides feedback to parents on positive student performance	45.8	40.6	40.8
Cigarettes	40.2	45.4	51.8	Rules are enforced fairly	64.2	64.1	61.7
Marijuana	19.2	24.4	31.9	Students of all races/ethnicities are treated equal	82.3	80.1	80.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.2	10.1	15.5				
				<i>Percent of students who agree that:</i>			
<i>Percent who would likely use, if offered by a best friend:</i>				Parents notice and comment on student's good work	84.3	82.4	83.4
Alcohol	27.4	29.1	35.5	Parents involve student in making family decisions	72.4	67.8	69.7
Cigarettes	15.4	16.4	20.1	It is important to be honest with parents regardless of consequences	91.2	87.5	85.7
Marijuana	8.8	8.3	10.3	Student could ask parent for help with a personal problem	83.1	76.6	77.8
<i>Percent who say it would be wrong to use:</i>							
Alcohol	65.5	62.2	57.3				
Cigarettes	76.4	76.7	73.7				
Marijuana	86.8	86.5	85.2				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.0	96.5	95.5				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	80.9	79.5	79.2				
Cigarettes	86.0	88.5	88.6				
Marijuana	94.5	95.5	95.2				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	48.4	52.0	57.2				
Cigarettes	50.5	53.4	60.5				
Marijuana	27.7	27.8	34.2				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.0	14.8	18.4				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys



# SUBSTANCE ABUSE SERVICE AREA 19



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	19
Adult Psychiatric	Not Applicable
<b>POPULATION</b>	
Census 2010	113,344
2013 Estimate	113,189

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	54,706	53,472	54,150
Employed	50,847	49,329	49,254
Unemployed	3,859	4,143	4,896
Unemployment Rate	7.1%	7.7%	9.0%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	4,976	4,962	5,108
Drop-outs	115	153	180
Drop-out Rate	2.3%	3.1%	3.5%
School Suspensions:			
Alcohol Incidents	9	9	16
Drug Incidents	30	32	37
Tobacco Incidents	3	1	6

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	1,468	1,368	1,378
Mother Reported Smoking while Pregnant	449	420	484

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	6	2	3
Hepatitis B Chronic, Acute, Prenatal	1 17	8	8
Hepatitis C Chronic and Acute	1 168	148	139
Tuberculosis Infection Cases	1 31	30	27

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	1,374	1,527	1,422
Suicides	20	19	24
Self-inflicted Injuries	276	281	295
Homicides		5	5
Assault Injuries	476	437	535
Alcohol Induced Deaths	9	3	7
Drug Induced Deaths	26	25	18
Smoking Attributable Deaths	273	328	300

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 1,260	1,304	
Alcohol Primary Diagnosis	2 77	57	
Drug Primary Diagnosis	2 107	89	
Alcohol Related Diagnosis	470	475	344
Drug Related Diagnosis	593	528	402
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 256	282	
Alcohol Primary Diagnosis	2 39	37	
Drug Primary Diagnosis	2 49	40	
Alcohol Related Diagnosis	284	245	307
Drug Related Diagnosis	215	180	305
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 1,569	1,588	
Alcohol Primary Diagnosis	2 156	163	
Drug Primary Diagnosis	2 202	170	
Alcohol Related Diagnosis	365	394	462
Drug Related Diagnosis	484	430	400

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	174	184	165
Fatal Crashes	11	7	7
Injury Crashes	85	81	82
Property Damage Crashes	78	96	76
Crash Fatalities	12	7	8
Crash Injuries	134	121	107
Drug Involved Crashes--Total	49	50	49
Fatal Crashes	2	3	2
Injury Crashes	26	30	19
Property Damage Crashes	21	17	28
Crash Fatalities	2	4	2
Crash Injuries	39	37	26

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	792	744	749
Liquor Law Arrests	215	127	187
Drug Arrests	813	740	648
Methamphetamine Lab Incidents	61	142	60
Violent Offenses	389	322	332
Property Offenses	3,502	3,540	3,084
Domestic Violence Reports	539	520	617

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	630	544	681
Violent Offenses	163	199	248
Alcohol Offenses	41	32	35
Drug Offenses	32	37	46
Status Offenses--Total	318	375	375
Truancy	86	114	143
Beyond Parental Control	103	121	92
Habitually Absent from Home	45	63	72
Injurious Behavior	36	44	21
Abuse/Neglect/Custody--Total	808	708	591
Abuse	114	113	98
Neglect	510	363	294
Custody Disputes	184	232	199

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	350	301	291
Parental Alcohol Use Related	9	6	17
Parental Drug Use Related	145	128	111
Parental Alcohol and Drug Use	11	18	11
Child Removed for Other Reason	185	149	152

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	214	156	126
Probation/Parole Admissions--Total	919	892	836
Probation/Parole Admissions--Drug	352	345	287
Probation/Parole Admissions--DWI	46	32	52
Prison Admissions--Total	482	432	485
Prison Admissions--Drug	183	152	170
Prison Admissions--DWI	20	13	28

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	135	139	138
Alcohol Package Carry-out Licenses	139	139	135

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# SUBSTANCE ABUSE SERVICE AREA 19

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	147	165	162
CSTAR Adolescent	50	65	54
CSTAR Women and Children	61	46	46
CSTAR General Adult	646	394	317
CSTAR Opioid	0	*	*
Primary Recovery Treatment	302	628	697
Clinical SATOP (CIP, YCIP, SROP)	129	131	114
Other Substance Abuse Treatment	*	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	433	441	388
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	140	137	92
- Weekend Intervention Program	97	80	94
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	7	5	10
Compulsive Gambling	*	*	*
Recovery Supports	370	318	137
Early Intervention	7	47	39

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	1,158	1,341	1,262	Alcohol	355	410	441
AGE				Marijuana / Hashish	324	404	364
Under 18	50	75	57	Cocaine (total)	18	40	28
18 to 24	201	254	255	- Crack	12	31	25
25 to 29	201	251	245	Stimulant (total)	232	242	195
30 to 34	230	222	200	- Methamphetamine	225	235	190
35 to 39	125	184	149	Heroin	45	35	31
40 to 44	123	121	119	Analgesic except Heroin	145	165	164
45 to 54	172	185	174	- Non-Prescription Methadone	0	0	*
55 and Over	56	49	63	PCP, LSD, other Hallucinogen	*	*	0
GENDER				Tranquilizer	34	31	33
Male	730	873	833	Inhalant	*	*	*
Female	428	468	429	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	0	8	*
Caucasian	1,063	1,224	1,157	Average Age at First Use of Drug	18.3	17.6	17.6
African American	66	92	84	INJECTION DRUG USE			
Native American / Alaskan	5	*	*	Any Injection Use at Admission	180	142	111
Asian / Pacific Islander	*	*	0	- Daily Injection Use	34	23	28
Hispanic	15	13	11	- Weekly Injection Use	52	27	28
Other Race / Two or More Races	16	16	12	- Less than Weekly Injection Use	94	92	55
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	455	570	541	0	649	831	741
High School Graduate or G.E.D.	538	597	576	1 or 2	350	371	347
Associate Degree or Some College	160	170	140	3 or More	159	139	174
Bachelor or Advanced Degree	5	*	5	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	252	245	294
Employed	272	354	361	School	*	*	*
Unemployed	546	615	561	Mental Health Provider	7	14	13
Not in Labor Force	340	372	340	Health Care Provider	86	62	47
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	596	828	739
Independent Living	969	1,134	1,093	Other Referral Source	187	189	167
Dependent Living	147	161	130	TREATMENT ACCOMMODATION			
Homeless	35	39	31	Pregnant when Admitted to any Episode	19	20	18
MARITAL / FAMILY STATUS				Military Veteran	34	60	68
Never Married	492	543	497	Special Education Services Needed	158	193	167
Married / Cohabiting	361	441	402	Co-Occurring Psychological Problem	517	582	493
Previously Married	305	357	363	Co-Occurring Developmental Problem	122	107	107

# SUBSTANCE ABUSE SERVICE AREA 19


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	35.3	42.4	45.2	Alcohol (1 or 2 drinks daily)	53.3		
Cigarettes	25.4	30.8	35.2	Alcohol (Binge: 5+ drinks once or twice a week)	62.0		
Chewing Tobacco	18.1	15.6	19.0	Alcohol (any use)		72.7	75.6
Marijuana	14.1	16.9	17.4	Cigarettes (1+ packs per day)	78.6		
Inhalants	3.2	5.1	9.0	Cigarettes (any use)		79.1	79.5
Prescription medications not prescribed for student	9.6	12.1	15.7	Marijuana (once or twice a week)	64.9		
Over-the-counter medications for non-medical use	3.3	7.6	9.4	Marijuana (any use)		73.0	74.5
Methamphetamine	0.9	1.8	1.8	Other: Cocaine, LSD, Meth, Club Drug (any use)	88.7	93.9	93.4
Cocaine	1.1	2.9	2.3				
Heroin	0.5	1.3	0.7	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	1.6	2.8	3.8	Were very sad	19.6	19.2	19.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.3	2.7	2.6	Were grouchy, irritable, or in a bad mood	26.6	25.4	24.1
Steroids not prescribed for student	1.5	2.0	1.6	Felt hopeless about the future	11.3	10.8	12.9
Synthetic drugs (K2, bath salts, Spice, etc)	4.4	7.1		Felt like not eating or eating more than usual	19.0	18.1	18.8
				Slept a lot more or a lot less than usual	18.7	20.3	26.7
				Had difficulty concentrating on school work	23.3	24.5	27.8
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	12.57	12.65	12.33	Seriously considered attempting suicide	10.8	12.6	12.4
Cigarettes	12.12	12.18	11.94	Made plan about how they would attempt suicide	8.9	8.4	8.9
Marijuana	13.70	13.34	13.39	Attempted suicide	4.9	5.7	5.7
Inhalants	11.91	12.13	12.72	Attempted suicide and resulting injury, poisoning, or overdose	2.3	2.6	2.3
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	14.4	18.1	20.6	Were threatened/injured with weapon at school	7.1	7.0	9.5
Alcohol (Binge: 5+ drinks on one occasion)		11.8	12.9	Were in a physical fight	22.5	23.5	25.6
Cigarettes	11.5	16.3	17.9	Were in a fight and had to be treated by a doctor or nurse	3.8	3.6	4.5
Chewing Tobacco	10.1	9.8	10.5				
Marijuana	6.5	8.0	9.8	<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.8	1.5	3.6	Were victims of mean rumors or lies spread at school	52.8	52.0	58.6
Prescription medications not prescribed for student	4.5	6.2	9.7	Were made fun of by others	59.9	57.7	67.2
Over-the-counter medications for non-medical use	1.7	4.2	5.7	Were victims of an embarrassing or hurtful text message or something posted on the Internet	22.5	19.5	18.4
				Spread mean rumors or lies about other kids at school	26.9	24.2	31.3
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	55.2	57.8	70.3
Alcohol (Binge: 5+ drinks on one occasion)	7.5			Posted something on the internet or sent a text that might embarrass or hurt another student	15.9	11.7	14.8
				<i>Percent of students who agree that:</i>			
<i>Percent whose friends used in past 12 months:</i>				Teachers notice and comment on student's good work	72.3	67.1	69.7
Alcohol	48.2	55.3	58.8	School provides feedback to parents on positive student performance	39.6	40.2	39.0
Cigarettes	43.6	50.0	52.7	Rules are enforced fairly	60.0	60.3	60.7
Marijuana	32.4	35.9	35.9	Students of all races/ethnicities are treated equal	79.3	75.8	75.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.7	14.8	18.3				
				<i>Percent of students who agree that:</i>			
<i>Percent who would likely use, if offered by a best friend:</i>				Parents notice and comment on student's good work	81.5	82.5	84.1
Alcohol	28.0	33.7	33.7	Parents involve student in making family decisions	66.2	69.3	69.6
Cigarettes	14.8	17.8	18.6	It is important to be honest with parents regardless of consequences	87.0	87.8	85.8
Marijuana	12.3	12.3	12.7	Student could ask parent for help with a personal problem	77.9	77.7	77.4
<i>Percent who say it would be wrong to use:</i>							
Alcohol	64.2	59.1	58.2				
Cigarettes	80.8	76.7	74.9				
Marijuana	80.6	82.5	82.1				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.8	95.6	94.4				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	80.5	80.0	78.6				
Cigarettes	90.2	90.2	88.6				
Marijuana	92.0	94.8	93.6				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	51.9	56.0	55.3				
Cigarettes	52.1	57.5	59.0				
Marijuana	33.8	38.2	36.5				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.5	19.6	18.9				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# SUBSTANCE ABUSE SERVICE AREA 20



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	20
Adult Psychiatric	Not Applicable
<b>POPULATION</b>	
Census 2010	83,563
2013 Estimate	82,182

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	38,104	36,975	36,892
Employed	35,119	33,939	33,145
Unemployed	2,985	3,036	3,747
Unemployment Rate	7.8%	8.2%	10.2%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	4,046	3,850	4,047
Drop-outs	42	110	96
Drop-out Rate	1.0%	2.9%	2.4%
School Suspensions:			
Alcohol Incidents	1	7	3
Drug Incidents	12	16	33
Tobacco Incidents	0	1	1

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	1,122	1,171	1,189
Mother Reported Smoking while Pregnant	327	328	337

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	1	2	2
Hepatitis B Chronic, Acute, Prenatal	1	6	5
Hepatitis C Chronic and Acute	1	73	73
Tuberculosis Infection Cases	1	29	13

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	1,127	1,100	1,117
Suicides	12	15	12
Self-inflicted Injuries	143	213	240
Homicides		4	8
Assault Injuries	485	451	489
Alcohol Induced Deaths	11	5	5
Drug Induced Deaths	21	10	16
Smoking Attributable Deaths	238	253	216

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	1,241	1,323
Alcohol Primary Diagnosis	2	48	81
Drug Primary Diagnosis	2	68	87
Alcohol Related Diagnosis		335	430
Drug Related Diagnosis		407	547

Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	251	247
Alcohol Primary Diagnosis	2	41	25
Drug Primary Diagnosis	2	40	33
Alcohol Related Diagnosis		233	177
Drug Related Diagnosis		188	166

Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	962	1,019
Alcohol Primary Diagnosis	2	142	181
Drug Primary Diagnosis	2	132	155
Alcohol Related Diagnosis		299	381
Drug Related Diagnosis		305	400

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	88	79	114
Fatal Crashes	3	4	7
Injury Crashes	46	36	55
Property Damage Crashes	39	39	52
Crash Fatalities	3	6	7
Crash Injuries	70	53	89
Drug Involved Crashes--Total	21	30	53
Fatal Crashes	0	2	6
Injury Crashes	9	17	25
Property Damage Crashes	12	11	22
Crash Fatalities	0	4	6
Crash Injuries	10	22	44

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	595	696	885
Liquor Law Arrests	118	103	150
Drug Arrests	661	881	899
Methamphetamine Lab Incidents	34	38	85
Violent Offenses	440	365	327
Property Offenses	2,525	2,245	2,110
Domestic Violence Reports	726	575	568

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	620	447	547
Violent Offenses	149	110	151
Alcohol Offenses	19	24	34
Drug Offenses	23	30	36
Status Offenses--Total	294	202	208
Truancy	104	54	44
Beyond Parental Control	69	64	59
Habitually Absent from Home	22	14	18
Injurious Behavior	94	62	82
Abuse/Neglect/Custody--Total	723	597	795
Abuse	181	165	216
Neglect	524	428	577
Custody Disputes	18	4	2

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	186	188	227
Parental Alcohol Use Related	10	15	10
Parental Drug Use Related	91	83	108
Parental Alcohol and Drug Use	1	7	11
Child Removed for Other Reason	84	83	98

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	106	82	78
Probation/Parole Admissions--Total	1,325	1,323	1,262
Probation/Parole Admissions--Drug	379	418	397
Probation/Parole Admissions--DWI	90	96	94
Prison Admissions--Total	692	725	675
Prison Admissions--Drug	220	222	210
Prison Admissions--DWI	39	64	54

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	70	75	74
Alcohol Package Carry-out Licenses	111	112	110

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# SUBSTANCE ABUSE SERVICE AREA 20

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	211	269	212
CSTAR Adolescent	70	74	85
CSTAR Women and Children	79	77	104
CSTAR General Adult	357	195	126
CSTAR Opioid	*	0	0
Primary Recovery Treatment	483	741	793
Clinical SATOP (CIP, YCIP, SROP)	72	65	53
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	318	310	327
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	105	123	136
- Weekend Intervention Program	59	65	55
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	14	6	10
Compulsive Gambling	0	0	0
Recovery Supports	83	73	66
Early Intervention	*	7	5

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	1,031	1,138	1,139	Alcohol	325	338	358
AGE				Marijuana / Hashish	362	410	412
Under 18	78	78	88	Cocaine (total)	63	103	114
18 to 24	206	219	217	- Crack	34	58	80
25 to 29	183	220	220	Stimulant (total)	168	153	126
30 to 34	165	174	167	- Methamphetamine	164	146	121
35 to 39	109	131	123	Heroin	10	14	8
40 to 44	82	99	98	Analgesic except Heroin	70	88	80
45 to 54	150	157	177	- Non-Prescription Methadone	0	0	*
55 and Over	58	60	49	PCP, LSD, other Hallucinogen	*	0	*
GENDER				Tranquilizer	24	27	33
Male	722	801	797	Inhalant	0	*	*
Female	309	337	342	Sedative	5	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	750	820	809	Average Age at First Use of Drug	17.9	17.9	17.7
African American	259	295	306	INJECTION DRUG USE			
Native American / Alaskan	0	*	*	Any Injection Use at Admission	63	48	42
Asian / Pacific Islander	*	0	0	- Daily Injection Use	12	9	9
Hispanic	12	12	11	- Weekly Injection Use	14	13	11
Other Race / Two or More Races	13	10	16	- Less than Weekly Injection Use	37	26	22
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	465	536	543	0	687	788	811
High School Graduate or G.E.D.	472	513	511	1 or 2	219	253	212
Associate Degree or Some College	92	85	81	3 or More	125	97	116
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	146	174	134
Employed	243	281	268	School	*	*	*
Unemployed	319	365	471	Mental Health Provider	6	10	11
Not in Labor Force	469	492	400	Health Care Provider	52	50	32
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	682	793	825
Independent Living	837	933	931	Other Referral Source	135	109	133
Dependent Living	156	170	181	TREATMENT ACCOMMODATION			
Homeless	7	12	18	Pregnant when Admitted to any Episode	23	11	21
MARITAL / FAMILY STATUS				Military Veteran	41	33	22
Never Married	538	551	597	Special Education Services Needed	91	74	103
Married / Cohabiting	285	339	301	Co-Occurring Psychological Problem	224	246	215
Previously Married	208	248	241	Co-Occurring Developmental Problem	20	23	18



# SUBSTANCE ABUSE SERVICE AREA 20


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	42.8	43.1	44.3	Alcohol (1 or 2 drinks daily)	52.5		
Cigarettes	32.9	33.3	35.4	Alcohol (Binge: 5+ drinks once or twice a week)	62.4		
Chewing Tobacco	19.2	14.3	16.5	Alcohol (any use)		74.4	77.1
Marijuana	17.4	18.6	15.8	Cigarettes (1+ packs per day)	78.3		
Inhalants	3.6	7.0	8.0	Cigarettes (any use)		82.2	78.2
Prescription medications not prescribed for student	10.3	13.3	14.7	Marijuana (once or twice a week)	60.5		
Over-the-counter medications for non-medical use	4.2	6.0	7.3	Marijuana (any use)		74.7	74.7
Methamphetamine	0.7	1.2	0.9	Other: Cocaine, LSD, Meth, Club Drug (any use)	88.6	92.4	90.7
Cocaine	1.2	2.2	1.9				
Heroin	0.8	1.0	0.7	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	0.9	1.4	1.9	Were very sad	20.9	19.0	17.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.7	1.5	1.8	Were grouchy, irritable, or in a bad mood	30.5	31.1	25.2
Steroids not prescribed for student	1.2	1.7	1.8	Felt hopeless about the future	12.6	10.0	11.1
Synthetic drugs (K2, bath salts, Spice, etc)	2.5	7.7		Felt like not eating or eating more than usual	18.9	17.8	18.3
				Slept a lot more or a lot less than usual	18.2	21.0	25.0
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	20.0	22.5	25.2
Alcohol	12.81	12.71	12.67				
Cigarettes	12.42	11.89	12.14	<i>Percent of students who, in past 12 months:</i>			
Marijuana	13.57	13.81	13.72	Seriously considered attempting suicide	14.8	12.4	12.3
Inhalants	11.41	12.40	12.12	Made plan about how they would attempt suicide	8.9	10.7	9.4
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide	7.1	6.2	6.9
Alcohol	16.8	18.3	20.4	Attempted suicide and resulting injury, poisoning, or overdose	2.0	2.4	3.2
Alcohol (Binge: 5+ drinks on one occasion)		11.7	11.8	had to be treated by doctor or nurse			
Cigarettes	15.5	17.0	17.2	<i>Percent of students who, in past 12 months:</i>			
Chewing Tobacco	13.6	8.0	8.3	Were threatened/injured with weapon at school	8.2	5.7	9.0
Marijuana	6.3	9.0	6.8	Were in a physical fight	28.9	26.2	25.9
Inhalants	1.8	2.5	3.3	Were in a fight and had to be treated by a doctor or nurse	4.2	3.3	4.9
Prescription medications not prescribed for student	5.7	7.9	9.6				
Over-the-counter medications for non-medical use	2.1	3.6	4.8	<i>Percent of students who, in past 3 months:</i>			
<i>Percent of students who, in past 2 weeks, used:</i>				Were victims of mean rumors or lies spread at school	56.6	55.6	60.3
Alcohol (Binge: 5+ drinks on one occasion)	9.1			Were made fun of by others	65.0	63.7	69.4
<i>Percent whose friends used in past 12 months:</i>				Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.4	21.1	20.6
Alcohol	50.1	55.9	58.7	Spread mean rumors or lies about other kids at school	24.4	25.8	31.7
Cigarettes	48.1	51.3	54.4	Made fun of other people	57.7	67.5	73.2
Marijuana	34.8	37.1	36.4	Posted something on the internet or sent a text that might embarrass or hurt another student	18.5	14.8	19.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.1	12.6	14.7				
<i>Percent who would likely use, if offered by a best friend:</i>				<i>Percent of students who agree that:</i>			
Alcohol	32.2	33.3	35.2	Teachers notice and comment on student's good work	75.3	71.8	73.7
Cigarettes	17.2	17.2	17.9	School provides feedback to parents on positive student performance	45.4	42.4	43.1
Marijuana	13.6	13.5	10.8	Rules are enforced fairly	60.0	60.4	58.8
<i>Percent who say it would be wrong to use:</i>				Students of all races/ethnicities are treated equal	76.2	69.7	69.2
Alcohol	63.0	61.3	60.7	<i>Percent of students who agree that:</i>			
Cigarettes	78.0	76.5	75.2	Parents notice and comment on student's good work	85.2	84.7	82.5
Marijuana	75.5	81.8	82.7	Parents involve student in making family decisions	69.7	70.0	70.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.4	95.9	94.5	It is important to be honest with parents regardless of consequences	88.0	86.2	83.4
<i>Percent whose parents would disapprove if they use:</i>				Student could ask parent for help with a personal problem	76.0	78.1	76.5
Alcohol	82.2	82.0	81.4				
Cigarettes	90.3	89.4	89.4				
Marijuana	94.0	94.1	93.8				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	48.7	53.6	57.4				
Cigarettes	57.2	57.5	60.1				
Marijuana	43.7	39.2	39.2				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	19.6	19.4	21.5				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# SUBSTANCE ABUSE SERVICE AREA 21



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	21
Adult Psychiatric	Not Applicable
<b>POPULATION</b>	
Census 2010	176,570
2013 Estimate	178,381

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	93,050	90,167	91,155
Employed	87,477	84,599	84,102
Unemployed	5,573	5,568	7,053
Unemployment Rate	6.0%	6.2%	7.7%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	7,313	7,444	7,673
Drop-outs	130	165	150
Drop-out Rate	1.8%	2.2%	2.0%
School Suspensions:			
Alcohol Incidents	17	14	26
Drug Incidents	43	61	80
Tobacco Incidents	6	4	4

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	2,107	2,095	2,186
Mother Reported Smoking while Pregnant	496	515	587

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	3	9	3
Hepatitis B Chronic, Acute, Prenatal	1 10	10	8
Hepatitis C Chronic and Acute	1 117	96	90
Tuberculosis Infection Cases	1 60	58	73

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	1,812	1,832	1,831
Suicides	29	25	25
Self-inflicted Injuries	243	246	232
Homicides		5	3
Assault Injuries	670	590	609
Alcohol Induced Deaths	8	4	11
Drug Induced Deaths	26	30	25
Smoking Attributable Deaths	335	325	340

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 1,635	1,810	
Alcohol Primary Diagnosis	2 125	113	
Drug Primary Diagnosis	2 98	97	
Alcohol Related Diagnosis	576	678	528
Drug Related Diagnosis	721	795	628
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 247	151	
Alcohol Primary Diagnosis	2 68	39	
Drug Primary Diagnosis	2 31	22	
Alcohol Related Diagnosis	386	294	291
Drug Related Diagnosis	285	206	249
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 1,756	1,859	
Alcohol Primary Diagnosis	2 287	321	
Drug Primary Diagnosis	2 248	260	
Alcohol Related Diagnosis	691	788	720
Drug Related Diagnosis	776	753	630

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	166	181	186
Fatal Crashes	10	2	4
Injury Crashes	74	76	85
Property Damage Crashes	82	103	97
Crash Fatalities	10	2	4
Crash Injuries	107	89	108
Drug Involved Crashes--Total	39	60	42
Fatal Crashes	2	1	1
Injury Crashes	14	26	23
Property Damage Crashes	23	33	18
Crash Fatalities	2	1	1
Crash Injuries	24	25	29

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	1,163	1,227	1,211
Liquor Law Arrests	338	360	351
Drug Arrests	781	898	1,049
Methamphetamine Lab Incidents	54	85	151
Violent Offenses	856	769	817
Property Offenses	5,492	5,123	5,172
Domestic Violence Reports	1,496	1,407	1,355

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	1,032	1,081	1,350
Violent Offenses	268	217	275
Alcohol Offenses	41	66	58
Drug Offenses	90	80	60
Status Offenses--Total	732	477	539
Truancy	322	164	191
Beyond Parental Control	81	102	108
Habitually Absent from Home	110	89	104
Injurious Behavior	191	99	101
Abuse/Neglect/Custody--Total	366	328	421
Abuse	61	71	74
Neglect	260	163	218
Custody Disputes	45	94	129

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	168	196	205
Parental Alcohol Use Related	7	6	11
Parental Drug Use Related	64	68	75
Parental Alcohol and Drug Use	4	11	11
Child Removed for Other Reason	93	111	108

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	175	199	200
Probation/Parole Admissions--Total	1,318	1,353	1,288
Probation/Parole Admissions--Drug	500	515	543
Probation/Parole Admissions--DWI	106	95	110
Prison Admissions--Total	600	622	639
Prison Admissions--Drug	229	240	234
Prison Admissions--DWI	51	52	47

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	258	255	256
Alcohol Package Carry-out Licenses	172	170	166

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# SUBSTANCE ABUSE SERVICE AREA 21

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	223	190	163
CSTAR Adolescent	96	125	114
CSTAR Women and Children	152	156	176
CSTAR General Adult	645	439	235
CSTAR Opioid	*	*	0
Primary Recovery Treatment	170	542	714
Clinical SATOP (CIP, YCIP, SROP)	140	137	86
Other Substance Abuse Treatment	7	*	5

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	814	927	838
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	382	464	458
- Weekend Intervention Program	199	236	232
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	13	20	14
Compulsive Gambling	*	*	*
Recovery Supports	468	467	284
Early Intervention	11	18	13

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	1,284	1,486	1,388	Alcohol	468	565	495
AGE				Marijuana / Hashish	384	453	460
Under 18	96	134	120	Cocaine (total)	68	93	103
18 to 24	276	287	291	- Crack	36	58	61
25 to 29	226	270	277	Stimulant (total)	172	158	138
30 to 34	206	229	217	- Methamphetamine	163	143	132
35 to 39	145	138	136	Heroin	57	38	52
40 to 44	122	142	121	Analgesic except Heroin	102	124	96
45 to 54	167	223	185	- Non-Prescription Methadone	0	0	0
55 and Over	46	63	41	PCP, LSD, other Hallucinogen	*	11	7
GENDER				Tranquilizer	22	36	29
Male	896	1,052	955	Inhalant	*	*	*
Female	388	434	433	Sedative	0	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	5	6	*
Caucasian	1,040	1,190	1,082	Average Age at First Use of Drug	17.6	17.1	17.5
African American	202	233	255	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	162	140	121
Asian / Pacific Islander	*	0	0	- Daily Injection Use	26	25	22
Hispanic	15	36	23	- Weekly Injection Use	43	32	29
Other Race / Two or More Races	29	33	31	- Less than Weekly Injection Use	93	83	70
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	414	534	532	0	678	816	804
High School Graduate or G.E.D.	623	673	628	1 or 2	389	414	367
Associate Degree or Some College	242	264	207	3 or More	217	256	217
Bachelor or Advanced Degree	5	15	21	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	316	322	279
Employed	382	421	396	School	*	*	*
Unemployed	514	558	564	Mental Health Provider	7	14	16
Not in Labor Force	388	507	428	Health Care Provider	61	68	39
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	684	937	929
Independent Living	1,019	1,148	1,038	Other Referral Source	171	123	124
Dependent Living	202	275	312	TREATMENT ACCOMMODATION			
Homeless	38	32	25	Pregnant when Admitted to any Episode	27	21	15
MARITAL / FAMILY STATUS				Military Veteran	57	87	59
Never Married	687	813	753	Special Education Services Needed	114	133	131
Married / Cohabiting	321	359	361	Co-Occurring Psychological Problem	480	462	413
Previously Married	276	314	274	Co-Occurring Developmental Problem	51	51	55

# SUBSTANCE ABUSE SERVICE AREA 21

## MISSOURI STUDENT SURVEY


	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	37.4	39.4	46.8	Alcohol (1 or 2 drinks daily)	55.2		
Cigarettes	23.8	26.7	31.1	Alcohol (Binge: 5+ drinks once or twice a week)	66.9		
Chewing Tobacco	15.2	10.5	17.4	Alcohol (any use)		71.2	75.6
Marijuana	10.4	11.2	17.9	Cigarettes (1+ packs per day)	83.5		
Inhalants	4.3	5.3	7.5	Cigarettes (any use)		78.8	77.9
Prescription medications not prescribed for student	7.7	7.0	12.7	Marijuana (once or twice a week)	72.1		
Over-the-counter medications for non-medical use	3.7	5.4	7.5	Marijuana (any use)		77.7	72.1
Methamphetamine	0.7	1.2	0.6	Other: Cocaine, LSD, Meth, Club Drug (any use)	91.8	93.5	92.9
Cocaine	1.2	1.4	1.0				
Heroin	0.1	0.5	0.7	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	0.9	2.5	3.0	Were very sad	20.3	19.0	19.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.5	1.6	2.0	Were grouchy, irritable, or in a bad mood	25.3	23.6	24.5
Steroids not prescribed for student	0.6	1.4	1.2	Felt hopeless about the future	10.0	10.7	13.5
Synthetic drugs (K2, bath salts, Spice, etc)	3.3	6.0		Felt like not eating or eating more than usual	19.2	18.0	19.1
				Slept a lot more or a lot less than usual	19.1	20.1	27.5
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	23.7	22.6	24.2
Alcohol	12.76	12.52	12.63	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.65	12.32	12.28	Seriously considered attempting suicide	10.7	10.8	12.4
Marijuana	13.85	13.58	13.69	Made plan about how they would attempt suicide	7.6	7.6	9.0
Inhalants	12.40	11.83	12.51	Attempted suicide	3.0	4.9	5.8
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose	1.1	1.1	2.1
Alcohol	13.8	15.5	22.6	had to be treated by doctor or nurse			
Alcohol (Binge: 5+ drinks on one occasion)		8.5	11.8	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	10.8	13.4	16.6	Were threatened/injured with weapon at school	6.4	5.2	9.3
Chewing Tobacco	9.3	7.9	9.6	Were in a physical fight	18.2	19.5	20.6
Marijuana	4.1	5.1	8.8	Were in a fight and had to be treated by a doctor or nurse	3.0	2.8	4.1
Inhalants	1.9	1.4	3.1	<i>Percent of students who, in past 3 months:</i>			
Prescription medications not prescribed for student	4.5	3.4	6.9	Were victims of mean rumors or lies spread at school	53.6	50.3	54.7
Over-the-counter medications for non-medical use	1.8	3.1	5.0	Were made fun of by others	61.2	61.3	68.6
<i>Percent of students who, in past 2 weeks, used:</i>				Were victims of an embarrassing or hurtful text message or something posted on the Internet	26.1	19.9	21.0
Alcohol (Binge: 5+ drinks on one occasion)	6.7			Spread mean rumors or lies about other kids at school	26.9	30.8	34.5
<i>Percent whose friends used in past 12 months:</i>				Made fun of other people	59.3	60.0	72.8
Alcohol	48.1	53.0	63.4	Posted something on the internet or sent a text that might embarrass or hurt another student	19.0	12.6	17.3
Cigarettes	36.1	43.1	52.2	<i>Percent of students who agree that:</i>			
Marijuana	22.7	29.7	39.6	Teachers notice and comment on student's good work	74.6	71.3	69.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.8	12.9	18.9	School provides feedback to parents on positive student performance	43.6	36.9	37.8
<i>Percent who would likely use, if offered by a best friend:</i>				Rules are enforced fairly	66.7	65.6	61.0
Alcohol	26.9	28.3	35.8	Students of all races/ethnicities are treated equal	80.5	75.1	71.6
Cigarettes	13.4	13.9	17.2	<i>Percent of students who agree that:</i>			
Marijuana	8.6	8.2	13.8	Parents notice and comment on student's good work	83.0	82.7	83.1
<i>Percent who say it would be wrong to use:</i>				Parents involve student in making family decisions	73.0	69.6	69.2
Alcohol	62.9	61.0	57.3	It is important to be honest with parents regardless of consequences	88.7	85.5	84.6
Cigarettes	82.1	79.9	75.5	Student could ask parent for help with a personal problem	79.1	76.2	77.7
Marijuana	86.5	86.4	80.9				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.5	95.9	94.4				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	77.5	77.6	75.7				
Cigarettes	92.5	90.3	88.9				
Marijuana	93.8	93.6	94.2				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	51.2	56.8	61.0				
Cigarettes	46.1	52.7	58.8				
Marijuana	25.9	32.8	37.4				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.7	17.4	19.6				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys



# SUBSTANCE ABUSE SERVICE AREA 22



<b>DBH REGION</b>	Eastern
<b>DBH SERVICE AREAS</b>	
Substance Abuse	22
Adult Psychiatric	Not Applicable
<b>POPULATION</b>	
Census 2010	218,733
2013 Estimate	221,396

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	115,155	115,338	117,800
Employed	107,194	106,839	107,369
Unemployed	7,961	8,499	10,431
Unemployment Rate	6.9%	7.4%	8.9%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	10,525	10,668	10,877
Drop-outs	195	247	234
Drop-out Rate	1.9%	2.3%	2.2%
School Suspensions:			
Alcohol Incidents	7	26	24
Drug Incidents	106	109	110
Tobacco Incidents	1	4	1

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	2,702	2,662	2,758
Mother Reported Smoking while Pregnant	603	602	613

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	4	4	11
Hepatitis B Chronic, Acute, Prenatal	1	7	13
Hepatitis C Chronic and Acute	1	113	122
Tuberculosis Infection Cases	1	39	51

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	1,839	1,822	1,823
Suicides	46	41	37
Self-inflicted Injuries	251	279	260
Homicides		4	9
Assault Injuries	491	523	563
Alcohol Induced Deaths	9	12	4
Drug Induced Deaths	61	54	57
Smoking Attributable Deaths	376	355	373

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	1,691	1,659
Alcohol Primary Diagnosis	2	52	33
Drug Primary Diagnosis	2	98	132
Alcohol Related Diagnosis		442	392
Drug Related Diagnosis		544	584
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	1,134	960
Alcohol Primary Diagnosis	2	109	82
Drug Primary Diagnosis	2	107	119
Alcohol Related Diagnosis		803	735
Drug Related Diagnosis		814	766
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	1,328	1,299
Alcohol Primary Diagnosis	2	237	197
Drug Primary Diagnosis	2	367	421
Alcohol Related Diagnosis		508	460
Drug Related Diagnosis		788	743

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	236	240	221
Fatal Crashes	6	7	8
Injury Crashes	101	102	97
Property Damage Crashes	129	131	116
Crash Fatalities	7	8	8
Crash Injuries	141	142	139
Drug Involved Crashes--Total	52	33	35
Fatal Crashes	5	1	5
Injury Crashes	22	18	11
Property Damage Crashes	25	14	19
Crash Fatalities	6	1	5
Crash Injuries	31	23	22

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	1,778	1,609	1,950
Liquor Law Arrests	677	826	730
Drug Arrests	1,614	1,563	1,574
Methamphetamine Lab Incidents	346	253	228
Violent Offenses	448	548	568
Property Offenses	4,390	4,462	4,222
Domestic Violence Reports	1,333	1,423	1,404

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	1,380	1,186	1,111
Violent Offenses	376	395	377
Alcohol Offenses	84	60	65
Drug Offenses	121	131	113
Status Offenses--Total	298	355	444
Truancy	143	172	237
Beyond Parental Control	32	38	47
Habitually Absent from Home	64	69	93
Injurious Behavior	59	76	65
Abuse/Neglect/Custody--Total	881	473	504
Abuse	242	40	54
Neglect	430	56	51
Custody Disputes	209	377	399

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	368	284	307
Parental Alcohol Use Related	16	8	9
Parental Drug Use Related	215	150	125
Parental Alcohol and Drug Use	6	12	16
Child Removed for Other Reason	131	114	157

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	105	100	99
Probation/Parole Admissions--Total	1,125	984	923
Probation/Parole Admissions--Drug	401	338	271
Probation/Parole Admissions--DWI	150	120	99
Prison Admissions--Total	454	437	369
Prison Admissions--Drug	168	141	105
Prison Admissions--DWI	51	63	41

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	181	183	174
Alcohol Package Carry-out Licenses	146	148	147

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# SUBSTANCE ABUSE SERVICE AREA 22

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	124	113	136
CSTAR Adolescent	164	178	162
CSTAR Women and Children	66	66	84
CSTAR General Adult	734	563	591
CSTAR Opioid	13	18	17
Primary Recovery Treatment	73	123	172
Clinical SATOP (CIP, YCIP, SROP)	345	301	237
Other Substance Abuse Treatment	12	6	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	1,093	1,261	1,049
- Adolescent Diversion Education Program	11	5	11
- Offender Education Program	431	490	409
- Weekend Intervention Program	208	262	234
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	17	18	18
Compulsive Gambling	*	7	*
Recovery Supports	17	5	*
Early Intervention	55	63	125

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	1,407	1,220	1,265	Alcohol	528	480	480
AGE				Marijuana / Hashish	294	281	292
Under 18	169	184	164	Cocaine (total)	20	24	40
18 to 24	272	235	278	- Crack	8	14	25
25 to 29	257	180	207	Stimulant (total)	166	132	126
30 to 34	219	199	190	- Methamphetamine	155	126	118
35 to 39	133	119	118	Heroin	289	229	241
40 to 44	120	115	99	Analgesic except Heroin	69	56	54
45 to 54	183	155	175	- Non-Prescription Methadone	0	*	*
55 and Over	54	33	34	PCP, LSD, other Hallucinogen	5	*	*
GENDER				Tranquilizer	19	6	23
Male	949	785	826	Inhalant	*	0	*
Female	458	435	439	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	14	7	*
Caucasian	1,350	1,174	1,221	Average Age at First Use of Drug	18.5	18.2	18.0
African American	24	22	25	INJECTION DRUG USE			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	362	266	260
Asian / Pacific Islander	*	*	*	- Daily Injection Use	108	74	95
Hispanic	8	9	7	- Weekly Injection Use	77	73	72
Other Race / Two or More Races	26	16	13	- Less than Weekly Injection Use	177	119	93
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	468	438	486	0	738	671	718
High School Graduate or G.E.D.	603	537	534	1 or 2	426	346	353
Associate Degree or Some College	328	239	228	3 or More	243	203	194
Bachelor or Advanced Degree	8	6	17	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	386	321	357
Employed	385	337	338	School	*	*	*
Unemployed	633	499	537	Mental Health Provider	*	5	20
Not in Labor Force	389	384	390	Health Care Provider	31	22	33
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	812	724	720
Independent Living	1,109	907	963	Other Referral Source	145	143	133
Dependent Living	191	202	201	TREATMENT ACCOMMODATION			
Homeless	34	29	30	Pregnant when Admitted to any Episode	22	31	20
MARITAL / FAMILY STATUS				Military Veteran	58	43	50
Never Married	905	779	811	Special Education Services Needed	87	52	56
Married / Cohabiting	269	232	230	Co-Occurring Psychological Problem	569	480	467
Previously Married	233	209	224	Co-Occurring Developmental Problem	46	40	39

# SUBSTANCE ABUSE SERVICE AREA 22


## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	40.0	43.9	49.4	Alcohol (1 or 2 drinks daily)	58.8		
Cigarettes	22.0	25.8	27.6	Alcohol (Binge: 5+ drinks once or twice a week)	71.2		
Chewing Tobacco	9.8	7.8	11.2	Alcohol (any use)		68.3	72.6
Marijuana	20.3	20.2	20.1	Cigarettes (1+ packs per day)	87.5		
Inhalants	3.6	6.1	6.4	Cigarettes (any use)		81.2	81.1
Prescription medications not prescribed for student	9.4	9.7	13.4	Marijuana (once or twice a week)	57.6		
Over-the-counter medications for non-medical use	3.7	7.2	9.5	Marijuana (any use)		69.3	71.6
Methamphetamine	0.6	1.2	0.8	Other: Cocaine, LSD, Meth, Club Drug (any use)	93.3	93.5	94.4
Cocaine	1.5	2.1	1.9				
Heroin	0.5	1.1	0.7	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	3.1	3.6	3.8	Were very sad	23.9	21.0	20.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.1	2.6	2.6	Were grouchy, irritable, or in a bad mood	28.0	24.2	28.4
Steroids not prescribed for student	1.1	1.7	1.2	Felt hopeless about the future	13.5	11.3	11.0
Synthetic drugs (K2, bath salts, Spice, etc)	5.4	8.3		Felt like not eating or eating more than usual	20.6	18.5	20.1
				Slept a lot more or a lot less than usual	21.9	20.6	25.5
				Had difficulty concentrating on school work	29.7	26.1	23.4
<i>Average age of students' first use of:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	12.89	12.75	12.69	Seriously considered attempting suicide	14.4	12.2	11.6
Cigarettes	12.83	12.85	12.44	Made plan about how they would attempt suicide	10.0	8.6	8.1
Marijuana	13.79	13.79	13.68	Attempted suicide	6.0	5.3	5.3
Inhalants	12.53	12.48	12.20	Attempted suicide and resulting injury, poisoning, or overdose	2.2	1.6	1.6
				had to be treated by doctor or nurse			
<i>Percent of students who, in past 30 days, used:</i>				<i>Percent of students who, in past 12 months:</i>			
Alcohol	18.1	20.0	25.1	Were threatened/injured with weapon at school	6.5	5.9	8.7
Alcohol (Binge: 5+ drinks on one occasion)		11.8	9.4	Were in a physical fight	18.3	20.8	23.5
Cigarettes	10.3	13.3	14.2	Were in a fight and had to be treated by a doctor or nurse	3.3	3.2	4.1
Chewing Tobacco	5.1	6.2	5.8				
Marijuana	11.4	11.1	11.3	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.3	2.7	3.1	Were victims of mean rumors or lies spread at school	48.8	48.5	50.7
Prescription medications not prescribed for student	4.6	5.8	7.9	Were made fun of by others	60.6	59.9	66.9
Over-the-counter medications for non-medical use	2.2	4.7	5.4	Were victims of an embarrassing or hurtful text message or something posted on the Internet	28.7	21.8	19.1
				Spread mean rumors or lies about other kids at school	25.4	27.4	31.5
<i>Percent of students who, in past 2 weeks, used:</i>				Made fun of other people	55.6	61.8	72.0
Alcohol (Binge: 5+ drinks on one occasion)	8.5			Posted something on the internet or sent a text that might embarrass or hurt another student	20.3	15.4	18.2
				<i>Percent of students who agree that:</i>			
<i>Percent whose friends used in past 12 months:</i>				Teachers notice and comment on student's good work	67.1	65.6	70.0
Alcohol	51.8	57.1	64.4	School provides feedback to parents on positive student performance	34.6	34.2	38.9
Cigarettes	43.8	47.7	51.6	Rules are enforced fairly	63.6	62.9	66.4
Marijuana	43.3	43.1	44.1	Students of all races/ethnicities are treated equal	80.9	78.8	79.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.4	18.5	21.2				
				<i>Percent of students who agree that:</i>			
<i>Percent who would likely use, if offered by a best friend:</i>				Parents notice and comment on student's good work	79.4	81.8	83.1
Alcohol	30.5	34.0	39.0	Parents involve student in making family decisions	66.1	67.2	67.6
Cigarettes	12.2	13.9	15.8	It is important to be honest with parents regardless of consequences	86.9	85.7	82.6
Marijuana	19.2	15.9	15.6	Student could ask parent for help with a personal problem	74.6	76.3	76.9
<i>Percent who say it would be wrong to use:</i>							
Alcohol	61.9	59.1	54.6				
Cigarettes	84.5	80.6	78.8				
Marijuana	72.9	77.7	78.3				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.2	95.0	94.9				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	79.4	77.1	75.2				
Cigarettes	93.6	91.2	89.9				
Marijuana	90.0	92.8	92.0				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	58.0	59.6	63.0				
Cigarettes	53.6	57.1	61.6				
Marijuana	44.8	44.5	44.1				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	20.7	21.6	21.2				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

# SUBSTANCE ABUSE SERVICE AREAS 23-25 (SL)



<b>DBH REGION</b>	Eastern
<b>DBH SERVICE AREAS</b>	
Substance Abuse	23-25 (SL)
Adult Psychiatric	Not Applicable
<b>POPULATION</b>	
Census 2010	1,318,248
2013 Estimate	1,319,860

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	653,491	653,895	672,447
Employed	607,354	606,479	612,186
Unemployed	46,137	47,416	60,261
Unemployment Rate	7.1%	7.3%	9.0%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	54,281	55,550	57,776
Drop-outs	2,110	2,869	3,101
Drop-out Rate	3.9%	5.2%	5.4%
School Suspensions:			
Alcohol Incidents	74	81	98
Drug Incidents	471	590	637
Tobacco Incidents	8	7	16

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	16,230	16,891	16,486
Mother Reported Smoking while Pregnant	1,753	1,865	1,895

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	263	219	273
Hepatitis B Chronic, Acute, Prenatal	1 177	155	154
Hepatitis C Chronic and Acute	1 1,286	1,407	1,101
Tuberculosis Infection Cases	1 988	1,110	946

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	12,275	12,168	12,297
Suicides	165	174	160
Self-inflicted Injuries	1,387	1,433	1,358
Homicides		165	186
Assault Injuries	6,851	6,831	6,738
Alcohol Induced Deaths	109	82	95
Drug Induced Deaths	217	257	228
Smoking Attributable Deaths	1,926	1,870	1,908

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 6,391	7,892	
Alcohol Primary Diagnosis	2 466	593	
Drug Primary Diagnosis	2 859	1,079	
Alcohol Related Diagnosis	2,212	3,347	4,055
Drug Related Diagnosis	3,498	4,621	4,590

Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 10,117	8,631	
Alcohol Primary Diagnosis	2 1,141	916	
Drug Primary Diagnosis	2 723	627	
Alcohol Related Diagnosis	7,383	6,088	5,168
Drug Related Diagnosis	7,843	6,398	4,839

Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 12,272	11,237	
Alcohol Primary Diagnosis	2 3,612	3,247	
Drug Primary Diagnosis	2 2,346	2,556	
Alcohol Related Diagnosis	7,600	6,712	6,164
Drug Related Diagnosis	7,677	8,525	6,281

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	925	896	1,000
Fatal Crashes	11	17	17
Injury Crashes	325	316	349
Property Damage Crashes	589	563	634
Crash Fatalities	12	18	18
Crash Injuries	454	491	554
Drug Involved Crashes--Total	157	140	151
Fatal Crashes	1	4	8
Injury Crashes	72	68	68
Property Damage Crashes	84	68	75
Crash Fatalities	1	4	8
Crash Injuries	98	64	113

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	5,566	5,407	5,714
Liquor Law Arrests	2,208	2,060	1,507
Drug Arrests	12,252	12,430	10,558
Methamphetamine Lab Incidents	171	117	78
Violent Offenses	8,684	9,021	9,508
Property Offenses	49,055	54,470	57,320
Domestic Violence Reports	6,964	7,218	7,469

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	8,382	8,517	8,193
Violent Offenses	1,941	1,965	2,394
Alcohol Offenses	179	170	124
Drug Offenses	514	533	602
Status Offenses--Total	1,996	1,870	2,001
Truancy	531	526	590
Beyond Parental Control	221	245	234
Habitually Absent from Home	1,075	981	1,076
Injurious Behavior	117	66	63
Abuse/Neglect/Custody--Total	1,988	2,275	1,835
Abuse	478	586	556
Neglect	1,305	1,455	1,056
Custody Disputes	205	234	223

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	586	628	664
Parental Alcohol Use Related	8	12	22
Parental Drug Use Related	159	151	126
Parental Alcohol and Drug Use	6	7	10
Child Removed for Other Reason	413	458	506

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	852	824	862
Probation/Parole Admissions--Total	7,952	7,495	7,562
Probation/Parole Admissions--Drug	2,282	2,004	2,145
Probation/Parole Admissions--DWI	282	275	197
Prison Admissions--Total	3,233	3,293	3,112
Prison Admissions--Drug	903	891	889
Prison Admissions--DWI	73	59	114

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	2,013	2,027	2,030
Alcohol Package Carry-out Licenses	812	838	830

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# SUBSTANCE ABUSE SERVICE AREAS 23-25 (SL)

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	1,265	1,293	1,343
CSTAR Adolescent	274	251	327
CSTAR Women and Children	979	1,118	1,208
CSTAR General Adult	1,822	1,791	1,502
CSTAR Opioid	424	456	514
Primary Recovery Treatment	752	894	1,638
Clinical SATOP (CIP, YCIP, SROP)	1,237	1,138	973
Other Substance Abuse Treatment	635	706	683

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	4,715	4,682	4,668
- Adolescent Diversion Education Program	189	178	197
- Offender Education Program	1,819	1,936	1,925
- Weekend Intervention Program	954	956	989
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	416	509	509
Compulsive Gambling	53	58	46
Recovery Supports	42	27	336
Early Intervention	765	152	65

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011
Total Individuals	6,031	6,203	6,581
AGE			
Under 18	275	248	340
18 to 24	766	867	941
25 to 29	985	1,047	1,104
30 to 34	1,022	1,021	1,013
35 to 39	717	685	783
40 to 44	607	624	712
45 to 54	1,182	1,284	1,267
55 and Over	477	427	421
GENDER			
Male	4,111	4,135	4,566
Female	1,920	2,066	2,015
RACE / ETHNICITY			
Caucasian	2,669	2,664	2,685
African American	3,153	3,346	3,707
Native American / Alaskan	5	*	11
Asian / Pacific Islander	15	19	10
Hispanic	70	63	62
Other Race / Two or More Races	148	137	131
EDUCATION			
Less than High School Diploma	2,080	2,191	2,562
High School Graduate or G.E.D.	2,402	2,564	2,639
Associate Degree or Some College	1,466	1,357	1,203
Bachelor or Advanced Degree	83	91	177
EMPLOYMENT			
Employed	1,289	1,312	1,321
Unemployed	2,117	2,385	2,638
Not in Labor Force	2,625	2,506	2,622
HOUSING / LIVING ARRANGEMENT			
Independent Living	4,652	4,548	4,740
Dependent Living	630	642	875
Homeless	461	643	679
MARITAL / FAMILY STATUS			
Never Married	4,289	4,382	4,690
Married / Cohabiting	939	951	985
Previously Married	803	870	906

PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Alcohol	1,989	1,969	2,081
Marijuana / Hashish	1,157	1,187	1,434
Cocaine (total)	527	805	922
- Crack	416	573	803
Stimulant (total)	105	91	72
- Methamphetamine	92	75	64
Heroin	1,979	1,908	1,861
Analgesic except Heroin	193	164	143
- Non-Prescription Methadone	*	8	10
PCP, LSD, other Hallucinogen	32	42	40
Tranquilizer	22	17	16
Inhalant	*	*	*
Sedative	6	*	5
Other Medication or Illicit Drug	19	14	6
Average Age at First Use of Drug	19.7	19.9	19.5
INJECTION DRUG USE			
Any Injection Use at Admission	1,226	1,147	1,005
- Daily Injection Use	709	659	573
- Weekly Injection Use	237	216	204
- Less than Weekly Injection Use	280	272	228
LIFETIME DUI / DWI ARRESTS			
0	4,051	4,341	4,826
1 or 2	1,318	1,273	1,249
3 or More	662	589	506
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	2,344	2,373	2,333
School	22	17	9
Mental Health Provider	38	44	72
Health Care Provider	197	195	164
Court / Criminal Justice	2,963	3,079	3,483
Other Referral Source	416	464	519
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	145	178	171
Military Veteran	266	264	261
Special Education Services Needed	464	456	464
Co-Occurring Psychological Problem	1,513	1,593	1,589
Co-Occurring Developmental Problem	334	290	182



# SUBSTANCE ABUSE SERVICE AREAS 23-25 (SL)

## MISSOURI STUDENT SURVEY


	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	30.3	37.3	42.7	Alcohol (1 or 2 drinks daily)	66.3		
Cigarettes	13.3	19.9	23.9	Alcohol (Binge: 5+ drinks once or twice a week)	77.0		
Chewing Tobacco	3.0	4.1	4.4	Alcohol (any use)		71.1	70.3
Marijuana	19.3	21.2	23.0	Cigarettes (1+ packs per day)	86.6		
Inhalants	2.2	4.7	5.4	Cigarettes (any use)		82.8	83.1
Prescription medications not prescribed for student	6.7	8.6	9.2	Marijuana (once or twice a week)	61.5		
Over-the-counter medications for non-medical use	3.0	5.4	6.9	Marijuana (any use)		67.4	72.4
Methamphetamine	0.3	1.1	0.5	Other: Cocaine, LSD, Meth, Club Drug (any use)	91.0	92.2	92.7
Cocaine	0.9	1.5	1.3				
Heroin	0.3	1.0	0.6	<i>Percent of students who, in past 30 days:</i>			
Hallucinogens	1.6	3.1	2.9	Were very sad	19.1	17.1	20.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.3	2.2	2.2	Were grouchy, irritable, or in a bad mood	24.2	24.4	25.3
Steroids not prescribed for student	1.0	1.2	0.8	Felt hopeless about the future	11.6	10.5	12.6
Synthetic drugs (K2, bath salts, Spice, etc)	2.1	5.5		Felt like not eating or eating more than usual	17.6	16.3	19.0
				Slept a lot more or a lot less than usual	19.3	19.6	26.5
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	23.7	23.0	25.1
Alcohol	13.45	13.12	12.86	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	13.35	12.71	12.63	Seriously considered attempting suicide	12.0	12.4	11.7
Marijuana	14.03	13.89	13.70	Made plan about how they would attempt suicide	8.6	8.8	8.5
Inhalants	11.94	11.32	11.53	Attempted suicide	5.3	6.4	5.7
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose	2.0	2.2	2.2
Alcohol	14.6	18.1	20.8	had to be treated by doctor or nurse			
Alcohol (Binge: 5+ drinks on one occasion)		10.3	10.8	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	5.0	9.5	11.8	Were threatened/injured with weapon at school	7.1	6.4	9.3
Chewing Tobacco	1.5	2.0	2.2	Were in a physical fight	23.4	23.1	24.3
Marijuana	8.1	12.5	13.6	Were in a fight and had to be treated by a doctor or nurse	4.9	4.3	4.1
Inhalants	1.2	2.5	2.8	<i>Percent of students who, in past 3 months:</i>			
Prescription medications not prescribed for student	3.6	5.1	6.1	Were victims of mean rumors or lies spread at school	43.5	44.7	48.7
Over-the-counter medications for non-medical use	1.5	3.0	4.4	Were made fun of by others	56.3	60.5	66.9
<i>Percent of students who, in past 2 weeks, used:</i>				Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.7	19.5	18.6
Alcohol (Binge: 5+ drinks on one occasion)	5.8			Spread mean rumors or lies about other kids at school	24.2	28.8	32.4
<i>Percent whose friends used in past 12 months:</i>				Made fun of other people	55.0	66.1	74.4
Alcohol	43.2	49.8	56.5	Posted something on the internet or sent a text that might embarrass or hurt another student	17.0	16.5	19.7
Cigarettes	28.2	39.2	43.4	<i>Percent of students who agree that:</i>			
Marijuana	37.8	42.3	45.0	Teachers notice and comment on student's good work	75.4	73.6	74.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.6	14.5	16.8	School provides feedback to parents on positive student performance	47.4	43.6	44.1
<i>Percent who would likely use, if offered by a best friend:</i>				Rules are enforced fairly	68.2	63.9	65.1
Alcohol	22.6	30.2	33.5	Students of all races/ethnicities are treated equal	73.8	69.4	74.6
Cigarettes	7.2	11.0	11.6	<i>Percent of students who agree that:</i>			
Marijuana	16.4	16.9	19.0	Parents notice and comment on student's good work	83.2	83.5	83.5
<i>Percent who say it would be wrong to use:</i>				Parents involve student in making family decisions	71.7	72.0	71.0
Alcohol	69.0	62.5	58.1	It is important to be honest with parents regardless of consequences	87.1	83.6	81.4
Cigarettes	89.7	83.3	81.0	Student could ask parent for help with a personal problem	78.5	76.8	75.7
Marijuana	75.3	75.8	74.9				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.4	94.9	94.4				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	83.2	80.7	79.2				
Cigarettes	94.9	91.9	90.9				
Marijuana	91.4	91.7	91.8				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	50.6	57.4	61.0				
Cigarettes	43.1	50.8	55.5				
Marijuana	39.7	44.2	46.7				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.7	18.3	20.4				

Page Notes:  
 Similar affirmative response choices for individual questions are combined.  
 Blank data cells indicate estimates are not available for item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Estimates are not available for counties with small numbers of respondents.  
 Percentages are estimates based on weighted data.  
 Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys



# PSYCHIATRIC SERVICE AREA 1



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	1
<b>POPULATION</b>	
Census 2010	183,003
2013 Estimate	182,630

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	2,166	2,163	2,270
Mother Reported Smoking while Pregnant	568	505	516
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	3	6	5
Hepatitis B Chronic, Acute, Prenatal	1 21	17	27
Hepatitis C Chronic and Acute	1 126	207	154
Tuberculosis Infection Cases	1 61	76	22
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	1,968	1,967	1,897
Suicides	26	22	30
Self-inflicted Injuries	265	242	243
Homicides		7	9
Assault Injuries	627	713	681
Alcohol Induced Deaths	11	15	16
Drug Induced Deaths	18	17	7
Smoking Attributable Deaths	354	349	352
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 1,252	1,523	
Alcohol Primary Diagnosis	2 97	93	
Drug Primary Diagnosis	2 85	73	
Alcohol Related Diagnosis	322	380	620
Drug Related Diagnosis	454	474	601
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 1,095	795	
Alcohol Primary Diagnosis	2 172	211	
Drug Primary Diagnosis	2 137	116	
Alcohol Related Diagnosis	779	716	554
Drug Related Diagnosis	829	631	397
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 1,861	1,912	
Alcohol Primary Diagnosis	2 423	362	
Drug Primary Diagnosis	2 198	203	
Alcohol Related Diagnosis	834	786	858
Drug Related Diagnosis	649	631	571
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	186	172	196
Fatal Crashes	8	8	6
Injury Crashes	89	81	87
Property Damage Crashes	89	83	103
Crash Fatalities	10	11	6
Crash Injuries	124	123	130
Drug Involved Crashes--Total	32	34	34
Fatal Crashes	2	2	1
Injury Crashes	14	15	17
Property Damage Crashes	16	17	16
Crash Fatalities	3	2	1
Crash Injuries	23	16	22

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	100,419	100,132	100,397
Employed	94,806	94,363	92,882
Unemployed	5,613	5,769	7,515
Unemployment Rate	5.6%	5.8%	7.5%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	7,623	7,562	7,999
Drop-outs	117	164	152
Drop-out Rate	1.5%	2.2%	1.9%
School Suspensions:			
Alcohol Incidents	4	2	6
Drug Incidents	35	51	23
Tobacco Incidents	0	1	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	876	1,111	1,073
Liquor Law Arrests	636	736	683
Drug Arrests	1,074	1,128	1,306
Methamphetamine Lab Incidents	3	9	7
Violent Offenses	488	503	480
Property Offenses	6,389	5,625	5,201
Domestic Violence Reports	1,280	1,363	1,429

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	967	964	925
Violent Offenses	210	220	218
Alcohol Offenses	43	40	27
Drug Offenses	41	54	59
Status Offenses--Total	906	654	643
Truancy	351	221	207
Beyond Parental Control	251	170	181
Habitually Absent from Home	142	152	150
Injurious Behavior	145	96	85
Abuse/Neglect/Custody--Total	325	258	317
Abuse	27	28	43
Neglect	277	230	267
Custody Disputes	21	0	7

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	144	138	124
Parental Alcohol Use Related	2	6	5
Parental Drug Use Related	35	20	32
Parental Alcohol and Drug Use	7	1	1
Child Removed for Other Reason	100	111	86


<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	290	265	220
Probation/Parole Admissions--Total	1,498	1,693	1,517
Probation/Parole Admissions--Drug	526	560	554
Probation/Parole Admissions--DWI	117	138	114
Prison Admissions--Total	989	907	961
Prison Admissions--Drug	349	324	348
Prison Admissions--DWI	59	68	82

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	212	207	215
Alcohol Package Carry-out Licenses	188	184	173

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# PSYCHIATRIC SERVICE AREA 1

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 1  
**CENSUS 2010** 183,003  
**2013 POPULATION ESTIMATE** 182,630


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	85	120	124
Anxiety Disorder	726	692	484
Dementia	*	*	*
Developmental Disorder	25	22	9
Impulse Control Disorder	508	553	471
Mood Disorder	1,200	1,203	1,021
Personality Disorder	186	189	151
Psychotic Disorder	463	461	404
Sexual Disorder	6	*	7
Other Diagnosis	306	331	275
Diagnosis Unknown	255	354	637

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	2,309	2,507	2,563	Less than High School Diploma	898	439	154
<b>AGE</b>				High School Grad or G.E.D.	44	551	193
Under 6	69	78	87	Associate Degree or Some College	17	203	106
6 to 9	240	272	277	Bachelor or Advanced Degree	*	47	15
10 to 13	236	290	317	Education Level Unknown	1,347	1,267	2,095
14 to 17	187	266	291	<b>EMPLOYMENT</b>			
18 to 24	174	172	175	Employed	116	140	52
25 to 29	151	146	142	Unemployed	262	967	407
30 to 34	150	142	152	Not in Labor Force	1,361	163	11
35 to 39	158	177	176	Employment Status Unknown	570	1,237	2,093
40 to 44	184	176	181	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	192	240	221	Independent Living	949	943	385
50 to 54	249	237	238	Dependent Living	801	506	351
55 to 59	151	144	140	Homeless	26	26	*
60 and Over	168	167	166	Other	*	15	12
Age Unknown	0	0	0	Housing Unknown	532	1,017	1,813
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	1,233	1,327	1,370	Self / Family / Friend	762	815	828
Female	1,076	1,180	1,193	School	132	147	142
Gender Unknown	0	0	0	Mental Health Provider	486	564	575
<b>RACE / ETHNICITY</b>				Health Care Provider	379	399	399
Caucasian	1,942	2,109	2,183	Court / Criminal Justice	213	197	166
African American	180	207	206	Other	313	358	400
Native American / Alaskan	16	18	26	Referral Source Unknown	24	27	53
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	73	71	54	Voluntary	2,158	2,359	2,382
Other Race	96	100	92	Civil	24	18	17
Race/Ethnicity Unknown	0	0	0	Criminal	102	102	108
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	132	137	134	Commitment Type Unknown	24	27	53
Past or Current Military Service	81	85	83				

# PSYCHIATRIC SERVICE AREAS 2, 3, 4, 5



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	2, 3, 4, 5
<b>POPULATION</b>	
Census 2010	674,158
2013 Estimate	679,996

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	330,287	333,027	339,740
Employed	305,538	307,454	307,179
Unemployed	24,749	25,573	32,561
Unemployment Rate	7.5%	7.7%	9.6%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	28,682	28,672	29,317
Drop-outs	1,113	1,515	1,592
Drop-out Rate	3.9%	5.3%	5.4%
School Suspensions:			
Alcohol Incidents	41	38	56
Drug Incidents	286	418	406
Tobacco Incidents	8	10	12

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	9,630	9,583	9,763
Mother Reported Smoking while Pregnant	1,503	1,485	1,529

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	125	149	129
Hepatitis B Chronic, Acute, Prenatal	1 83	73	71
Hepatitis C Chronic and Acute	1 589	644	655
Tuberculosis Infection Cases	1 462	390	344

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	6,022	5,981	5,883
Suicides	108	127	93
Self-inflicted Injuries	1,150	1,120	1,133
Homicides		112	121
Assault Injuries	4,567	4,490	4,370
Alcohol Induced Deaths	82	65	72
Drug Induced Deaths	113	105	123
Smoking Attributable Deaths	1,013	974	942

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 6,293	7,059	
Alcohol Primary Diagnosis	2 726	732	
Drug Primary Diagnosis	2 379	385	
Alcohol Related Diagnosis	2,946	3,170	3,297
Drug Related Diagnosis	3,441	3,619	3,955
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 2,112	1,549	
Alcohol Primary Diagnosis	2 660	492	
Drug Primary Diagnosis	2 330	265	
Alcohol Related Diagnosis	3,399	3,133	3,213
Drug Related Diagnosis	3,027	2,683	2,605
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 5,886	5,955	
Alcohol Primary Diagnosis	2 4,113	3,963	
Drug Primary Diagnosis	2 1,643	1,539	
Alcohol Related Diagnosis	8,317	7,134	6,975
Drug Related Diagnosis	5,794	5,025	4,108

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	650	648	716
Fatal Crashes	11	13	9
Injury Crashes	251	307	289
Property Damage Crashes	388	328	418
Crash Fatalities	12	14	9
Crash Injuries	362	500	428
Drug Involved Crashes--Total	149	148	165
Fatal Crashes	1	3	2
Injury Crashes	75	77	79
Property Damage Crashes	73	68	84
Crash Fatalities	1	3	2
Crash Injuries	115	85	109

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	3,386	3,096	3,522
Liquor Law Arrests	809	824	895
Drug Arrests	3,507	3,446	3,799
Methamphetamine Lab Incidents	56	26	24
Violent Offenses	6,979	6,672	6,729
Property Offenses	40,982	39,947	41,921
Domestic Violence Reports	6,986	6,469	7,721

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	1,519	1,621	1,210
Violent Offenses	408	475	505
Alcohol Offenses	0	4	19
Drug Offenses	47	70	79
Status Offenses--Total	81	95	83
Truancy	7	3	21
Beyond Parental Control	32	10	22
Habitually Absent from Home	6	18	18
Injurious Behavior	22	10	11
Abuse/Neglect/Custody--Total	1,597	1,312	1,581
Abuse	323	142	197
Neglect	1,035	839	991
Custody Disputes	239	331	393

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	1,176	994	1,084
Parental Alcohol Use Related	36	51	27
Parental Drug Use Related	413	294	303
Parental Alcohol and Drug Use	48	20	41
Child Removed for Other Reason	679	629	713


<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	848	871	870
Probation/Parole Admissions--Total	2,691	2,829	2,969
Probation/Parole Admissions--Drug	822	940	995
Probation/Parole Admissions--DWI	177	187	147
Prison Admissions--Total	1,062	1,165	1,357
Prison Admissions--Drug	224	249	320
Prison Admissions--DWI	76	95	106

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	821	804	784
Alcohol Package Carry-out Licenses	463	463	445

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# PSYCHIATRIC SERVICE AREAS 2, 3, 4, 5

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 2, 3, 4, 5  
**CENSUS 2010** 674,158  
**2013 POPULATION ESTIMATE** 679,996


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	748	736	494
Anxiety Disorder	4,404	4,090	3,024
Dementia	27	26	19
Developmental Disorder	156	134	116
Impulse Control Disorder	2,307	2,136	1,728
Mood Disorder	8,148	7,606	5,874
Personality Disorder	552	498	410
Psychotic Disorder	3,097	3,067	2,515
Sexual Disorder	25	6	23
Other Diagnosis	1,045	973	886
Diagnosis Unknown	2,223	2,706	3,483

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	14,911	14,664	13,031	Less than High School Diploma	2,603	1,401	917
<b>AGE</b>				High School Grad or G.E.D.	15	1,304	1,221
Under 6	130	169	164	Associate Degree or Some College	*	505	476
6 to 9	807	867	760	Bachelor or Advanced Degree	0	154	172
10 to 13	1,030	1,054	913	Education Level Unknown	12,289	11,300	10,245
14 to 17	1,021	1,104	1,063	<b>EMPLOYMENT</b>			
18 to 24	1,357	1,322	1,123	Employed	606	379	309
25 to 29	1,269	1,134	1,030	Unemployed	869	2,610	2,425
30 to 34	1,421	1,336	1,165	Not in Labor Force	4,834	1,082	71
35 to 39	1,258	1,177	1,062	Employment Status Unknown	8,602	10,593	10,226
40 to 44	1,276	1,292	1,177	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	1,513	1,569	1,448	Independent Living	3,060	2,752	2,138
50 to 54	1,693	1,666	1,411	Dependent Living	2,753	1,143	847
55 to 59	1,183	1,074	962	Homeless	426	256	162
60 and Over	953	900	753	Other	*	117	191
Age Unknown	0	0	0	Housing Unknown	8,671	10,396	9,693
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	7,339	7,232	6,550	Self / Family / Friend	7,437	7,149	5,492
Female	7,572	7,432	6,481	School	170	185	176
Gender Unknown	0	0	0	Mental Health Provider	1,282	1,305	1,451
<b>RACE / ETHNICITY</b>				Health Care Provider	2,219	2,080	1,641
Caucasian	7,163	6,820	6,203	Court / Criminal Justice	688	824	882
African American	6,219	6,497	5,440	Other	3,027	3,022	3,221
Native American / Alaskan	54	58	64	Referral Source Unknown	88	99	168
Asian / Pacific Islander	62	56	51	<b>TYPE OF COMMITMENT</b>			
Hispanic	438	437	384	Voluntary	14,676	14,380	12,660
Other Race	975	795	888	Civil	39	84	91
Race/Ethnicity Unknown	0	*	*	Criminal	112	113	123
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	10	6	8
Hearing Impaired	248	225	206	Commitment Type Unknown	74	81	149
Past or Current Military Service	299	303	293				

# PSYCHIATRIC SERVICE AREA 6



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	6
<b>POPULATION</b>	
Census 2010	334,755
2013 Estimate	346,822

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	183,184	182,982	183,595
Employed	171,753	171,342	169,407
Unemployed	11,431	11,640	14,188
Unemployment Rate	6.2%	6.4%	7.7%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	17,518	17,226	17,109
Drop-outs	260	358	379
Drop-out Rate	1.5%	2.1%	2.2%
School Suspensions:			
Alcohol Incidents	8	25	24
Drug Incidents	178	146	153
Tobacco Incidents	0	8	0

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	4,492	4,399	4,556
Mother Reported Smoking while Pregnant	647	625	653

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	25	25	26
Hepatitis B Chronic, Acute, Prenatal	1 10	9	3
Hepatitis C Chronic and Acute	1 61	74	58
Tuberculosis Infection Cases	1 38	41	83

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	2,438	2,331	2,358
Suicides	50	46	51
Self-inflicted Injuries	511	511	544
Homicides		14	9
Assault Injuries	1,050	1,039	1,014
Alcohol Induced Deaths	30	26	23
Drug Induced Deaths	46	33	36
Smoking Attributable Deaths	414	418	451

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 2,273	2,330	
Alcohol Primary Diagnosis	2 212	201	
Drug Primary Diagnosis	2 129	131	
Alcohol Related Diagnosis	816	881	1,063
Drug Related Diagnosis	886	913	1,048

Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 539	485	
Alcohol Primary Diagnosis	2 196	207	
Drug Primary Diagnosis	2 108	121	
Alcohol Related Diagnosis	1,114	1,143	972
Drug Related Diagnosis	929	850	735

Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 2,906	2,629	
Alcohol Primary Diagnosis	2 797	829	
Drug Primary Diagnosis	2 473	408	
Alcohol Related Diagnosis	1,765	1,730	1,741
Drug Related Diagnosis	1,611	1,316	1,143

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	298	254	320
Fatal Crashes	5	5	13
Injury Crashes	114	91	126
Property Damage Crashes	179	158	181
Crash Fatalities	5	5	13
Crash Injuries	163	137	170
Drug Involved Crashes--Total	70	55	43
Fatal Crashes	3	2	2
Injury Crashes	36	24	13
Property Damage Crashes	31	29	28
Crash Fatalities	3	2	2
Crash Injuries	56	28	19

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	1,560	1,621	1,625
Liquor Law Arrests	427	506	570
Drug Arrests	1,133	1,128	1,176
Methamphetamine Lab Incidents	13	4	6
Violent Offenses	395	371	324
Property Offenses	4,337	4,065	3,840
Domestic Violence Reports	1,073	1,014	1,104

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	1,099	1,055	1,106
Violent Offenses	242	256	278
Alcohol Offenses	47	65	50
Drug Offenses	133	125	147
Status Offenses--Total	213	173	183
Truancy	60	44	43
Beyond Parental Control	61	51	54
Habitually Absent from Home	39	46	45
Injurious Behavior	46	26	37
Abuse/Neglect/Custody--Total	299	266	241
Abuse	33	46	41
Neglect	246	206	189
Custody Disputes	20	14	11

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	74	58	75
Parental Alcohol Use Related	4	4	5
Parental Drug Use Related	18	10	16
Parental Alcohol and Drug Use	1	2	0
Child Removed for Other Reason	51	42	54

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	135	134	109
Probation/Parole Admissions--Total	1,426	1,364	1,222
Probation/Parole Admissions--Drug	375	383	329
Probation/Parole Admissions--DWI	117	124	109
Prison Admissions--Total	762	732	699
Prison Admissions--Drug	189	182	183
Prison Admissions--DWI	66	69	50


<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	330	332	336
Alcohol Package Carry-out Licenses	222	226	228

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# PSYCHIATRIC SERVICE AREA 6

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 6  
**CENSUS 2010** 334,755  
**2013 POPULATION ESTIMATE** 346,822


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	50	45	13
Anxiety Disorder	720	734	434
Dementia	*	*	*
Developmental Disorder	9	10	7
Impulse Control Disorder	404	361	200
Mood Disorder	2,433	2,401	1,520
Personality Disorder	43	39	23
Psychotic Disorder	460	458	342
Sexual Disorder	5	*	*
Other Diagnosis	61	53	43
Diagnosis Unknown	393	431	1,179

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	3,774	3,705	3,273	Less than High School Diploma	534	205	99
<b>AGE</b>				High School Grad or G.E.D.	0	178	189
Under 6	36	28	17	Associate Degree or Some College	0	72	62
6 to 9	181	126	92	Bachelor or Advanced Degree	0	26	15
10 to 13	199	175	141	Education Level Unknown	3,240	3,224	2,908
14 to 17	276	254	203	<b>EMPLOYMENT</b>			
18 to 24	292	354	311	Employed	259	115	39
25 to 29	325	349	326	Unemployed	261	361	321
30 to 34	405	401	351	Not in Labor Force	1,173	237	7
35 to 39	343	359	335	Employment Status Unknown	2,081	2,992	2,906
40 to 44	368	362	340	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	407	402	389	Independent Living	1,164	517	294
50 to 54	388	373	333	Dependent Living	498	231	212
55 to 59	300	280	224	Homeless	47	16	7
60 and Over	254	242	211	Other	0	10	12
Age Unknown	0	0	0	Housing Unknown	2,065	2,931	2,748
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	1,600	1,552	1,344	Self / Family / Friend	3,506	3,424	2,872
Female	2,174	2,153	1,929	School	*	*	5
Gender Unknown	0	0	0	Mental Health Provider	57	65	73
<b>RACE / ETHNICITY</b>				Health Care Provider	77	76	83
Caucasian	3,244	3,227	2,872	Court / Criminal Justice	23	27	28
African American	225	217	167	Other	76	80	100
Native American / Alaskan	18	15	13	Referral Source Unknown	32	30	112
Asian / Pacific Islander	20	17	14	<b>TYPE OF COMMITMENT</b>			
Hispanic	116	100	71	Voluntary	3,729	3,665	3,153
Other Race	151	129	132	Civil	*	*	0
Race/Ethnicity Unknown	0	0	*	Criminal	7	7	6
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	74	77	53	Commitment Type Unknown	32	30	113
Past or Current Military Service	40	47	41				

# PSYCHIATRIC SERVICE AREA 7



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	7
<b>POPULATION</b>	
Census 2010	185,454
2013 Estimate	188,156

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	91,834	91,833	93,610
Employed	86,072	85,462	85,394
Unemployed	5,762	6,371	8,216
Unemployment Rate	6.3%	6.9%	8.8%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	9,218	9,284	9,387
Drop-outs	146	179	144
Drop-out Rate	1.6%	1.9%	1.5%
School Suspensions:			
Alcohol Incidents	11	13	13
Drug Incidents	47	106	115
Tobacco Incidents	1	0	0

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	2,262	2,287	2,414
Mother Reported Smoking while Pregnant	386	481	490

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	4	4	7
Hepatitis B Chronic, Acute, Prenatal	1 6	10	6
Hepatitis C Chronic and Acute	1 66	65	85
Tuberculosis Infection Cases	1 31	23	42

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	1,616	1,546	1,592
Suicides	21	23	32
Self-inflicted Injuries	269	278	226
Homicides		7	4
Assault Injuries	460	552	550
Alcohol Induced Deaths	7	12	10
Drug Induced Deaths	11	29	19
Smoking Attributable Deaths	289	268	271

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 1,500	1,618	
Alcohol Primary Diagnosis	2 98	105	
Drug Primary Diagnosis	2 69	57	
Alcohol Related Diagnosis	428	524	601
Drug Related Diagnosis	539	522	528
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 287	191	
Alcohol Primary Diagnosis	2 93	63	
Drug Primary Diagnosis	2 52	39	
Alcohol Related Diagnosis	454	366	328
Drug Related Diagnosis	348	293	200
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 1,426	1,243	
Alcohol Primary Diagnosis	2 289	296	
Drug Primary Diagnosis	2 219	187	
Alcohol Related Diagnosis	615	607	651
Drug Related Diagnosis	660	551	514

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	161	164	186
Fatal Crashes	10	2	5
Injury Crashes	54	58	79
Property Damage Crashes	97	104	102
Crash Fatalities	10	2	6
Crash Injuries	75	83	104
Drug Involved Crashes--Total	34	29	34
Fatal Crashes	1	0	1
Injury Crashes	19	7	18
Property Damage Crashes	14	22	15
Crash Fatalities	2	0	2
Crash Injuries	28	7	33

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	1,068	1,055	1,145
Liquor Law Arrests	531	536	562
Drug Arrests	1,044	822	938
Methamphetamine Lab Incidents	2	4	1
Violent Offenses	296	264	287
Property Offenses	4,215	4,142	3,874
Domestic Violence Reports	1,364	1,363	1,444

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	1,073	765	911
Violent Offenses	239	165	232
Alcohol Offenses	32	38	60
Drug Offenses	94	55	66
Status Offenses--Total	711	479	585
Truancy	67	49	68
Beyond Parental Control	148	122	168
Habitually Absent from Home	144	114	127
Injurious Behavior	349	191	220
Abuse/Neglect/Custody--Total	525	330	417
Abuse	47	10	42
Neglect	404	163	237
Custody Disputes	74	157	138

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	154	173	182
Parental Alcohol Use Related	0	7	12
Parental Drug Use Related	27	37	51
Parental Alcohol and Drug Use	11	8	15
Child Removed for Other Reason	116	121	104


<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	163	105	84
Probation/Parole Admissions--Total	1,164	1,191	1,116
Probation/Parole Admissions--Drug	318	378	348
Probation/Parole Admissions--DWI	98	97	103
Prison Admissions--Total	651	629	636
Prison Admissions--Drug	182	186	205
Prison Admissions--DWI	58	53	64

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	167	167	171
Alcohol Package Carry-out Licenses	166	162	161

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# PSYCHIATRIC SERVICE AREA 7

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 7  
**CENSUS 2010** 185,454  
**2013 POPULATION ESTIMATE** 188,156


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	125	135	109
Anxiety Disorder	684	668	515
Dementia	0	*	0
Developmental Disorder	24	23	18
Impulse Control Disorder	294	349	288
Mood Disorder	976	1,006	865
Personality Disorder	61	49	48
Psychotic Disorder	212	223	185
Sexual Disorder	*	*	*
Other Diagnosis	103	117	97
Diagnosis Unknown	172	122	212

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	1,554	1,581	1,481	Less than High School Diploma	470	197	119
<b>AGE</b>				High School Grad or G.E.D.	6	188	204
Under 6	27	32	20	Associate Degree or Some College	0	57	63
6 to 9	107	122	122	Bachelor or Advanced Degree	0	19	14
10 to 13	145	192	164	Education Level Unknown	1,078	1,120	1,081
14 to 17	177	180	198	<b>EMPLOYMENT</b>			
18 to 24	155	157	134	Employed	72	70	52
25 to 29	124	126	120	Unemployed	85	317	342
30 to 34	135	115	121	Not in Labor Force	722	136	6
35 to 39	139	121	133	Employment Status Unknown	675	1,058	1,081
40 to 44	143	130	112	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	126	149	122	Independent Living	411	382	359
50 to 54	136	122	112	Dependent Living	444	225	277
55 to 59	81	78	67	Homeless	12	7	7
60 and Over	59	57	56	Other	0	16	15
Age Unknown	0	0	0	Housing Unknown	687	951	823
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	677	716	675	Self / Family / Friend	1,149	1,175	1,131
Female	877	865	806	School	5	7	*
Gender Unknown	0	0	0	Mental Health Provider	30	31	31
<b>RACE / ETHNICITY</b>				Health Care Provider	121	120	74
Caucasian	1,404	1,442	1,346	Court / Criminal Justice	49	41	46
African American	55	57	61	Other	195	200	187
Native American / Alaskan	*	5	*	Referral Source Unknown	5	7	8
Asian / Pacific Islander	5	8	5	<b>TYPE OF COMMITMENT</b>			
Hispanic	32	21	20	Voluntary	1,535	1,558	1,464
Other Race	55	48	46	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	10	11	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	41	42	44	Commitment Type Unknown	6	8	8
Past or Current Military Service	52	47	42				

# PSYCHIATRIC SERVICE AREA 8A



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	8A
<b>POPULATION</b>	
Census 2010	82,114
2013 Estimate	81,335

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	39,523	38,200	39,178
Employed	37,232	35,805	36,052
Unemployed	2,291	2,395	3,126
Unemployment Rate	5.8%	6.3%	8.0%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	4,057	4,046	4,169
Drop-outs	66	90	95
Drop-out Rate	1.6%	2.2%	2.3%
School Suspensions:			
Alcohol Incidents	52	1	1
Drug Incidents	14	67	45
Tobacco Incidents	3	2	1

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	981	989	973
Mother Reported Smoking while Pregnant	233	247	265

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	2	1
Hepatitis B Chronic, Acute, Prenatal	1	9	5
Hepatitis C Chronic and Acute	1	63	60
Tuberculosis Infection Cases	1	14	12

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	903	919	920
Suicides	10	11	14
Self-inflicted Injuries	133	107	96
Homicides		1	0
Assault Injuries	258	183	166
Alcohol Induced Deaths	1	8	7
Drug Induced Deaths	11	16	17
Smoking Attributable Deaths	167	160	179

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	436	452
Alcohol Primary Diagnosis	2	30	24
Drug Primary Diagnosis	2	50	30
Alcohol Related Diagnosis		149	164
Drug Related Diagnosis		223	199
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	263	224
Alcohol Primary Diagnosis	2	80	61
Drug Primary Diagnosis	2	73	47
Alcohol Related Diagnosis		266	224
Drug Related Diagnosis		287	204
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	703	651
Alcohol Primary Diagnosis	2	129	119
Drug Primary Diagnosis	2	171	132
Alcohol Related Diagnosis		396	368
Drug Related Diagnosis		559	463

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	102	122	114
Fatal Crashes	6	5	6
Injury Crashes	44	63	49
Property Damage Crashes	52	54	59
Crash Fatalities	6	5	6
Crash Injuries	65	85	77
Drug Involved Crashes--Total	15	21	24
Fatal Crashes	0	0	0
Injury Crashes	5	7	10
Property Damage Crashes	10	14	14
Crash Fatalities	0	0	0
Crash Injuries	6	12	11

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	489	545	406
Liquor Law Arrests	82	91	98
Drug Arrests	362	348	330
Methamphetamine Lab Incidents	65	79	70
Violent Offenses	282	269	242
Property Offenses	2,705	2,383	2,245
Domestic Violence Reports	539	607	529

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	194	230	291
Violent Offenses	50	68	87
Alcohol Offenses	4	11	18
Drug Offenses	15	23	22
Status Offenses--Total	95	117	124
Truancy	18	28	15
Beyond Parental Control	23	25	26
Habitually Absent from Home	17	24	45
Injurious Behavior	32	37	35
Abuse/Neglect/Custody--Total	354	228	232
Abuse	33	36	35
Neglect	131	102	111
Custody Disputes	190	90	86

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	169	97	100
Parental Alcohol Use Related	6	3	7
Parental Drug Use Related	66	31	22
Parental Alcohol and Drug Use	4	7	4
Child Removed for Other Reason	93	56	67


<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	91	72	32
Probation/Parole Admissions--Total	603	574	497
Probation/Parole Admissions--Drug	166	165	149
Probation/Parole Admissions--DWI	45	44	23
Prison Admissions--Total	276	275	261
Prison Admissions--Drug	75	72	77
Prison Admissions--DWI	13	13	16

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	53	47	52
Alcohol Package Carry-out Licenses	98	106	106

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# PSYCHIATRIC SERVICE AREA 8A

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 8A  
**CENSUS 2010** 82,114  
**2013 POPULATION ESTIMATE** 81,335

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.


<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	56	87	51
Anxiety Disorder	359	357	282
Dementia	*	*	*
Developmental Disorder	16	19	14
Impulse Control Disorder	179	197	144
Mood Disorder	509	530	454
Personality Disorder	125	129	98
Psychotic Disorder	113	108	92
Sexual Disorder	*	*	*
Other Diagnosis	84	78	46
Diagnosis Unknown	410	194	333

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	1,219	1,046	1,060	Less than High School Diploma	230	108	55
<b>AGE</b>				High School Grad or G.E.D.	0	67	76
Under 6	22	23	19	Associate Degree or Some College	0	26	26
6 to 9	69	79	57	Bachelor or Advanced Degree	0	*	*
10 to 13	104	91	95	Education Level Unknown	989	841	899
14 to 17	100	104	96	<b>EMPLOYMENT</b>			
18 to 24	114	88	91	Employed	13	11	8
25 to 29	106	91	81	Unemployed	12	143	150
30 to 34	90	99	104	Not in Labor Force	362	94	6
35 to 39	90	81	112	Employment Status Unknown	832	798	896
40 to 44	136	100	108	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	113	85	103	Independent Living	167	191	148
50 to 54	125	89	95	Dependent Living	205	96	111
55 to 59	83	61	50	Homeless	6	*	*
60 and Over	67	55	49	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	841	755	796
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	547	511	499	Self / Family / Friend	725	478	543
Female	672	535	561	School	32	19	19
Gender Unknown	0	0	0	Mental Health Provider	62	74	111
<b>RACE / ETHNICITY</b>				Health Care Provider	146	131	170
Caucasian	1,164	993	1,011	Court / Criminal Justice	28	38	63
African American	12	8	5	Other	222	302	138
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	16
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	26	29	24	Voluntary	1,203	1,030	1,021
Other Race	14	13	16	Civil	10	9	15
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	5
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	59	53	77	Commitment Type Unknown	*	*	16
Past or Current Military Service	12	10	15				



# PSYCHIATRIC SERVICE AREA 8B



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	8B
<b>POPULATION</b>	
Census 2010	112,950
2013 Estimate	111,195

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	50,585	48,862	49,959
Employed	47,189	45,108	45,289
Unemployed	3,396	3,754	4,670
Unemployment Rate	6.7%	7.7%	9.3%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	5,062	4,943	5,202
Drop-outs	85	155	135
Drop-out Rate	1.7%	3.1%	2.6%
School Suspensions:			
Alcohol Incidents	15	9	12
Drug Incidents	45	60	36
Tobacco Incidents	2	2	1

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	1,188	1,206	1,227
Mother Reported Smoking while Pregnant	319	325	347

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	2	1	2
Hepatitis B Chronic, Acute, Prenatal	1 2	2	5
Hepatitis C Chronic and Acute	1 89	83	89
Tuberculosis Infection Cases	1 14	11	8

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	1,539	1,512	1,501
Suicides	22	24	23
Self-inflicted Injuries	144	213	186
Homicides		5	5
Assault Injuries	361	342	341
Alcohol Induced Deaths	11	9	7
Drug Induced Deaths	30	20	21
Smoking Attributable Deaths	305	297	298

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 984	1,002	
Alcohol Primary Diagnosis	2 58	56	
Drug Primary Diagnosis	2 64	49	
Alcohol Related Diagnosis	394	439	417
Drug Related Diagnosis	451	424	420
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 458	289	
Alcohol Primary Diagnosis	2 54	72	
Drug Primary Diagnosis	2 59	43	
Alcohol Related Diagnosis	329	327	286
Drug Related Diagnosis	333	269	225
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 1,102	1,018	
Alcohol Primary Diagnosis	2 174	173	
Drug Primary Diagnosis	2 179	166	
Alcohol Related Diagnosis	540	474	496
Drug Related Diagnosis	686	514	563

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	136	119	138
Fatal Crashes	4	8	9
Injury Crashes	51	55	70
Property Damage Crashes	81	56	59
Crash Fatalities	4	10	9
Crash Injuries	73	75	111
Drug Involved Crashes--Total	25	23	23
Fatal Crashes	1	1	1
Injury Crashes	9	10	14
Property Damage Crashes	15	12	8
Crash Fatalities	1	1	1
Crash Injuries	10	11	20

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	584	721	729
Liquor Law Arrests	137	153	219
Drug Arrests	651	552	534
Methamphetamine Lab Incidents	15	14	77
Violent Offenses	393	338	326
Property Offenses	3,739	3,173	2,983
Domestic Violence Reports	650	722	633

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	722	616	591
Violent Offenses	197	164	178
Alcohol Offenses	44	51	52
Drug Offenses	50	33	37
Status Offenses--Total	435	584	473
Truancy	136	196	151
Beyond Parental Control	102	134	130
Habitually Absent from Home	52	57	51
Injurious Behavior	139	188	129
Abuse/Neglect/Custody--Total	627	644	601
Abuse	164	189	130
Neglect	445	436	434
Custody Disputes	18	19	37

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	88	125	160
Parental Alcohol Use Related	7	3	3
Parental Drug Use Related	35	41	51
Parental Alcohol and Drug Use	1	4	1
Child Removed for Other Reason	45	77	105


<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	87	80	75
Probation/Parole Admissions--Total	908	826	779
Probation/Parole Admissions--Drug	258	199	202
Probation/Parole Admissions--DWI	61	72	54
Prison Admissions--Total	423	430	393
Prison Admissions--Drug	115	107	89
Prison Admissions--DWI	23	27	23

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	128	136	137
Alcohol Package Carry-out Licenses	148	156	150

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# PSYCHIATRIC SERVICE AREA 8B

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 8B  
**CENSUS 2010** 112,950  
**2013 POPULATION ESTIMATE** 111,195


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	70	79	68
Anxiety Disorder	826	783	662
Dementia	*	*	*
Developmental Disorder	17	25	16
Impulse Control Disorder	166	223	223
Mood Disorder	1,174	1,153	1,035
Personality Disorder	124	121	101
Psychotic Disorder	252	269	245
Sexual Disorder	*	*	*
Other Diagnosis	125	135	86
Diagnosis Unknown	152	133	293

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	1,739	1,735	1,732	Less than High School Diploma	656	356	251
<b>AGE</b>				High School Grad or G.E.D.	0	347	360
Under 6	11	17	16	Associate Degree or Some College	0	87	76
6 to 9	81	90	92	Bachelor or Advanced Degree	0	17	15
10 to 13	123	148	133	Education Level Unknown	1,083	928	1,030
14 to 17	103	129	142	<b>EMPLOYMENT</b>			
18 to 24	161	142	157	Employed	68	90	95
25 to 29	149	141	144	Unemployed	105	614	594
30 to 34	174	143	140	Not in Labor Force	1,140	217	15
35 to 39	152	137	143	Employment Status Unknown	426	814	1,028
40 to 44	163	178	168	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	198	200	214	Independent Living	759	715	622
50 to 54	209	184	188	Dependent Living	517	241	251
55 to 59	132	132	107	Homeless	26	16	8
60 and Over	83	94	88	Other	0	13	15
Age Unknown	0	0	0	Housing Unknown	437	750	836
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	759	755	771	Self / Family / Friend	1,138	1,189	1,220
Female	980	980	961	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	84	109	123
<b>RACE / ETHNICITY</b>				Health Care Provider	186	170	120
Caucasian	1,682	1,678	1,669	Court / Criminal Justice	41	35	41
African American	19	16	16	Other	270	211	202
Native American / Alaskan	5	6	7	Referral Source Unknown	17	18	22
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	12	18	20	Voluntary	1,695	1,688	1,674
Other Race	21	17	20	Civil	18	21	26
Race/Ethnicity Unknown	0	0	0	Criminal	5	5	8
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	40	31	32	Commitment Type Unknown	17	18	22
Past or Current Military Service	36	43	40				

# PSYCHIATRIC SERVICE AREA 9



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	9
<b>POPULATION</b>	
Census 2010	211,003
2013 Estimate	210,076

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	2,963	2,881	2,965
Mother Reported Smoking while Pregnant	552	604	637
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	7	6	12
Hepatitis B Chronic, Acute, Prenatal	1 15	19	12
Hepatitis C Chronic and Acute	1 150	222	180
Tuberculosis Infection Cases	1 111	122	71
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	2,067	2,117	2,009
Suicides	32	33	25
Self-inflicted Injuries	220	283	282
Homicides		6	5
Assault Injuries	596	637	744
Alcohol Induced Deaths	14	5	9
Drug Induced Deaths	15	32	38
Smoking Attributable Deaths	387	371	365
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 1,410	1,869	
Alcohol Primary Diagnosis	2 205	247	
Drug Primary Diagnosis	2 125	152	
Alcohol Related Diagnosis	750	1,111	1,187
Drug Related Diagnosis	717	999	1,123
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 954	360	
Alcohol Primary Diagnosis	2 274	173	
Drug Primary Diagnosis	2 161	85	
Alcohol Related Diagnosis	797	407	487
Drug Related Diagnosis	679	291	422
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 2,060	2,133	
Alcohol Primary Diagnosis	2 514	413	
Drug Primary Diagnosis	2 339	292	
Alcohol Related Diagnosis	1,280	1,059	1,229
Drug Related Diagnosis	1,082	997	1,048
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	242	235	238
Fatal Crashes	4	8	7
Injury Crashes	107	96	109
Property Damage Crashes	131	131	122
Crash Fatalities	5	8	7
Crash Injuries	144	135	151
Drug Involved Crashes--Total	72	72	55
Fatal Crashes	0	3	1
Injury Crashes	26	32	21
Property Damage Crashes	46	37	33
Crash Fatalities	0	3	1
Crash Injuries	36	36	29

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	102,357	102,047	103,831
Employed	96,371	95,753	95,689
Unemployed	5,986	6,294	8,142
Unemployment Rate	5.8%	6.2%	7.8%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	10,008	9,730	10,176
Drop-outs	245	280	278
Drop-out Rate	2.4%	2.9%	2.7%
School Suspensions:			
Alcohol Incidents	22	19	12
Drug Incidents	70	80	132
Tobacco Incidents	0	2	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	1,668	1,943	2,089
Liquor Law Arrests	345	326	382
Drug Arrests	713	705	1,068
Methamphetamine Lab Incidents	145	165	171
Violent Offenses	820	681	757
Property Offenses	8,344	7,221	7,162
Domestic Violence Reports	2,284	2,013	2,047

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	1,354	1,115	1,166
Violent Offenses	315	282	305
Alcohol Offenses	53	63	62
Drug Offenses	101	89	95
Status Offenses--Total	408	453	534
Truancy	72	118	180
Beyond Parental Control	108	103	125
Habitually Absent from Home	84	76	89
Injurious Behavior	122	124	112
Abuse/Neglect/Custody--Total	1,319	1,130	1,385
Abuse	81	107	135
Neglect	1,031	984	1,188
Custody Disputes	207	39	62

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	523	550	601
Parental Alcohol Use Related	30	22	20
Parental Drug Use Related	183	212	188
Parental Alcohol and Drug Use	10	17	26
Child Removed for Other Reason	300	299	367


<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	211	164	120
Probation/Parole Admissions--Total	1,226	1,221	1,285
Probation/Parole Admissions--Drug	322	376	437
Probation/Parole Admissions--DWI	186	172	135
Prison Admissions--Total	569	561	631
Prison Admissions--Drug	186	146	203
Prison Admissions--DWI	77	64	72

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	185	179	181
Alcohol Package Carry-out Licenses	204	228	226

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# PSYCHIATRIC SERVICE AREA 9

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 9  
**CENSUS 2010** 211,003  
**2013 POPULATION ESTIMATE** 210,076


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	199	254	216
Anxiety Disorder	1,324	1,122	923
Dementia	*	5	6
Developmental Disorder	50	36	20
Impulse Control Disorder	709	736	642
Mood Disorder	2,086	2,017	1,803
Personality Disorder	393	232	165
Psychotic Disorder	341	375	339
Sexual Disorder	18	0	6
Other Diagnosis	263	198	136
Diagnosis Unknown	668	572	780

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	4,228	4,381	4,228	Less than High School Diploma	887	403	266
<b>AGE</b>				High School Grad or G.E.D.	13	356	358
Under 6	88	74	68	Associate Degree or Some College	5	173	133
6 to 9	315	303	291	Bachelor or Advanced Degree	0	40	36
10 to 13	347	368	358	Education Level Unknown	3,323	3,409	3,435
14 to 17	365	374	374	<b>EMPLOYMENT</b>			
18 to 24	380	456	450	Employed	223	160	103
25 to 29	409	387	369	Unemployed	224	731	669
30 to 34	383	431	397	Not in Labor Force	1,487	267	21
35 to 39	340	379	391	Employment Status Unknown	2,294	3,223	3,435
40 to 44	392	386	338	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	384	414	413	Independent Living	952	836	652
50 to 54	416	416	391	Dependent Living	774	286	335
55 to 59	242	227	215	Homeless	69	41	49
60 and Over	167	166	173	Other	*	25	33
Age Unknown	0	0	0	Housing Unknown	2,432	3,193	3,159
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	1,936	2,037	1,903	Self / Family / Friend	3,421	3,352	3,276
Female	2,292	2,344	2,325	School	6	7	5
Gender Unknown	0	0	0	Mental Health Provider	88	140	163
<b>RACE / ETHNICITY</b>				Health Care Provider	168	185	154
Caucasian	3,888	4,037	3,940	Court / Criminal Justice	240	335	249
African American	102	86	67	Other	286	338	335
Native American / Alaskan	14	22	17	Referral Source Unknown	19	24	46
Asian / Pacific Islander	7	7	12	<b>TYPE OF COMMITMENT</b>			
Hispanic	114	120	85	Voluntary	4,002	4,039	3,943
Other Race	103	109	106	Civil	191	307	223
Race/Ethnicity Unknown	0	0	*	Criminal	10	10	14
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	0	0
Hearing Impaired	46	60	55	Commitment Type Unknown	21	25	48
Past or Current Military Service	64	91	75				

# PSYCHIATRIC SERVICE AREA 10



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	10
<b>POPULATION</b>	
Census 2010	520,589
2013 Estimate	533,616

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	6,465	6,527	6,592
Mother Reported Smoking while Pregnant	1,160	1,221	1,274
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	31	29	39
Hepatitis B Chronic, Acute, Prenatal	1 47	46	39
Hepatitis C Chronic and Acute	1 567	587	455
Tuberculosis Infection Cases	1 140	204	323
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	4,760	4,637	4,713
Suicides	75	89	75
Self-inflicted Injuries	796	796	823
Homicides		16	14
Assault Injuries	1,738	1,747	1,696
Alcohol Induced Deaths	41	42	52
Drug Induced Deaths	86	99	133
Smoking Attributable Deaths	837	767	841
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 2,539	2,518	
Alcohol Primary Diagnosis	2 180	118	
Drug Primary Diagnosis	2 246	137	
Alcohol Related Diagnosis	734	643	1,096
Drug Related Diagnosis	1,183	1,007	1,542
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 2,963	2,706	
Alcohol Primary Diagnosis	2 1,069	945	
Drug Primary Diagnosis	2 778	620	
Alcohol Related Diagnosis	2,917	2,568	1,980
Drug Related Diagnosis	2,862	2,557	1,694
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 4,832	4,897	
Alcohol Primary Diagnosis	2 2,022	1,928	
Drug Primary Diagnosis	2 1,443	1,376	
Alcohol Related Diagnosis	4,133	3,754	2,955
Drug Related Diagnosis	4,167	3,302	2,528
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	547	580	590
Fatal Crashes	20	17	22
Injury Crashes	241	245	236
Property Damage Crashes	286	318	332
Crash Fatalities	21	18	25
Crash Injuries	330	366	341
Drug Involved Crashes--Total	137	140	143
Fatal Crashes	3	3	4
Injury Crashes	64	65	68
Property Damage Crashes	70	72	71
Crash Fatalities	4	3	5
Crash Injuries	96	70	99

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	264,447	264,229	266,619
Employed	248,209	246,428	244,210
Unemployed	16,238	17,801	22,409
Unemployment Rate	6.1%	6.7%	8.4%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	22,512	22,461	22,892
Drop-outs	401	447	465
Drop-out Rate	1.8%	2.0%	2.0%
School Suspensions:			
Alcohol Incidents	40	56	57
Drug Incidents	292	238	344
Tobacco Incidents	7	51	22

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	3,127	2,964	2,807
Liquor Law Arrests	551	600	1,063
Drug Arrests	2,766	2,415	2,413
Methamphetamine Lab Incidents	173	205	106
Violent Offenses	2,539	2,240	2,306
Property Offenses	23,175	22,992	23,424
Domestic Violence Reports	5,307	5,067	5,301

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	2,399	2,580	2,596
Violent Offenses	709	805	888
Alcohol Offenses	106	90	147
Drug Offenses	232	268	264
Status Offenses--Total	937	1,106	1,044
Truancy	69	64	68
Beyond Parental Control	184	224	183
Habitually Absent from Home	147	204	176
Injurious Behavior	535	605	615
Abuse/Neglect/Custody--Total	1,128	1,223	1,350
Abuse	205	271	272
Neglect	794	792	962
Custody Disputes	129	160	116

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	589	708	769
Parental Alcohol Use Related	19	36	35
Parental Drug Use Related	252	217	252
Parental Alcohol and Drug Use	21	23	44
Child Removed for Other Reason	297	432	438

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	1,168	1,028	880
Probation/Parole Admissions--Total	3,378	3,283	3,053
Probation/Parole Admissions--Drug	1,085	1,111	980
Probation/Parole Admissions--DWI	235	236	187
Prison Admissions--Total	1,764	1,697	1,683
Prison Admissions--Drug	617	588	556
Prison Admissions--DWI	91	87	80


<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	567	588	578
Alcohol Package Carry-out Licenses	399	465	454

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# PSYCHIATRIC SERVICE AREA 10

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 10  
**CENSUS 2010** 520,589  
**2013 POPULATION ESTIMATE** 533,616


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	139	185	270
Anxiety Disorder	1,404	1,392	1,365
Dementia	14	17	15
Developmental Disorder	108	118	128
Impulse Control Disorder	398	470	556
Mood Disorder	2,217	2,243	2,342
Personality Disorder	467	508	491
Psychotic Disorder	893	945	929
Sexual Disorder	9	*	11
Other Diagnosis	358	376	364
Diagnosis Unknown	313	551	898

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	3,615	3,965	4,676	Less than High School Diploma	890	738	436
<b>AGE</b>				High School Grad or G.E.D.	*	722	672
Under 6	107	122	174	Associate Degree or Some College	*	327	288
6 to 9	200	284	374	Bachelor or Advanced Degree	0	87	79
10 to 13	202	247	356	Education Level Unknown	2,722	2,091	3,201
14 to 17	178	283	381	<b>EMPLOYMENT</b>			
18 to 24	244	217	300	Employed	89	190	156
25 to 29	272	265	295	Unemployed	141	1,426	1,272
30 to 34	368	357	379	Not in Labor Force	2,096	620	63
35 to 39	365	348	380	Employment Status Unknown	1,289	1,729	3,185
40 to 44	352	392	424	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	435	471	545	Independent Living	1,190	1,551	1,147
50 to 54	384	417	447	Dependent Living	1,023	696	689
55 to 59	281	296	314	Homeless	107	54	39
60 and Over	227	266	307	Other	*	41	44
Age Unknown	0	0	0	Housing Unknown	1,294	1,623	2,757
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	1,747	1,871	2,284	Self / Family / Friend	2,028	2,550	3,241
Female	1,868	2,094	2,392	School	19	30	23
Gender Unknown	0	0	0	Mental Health Provider	154	147	155
<b>RACE / ETHNICITY</b>				Health Care Provider	487	394	270
Caucasian	3,222	3,566	4,219	Court / Criminal Justice	230	132	121
African American	129	119	127	Other	623	629	726
Native American / Alaskan	7	15	11	Referral Source Unknown	74	83	140
Asian / Pacific Islander	7	12	10	<b>TYPE OF COMMITMENT</b>			
Hispanic	75	61	66	Voluntary	3,480	3,804	4,437
Other Race	175	192	243	Civil	30	34	57
Race/Ethnicity Unknown	0	0	0	Criminal	29	39	35
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	116	126	126	Commitment Type Unknown	74	86	144
Past or Current Military Service	102	101	111				

# PSYCHIATRIC SERVICE AREA 11



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	11
<b>POPULATION</b>	
Census 2010	246,463
2013 Estimate	248,756


<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	3,071	3,055	3,184
Mother Reported Smoking while Pregnant	684	660	645
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	7	9	9
Hepatitis B Chronic, Acute, Prenatal	1 17	19	14
Hepatitis C Chronic and Acute	1 174	184	163
Tuberculosis Infection Cases	1 66	58	48
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	2,184	2,092	2,021
Suicides	41	33	41
Self-inflicted Injuries	257	277	275
Homicides		10	12
Assault Injuries	792	771	827
Alcohol Induced Deaths	18	17	14
Drug Induced Deaths	35	32	36
Smoking Attributable Deaths	427	402	360
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 1,143	1,063	
Alcohol Primary Diagnosis	2 58	42	
Drug Primary Diagnosis	2 104	52	
Alcohol Related Diagnosis	354	337	549
Drug Related Diagnosis	531	444	584
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 1,021	839	
Alcohol Primary Diagnosis	2 251	269	
Drug Primary Diagnosis	2 129	150	
Alcohol Related Diagnosis	912	978	676
Drug Related Diagnosis	772	755	455
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 1,959	1,916	
Alcohol Primary Diagnosis	2 395	430	
Drug Primary Diagnosis	2 379	383	
Alcohol Related Diagnosis	866	893	836
Drug Related Diagnosis	1,003	797	738
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	269	275	281
Fatal Crashes	13	15	11
Injury Crashes	119	121	115
Property Damage Crashes	137	139	155
Crash Fatalities	13	15	12
Crash Injuries	177	175	157
Drug Involved Crashes--Total	40	46	32
Fatal Crashes	2	3	0
Injury Crashes	14	15	11
Property Damage Crashes	24	28	21
Crash Fatalities	2	3	0
Crash Injuries	19	18	15

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	116,343	112,982	116,794
Employed	108,366	104,696	106,629
Unemployed	7,977	8,286	10,165
Unemployment Rate	6.9%	7.3%	8.7%
<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	11,531	11,548	11,674
Drop-outs	216	270	330
Drop-out Rate	1.9%	2.3%	2.8%
School Suspensions:			
Alcohol Incidents	21	56	26
Drug Incidents	97	160	149
Tobacco Incidents	8	7	5
<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	1,502	1,708	1,657
Liquor Law Arrests	465	488	552
Drug Arrests	1,359	1,245	1,108
Methamphetamine Lab Incidents	43	48	68
Violent Offenses	828	878	850
Property Offenses	5,887	5,849	5,578
Domestic Violence Reports	2,013	1,863	1,550
<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	1,033	1,161	1,088
Violent Offenses	271	330	355
Alcohol Offenses	70	68	56
Drug Offenses	80	118	79
Status Offenses--Total	854	1,045	1,168
Truancy	292	349	440
Beyond Parental Control	63	79	73
Habitually Absent from Home	125	132	107
Injurious Behavior	364	468	512
Abuse/Neglect/Custody--Total	1,379	1,523	1,183
Abuse	571	641	515
Neglect	800	879	661
Custody Disputes	8	3	7
<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	293	310	292
Parental Alcohol Use Related	4	7	8
Parental Drug Use Related	78	101	74
Parental Alcohol and Drug Use	13	1	6
Child Removed for Other Reason	198	201	204
<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	145	130	95
Probation/Parole Admissions--Total	1,792	1,576	1,473
Probation/Parole Admissions--Drug	668	536	498
Probation/Parole Admissions--DWI	133	152	135
Prison Admissions--Total	908	831	779
Prison Admissions--Drug	318	278	256
Prison Admissions--DWI	58	70	63
<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	414	403	410
Alcohol Package Carry-out Licenses	280	284	289

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# PSYCHIATRIC SERVICE AREA 11

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 11  
**CENSUS 2010** 246,463  
**2013 POPULATION ESTIMATE** 248,756


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	83	69	42
Anxiety Disorder	977	836	635
Dementia	*	0	*
Developmental Disorder	16	16	9
Impulse Control Disorder	265	234	191
Mood Disorder	1,417	1,272	1,025
Personality Disorder	99	90	94
Psychotic Disorder	344	341	300
Sexual Disorder	*	*	*
Other Diagnosis	152	124	94
Diagnosis Unknown	107	173	387

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	2,061	1,933	1,840	Less than High School Diploma	795	466	309
<b>AGE</b>				High School Grad or G.E.D.	6	420	394
Under 6	22	15	15	Associate Degree or Some College	*	156	137
6 to 9	98	86	85	Bachelor or Advanced Degree	*	27	26
10 to 13	152	170	145	Education Level Unknown	1,254	864	974
14 to 17	218	171	169	<b>EMPLOYMENT</b>			
18 to 24	178	162	136	Employed	114	134	120
25 to 29	159	146	153	Unemployed	199	809	721
30 to 34	176	169	151	Not in Labor Force	1,371	284	36
35 to 39	150	159	169	Employment Status Unknown	377	706	963
40 to 44	194	157	163	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	206	226	227	Independent Living	1,009	969	726
50 to 54	218	205	183	Dependent Living	687	362	418
55 to 59	150	135	119	Homeless	33	12	15
60 and Over	140	132	125	Other	0	17	13
Age Unknown	0	0	0	Housing Unknown	332	573	668
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	909	862	823	Self / Family / Friend	1,170	1,057	980
Female	1,152	1,071	1,017	School	7	*	8
Gender Unknown	0	0	0	Mental Health Provider	168	186	206
<b>RACE / ETHNICITY</b>				Health Care Provider	271	243	166
Caucasian	1,835	1,719	1,647	Court / Criminal Justice	133	127	112
African American	118	116	98	Other	311	316	361
Native American / Alaskan	12	7	8	Referral Source Unknown	*	*	7
Asian / Pacific Islander	5	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	33	35	33	Voluntary	2,034	1,905	1,806
Other Race	58	53	51	Civil	8	8	8
Race/Ethnicity Unknown	0	0	0	Criminal	14	18	19
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	0
Hearing Impaired	76	66	69	Commitment Type Unknown	*	*	7
Past or Current Military Service	54	46	60				

# PSYCHIATRIC SERVICE AREA 12



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	12
<b>POPULATION</b>	
Census 2010	334,670
2013 Estimate	341,842


<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	4,291	4,260	4,183
Mother Reported Smoking while Pregnant	801	812	848
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	8	11	13
Hepatitis B Chronic, Acute, Prenatal	1 37	26	22
Hepatitis C Chronic and Acute	1 246	245	186
Tuberculosis Infection Cases	1 287	321	299
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	2,788	2,940	2,763
Suicides	48	45	23
Self-inflicted Injuries	378	332	333
Homicides		12	9
Assault Injuries	985	1,025	994
Alcohol Induced Deaths	19	18	16
Drug Induced Deaths	37	43	41
Smoking Attributable Deaths	470	483	477
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 1,632	1,618	
Alcohol Primary Diagnosis	2 153	160	
Drug Primary Diagnosis	2 88	73	
Alcohol Related Diagnosis	847	892	786
Drug Related Diagnosis	749	703	689
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 1,504	1,227	
Alcohol Primary Diagnosis	2 404	340	
Drug Primary Diagnosis	2 195	197	
Alcohol Related Diagnosis	1,180	978	1,039
Drug Related Diagnosis	1,043	847	801
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 2,466	2,370	
Alcohol Primary Diagnosis	2 549	487	
Drug Primary Diagnosis	2 380	313	
Alcohol Related Diagnosis	1,442	1,280	1,362
Drug Related Diagnosis	1,326	1,188	1,084
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	345	319	418
Fatal Crashes	14	13	11
Injury Crashes	157	118	172
Property Damage Crashes	174	188	235
Crash Fatalities	14	15	11
Crash Injuries	221	181	239
Drug Involved Crashes--Total	53	48	60
Fatal Crashes	2	6	1
Injury Crashes	30	18	29
Property Damage Crashes	21	24	30
Crash Fatalities	3	7	1
Crash Injuries	50	21	46

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	178,245	174,480	175,262
Employed	168,800	164,420	162,596
Unemployed	9,445	10,060	12,666
Unemployment Rate	5.3%	5.8%	7.2%
<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	14,096	14,050	14,362
Drop-outs	278	364	291
Drop-out Rate	2.0%	2.6%	2.0%
School Suspensions:			
Alcohol Incidents	10	12	2
Drug Incidents	78	65	82
Tobacco Incidents	1	2	4
<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	2,099	2,036	2,623
Liquor Law Arrests	1,022	1,137	1,143
Drug Arrests	2,333	2,166	2,072
Methamphetamine Lab Incidents	49	64	79
Violent Offenses	1,044	1,121	1,065
Property Offenses	10,158	9,774	9,024
Domestic Violence Reports	2,898	2,825	2,665
<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	1,973	1,946	2,275
Violent Offenses	539	553	661
Alcohol Offenses	53	51	80
Drug Offenses	183	173	143
Status Offenses--Total	1,759	1,612	1,822
Truancy	340	286	314
Beyond Parental Control	470	451	418
Habitually Absent from Home	234	172	239
Injurious Behavior	660	680	824
Abuse/Neglect/Custody--Total	787	586	483
Abuse	162	136	128
Neglect	529	360	315
Custody Disputes	96	90	40
<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	385	322	178
Parental Alcohol Use Related	10	24	4
Parental Drug Use Related	155	65	38
Parental Alcohol and Drug Use	7	11	2
Child Removed for Other Reason	213	222	134
<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	398	404	458
Probation/Parole Admissions--Total	2,837	2,640	2,469
Probation/Parole Admissions--Drug	822	740	692
Probation/Parole Admissions--DWI	175	207	205
Prison Admissions--Total	1,342	1,364	1,407
Prison Admissions--Drug	452	440	447
Prison Admissions--DWI	105	116	107
<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	452	448	453
Alcohol Package Carry-out Licenses	327	332	318

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# PSYCHIATRIC SERVICE AREA 12

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 12  
**CENSUS 2010** 334,670  
**2013 POPULATION ESTIMATE** 341,842

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.


<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	120	124	84
Anxiety Disorder	1,621	1,682	1,296
Dementia	*	8	10
Developmental Disorder	52	59	42
Impulse Control Disorder	464	517	418
Mood Disorder	2,332	2,375	1,842
Personality Disorder	370	369	304
Psychotic Disorder	632	616	486
Sexual Disorder	11	5	10
Other Diagnosis	203	193	141
Diagnosis Unknown	241	375	577

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	3,507	3,699	3,151	Less than High School Diploma	1,037	746	435
<b>AGE</b>				High School Grad or G.E.D.	13	792	723
Under 6	18	19	15	Associate Degree or Some College	*	404	298
6 to 9	111	122	102	Bachelor or Advanced Degree	*	96	76
10 to 13	220	222	210	Education Level Unknown	2,452	1,661	1,619
14 to 17	247	259	227	<b>EMPLOYMENT</b>			
18 to 24	326	408	361	Employed	313	342	259
25 to 29	304	351	288	Unemployed	473	1,583	1,249
30 to 34	342	369	286	Not in Labor Force	2,072	478	53
35 to 39	313	314	277	Employment Status Unknown	649	1,296	1,590
40 to 44	359	369	308	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	393	405	347	Independent Living	1,847	1,898	1,311
50 to 54	350	358	298	Dependent Living	887	518	487
55 to 59	268	268	241	Homeless	101	50	25
60 and Over	256	235	191	Other	*	51	64
Age Unknown	0	0	0	Housing Unknown	671	1,182	1,264
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	1,610	1,674	1,391	Self / Family / Friend	1,475	1,787	1,614
Female	1,897	2,025	1,760	School	22	14	11
Gender Unknown	0	0	0	Mental Health Provider	317	348	358
<b>RACE / ETHNICITY</b>				Health Care Provider	965	895	554
Caucasian	2,696	2,912	2,519	Court / Criminal Justice	312	250	220
African American	609	575	445	Other	407	396	377
Native American / Alaskan	6	8	7	Referral Source Unknown	9	9	17
Asian / Pacific Islander	10	12	14	<b>TYPE OF COMMITMENT</b>			
Hispanic	64	53	48	Voluntary	3,439	3,626	3,062
Other Race	122	139	118	Civil	9	12	13
Race/Ethnicity Unknown	0	0	0	Criminal	45	46	54
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	5	5	*
Hearing Impaired	112	103	88	Commitment Type Unknown	9	10	19
Past or Current Military Service	90	94	80				



# PSYCHIATRIC SERVICE AREA 13



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	13
<b>POPULATION</b>	
Census 2010	80,509
2013 Estimate	78,744

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	38,835	37,641	38,202
Employed	36,513	35,119	35,047
Unemployed	2,322	2,522	3,155
Unemployment Rate	6.0%	6.7%	8.3%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	3,734	3,725	3,804
Drop-outs	49	53	78
Drop-out Rate	1.3%	1.4%	2.1%
School Suspensions:			
Alcohol Incidents	15	7	3
Drug Incidents	13	18	11
Tobacco Incidents	0	0	3

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	954	893	950
Mother Reported Smoking while Pregnant	246	226	235

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	3
Hepatitis B Chronic, Acute, Prenatal	1 8	2	1
Hepatitis C Chronic and Acute	1 37	43	27
Tuberculosis Infection Cases	1 7	13	5

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	979	977	965
Suicides	14	14	21
Self-inflicted Injuries	112	105	101
Homicides		6	2
Assault Injuries	172	179	184
Alcohol Induced Deaths	3	4	1
Drug Induced Deaths	9	6	13
Smoking Attributable Deaths	191	187	177

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 555	527	
Alcohol Primary Diagnosis	2 25	45	
Drug Primary Diagnosis	2 23	31	
Alcohol Related Diagnosis	192	254	251
Drug Related Diagnosis	247	214	230
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 160	144	
Alcohol Primary Diagnosis	2 26	25	
Drug Primary Diagnosis	2 30	23	
Alcohol Related Diagnosis	176	131	86
Drug Related Diagnosis	143	125	63
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 767	639	
Alcohol Primary Diagnosis	2 114	101	
Drug Primary Diagnosis	2 94	70	
Alcohol Related Diagnosis	289	276	261
Drug Related Diagnosis	308	235	246

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	65	76	76
Fatal Crashes	3	4	0
Injury Crashes	33	34	38
Property Damage Crashes	29	38	38
Crash Fatalities	3	6	0
Crash Injuries	44	43	50
Drug Involved Crashes--Total	17	11	7
Fatal Crashes	0	1	0
Injury Crashes	10	5	3
Property Damage Crashes	7	5	4
Crash Fatalities	0	1	0
Crash Injuries	13	5	4

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	388	414	425
Liquor Law Arrests	91	168	201
Drug Arrests	381	374	393
Methamphetamine Lab Incidents	10	13	5
Violent Offenses	128	158	158
Property Offenses	1,403	1,228	1,184
Domestic Violence Reports	498	482	477

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	475	289	284
Violent Offenses	68	60	77
Alcohol Offenses	15	26	43
Drug Offenses	16	17	20
Status Offenses--Total	376	423	393
Truancy	188	241	189
Beyond Parental Control	71	70	66
Habitually Absent from Home	20	11	31
Injurious Behavior	96	99	103
Abuse/Neglect/Custody--Total	252	274	282
Abuse	68	91	82
Neglect	184	171	199
Custody Disputes	0	12	1

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	130	96	76
Parental Alcohol Use Related	5	6	4
Parental Drug Use Related	39	17	15
Parental Alcohol and Drug Use	3	3	1
Child Removed for Other Reason	83	70	56


<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	98	94	90
Probation/Parole Admissions--Total	719	658	642
Probation/Parole Admissions--Drug	246	210	195
Probation/Parole Admissions--DWI	40	41	38
Prison Admissions--Total	456	411	414
Prison Admissions--Drug	151	140	130
Prison Admissions--DWI	33	27	35

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	91	89	87
Alcohol Package Carry-out Licenses	103	107	104

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# PSYCHIATRIC SERVICE AREA 13

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 13  
**CENSUS 2010** 80,509  
**2013 POPULATION ESTIMATE** 78,744


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	37	40	29
Anxiety Disorder	585	669	530
Dementia	6	6	5
Developmental Disorder	42	41	25
Impulse Control Disorder	243	238	163
Mood Disorder	869	976	810
Personality Disorder	145	170	141
Psychotic Disorder	163	173	161
Sexual Disorder	6	0	7
Other Diagnosis	135	123	81
Diagnosis Unknown	43	87	286

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	1,236	1,382	1,382	Less than High School Diploma	474	210	133
<b>AGE</b>				High School Grad or G.E.D.	54	268	286
Under 6	9	7	*	Associate Degree or Some College	8	67	86
6 to 9	77	73	63	Bachelor or Advanced Degree	0	13	16
10 to 13	129	124	120	Education Level Unknown	700	824	861
14 to 17	125	115	113	<b>EMPLOYMENT</b>			
18 to 24	117	116	117	Employed	119	87	72
25 to 29	71	107	117	Unemployed	170	399	429
30 to 34	99	110	120	Not in Labor Force	775	173	21
35 to 39	84	103	99	Employment Status Unknown	172	723	860
40 to 44	110	144	149	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	108	118	115	Independent Living	612	485	451
50 to 54	98	125	129	Dependent Living	434	227	223
55 to 59	94	119	105	Homeless	15	*	*
60 and Over	115	121	132	Other	0	6	13
Age Unknown	0	0	0	Housing Unknown	175	662	694
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	527	567	547	Self / Family / Friend	590	598	568
Female	709	815	835	School	27	19	16
Gender Unknown	0	0	0	Mental Health Provider	115	167	222
<b>RACE / ETHNICITY</b>				Health Care Provider	234	302	274
Caucasian	1,182	1,325	1,329	Court / Criminal Justice	101	113	95
African American	14	20	16	Other	162	172	195
Native American / Alaskan	*	*	*	Referral Source Unknown	7	11	12
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	22	19	18	Voluntary	1,223	1,367	1,361
Other Race	16	16	18	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	6
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	32	29	23	Commitment Type Unknown	7	11	12
Past or Current Military Service	21	33	29				

# PSYCHIATRIC SERVICE AREA 14



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	14
<b>POPULATION</b>	
Census 2010	107,082
2013 Estimate	106,605

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	1,223	1,281	1,249
Mother Reported Smoking while Pregnant	291	308	314
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	4	3	2
Hepatitis B Chronic, Acute, Prenatal	1 5	2	5
Hepatitis C Chronic and Acute	1 56	62	68
Tuberculosis Infection Cases	1 18	24	31
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	1,180	1,143	1,181
Suicides	14	15	12
Self-inflicted Injuries	138	119	124
Homicides		0	3
Assault Injuries	219	219	214
Alcohol Induced Deaths	2	2	8
Drug Induced Deaths	14	14	12
Smoking Attributable Deaths	198	197	217
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 543	604	
Alcohol Primary Diagnosis	2 45	73	
Drug Primary Diagnosis	2 21	35	
Alcohol Related Diagnosis	242	362	301
Drug Related Diagnosis	181	230	204
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 165	142	
Alcohol Primary Diagnosis	2 38	12	
Drug Primary Diagnosis	2 36	17	
Alcohol Related Diagnosis	213	91	223
Drug Related Diagnosis	193	90	143
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 677	649	
Alcohol Primary Diagnosis	2 210	178	
Drug Primary Diagnosis	2 89	97	
Alcohol Related Diagnosis	345	299	314
Drug Related Diagnosis	181	192	159
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	107	85	107
Fatal Crashes	4	3	4
Injury Crashes	56	43	47
Property Damage Crashes	47	39	56
Crash Fatalities	4	3	4
Crash Injuries	84	64	67
Drug Involved Crashes--Total	19	21	16
Fatal Crashes	1	0	1
Injury Crashes	6	7	3
Property Damage Crashes	12	14	12
Crash Fatalities	1	0	1
Crash Injuries	12	13	4

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	55,288	52,384	54,194
Employed	52,170	49,181	50,173
Unemployed	3,118	3,203	4,021
Unemployment Rate	5.6%	6.1%	7.4%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	4,828	4,779	4,847
Drop-outs	77	78	77
Drop-out Rate	1.6%	1.6%	1.6%
School Suspensions:			
Alcohol Incidents	2	9	1
Drug Incidents	15	11	16
Tobacco Incidents	0	2	3

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	654	680	750
Liquor Law Arrests	373	408	453
Drug Arrests	620	603	536
Methamphetamine Lab Incidents	103	111	76
Violent Offenses	204	260	262
Property Offenses	2,849	2,861	3,006
Domestic Violence Reports	637	803	773

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	573	458	384
Violent Offenses	119	89	90
Alcohol Offenses	42	37	36
Drug Offenses	26	30	21
Status Offenses--Total	676	705	914
Truancy	172	131	176
Beyond Parental Control	136	125	179
Habitually Absent from Home	19	15	29
Injurious Behavior	335	411	498
Abuse/Neglect/Custody--Total	548	584	551
Abuse	105	137	118
Neglect	439	441	424
Custody Disputes	4	6	9

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	180	157	173
Parental Alcohol Use Related	0	1	8
Parental Drug Use Related	81	46	30
Parental Alcohol and Drug Use	9	3	7
Child Removed for Other Reason	90	107	128


<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	156	142	129
Probation/Parole Admissions--Total	803	714	660
Probation/Parole Admissions--Drug	325	255	218
Probation/Parole Admissions--DWI	75	84	62
Prison Admissions--Total	403	391	366
Prison Admissions--Drug	181	160	130
Prison Admissions--DWI	29	46	25

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	153	159	156
Alcohol Package Carry-out Licenses	128	135	130

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# PSYCHIATRIC SERVICE AREA 14

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 14  
**CENSUS 2010** 107,082  
**2013 POPULATION ESTIMATE** 106,605


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	43	41	52
Anxiety Disorder	409	376	324
Dementia	*	*	*
Developmental Disorder	49	36	25
Impulse Control Disorder	381	356	284
Mood Disorder	981	961	868
Personality Disorder	76	66	55
Psychotic Disorder	323	317	284
Sexual Disorder	*	*	*
Other Diagnosis	173	158	145
Diagnosis Unknown	113	201	340

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	1,637	1,718	1,738	Less than High School Diploma	702	402	302
<b>AGE</b>				High School Grad or G.E.D.	36	456	472
Under 6	8	13	8	Associate Degree or Some College	7	107	118
6 to 9	98	99	88	Bachelor or Advanced Degree	0	23	35
10 to 13	134	143	156	Education Level Unknown	892	730	811
14 to 17	164	166	168	<b>EMPLOYMENT</b>			
18 to 24	143	187	176	Employed	128	158	148
25 to 29	137	152	162	Unemployed	123	720	776
30 to 34	151	145	149	Not in Labor Force	1,176	197	5
35 to 39	142	150	145	Employment Status Unknown	210	643	809
40 to 44	144	142	146	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	163	182	192	Independent Living	809	792	687
50 to 54	151	144	152	Dependent Living	540	372	502
55 to 59	105	101	95	Homeless	19	8	12
60 and Over	97	94	101	Other	*	8	17
Age Unknown	0	0	0	Housing Unknown	268	538	520
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	796	833	870	Self / Family / Friend	513	511	420
Female	839	885	868	School	8	9	7
Gender Unknown	*	0	0	Mental Health Provider	93	114	127
<b>RACE / ETHNICITY</b>				Health Care Provider	170	140	113
Caucasian	1,449	1,525	1,566	Court / Criminal Justice	48	71	48
African American	119	132	121	Other	778	843	987
Native American / Alaskan	*	*	*	Referral Source Unknown	27	30	36
Asian / Pacific Islander	*	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	26	17	19	Voluntary	1,588	1,670	1,676
Other Race	40	41	31	Civil	*	*	7
Race/Ethnicity Unknown	0	0	0	Criminal	15	13	16
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	21	18	16	Commitment Type Unknown	27	30	36
Past or Current Military Service	45	51	57				

# PSYCHIATRIC SERVICE AREA 15



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	15
<b>POPULATION</b>	
Census 2010	119,620
2013 Estimate	119,620

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	1,396	1,445	1,439
Mother Reported Smoking while Pregnant	368	413	403
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	2	3	3
Hepatitis B Chronic, Acute, Prenatal	1 10	7	8
Hepatitis C Chronic and Acute	1 58	64	64
Tuberculosis Infection Cases	1 27	20	16
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	1,120	1,162	1,168
Suicides	20	21	18
Self-inflicted Injuries	199	230	215
Homicides		5	3
Assault Injuries	464	432	472
Alcohol Induced Deaths	6	5	8
Drug Induced Deaths	17	10	21
Smoking Attributable Deaths	227	214	234
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 508	571	
Alcohol Primary Diagnosis	2 33	24	
Drug Primary Diagnosis	2 32	34	
Alcohol Related Diagnosis	211	243	288
Drug Related Diagnosis	220	240	239
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 579	456	
Alcohol Primary Diagnosis	2 76	63	
Drug Primary Diagnosis	2 51	54	
Alcohol Related Diagnosis	354	262	239
Drug Related Diagnosis	386	293	232
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 980	946	
Alcohol Primary Diagnosis	2 168	171	
Drug Primary Diagnosis	2 146	155	
Alcohol Related Diagnosis	410	390	383
Drug Related Diagnosis	386	387	285
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	129	120	113
Fatal Crashes	6	4	10
Injury Crashes	66	69	48
Property Damage Crashes	57	47	55
Crash Fatalities	6	3	11
Crash Injuries	85	91	74
Drug Involved Crashes--Total	22	28	24
Fatal Crashes	4	1	3
Injury Crashes	9	13	10
Property Damage Crashes	9	14	11
Crash Fatalities	6	1	3
Crash Injuries	18	13	22

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	59,270	58,044	59,411
Employed	55,738	54,221	54,577
Unemployed	3,532	3,823	4,834
Unemployment Rate	6.0%	6.6%	8.1%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	4,485	4,574	4,825
Drop-outs	141	136	159
Drop-out Rate	3.1%	3.0%	3.3%
School Suspensions:			
Alcohol Incidents	3	1	3
Drug Incidents	43	20	25
Tobacco Incidents	0	4	7

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	519	644	754
Liquor Law Arrests	121	156	166
Drug Arrests	445	436	584
Methamphetamine Lab Incidents	69	46	57
Violent Offenses	212	248	297
Property Offenses	2,597	2,591	2,527
Domestic Violence Reports	976	1,001	965

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	579	594	574
Violent Offenses	135	122	162
Alcohol Offenses	31	29	36
Drug Offenses	54	44	39
Status Offenses--Total	530	425	470
Truancy	131	117	107
Beyond Parental Control	110	70	82
Habitually Absent from Home	21	17	46
Injurious Behavior	205	171	175
Abuse/Neglect/Custody--Total	302	261	208
Abuse	51	43	54
Neglect	226	207	139
Custody Disputes	25	11	15

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	129	118	91
Parental Alcohol Use Related	4	6	11
Parental Drug Use Related	28	40	22
Parental Alcohol and Drug Use	5	10	0
Child Removed for Other Reason	92	62	58

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	73	75	61
Probation/Parole Admissions--Total	970	970	802
Probation/Parole Admissions--Drug	285	292	242
Probation/Parole Admissions--DWI	72	63	72
Prison Admissions--Total	472	460	437
Prison Admissions--Drug	131	147	140
Prison Admissions--DWI	27	37	29


<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	144	143	141
Alcohol Package Carry-out Licenses	145	152	146

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# PSYCHIATRIC SERVICE AREA 15

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 15  
**CENSUS 2010** 119,620  
**2013 POPULATION ESTIMATE** 119,620


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	113	114	80
Anxiety Disorder	722	742	559
Dementia	10	11	10
Developmental Disorder	86	83	53
Impulse Control Disorder	604	616	432
Mood Disorder	1,296	1,362	1,055
Personality Disorder	197	207	168
Psychotic Disorder	280	265	216
Sexual Disorder	13	5	10
Other Diagnosis	202	187	118
Diagnosis Unknown	134	212	443

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	1,954	2,089	1,904	Less than High School Diploma	671	310	204
<b>AGE</b>				High School Grad or G.E.D.	6	269	259
Under 6	23	31	29	Associate Degree or Some College	*	75	82
6 to 9	137	139	126	Bachelor or Advanced Degree	0	14	15
10 to 13	173	186	167	Education Level Unknown	1,275	1,421	1,344
14 to 17	207	220	182	<b>EMPLOYMENT</b>			
18 to 24	170	218	197	Employed	150	121	115
25 to 29	155	168	160	Unemployed	138	469	426
30 to 34	169	189	182	Not in Labor Force	1,147	197	20
35 to 39	163	152	148	Employment Status Unknown	519	1,302	1,343
40 to 44	157	168	148	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	181	200	181	Independent Living	673	548	422
50 to 54	183	168	169	Dependent Living	593	288	304
55 to 59	123	128	97	Homeless	14	5	8
60 and Over	113	122	118	Other	0	9	9
Age Unknown	0	0	0	Housing Unknown	674	1,239	1,161
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	954	980	887	Self / Family / Friend	1,146	1,316	1,302
Female	1,000	1,109	1,017	School	20	27	23
Gender Unknown	0	0	0	Mental Health Provider	177	157	141
<b>RACE / ETHNICITY</b>				Health Care Provider	170	182	107
Caucasian	1,755	1,888	1,716	Court / Criminal Justice	71	68	48
African American	121	115	124	Other	368	336	273
Native American / Alaskan	*	5	*	Referral Source Unknown	*	*	10
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	18	15	14	Voluntary	1,910	2,051	1,859
Other Race	54	64	44	Civil	*	*	6
Race/Ethnicity Unknown	0	0	0	Criminal	32	27	23
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	6	5	6
Hearing Impaired	57	66	55	Commitment Type Unknown	*	*	10
Past or Current Military Service	46	51	53				

# PSYCHIATRIC SERVICE AREA 16



<b>DBH REGION</b>	Eastern
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	16
<b>POPULATION</b>	
Census 2010	547,056
2013 Estimate	562,170

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	6,808	6,927	7,022
Mother Reported Smoking while Pregnant	1,073	1,044	1,108
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	19	11	16
Hepatitis B Chronic, Acute, Prenatal	1 27	22	19
Hepatitis C Chronic and Acute	1 230	276	256
Tuberculosis Infection Cases	1 122	97	104
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	3,967	3,984	3,925
Suicides	82	81	82
Self-inflicted Injuries	648	640	624
Homicides		15	15
Assault Injuries	1,537	1,443	1,404
Alcohol Induced Deaths	32	14	20
Drug Induced Deaths	78	103	86
Smoking Attributable Deaths	683	714	675
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 3,080	2,844	
Alcohol Primary Diagnosis	2 275	241	
Drug Primary Diagnosis	2 292	380	
Alcohol Related Diagnosis	1,189	1,076	1,676
Drug Related Diagnosis	1,297	1,306	1,727
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 3,423	3,231	
Alcohol Primary Diagnosis	2 282	261	
Drug Primary Diagnosis	2 186	240	
Alcohol Related Diagnosis	2,219	2,170	1,301
Drug Related Diagnosis	1,948	1,954	1,132
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 4,099	4,046	
Alcohol Primary Diagnosis	2 960	783	
Drug Primary Diagnosis	2 831	1,013	
Alcohol Related Diagnosis	2,257	1,850	1,658
Drug Related Diagnosis	3,121	2,737	2,326
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	506	538	589
Fatal Crashes	18	18	21
Injury Crashes	200	197	199
Property Damage Crashes	288	323	369
Crash Fatalities	18	19	23
Crash Injuries	311	286	282
Drug Involved Crashes--Total	113	99	96
Fatal Crashes	7	5	8
Injury Crashes	44	33	38
Property Damage Crashes	62	61	50
Crash Fatalities	8	5	8
Crash Injuries	80	34	47

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	295,586	295,351	299,241
Employed	277,574	275,780	275,227
Unemployed	18,012	19,571	24,014
Unemployment Rate	6.1%	6.6%	8.0%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	26,682	26,312	26,654
Drop-outs	410	516	547
Drop-out Rate	1.5%	2.0%	2.1%
School Suspensions:			
Alcohol Incidents	32	60	62
Drug Incidents	328	405	401
Tobacco Incidents	8	3	9

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	3,381	3,195	3,036
Liquor Law Arrests	931	861	917
Drug Arrests	2,611	2,653	2,810
Methamphetamine Lab Incidents	288	273	248
Violent Offenses	881	1,015	948
Property Offenses	10,573	10,283	10,130
Domestic Violence Reports	2,424	2,502	2,402

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	2,565	2,584	2,263
Violent Offenses	471	485	522
Alcohol Offenses	165	129	165
Drug Offenses	284	290	220
Status Offenses--Total	888	985	1,082
Truancy	277	333	352
Beyond Parental Control	48	73	62
Habitually Absent from Home	324	306	349
Injurious Behavior	203	232	268
Abuse/Neglect/Custody--Total	631	599	487
Abuse	65	90	63
Neglect	527	498	398
Custody Disputes	39	11	26

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	405	373	280
Parental Alcohol Use Related	11	22	12
Parental Drug Use Related	187	151	113
Parental Alcohol and Drug Use	11	17	12
Child Removed for Other Reason	196	183	143


<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	572	559	636
Probation/Parole Admissions--Total	2,876	2,742	2,859
Probation/Parole Admissions--Drug	923	869	902
Probation/Parole Admissions--DWI	277	264	265
Prison Admissions--Total	1,286	1,302	1,160
Prison Admissions--Drug	426	438	404
Prison Admissions--DWI	112	111	96

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	664	680	657
Alcohol Package Carry-out Licenses	382	385	374

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# PSYCHIATRIC SERVICE AREA 16

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Eastern  
**PSYCHIATRIC SERVICE AREA** 16  
**CENSUS 2010** 547,056  
**2013 POPULATION ESTIMATE** 562,170


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2013	FY2012	FY2011
Adjustment Disorder	69	70	58
Anxiety Disorder	2,144	1,995	1,427
Dementia	11	10	7
Developmental Disorder	173	170	116
Impulse Control Disorder	1,179	1,187	848
Mood Disorder	3,414	3,397	2,681
Personality Disorder	407	396	343
Psychotic Disorder	663	630	552
Sexual Disorder	10	*	10
Other Diagnosis	284	284	237
Diagnosis Unknown	269	429	703

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2013	FY2012	FY2011	EDUCATION	FY2013	FY2012	FY2011
Total Individuals	4,878	4,946	4,267	Less than High School Diploma	1,861	974	696
<b>AGE</b>				High School Grad or G.E.D.	71	659	813
Under 6	35	26	32	Associate Degree or Some College	22	399	485
6 to 9	414	387	303	Bachelor or Advanced Degree	11	95	110
10 to 13	488	511	430	Education Level Unknown	2,913	2,819	2,163
14 to 17	533	531	459	<b>EMPLOYMENT</b>			
18 to 24	435	485	432	Employed	322	324	339
25 to 29	387	425	369	Unemployed	329	1,437	1,646
30 to 34	416	426	330	Not in Labor Force	2,856	700	120
35 to 39	346	348	303	Employment Status Unknown	1,371	2,485	2,162
40 to 44	378	413	363	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	447	442	430	Independent Living	2,219	1,997	1,952
50 to 54	469	439	377	Dependent Living	1,214	655	821
55 to 59	291	272	229	Homeless	53	48	31
60 and Over	239	241	210	Other	0	35	29
Age Unknown	0	0	0	Housing Unknown	1,392	2,211	1,434
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	2,351	2,405	2,118	Self / Family / Friend	1,269	948	549
Female	2,527	2,541	2,149	School	668	544	348
Gender Unknown	0	0	0	Mental Health Provider	368	437	476
<b>RACE / ETHNICITY</b>				Health Care Provider	573	474	295
Caucasian	4,348	4,426	3,852	Court / Criminal Justice	153	158	104
African American	258	276	233	Other	1,819	2,351	2,439
Native American / Alaskan	7	11	9	Referral Source Unknown	28	34	56
Asian / Pacific Islander	14	12	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	83	72	45	Voluntary	4,801	4,861	4,154
Other Race	168	149	124	Civil	12	11	25
Race/Ethnicity Unknown	0	0	0	Criminal	26	31	30
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	123	96	70	Commitment Type Unknown	36	42	56
Past or Current Military Service	63	77	71				

# PSYCHIATRIC SERVICE AREA 17A



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	17A
<b>POPULATION</b>	
Census 2010	109,907
2013 Estimate	108,999

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	1,222	1,244	1,251
Mother Reported Smoking while Pregnant	276	305	333
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	2	1	2
Hepatitis B Chronic, Acute, Prenatal	1 7	9	5
Hepatitis C Chronic and Acute	1 125	98	95
Tuberculosis Infection Cases	1 47	88	36
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	1,176	1,223	1,185
Suicides	16	23	16
Self-inflicted Injuries	162	135	168
Homicides		6	3
Assault Injuries	383	398	440
Alcohol Induced Deaths	5	5	3
Drug Induced Deaths	28	25	33
Smoking Attributable Deaths	223	214	210
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 734	728	
Alcohol Primary Diagnosis	2 31	42	
Drug Primary Diagnosis	2 138	86	
Alcohol Related Diagnosis	249	260	333
Drug Related Diagnosis	389	323	385
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 548	442	
Alcohol Primary Diagnosis	2 84	61	
Drug Primary Diagnosis	2 65	51	
Alcohol Related Diagnosis	397	334	283
Drug Related Diagnosis	402	374	284
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 1,160	1,051	
Alcohol Primary Diagnosis	2 247	252	
Drug Primary Diagnosis	2 216	224	
Alcohol Related Diagnosis	521	517	452
Drug Related Diagnosis	534	461	475
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	162	138	129
Fatal Crashes	12	9	7
Injury Crashes	75	59	62
Property Damage Crashes	75	70	60
Crash Fatalities	13	9	7
Crash Injuries	103	86	97
Drug Involved Crashes--Total	34	28	39
Fatal Crashes	0	0	3
Injury Crashes	18	13	15
Property Damage Crashes	16	15	21
Crash Fatalities	0	0	3
Crash Injuries	23	13	22

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	53,958	51,355	52,483
Employed	50,587	47,756	47,965
Unemployed	3,371	3,599	4,518
Unemployment Rate	6.2%	7.0%	8.6%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	4,879	4,888	4,992
Drop-outs	107	129	157
Drop-out Rate	2.2%	2.6%	3.1%
School Suspensions:			
Alcohol Incidents	24	12	12
Drug Incidents	35	28	42
Tobacco Incidents	2	1	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	715	797	675
Liquor Law Arrests	192	293	409
Drug Arrests	831	736	795
Methamphetamine Lab Incidents	122	117	105
Violent Offenses	259	322	312
Property Offenses	3,039	2,922	3,095
Domestic Violence Reports	525	600	585

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	390	527	531
Violent Offenses	144	231	194
Alcohol Offenses	7	14	27
Drug Offenses	27	47	58
Status Offenses--Total	270	391	509
Truancy	121	146	253
Beyond Parental Control	68	61	74
Habitually Absent from Home	16	40	19
Injurious Behavior	52	112	144
Abuse/Neglect/Custody--Total	810	785	786
Abuse	259	316	308
Neglect	542	454	465
Custody Disputes	9	15	13

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	106	112	117
Parental Alcohol Use Related	5	1	4
Parental Drug Use Related	28	38	33
Parental Alcohol and Drug Use	5	10	5
Child Removed for Other Reason	68	63	75


<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	94	94	73
Probation/Parole Admissions--Total	1,077	900	758
Probation/Parole Admissions--Drug	424	391	286
Probation/Parole Admissions--DWI	61	46	39
Prison Admissions--Total	430	429	342
Prison Admissions--Drug	153	168	137
Prison Admissions--DWI	19	22	9

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	154	153	156
Alcohol Package Carry-out Licenses	115	119	123

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# PSYCHIATRIC SERVICE AREA 17A

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 17A  
**CENSUS 2010** 109,907  
**2013 POPULATION ESTIMATE** 108,999

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.


<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	37	27	20
Anxiety Disorder	831	698	543
Dementia	0	*	*
Developmental Disorder	13	10	7
Impulse Control Disorder	216	217	132
Mood Disorder	1,062	938	752
Personality Disorder	82	85	73
Psychotic Disorder	187	179	156
Sexual Disorder	*	*	*
Other Diagnosis	68	58	35
Diagnosis Unknown	67	75	218

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	1,492	1,353	1,233	Less than High School Diploma	585	324	159
<b>AGE</b>				High School Grad or G.E.D.	86	253	207
Under 6	16	10	10	Associate Degree or Some College	33	89	69
6 to 9	89	79	60	Bachelor or Advanced Degree	*	11	6
10 to 13	106	100	79	Education Level Unknown	784	676	792
14 to 17	123	117	103	<b>EMPLOYMENT</b>			
18 to 24	118	111	122	Employed	76	86	68
25 to 29	165	140	115	Unemployed	239	523	362
30 to 34	147	130	121	Not in Labor Force	768	86	18
35 to 39	121	109	103	Employment Status Unknown	409	658	785
40 to 44	147	135	114	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	147	142	147	Independent Living	697	560	398
50 to 54	142	123	112	Dependent Living	384	210	202
55 to 59	88	84	80	Homeless	20	6	*
60 and Over	83	73	67	Other	0	5	13
Age Unknown	0	0	0	Housing Unknown	391	572	619
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	641	571	521	Self / Family / Friend	1,021	818	743
Female	851	782	712	School	11	15	6
Gender Unknown	0	0	0	Mental Health Provider	24	22	25
<b>RACE / ETHNICITY</b>				Health Care Provider	158	151	112
Caucasian	1,425	1,282	1,175	Court / Criminal Justice	34	50	48
African American	22	29	28	Other	244	297	294
Native American / Alaskan	*	*	*	Referral Source Unknown	0	0	5
Asian / Pacific Islander	0	0	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	22	22	18	Voluntary	1,484	1,340	1,205
Other Race	19	17	10	Civil	*	6	13
Race/Ethnicity Unknown	0	0	0	Criminal	*	6	9
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	*	*
Hearing Impaired	46	37	40	Commitment Type Unknown	0	0	5
Past or Current Military Service	32	25	26				



# PSYCHIATRIC SERVICE AREA 17B



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	17B
<b>POPULATION</b>	
Census 2010	101,184
2013 Estimate	101,731


<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	1,151	1,190	1,167
Mother Reported Smoking while Pregnant	378	404	371
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	2	1	3
Hepatitis B Chronic, Acute, Prenatal	1 9	11	12
Hepatitis C Chronic and Acute	1 162	168	157
Tuberculosis Infection Cases	1 19	40	9
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	1,151	1,107	1,057
Suicides	24	15	12
Self-inflicted Injuries	225	218	221
Homicides		3	7
Assault Injuries	509	424	454
Alcohol Induced Deaths	9	6	3
Drug Induced Deaths	35	24	22
Smoking Attributable Deaths	246	225	209
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 1,365	1,587	
Alcohol Primary Diagnosis	2 45	52	
Drug Primary Diagnosis	2 102	104	
Alcohol Related Diagnosis	351	439	369
Drug Related Diagnosis	591	663	549
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 525	411	
Alcohol Primary Diagnosis	2 54	30	
Drug Primary Diagnosis	2 58	32	
Alcohol Related Diagnosis	327	235	217
Drug Related Diagnosis	393	232	204
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 1,687	1,829	
Alcohol Primary Diagnosis	2 176	203	
Drug Primary Diagnosis	2 296	286	
Alcohol Related Diagnosis	597	568	430
Drug Related Diagnosis	1,104	1,075	869
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	108	126	95
Fatal Crashes	8	8	9
Injury Crashes	47	60	48
Property Damage Crashes	53	58	38
Crash Fatalities	8	11	9
Crash Injuries	64	90	81
Drug Involved Crashes--Total	32	38	13
Fatal Crashes	0	4	1
Injury Crashes	16	16	5
Property Damage Crashes	16	18	7
Crash Fatalities	0	4	1
Crash Injuries	20	19	14

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	45,100	43,588	44,654
Employed	41,510	39,714	39,824
Unemployed	3,590	3,874	4,830
Unemployment Rate	8.0%	8.9%	10.8%
<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	4,614	4,618	4,874
Drop-outs	73	126	91
Drop-out Rate	1.6%	2.7%	1.9%
School Suspensions:			
Alcohol Incidents	4	3	3
Drug Incidents	24	38	16
Tobacco Incidents	2	5	4
<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	494	558	537
Liquor Law Arrests	82	128	154
Drug Arrests	468	571	543
Methamphetamine Lab Incidents	120	200	194
Violent Offenses	271	260	211
Property Offenses	2,630	2,407	1,778
Domestic Violence Reports	427	444	262
<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	652	548	513
Violent Offenses	297	215	261
Alcohol Offenses	10	11	28
Drug Offenses	50	33	25
Status Offenses--Total	456	375	368
Truancy	180	172	123
Beyond Parental Control	111	88	96
Habitually Absent from Home	13	12	14
Injurious Behavior	117	66	100
Abuse/Neglect/Custody--Total	275	239	228
Abuse	80	75	45
Neglect	194	162	159
Custody Disputes	1	2	24
<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	126	101	126
Parental Alcohol Use Related	10	4	0
Parental Drug Use Related	56	41	38
Parental Alcohol and Drug Use	0	3	7
Child Removed for Other Reason	60	53	81
<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	59	47	71
Probation/Parole Admissions--Total	965	880	862
Probation/Parole Admissions--Drug	318	278	263
Probation/Parole Admissions--DWI	48	38	34
Prison Admissions--Total	527	478	421
Prison Admissions--Drug	185	167	159
Prison Admissions--DWI	17	22	13
<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	92	95	95
Alcohol Package Carry-out Licenses	86	89	87

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# PSYCHIATRIC SERVICE AREA 17B

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 17B  
**CENSUS 2010** 101,184  
**2013 POPULATION ESTIMATE** 101,731


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2013	FY2012	FY2011
Adjustment Disorder	20	21	19
Anxiety Disorder	326	278	227
Dementia	*	*	9
Developmental Disorder	29	24	23
Impulse Control Disorder	162	149	123
Mood Disorder	923	869	783
Personality Disorder	128	116	113
Psychotic Disorder	515	513	476
Sexual Disorder	119	136	115
Other Diagnosis	57	48	50
Diagnosis Unknown	274	283	319

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2013	FY2012	FY2011	EDUCATION	FY2013	FY2012	FY2011
Total Individuals	2,136	2,067	1,956	Less than High School Diploma	542	433	250
<b>AGE</b>				High School Grad or G.E.D.	*	379	283
Under 6	14	8	8	Associate Degree or Some College	*	82	71
6 to 9	69	61	62	Bachelor or Advanced Degree	*	36	10
10 to 13	104	119	108	Education Level Unknown	1,588	1,137	1,342
14 to 17	120	126	127	<b>EMPLOYMENT</b>			
18 to 24	171	161	161	Employed	75	71	35
25 to 29	169	149	140	Unemployed	60	787	565
30 to 34	205	176	151	Not in Labor Force	990	146	22
35 to 39	185	167	157	Employment Status Unknown	1,011	1,063	1,334
40 to 44	199	189	166	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	215	225	229	Independent Living	352	655	410
50 to 54	237	245	243	Dependent Living	752	374	343
55 to 59	197	189	175	Homeless	15	5	10
60 and Over	251	252	229	Other	0	21	15
Age Unknown	0	0	0	Housing Unknown	1,017	1,012	1,178
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	1,221	1,198	1,138	Self / Family / Friend	646	634	634
Female	915	869	818	School	18	16	20
Gender Unknown	0	0	0	Mental Health Provider	321	319	281
<b>RACE / ETHNICITY</b>				Health Care Provider	387	296	177
Caucasian	1,924	1,861	1,764	Court / Criminal Justice	332	343	370
African American	162	157	141	Other	421	443	458
Native American / Alaskan	*	5	5	Referral Source Unknown	11	16	16
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	17	19	20	Voluntary	1,847	1,770	1,649
Other Race	25	23	24	Civil	6	8	29
Race/Ethnicity Unknown	0	0	0	Criminal	155	151	148
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	126	136	127
Hearing Impaired	99	93	85	Commitment Type Unknown	*	*	*
Past or Current Military Service	118	117	127				

# PSYCHIATRIC SERVICE AREA 18



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	18
<b>POPULATION</b>	
Census 2010	127,952
2013 Estimate	126,870

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	1,508	1,552	1,516
Mother Reported Smoking while Pregnant	393	408	451
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	4	2	2
Hepatitis B Chronic, Acute, Prenatal	1 12	10	8
Hepatitis C Chronic and Acute	1 150	120	137
Tuberculosis Infection Cases	1 34	31	16
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	1,498	1,510	1,419
Suicides	26	25	24
Self-inflicted Injuries	215	240	207
Homicides		8	6
Assault Injuries	264	302	255
Alcohol Induced Deaths	12	7	5
Drug Induced Deaths	18	10	17
Smoking Attributable Deaths	289	297	292
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 1,287	1,231	
Alcohol Primary Diagnosis	2 131	101	
Drug Primary Diagnosis	2 184	109	
Alcohol Related Diagnosis	543	475	430
Drug Related Diagnosis	736	634	551
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 180	163	
Alcohol Primary Diagnosis	2 49	52	
Drug Primary Diagnosis	2 45	29	
Alcohol Related Diagnosis	220	217	195
Drug Related Diagnosis	205	138	181
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 1,026	1,060	
Alcohol Primary Diagnosis	2 184	139	
Drug Primary Diagnosis	2 176	154	
Alcohol Related Diagnosis	479	410	494
Drug Related Diagnosis	467	438	469
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	169	156	184
Fatal Crashes	9	2	4
Injury Crashes	72	85	108
Property Damage Crashes	88	69	72
Crash Fatalities	9	2	4
Crash Injuries	103	116	169
Drug Involved Crashes--Total	31	22	35
Fatal Crashes	0	0	2
Injury Crashes	19	13	16
Property Damage Crashes	12	9	17
Crash Fatalities	0	0	2
Crash Injuries	26	17	23

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	58,305	56,124	56,689
Employed	54,334	51,923	51,600
Unemployed	3,971	4,201	5,089
Unemployment Rate	6.8%	7.5%	9.0%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	5,940	5,991	6,013
Drop-outs	49	70	90
Drop-out Rate	0.8%	1.2%	1.5%
School Suspensions:			
Alcohol Incidents	21	9	18
Drug Incidents	33	64	59
Tobacco Incidents	1	3	2

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	750	878	697
Liquor Law Arrests	165	207	214
Drug Arrests	941	808	927
Methamphetamine Lab Incidents	43	83	64
Violent Offenses	335	245	270
Property Offenses	3,064	2,935	2,667
Domestic Violence Reports	565	367	380

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	543	496	438
Violent Offenses	125	98	114
Alcohol Offenses	34	43	26
Drug Offenses	53	41	42
Status Offenses--Total	757	974	984
Truancy	291	440	372
Beyond Parental Control	138	155	173
Habitually Absent from Home	41	50	64
Injurious Behavior	225	249	322
Abuse/Neglect/Custody--Total	1,089	751	560
Abuse	260	180	116
Neglect	749	519	383
Custody Disputes	80	52	61

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	93	116	114
Parental Alcohol Use Related	7	5	8
Parental Drug Use Related	18	31	30
Parental Alcohol and Drug Use	13	3	5
Child Removed for Other Reason	55	77	71


<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	149	138	127
Probation/Parole Admissions--Total	897	857	737
Probation/Parole Admissions--Drug	293	290	211
Probation/Parole Admissions--DWI	59	62	42
Prison Admissions--Total	451	402	412
Prison Admissions--Drug	142	119	116
Prison Admissions--DWI	30	23	22

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	86	91	91
Alcohol Package Carry-out Licenses	132	134	134

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# PSYCHIATRIC SERVICE AREA 18

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 18  
**CENSUS 2010** 127,952  
**2013 POPULATION ESTIMATE** 126,870


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	155	73	34
Anxiety Disorder	1,117	796	433
Dementia	13	*	*
Developmental Disorder	9	9	8
Impulse Control Disorder	331	220	108
Mood Disorder	1,703	1,284	770
Personality Disorder	90	58	31
Psychotic Disorder	205	165	105
Sexual Disorder	*	0	0
Other Diagnosis	91	66	34
Diagnosis Unknown	107	186	356

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	2,426	1,884	1,372	Less than High School Diploma	637	284	148
<b>AGE</b>				High School Grad or G.E.D.	*	267	305
Under 6	*	6	8	Associate Degree or Some College	0	59	56
6 to 9	76	53	35	Bachelor or Advanced Degree	0	15	11
10 to 13	85	86	68	Education Level Unknown	1,787	1,259	852
14 to 17	132	90	75	<b>EMPLOYMENT</b>			
18 to 24	336	232	171	Employed	302	94	31
25 to 29	256	214	160	Unemployed	425	537	482
30 to 34	278	214	129	Not in Labor Force	1,284	249	8
35 to 39	210	165	108	Employment Status Unknown	415	1,004	851
40 to 44	256	210	150	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	242	215	187	Independent Living	1,449	690	459
50 to 54	273	198	136	Dependent Living	331	162	135
55 to 59	158	120	90	Homeless	79	38	37
60 and Over	123	81	55	Other	*	*	*
Age Unknown	0	0	0	Housing Unknown	566	990	739
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	1,089	854	612	Self / Family / Friend	1,404	837	452
Female	1,337	1,030	760	School	*	5	*
Gender Unknown	0	0	0	Mental Health Provider	72	85	96
<b>RACE / ETHNICITY</b>				Health Care Provider	634	555	463
Caucasian	2,348	1,826	1,331	Court / Criminal Justice	43	63	51
African American	17	10	9	Other	270	339	307
Native American / Alaskan	5	5	*	Referral Source Unknown	0	0	*
Asian / Pacific Islander	*	0	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	32	25	14	Voluntary	2,414	1,874	1,362
Other Race	22	18	14	Civil	5	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	6	7	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	0	0
Hearing Impaired	66	70	64	Commitment Type Unknown	0	*	*
Past or Current Military Service	54	48	43				

# PSYCHIATRIC SERVICE AREA 19



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	19
<b>POPULATION</b>	
Census 2010	133,625
2013 Estimate	132,944

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	1,820	1,775	1,793
Mother Reported Smoking while Pregnant	569	523	573
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	7	2	3
Hepatitis B Chronic, Acute, Prenatal	1 14	10	9
Hepatitis C Chronic and Acute	1 204	178	163
Tuberculosis Infection Cases	1 51	33	29
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	1,686	1,769	1,720
Suicides	25	23	30
Self-inflicted Injuries	322	374	380
Homicides		9	8
Assault Injuries	696	671	753
Alcohol Induced Deaths	18	4	9
Drug Induced Deaths	37	34	32
Smoking Attributable Deaths	342	387	339
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 1,709	1,838	
Alcohol Primary Diagnosis	2 95	95	
Drug Primary Diagnosis	2 134	131	
Alcohol Related Diagnosis	607	665	488
Drug Related Diagnosis	753	787	675
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 405	433	
Alcohol Primary Diagnosis	2 50	41	
Drug Primary Diagnosis	2 65	51	
Alcohol Related Diagnosis	353	305	410
Drug Related Diagnosis	282	257	482
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 1,896	1,992	
Alcohol Primary Diagnosis	2 225	264	
Drug Primary Diagnosis	2 252	248	
Alcohol Related Diagnosis	465	575	689
Drug Related Diagnosis	585	611	619
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	199	192	207
Fatal Crashes	12	8	9
Injury Crashes	101	88	101
Property Damage Crashes	86	96	97
Crash Fatalities	13	8	10
Crash Injuries	163	131	134
Drug Involved Crashes--Total	45	49	78
Fatal Crashes	2	2	5
Injury Crashes	25	29	35
Property Damage Crashes	18	18	38
Crash Fatalities	2	3	5
Crash Injuries	35	38	52

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	62,627	60,984	61,330
Employed	57,989	56,086	55,486
Unemployed	4,638	4,898	5,844
Unemployment Rate	7.4%	8.0%	9.5%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	6,224	6,058	6,255
Drop-outs	134	210	224
Drop-out Rate	2.2%	3.5%	3.6%
School Suspensions:			
Alcohol Incidents	8	9	16
Drug Incidents	33	38	58
Tobacco Incidents	3	2	5

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	927	1,002	1,125
Liquor Law Arrests	270	180	261
Drug Arrests	1,145	1,295	1,100
Methamphetamine Lab Incidents	58	142	77
Violent Offenses	630	527	492
Property Offenses	4,779	4,637	4,146
Domestic Violence Reports	786	656	758

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	726	595	789
Violent Offenses	177	212	266
Alcohol Offenses	29	12	48
Drug Offenses	31	33	54
Status Offenses--Total	384	325	311
Truancy	124	93	97
Beyond Parental Control	135	123	110
Habitually Absent from Home	55	67	73
Injurious Behavior	48	31	18
Abuse/Neglect/Custody--Total	999	749	930
Abuse	196	201	256
Neglect	783	542	671
Custody Disputes	20	6	3

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	308	239	289
Parental Alcohol Use Related	15	14	22
Parental Drug Use Related	129	92	112
Parental Alcohol and Drug Use	8	11	20
Child Removed for Other Reason	156	122	135

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	254	182	150
Probation/Parole Admissions--Total	1,551	1,539	1,414
Probation/Parole Admissions--Drug	474	510	440
Probation/Parole Admissions--DWI	80	88	90
Prison Admissions--Total	841	779	791
Prison Admissions--Drug	260	235	265
Prison Admissions--DWI	41	52	55


<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	148	154	154
Alcohol Package Carry-out Licenses	186	183	180

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# PSYCHIATRIC SERVICE AREA 19

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 19  
**CENSUS 2010** 133,625  
**2013 POPULATION ESTIMATE** 132,944


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	71	26	35
Anxiety Disorder	236	168	132
Dementia	*	*	*
Developmental Disorder	11	5	5
Impulse Control Disorder	175	127	97
Mood Disorder	1,203	907	775
Personality Disorder	16	19	20
Psychotic Disorder	288	257	207
Sexual Disorder	6	*	6
Other Diagnosis	27	37	36
Diagnosis Unknown	203	260	230

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	2,093	1,663	1,428	Less than High School Diploma	574	325	197
<b>AGE</b>				High School Grad or G.E.D.	*	300	239
Under 6	13	7	*	Associate Degree or Some College	0	56	46
6 to 9	107	71	42	Bachelor or Advanced Degree	0	7	6
10 to 13	141	108	96	Education Level Unknown	1,517	975	940
14 to 17	137	99	86	<b>EMPLOYMENT</b>			
18 to 24	163	133	115	Employed	22	37	42
25 to 29	173	137	118	Unemployed	36	564	443
30 to 34	191	152	127	Not in Labor Force	1,025	178	*
35 to 39	203	144	126	Employment Status Unknown	1,010	884	940
40 to 44	202	172	144	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	217	201	176	Independent Living	700	607	401
50 to 54	229	171	144	Dependent Living	364	209	175
55 to 59	146	128	119	Homeless	6	7	*
60 and Over	171	140	132	Other	*	18	12
Age Unknown	0	0	0	Housing Unknown	1,022	822	836
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	930	784	648	Self / Family / Friend	660	485	424
Female	1,163	879	780	School	40	34	31
Gender Unknown	0	0	0	Mental Health Provider	231	221	245
<b>RACE / ETHNICITY</b>				Health Care Provider	488	354	261
Caucasian	1,821	1,436	1,229	Court / Criminal Justice	340	309	233
African American	224	188	172	Other	317	237	192
Native American / Alaskan	*	*	0	Referral Source Unknown	17	23	42
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	19	16	13	Voluntary	2,039	1,595	1,352
Other Race	27	22	14	Civil	*	*	12
Race/Ethnicity Unknown	0	0	0	Criminal	30	39	19
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	5	*	*
Hearing Impaired	79	71	59	Commitment Type Unknown	16	21	41
Past or Current Military Service	46	47	42				

# PSYCHIATRIC SERVICE AREA 20



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	20
<b>POPULATION</b>	
Census 2010	102,473
2013 Estimate	101,717


<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	1,282	1,293	1,324
Mother Reported Smoking while Pregnant	353	380	421
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	3	2
Hepatitis B Chronic, Acute, Prenatal	1 4	7	6
Hepatitis C Chronic and Acute	1 87	62	80
Tuberculosis Infection Cases	1 17	14	32
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	1,237	1,279	1,232
Suicides	16	17	11
Self-inflicted Injuries	179	197	238
Homicides		2	5
Assault Injuries	427	395	458
Alcohol Induced Deaths	5	6	6
Drug Induced Deaths	18	7	7
Smoking Attributable Deaths	247	272	253
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 1,220	1,253	
Alcohol Primary Diagnosis	2 60	73	
Drug Primary Diagnosis	2 60	75	
Alcohol Related Diagnosis	357	424	347
Drug Related Diagnosis	455	526	494
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 160	128	
Alcohol Primary Diagnosis	2 50	34	
Drug Primary Diagnosis	2 32	26	
Alcohol Related Diagnosis	272	201	246
Drug Related Diagnosis	228	140	278
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 1,071	984	
Alcohol Primary Diagnosis	2 145	155	
Drug Primary Diagnosis	2 142	130	
Alcohol Related Diagnosis	369	386	394
Drug Related Diagnosis	357	370	339
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	97	117	116
Fatal Crashes	5	5	5
Injury Crashes	46	45	56
Property Damage Crashes	46	67	55
Crash Fatalities	5	7	5
Crash Injuries	69	60	85
Drug Involved Crashes--Total	40	51	35
Fatal Crashes	0	4	3
Injury Crashes	13	26	12
Property Damage Crashes	27	21	20
Crash Fatalities	0	6	3
Crash Injuries	19	28	22

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	50,968	49,715	49,783
Employed	47,422	46,091	45,264
Unemployed	3,546	3,624	4,519
Unemployment Rate	7.0%	7.3%	9.1%
<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	4,800	4,746	4,979
Drop-outs	32	66	70
Drop-out Rate	0.7%	1.4%	1.4%
School Suspensions:			
Alcohol Incidents	7	12	6
Drug Incidents	12	26	44
Tobacco Incidents	6	3	6
<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	713	697	756
Liquor Law Arrests	138	127	176
Drug Arrests	606	639	840
Methamphetamine Lab Incidents	56	69	132
Violent Offenses	656	495	487
Property Offenses	2,536	2,298	2,318
Domestic Violence Reports	1,138	1,046	1,021
<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	870	687	769
Violent Offenses	207	152	238
Alcohol Offenses	50	67	41
Drug Offenses	53	60	49
Status Offenses--Total	456	429	460
Truancy	227	176	174
Beyond Parental Control	47	72	64
Habitually Absent from Home	40	32	52
Injurious Behavior	110	116	130
Abuse/Neglect/Custody--Total	591	622	581
Abuse	105	79	66
Neglect	304	305	308
Custody Disputes	182	238	207
<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	268	305	287
Parental Alcohol Use Related	9	7	10
Parental Drug Use Related	115	140	128
Parental Alcohol and Drug Use	4	14	2
Child Removed for Other Reason	140	144	147
<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	134	116	133
Probation/Parole Admissions--Total	1,106	1,151	1,127
Probation/Parole Admissions--Drug	413	439	443
Probation/Parole Admissions--DWI	76	59	72
Prison Admissions--Total	512	559	574
Prison Admissions--Drug	220	225	210
Prison Admissions--DWI	24	32	32
<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	99	104	102
Alcohol Package Carry-out Licenses	106	109	106

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# PSYCHIATRIC SERVICE AREA 20

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 20  
**CENSUS 2010** 102,473  
**2013 POPULATION ESTIMATE** 101,717


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	126	157	159
Anxiety Disorder	606	618	550
Dementia	7	8	8
Developmental Disorder	22	27	28
Impulse Control Disorder	343	345	303
Mood Disorder	1,424	1,341	1,028
Personality Disorder	178	215	223
Psychotic Disorder	332	323	270
Sexual Disorder	*	*	*
Other Diagnosis	186	210	182
Diagnosis Unknown	208	216	309

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	2,436	2,258	1,937	Less than High School Diploma	1,023	355	163
<b>AGE</b>				High School Grad or G.E.D.	0	215	176
Under 6	21	27	33	Associate Degree or Some College	*	45	44
6 to 9	132	129	130	Bachelor or Advanced Degree	0	8	9
10 to 13	213	199	183	Education Level Unknown	1,412	1,635	1,545
14 to 17	255	252	248	<b>EMPLOYMENT</b>			
18 to 24	218	190	158	Employed	142	58	23
25 to 29	210	180	118	Unemployed	181	441	367
30 to 34	221	197	150	Not in Labor Force	1,357	214	*
35 to 39	192	167	116	Employment Status Unknown	756	1,545	1,544
40 to 44	208	173	138	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	209	223	197	Independent Living	1,073	558	353
50 to 54	227	217	189	Dependent Living	810	227	194
55 to 59	159	146	131	Homeless	16	15	*
60 and Over	171	158	146	Other	0	6	6
Age Unknown	0	0	0	Housing Unknown	537	1,452	1,382
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	1,071	1,014	864	Self / Family / Friend	965	956	822
Female	1,365	1,244	1,073	School	53	41	40
Gender Unknown	0	0	0	Mental Health Provider	296	264	270
<b>RACE / ETHNICITY</b>				Health Care Provider	392	337	248
Caucasian	2,031	1,880	1,597	Court / Criminal Justice	160	150	106
African American	314	286	260	Other	565	505	419
Native American / Alaskan	*	*	5	Referral Source Unknown	5	5	32
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	42	35	33	Voluntary	2,418	2,240	1,890
Other Race	45	52	41	Civil	*	5	11
Race/Ethnicity Unknown	0	0	0	Criminal	11	8	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	58	55	51	Commitment Type Unknown	*	*	32
Past or Current Military Service	43	34	27				

# PSYCHIATRIC SERVICE AREA 21



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	21
<b>POPULATION</b>	
Census 2010	137,379
2013 Estimate	139,091

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	1,595	1,566	1,636
Mother Reported Smoking while Pregnant	350	360	414
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	3	8	3
Hepatitis B Chronic, Acute, Prenatal	1 10	7	6
Hepatitis C Chronic and Acute	1 87	77	59
Tuberculosis Infection Cases	1 52	54	56
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	1,390	1,411	1,418
Suicides	20	19	20
Self-inflicted Injuries	161	169	149
Homicides		3	3
Assault Injuries	508	412	422
Alcohol Induced Deaths	5	2	8
Drug Induced Deaths	18	24	20
Smoking Attributable Deaths	257	247	265
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 1,207	1,346	
Alcohol Primary Diagnosis	2 95	83	
Drug Primary Diagnosis	2 79	67	
Alcohol Related Diagnosis	417	494	384
Drug Related Diagnosis	513	557	412
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 189	119	
Alcohol Primary Diagnosis	2 48	26	
Drug Primary Diagnosis	2 23	18	
Alcohol Related Diagnosis	278	210	185
Drug Related Diagnosis	178	155	155
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 1,320	1,490	
Alcohol Primary Diagnosis	2 215	246	
Drug Primary Diagnosis	2 188	207	
Alcohol Related Diagnosis	521	602	528
Drug Related Diagnosis	623	602	495
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	132	135	142
Fatal Crashes	7	0	4
Injury Crashes	58	60	65
Property Damage Crashes	67	75	73
Crash Fatalities	7	0	4
Crash Injuries	79	72	85
Drug Involved Crashes--Total	24	40	31
Fatal Crashes	2	0	1
Injury Crashes	11	18	20
Property Damage Crashes	11	22	10
Crash Fatalities	2	0	1
Crash Injuries	19	18	25

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	72,265	69,915	71,084
Employed	68,032	65,690	65,751
Unemployed	4,233	4,225	5,333
Unemployment Rate	5.9%	6.0%	7.5%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	5,310	5,452	5,594
Drop-outs	121	152	132
Drop-out Rate	2.3%	2.8%	2.4%
School Suspensions:			
Alcohol Incidents	12	9	23
Drug Incidents	40	45	48
Tobacco Incidents	0	1	0

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	910	968	964
Liquor Law Arrests	263	283	251
Drug Arrests	504	585	656
Methamphetamine Lab Incidents	35	54	87
Violent Offenses	399	434	497
Property Offenses	4,204	3,973	3,902
Domestic Violence Reports	837	800	761

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	686	790	1,020
Violent Offenses	196	162	170
Alcohol Offenses	22	43	38
Drug Offenses	61	54	39
Status Offenses--Total	504	300	351
Truancy	161	63	107
Beyond Parental Control	71	92	85
Habitually Absent from Home	82	67	69
Injurious Behavior	163	58	56
Abuse/Neglect/Custody--Total	307	262	296
Abuse	55	69	66
Neglect	207	107	110
Custody Disputes	45	86	120

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	128	141	147
Parental Alcohol Use Related	2	6	6
Parental Drug Use Related	56	47	54
Parental Alcohol and Drug Use	4	11	11
Child Removed for Other Reason	66	77	76


<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	107	139	121
Probation/Parole Admissions--Total	905	878	845
Probation/Parole Admissions--Drug	344	329	344
Probation/Parole Admissions--DWI	86	76	94
Prison Admissions--Total	421	441	434
Prison Admissions--Drug	152	154	139
Prison Admissions--DWI	45	45	42

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	216	211	212
Alcohol Package Carry-out Licenses	130	129	125

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# PSYCHIATRIC SERVICE AREA 21

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 21  
**CENSUS 2010** 137,379  
**2013 POPULATION ESTIMATE** 139,091

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.


<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	361	428	183
Anxiety Disorder	522	590	345
Dementia	0	*	0
Developmental Disorder	8	6	6
Impulse Control Disorder	564	728	244
Mood Disorder	2,028	2,469	1,342
Personality Disorder	50	50	43
Psychotic Disorder	350	387	296
Sexual Disorder	*	*	*
Other Diagnosis	115	151	76
Diagnosis Unknown	379	916	431

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	3,862	5,167	2,632	Less than High School Diploma	534	342	259
<b>AGE</b>				High School Grad or G.E.D.	*	273	325
Under 6	7	17	6	Associate Degree or Some College	0	76	80
6 to 9	178	288	119	Bachelor or Advanced Degree	0	35	36
10 to 13	286	407	129	Education Level Unknown	3,327	4,441	1,932
14 to 17	287	427	136	<b>EMPLOYMENT</b>			
18 to 24	396	599	284	Employed	50	84	81
25 to 29	392	473	271	Unemployed	47	571	595
30 to 34	383	523	292	Not in Labor Force	965	179	32
35 to 39	355	455	248	Employment Status Unknown	2,800	4,333	1,924
40 to 44	327	421	267	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	360	446	283	Independent Living	535	553	495
50 to 54	358	433	256	Dependent Living	525	386	383
55 to 59	263	318	175	Homeless	15	9	8
60 and Over	270	360	166	Other	0	14	10
Age Unknown	0	0	0	Housing Unknown	2,787	4,205	1,736
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	1,685	2,241	1,203	Self / Family / Friend	2,435	3,570	1,680
Female	2,177	2,926	1,429	School	35	40	18
Gender Unknown	0	0	0	Mental Health Provider	265	305	194
<b>RACE / ETHNICITY</b>				Health Care Provider	480	531	260
Caucasian	3,297	4,361	2,229	Court / Criminal Justice	114	142	104
African American	241	279	160	Other	520	563	359
Native American / Alaskan	7	*	*	Referral Source Unknown	13	16	17
Asian / Pacific Islander	*	6	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	206	385	162	Voluntary	3,828	5,122	2,583
Other Race	108	134	77	Civil	*	8	12
Race/Ethnicity Unknown	0	0	0	Criminal	19	19	21
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	174	229	142	Commitment Type Unknown	11	14	14
Past or Current Military Service	83	111	82				



# PSYCHIATRIC SERVICE AREA 22



<b>DBH REGION</b>	Eastern
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	22
<b>POPULATION</b>	
Census 2010	218,733
2013 Estimate	221,396

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	2,702	2,662	2,758
Mother Reported Smoking while Pregnant	603	602	613
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	4	4	11
Hepatitis B Chronic, Acute, Prenatal	1	7	13
Hepatitis C Chronic and Acute	1	113	122
Tuberculosis Infection Cases	1	39	51
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	1,839	1,822	1,823
Suicides	46	41	37
Self-inflicted Injuries	251	279	260
Homicides		4	9
Assault Injuries	491	523	563
Alcohol Induced Deaths	9	12	4
Drug Induced Deaths	61	54	57
Smoking Attributable Deaths	376	355	373
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	1,691	1,659
Alcohol Primary Diagnosis	2	52	33
Drug Primary Diagnosis	2	98	132
Alcohol Related Diagnosis		442	392
Drug Related Diagnosis		544	584
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	1,134	960
Alcohol Primary Diagnosis	2	109	82
Drug Primary Diagnosis	2	107	119
Alcohol Related Diagnosis		803	735
Drug Related Diagnosis		814	766
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	1,328	1,299
Alcohol Primary Diagnosis	2	237	197
Drug Primary Diagnosis	2	367	421
Alcohol Related Diagnosis		508	460
Drug Related Diagnosis		788	743
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	236	240	221
Fatal Crashes	6	7	8
Injury Crashes	101	102	97
Property Damage Crashes	129	131	116
Crash Fatalities	7	8	8
Crash Injuries	141	142	139
Drug Involved Crashes--Total	52	33	35
Fatal Crashes	5	1	5
Injury Crashes	22	18	11
Property Damage Crashes	25	14	19
Crash Fatalities	6	1	5
Crash Injuries	31	23	22

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	115,155	115,338	117,800
Employed	107,194	106,839	107,369
Unemployed	7,961	8,499	10,431
Unemployment Rate	6.9%	7.4%	8.9%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	10,525	10,668	10,877
Drop-outs	195	247	234
Drop-out Rate	1.9%	2.3%	2.2%
School Suspensions:			
Alcohol Incidents	7	26	24
Drug Incidents	106	109	110
Tobacco Incidents	1	4	1

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	1,778	1,609	1,950
Liquor Law Arrests	677	826	730
Drug Arrests	1,614	1,563	1,574
Methamphetamine Lab Incidents	346	253	228
Violent Offenses	448	548	568
Property Offenses	4,390	4,462	4,222
Domestic Violence Reports	1,333	1,423	1,404

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	1,380	1,186	1,111
Violent Offenses	376	395	377
Alcohol Offenses	84	60	65
Drug Offenses	121	131	113
Status Offenses--Total	298	355	444
Truancy	143	172	237
Beyond Parental Control	32	38	47
Habitually Absent from Home	64	69	93
Injurious Behavior	59	76	65
Abuse/Neglect/Custody--Total	881	473	504
Abuse	242	40	54
Neglect	430	56	51
Custody Disputes	209	377	399

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	368	284	307
Parental Alcohol Use Related	16	8	9
Parental Drug Use Related	215	150	125
Parental Alcohol and Drug Use	6	12	16
Child Removed for Other Reason	131	114	157


<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	105	100	99
Probation/Parole Admissions--Total	1,125	984	923
Probation/Parole Admissions--Drug	401	338	271
Probation/Parole Admissions--DWI	150	120	99
Prison Admissions--Total	454	437	369
Prison Admissions--Drug	168	141	105
Prison Admissions--DWI	51	63	41

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	181	183	174
Alcohol Package Carry-out Licenses	146	148	147

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# PSYCHIATRIC SERVICE AREA 22

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Eastern  
**PSYCHIATRIC SERVICE AREA** 22  
**CENSUS 2010** 218,733  
**2013 POPULATION ESTIMATE** 221,396


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	34	38	28
Anxiety Disorder	1,003	960	886
Dementia	10	12	13
Developmental Disorder	49	52	45
Impulse Control Disorder	335	348	297
Mood Disorder	1,496	1,459	1,414
Personality Disorder	381	403	409
Psychotic Disorder	293	296	289
Sexual Disorder	5	*	0
Other Diagnosis	156	152	124
Diagnosis Unknown	99	127	295

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	1,916	1,934	2,066	Less than High School Diploma	442	353	177
<b>AGE</b>				High School Grad or G.E.D.	*	357	232
Under 6	5	7	7	Associate Degree or Some College	0	174	82
6 to 9	36	34	33	Bachelor or Advanced Degree	0	31	26
10 to 13	70	76	73	Education Level Unknown	1,473	1,019	1,549
14 to 17	106	119	113	<b>EMPLOYMENT</b>			
18 to 24	168	175	194	Employed	191	200	87
25 to 29	182	210	243	Unemployed	121	687	423
30 to 34	223	220	223	Not in Labor Force	864	153	10
35 to 39	178	179	203	Employment Status Unknown	740	894	1,546
40 to 44	206	202	213	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	238	238	261	Independent Living	797	904	447
50 to 54	227	218	244	Dependent Living	395	167	139
55 to 59	160	137	135	Homeless	12	8	*
60 and Over	117	119	124	Other	0	9	9
Age Unknown	0	0	0	Housing Unknown	712	846	1,469
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	816	839	909	Self / Family / Friend	765	841	1,020
Female	1,100	1,095	1,157	School	6	7	6
Gender Unknown	0	0	0	Mental Health Provider	162	168	167
<b>RACE / ETHNICITY</b>				Health Care Provider	388	310	208
Caucasian	1,823	1,840	1,976	Court / Criminal Justice	108	102	107
African American	44	44	43	Other	460	475	523
Native American / Alaskan	*	*	*	Referral Source Unknown	27	31	35
Asian / Pacific Islander	9	7	8	<b>TYPE OF COMMITMENT</b>			
Hispanic	13	12	10	Voluntary	1,874	1,888	2,003
Other Race	25	27	26	Civil	*	8	17
Race/Ethnicity Unknown	0	0	0	Criminal	10	7	11
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	13	15	14	Commitment Type Unknown	27	30	34
Past or Current Military Service	38	39	46				

# PSYCHIATRIC SERVICE AREA 23



<b>DBH REGION</b>	Eastern
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	23
<b>POPULATION</b>	
Census 2010	998,954
2013 Estimate	1,001,444


<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	11,534	11,934	11,643
Mother Reported Smoking while Pregnant	1,046	1,116	1,145
<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	136	97	127
Hepatitis B Chronic, Acute, Prenatal	1	109	102
Hepatitis C Chronic and Acute	1	506	490
Tuberculosis Infection Cases	1	407	398
<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	9,364	9,177	9,251
Suicides	134	131	120
Self-inflicted Injuries	929	950	901
Homicides		72	80
Assault Injuries	3,886	3,785	3,638
Alcohol Induced Deaths	65	49	59
Drug Induced Deaths	149	161	151
Smoking Attributable Deaths	1,465	1,401	1,415
<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	3,942	4,794
Alcohol Primary Diagnosis	2	323	341
Drug Primary Diagnosis	2	437	570
Alcohol Related Diagnosis	1,431	2,033	2,687
Drug Related Diagnosis	1,830	2,378	2,595
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	7,070	6,114
Alcohol Primary Diagnosis	2	737	632
Drug Primary Diagnosis	2	429	382
Alcohol Related Diagnosis	4,831	4,117	3,235
Drug Related Diagnosis	4,424	3,650	2,722
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	7,678	6,860
Alcohol Primary Diagnosis	2	1,767	1,674
Drug Primary Diagnosis	2	1,294	1,304
Alcohol Related Diagnosis	4,024	3,609	3,073
Drug Related Diagnosis	3,901	3,885	2,900
<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	773	772	807
Fatal Crashes	9	12	10
Injury Crashes	270	261	286
Property Damage Crashes	494	499	511
Crash Fatalities	10	13	10
Crash Injuries	369	379	425
Drug Involved Crashes--Total	136	126	135
Fatal Crashes	1	3	5
Injury Crashes	62	58	61
Property Damage Crashes	73	65	69
Crash Fatalities	1	3	5
Crash Injuries	84	56	100

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	513,847	513,956	526,884
Employed	480,389	479,555	483,704
Unemployed	33,458	34,401	43,180
Unemployment Rate	6.5%	6.7%	8.2%
<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	45,928	46,496	48,348
Drop-outs	1,060	1,223	1,230
Drop-out Rate	2.3%	2.6%	2.5%
School Suspensions:			
Alcohol Incidents	74	77	89
Drug Incidents	340	411	485
Tobacco Incidents	8	6	15
<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	5,226	5,144	5,238
Liquor Law Arrests	1,493	1,523	1,200
Drug Arrests	8,312	8,263	7,512
Methamphetamine Lab Incidents	130	93	74
Violent Offenses	3,020	3,071	3,299
Property Offenses	26,824	28,609	29,708
Domestic Violence Reports	4,336	4,889	5,189
<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	6,534	6,561	6,005
Violent Offenses	1,395	1,382	1,696
Alcohol Offenses	173	166	116
Drug Offenses	412	450	468
Status Offenses--Total	1,697	1,512	1,587
Truancy	362	310	312
Beyond Parental Control	143	162	184
Habitually Absent from Home	1,033	930	992
Injurious Behavior	107	60	61
Abuse/Neglect/Custody--Total	1,449	1,601	1,324
Abuse	428	523	488
Neglect	869	938	684
Custody Disputes	152	140	152
<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	372	415	429
Parental Alcohol Use Related	5	10	14
Parental Drug Use Related	83	102	66
Parental Alcohol and Drug Use	3	7	9
Child Removed for Other Reason	281	296	340
<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	325	260	222
Probation/Parole Admissions--Total	4,325	4,040	4,253
Probation/Parole Admissions--Drug	797	680	833
Probation/Parole Admissions--DWI	274	259	185
Prison Admissions--Total	1,508	1,531	1,494
Prison Admissions--Drug	294	297	304
Prison Admissions--DWI	69	55	109
<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	1,230	1,255	1,264
Alcohol Package Carry-out Licenses	644	662	658

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# PSYCHIATRIC SERVICE AREA 23

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Eastern  
**PSYCHIATRIC SERVICE AREA** 23  
**CENSUS 2010** 998,954  
**2013 POPULATION ESTIMATE** 1,001,444


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2013	FY2012	FY2011
Adjustment Disorder	46	60	49
Anxiety Disorder	641	598	478
Dementia	5	*	*
Developmental Disorder	42	46	32
Impulse Control Disorder	559	549	450
Mood Disorder	2,957	2,862	2,406
Personality Disorder	236	213	172
Psychotic Disorder	1,698	1,659	1,517
Sexual Disorder	6	9	*
Other Diagnosis	114	113	72
Diagnosis Unknown	482	590	557

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2013	FY2012	FY2011	EDUCATION	FY2013	FY2012	FY2011
Total Individuals	5,536	5,535	4,850	Less than High School Diploma	1,150	791	438
<b>AGE</b>				High School Grad or G.E.D.	*	846	670
Under 6	29	13	6	Associate Degree or Some College	*	404	377
6 to 9	158	165	124	Bachelor or Advanced Degree	0	278	142
10 to 13	284	301	235	Education Level Unknown	4,379	3,216	3,223
14 to 17	418	450	411	<b>EMPLOYMENT</b>			
18 to 24	542	561	476	Employed	329	336	212
25 to 29	430	461	408	Unemployed	445	1,885	1,394
30 to 34	473	462	395	Not in Labor Force	2,648	476	28
35 to 39	429	424	374	Employment Status Unknown	2,114	2,838	3,216
40 to 44	495	471	417	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	624	650	576	Independent Living	1,313	2,102	1,415
50 to 54	655	611	557	Dependent Living	1,945	580	397
55 to 59	502	448	421	Homeless	87	82	33
60 and Over	497	518	450	Other	0	48	48
Age Unknown	0	0	0	Housing Unknown	2,191	2,723	2,957
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	2,691	2,734	2,396	Self / Family / Friend	1,259	1,352	1,290
Female	2,845	2,801	2,454	School	102	102	83
Gender Unknown	0	0	0	Mental Health Provider	812	930	958
<b>RACE / ETHNICITY</b>				Health Care Provider	893	737	488
Caucasian	2,610	2,667	2,308	Court / Criminal Justice	286	341	298
African American	2,646	2,597	2,322	Other	2,176	2,057	1,712
Native American / Alaskan	*	5	*	Referral Source Unknown	8	16	21
Asian / Pacific Islander	29	21	14	<b>TYPE OF COMMITMENT</b>			
Hispanic	63	66	53	Voluntary	5,435	5,413	4,724
Other Race	184	179	149	Civil	15	22	32
Race/Ethnicity Unknown	0	0	0	Criminal	71	82	73
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	7	9	5
Hearing Impaired	202	178	127	Commitment Type Unknown	8	9	16
Past or Current Military Service	108	119	109				

# PSYCHIATRIC SERVICE AREAS 24, 25



<b>DBH REGION</b>	Eastern
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	24, 25
<b>POPULATION</b>	
Census 2010	319,294
2013 Estimate	318,416

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	139,644	139,939	145,563
Employed	126,965	126,924	128,482
Unemployed	12,679	13,015	17,081
Unemployment Rate	9.1%	9.3%	11.7%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	8,353	9,053	9,428
Drop-outs	1,050	1,646	1,871
Drop-out Rate	12.6%	18.2%	19.8%
School Suspensions:			
Alcohol Incidents	0	4	9
Drug Incidents	131	179	152
Tobacco Incidents	0	1	1

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	4,696	4,957	4,843
Mother Reported Smoking while Pregnant	707	749	750

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	127	122	146
Hepatitis B Chronic, Acute, Prenatal	1 68	53	61
Hepatitis C Chronic and Acute	1 780	823	611
Tuberculosis Infection Cases	1 581	616	548

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	2,911	2,991	3,046
Suicides	31	43	40
Self-inflicted Injuries	458	483	457
Homicides		93	106
Assault Injuries	2,965	3,046	3,100
Alcohol Induced Deaths	44	33	36
Drug Induced Deaths	68	96	77
Smoking Attributable Deaths	461	468	492

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 2,449	3,098	
Alcohol Primary Diagnosis	2 143	252	
Drug Primary Diagnosis	2 422	509	
Alcohol Related Diagnosis	781	1,314	1,368
Drug Related Diagnosis	1,668	2,243	1,995
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 3,047	2,517	
Alcohol Primary Diagnosis	2 404	284	
Drug Primary Diagnosis	2 294	245	
Alcohol Related Diagnosis	2,552	1,971	1,933
Drug Related Diagnosis	3,419	2,748	2,117
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 4,594	4,377	
Alcohol Primary Diagnosis	2 1,845	1,573	
Drug Primary Diagnosis	2 1,052	1,252	
Alcohol Related Diagnosis	3,576	3,103	3,091
Drug Related Diagnosis	3,776	4,640	3,381

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	152	124	193
Fatal Crashes	2	5	7
Injury Crashes	55	55	63
Property Damage Crashes	95	64	123
Crash Fatalities	2	5	8
Crash Injuries	85	112	129
Drug Involved Crashes--Total	21	14	16
Fatal Crashes	0	1	3
Injury Crashes	10	10	7
Property Damage Crashes	11	3	6
Crash Fatalities	0	1	3
Crash Injuries	14	8	13

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	340	263	476
Liquor Law Arrests	715	537	307
Drug Arrests	3,940	4,167	3,046
Methamphetamine Lab Incidents	41	24	4
Violent Offenses	5,664	5,950	6,209
Property Offenses	22,231	25,861	27,612
Domestic Violence Reports	2,628	2,329	2,280

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	1,848	1,956	2,188
Violent Offenses	546	583	698
Alcohol Offenses	6	4	8
Drug Offenses	102	83	134
Status Offenses--Total	299	358	414
Truancy	169	216	278
Beyond Parental Control	78	83	50
Habitually Absent from Home	42	51	84
Injurious Behavior	10	6	2
Abuse/Neglect/Custody--Total	539	674	511
Abuse	50	63	68
Neglect	436	517	372
Custody Disputes	53	94	71

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	214	213	235
Parental Alcohol Use Related	3	2	8
Parental Drug Use Related	76	49	60
Parental Alcohol and Drug Use	3	0	1
Child Removed for Other Reason	132	162	166

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	527	564	640
Probation/Parole Admissions--Total	3,627	3,455	3,309
Probation/Parole Admissions--Drug	1,485	1,324	1,312
Probation/Parole Admissions--DWI	8	16	12
Prison Admissions--Total	1,725	1,762	1,618
Prison Admissions--Drug	609	594	585
Prison Admissions--DWI	4	4	5


<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	783	772	766
Alcohol Package Carry-out Licenses	168	176	172

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.



# PSYCHIATRIC SERVICE AREAS 24, 25

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Eastern  
**PSYCHIATRIC SERVICE AREA** 24, 25  
**CENSUS 2010** 319,294  
**2013 POPULATION ESTIMATE** 318,416

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	79	84	65
Anxiety Disorder	567	531	448
Dementia	6	11	12
Developmental Disorder	23	28	23
Impulse Control Disorder	701	629	465
Mood Disorder	3,156	3,039	2,619
Personality Disorder	274	275	221
Psychotic Disorder	2,429	2,466	2,300
Sexual Disorder	11	7	13
Other Diagnosis	142	117	123
Diagnosis Unknown	632	843	958

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>	<b>EDUCATION</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Total Individuals	6,686	6,716	6,231	Less than High School Diploma	1,912	1,170	822
<b>AGE</b>				High School Grad or G.E.D.	*	735	714
Under 6	19	17	15	Associate Degree or Some College	*	362	344
6 to 9	274	218	161	Bachelor or Advanced Degree	0	191	125
10 to 13	308	300	224	Education Level Unknown	4,772	4,258	4,226
14 to 17	379	336	295	<b>EMPLOYMENT</b>			
18 to 24	470	499	475	Employed	295	279	239
25 to 29	444	470	443	Unemployed	325	1,922	1,776
30 to 34	519	544	512	Not in Labor Force	3,605	725	27
35 to 39	474	496	490	Employment Status Unknown	2,461	3,790	4,189
40 to 44	604	609	586	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	797	893	869	Independent Living	2,192	2,089	1,584
50 to 54	961	948	921	Dependent Living	1,699	672	526
55 to 59	786	758	690	Homeless	260	186	107
60 and Over	651	628	550	Other	0	61	62
Age Unknown	0	0	0	Housing Unknown	2,535	3,708	3,952
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	3,434	3,443	3,220	Self / Family / Friend	2,460	2,584	2,431
Female	3,252	3,273	3,011	School	47	40	21
Gender Unknown	0	0	0	Mental Health Provider	805	877	980
<b>RACE / ETHNICITY</b>				Health Care Provider	910	725	516
Caucasian	1,675	1,705	1,600	Court / Criminal Justice	433	511	540
African American	4,744	4,741	4,373	Other	1,977	1,920	1,657
Native American / Alaskan	5	*	*	Referral Source Unknown	54	59	86
Asian / Pacific Islander	24	24	26	<b>TYPE OF COMMITMENT</b>			
Hispanic	53	50	42	Voluntary	6,398	6,417	5,853
Other Race	184	192	185	Civil	30	28	64
Race/Ethnicity Unknown	*	*	*	Criminal	201	207	224
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	7	6
Hearing Impaired	178	171	143	Commitment Type Unknown	53	57	84
Past or Current Military Service	188	208	192				


# MISSOURI: 2013 POPULATION ESTIMATES BY AGE, GENDER, RACE, AND HISPANIC ORIGIN

		All Races			White		Black or African American		American Indian or Alaska Native		Asian		Hawaiian or Pacific Islander		Two or More Races	
		Total	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
Total	All Ages	6,044,171	2,963,957	3,080,214	2,492,169	2,567,238	337,660	372,487	16,414	15,797	52,332	58,130	4,057	4,044	61,325	62,518
	0-4	376,837	193,198	183,639	150,265	142,474	27,245	26,087	1,199	1,082	3,829	3,753	381	445	10,279	9,798
	5-9	391,986	199,991	191,995	158,123	150,588	27,364	26,880	1,028	1,127	3,659	3,793	402	406	9,415	9,201
	10-14	392,151	200,693	191,458	160,988	152,699	27,332	26,435	1,081	1,068	3,266	3,582	347	335	7,679	7,339
	15-19	398,256	204,558	193,698	163,144	154,180	29,645	28,001	1,237	1,154	3,787	3,686	330	332	6,415	6,345
	20-24	433,959	219,196	214,763	173,727	170,266	32,842	32,090	1,388	1,273	5,350	5,320	422	380	5,467	5,434
	25-29	398,319	199,456	198,863	164,286	161,727	24,997	26,587	1,199	1,101	5,066	5,121	411	387	3,497	3,940
	30-34	398,671	199,102	199,569	166,646	163,079	22,860	26,037	1,136	1,066	4,920	5,573	387	380	3,153	3,434
	35-39	354,935	176,826	178,109	148,128	145,589	20,038	23,284	1,097	976	4,620	5,154	321	328	2,622	2,778
	40-44	376,141	186,686	189,455	157,891	156,683	20,633	24,021	1,103	1,033	4,411	4,947	289	264	2,359	2,507
	45-49	391,507	193,421	198,086	165,523	166,620	21,189	24,100	1,139	1,101	3,403	3,810	207	218	1,960	2,237
	50-54	445,618	219,306	226,312	190,427	193,893	22,626	25,459	1,256	1,233	2,613	3,141	202	182	2,182	2,404
	55-59	419,604	203,790	215,814	178,644	186,213	19,784	23,358	1,164	1,163	2,088	2,840	135	152	1,975	2,088
	60-64	358,410	171,045	187,365	152,327	163,382	14,573	18,858	846	925	1,730	2,524	106	89	1,463	1,587
	65-69	288,577	136,472	152,105	123,231	135,023	10,032	13,417	627	584	1,408	1,882	56	59	1,118	1,140
	70-74	218,130	100,633	117,497	91,632	105,272	6,794	9,734	423	370	998	1,236	31	28	755	857
	75-79	158,759	70,287	88,472	64,250	79,470	4,629	7,321	265	249	640	819	21	19	482	594
	80-84	119,459	48,809	70,650	45,195	64,229	2,875	5,274	130	155	307	560	6	20	296	412
	85+	122,852	40,488	82,364	37,742	75,851	2,202	5,544	96	137	237	389	3	20	208	423
Non-Hispanic	All Ages	5,811,224	2,842,575	2,968,649	2,388,030	2,472,115	331,613	366,508	12,699	12,469	51,214	57,082	3,286	3,359	55,733	57,116
	0-4	350,635	179,867	170,768	139,362	131,917	26,441	25,308	782	731	3,671	3,595	290	353	9,321	8,864
	5-9	365,596	186,540	179,056	146,833	139,773	26,632	26,145	694	766	3,555	3,693	302	317	8,524	8,362
	10-14	369,844	189,198	180,646	151,190	143,604	26,746	25,869	808	748	3,187	3,494	285	263	6,982	6,668
	15-19	378,173	194,008	184,165	154,169	146,191	29,081	27,436	933	876	3,701	3,613	255	272	5,869	5,777
	20-24	412,960	207,810	205,150	164,158	162,149	32,167	31,543	1,033	983	5,239	5,206	334	315	4,879	4,954
	25-29	378,509	188,502	190,007	154,922	154,082	24,358	26,103	843	875	4,972	5,036	327	339	3,080	3,572
	30-34	378,937	188,399	190,538	157,363	155,351	22,353	25,502	778	793	4,812	5,494	320	313	2,773	3,085
	35-39	338,059	167,863	170,196	140,297	138,776	19,666	22,869	786	735	4,528	5,080	268	272	2,318	2,464
	40-44	361,602	179,074	182,528	151,141	150,619	20,364	23,711	883	799	4,340	4,872	236	213	2,110	2,314
	45-49	379,678	187,345	192,333	160,129	161,620	20,958	23,831	921	900	3,347	3,745	175	186	1,815	2,051
	50-54	435,449	214,095	221,354	185,845	189,566	22,398	25,231	1,075	1,054	2,569	3,103	174	163	2,034	2,237
	55-59	411,920	199,867	212,053	175,165	182,919	19,614	23,197	1,036	1,009	2,047	2,810	118	137	1,887	1,981
	60-64	353,016	168,276	184,740	149,859	161,061	14,467	18,738	748	835	1,712	2,498	99	82	1,391	1,526
	65-69	284,739	134,647	150,092	121,616	133,257	9,968	13,307	552	530	1,395	1,870	50	51	1,066	1,077
	70-74	215,517	99,400	116,117	90,533	104,040	6,758	9,681	381	333	970	1,221	26	27	732	815
	75-79	156,919	69,456	87,463	63,508	78,537	4,596	7,289	239	231	633	812	19	17	461	577
	80-84	118,129	48,242	69,887	44,671	63,544	2,853	5,233	119	144	305	556	6	20	288	390
	85+	121,542	39,986	81,556	37,269	75,109	2,193	5,515	88	127	231	384	2	19	203	402
Hispanic	All Ages	232,947	121,382	111,565	104,139	95,123	6,047	5,979	3,715	3,328	1,118	1,048	771	685	5,592	5,399
	0-4	26,202	13,331	12,871	10,903	10,557	804	779	417	351	158	158	91	92	958	933
	5-9	26,390	13,451	12,939	11,290	10,815	732	735	334	361	104	100	100	89	891	838
	10-14	22,307	11,495	10,812	9,798	9,095	586	566	273	320	79	88	62	72	697	671
	15-19	20,083	10,550	9,533	8,975	7,989	564	565	304	278	86	73	75	60	546	568
	20-24	20,999	11,386	9,613	9,569	8,117	675	547	355	290	111	114	88	65	588	480
	25-29	19,810	10,954	8,856	9,364	7,645	639	484	356	226	94	85	84	48	417	368
	30-34	19,734	10,703	9,031	9,283	7,728	507	535	358	273	108	79	67	67	380	348
	35-39	16,876	8,963	7,913	7,831	6,813	372	415	311	241	92	74	53	56	304	314
	40-44	14,539	7,612	6,927	6,750	6,064	269	310	220	234	71	75	53	51	249	193
	45-49	11,829	6,076	5,753	5,394	5,000	231	269	218	201	56	65	32	32	145	186
	50-54	10,169	5,211	4,958	4,582	4,327	228	228	181	179	44	38	28	19	148	167
	55-59	7,684	3,923	3,761	3,479	3,294	170	161	128	154	41	30	17	15	88	107
	60-64	5,394	2,769	2,625	2,468	2,321	106	120	98	90	18	26	7	7	72	61
	65-69	3,838	1,825	2,013	1,615	1,766	64	110	75	54	13	12	6	8	52	63
	70-74	2,613	1,233	1,380	1,099	1,232	36	53	42	37	28	15	5	1	23	42
	75-79	1,840	831	1,009	742	933	33	32	26	18	7	7	2	2	21	17
	80-84	1,330	567	763	524	685	22	41	11	11	2	4	0	0	8	22
	85+	1,310	502	808	473	742	9	29	8	10	6	5	1	1	5	21

**MISSOURI DEPARTMENT OF MENTAL HEALTH**

**Division of Behavioral Health**

**NATIONAL SURVEY ON DRUG USE AND HEALTH  
Areas Sampled for Substance Abuse and Mental Illness Estimates**




**Legend**

- Western Region Except Jackson County
- Jackson County
- Central Region
- Eastern Region Except Saint Louis City and County
- Saint Louis City and County
- Southwest Region
- Southeast Region



**MISSOURI DEPARTMENT OF MENTAL HEALTH  
DIVISION OF BEHAVIORAL HEALTH**

**REGIONS AND ADULT PSYCHIATRIC SERVICE AREAS**



**MAP LEGEND**

- DIVISION OF BEHAVIORAL HEALTH REGION BOUNDARY
- ADULT PSYCHIATRIC SERVICE AREA BOUNDARY
- COUNTY BOUNDARY